



© The Author(s), 2023. Published by Cambridge University Press for the Arizona Board of Regents on behalf of the University of Arizona. This is an Open Access article, distributed under the terms of the Creative Commons Attribution licence (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted re-use, distribution and reproduction, provided the original article is properly cited.

REFINING CERAMIC CHRONOLOGY AND EPICLASSIC REOCCUPATION AT LA VENTILLA, TEOTIHUACAN USING TRAPEZOIDAL BAYESIAN MODELING

Gina M Buckley^{1*}  • Sarah C Clayton² • Sergio Gómez Chávez³ • Rubén Cabrera Castro³ • Laurie Eccles⁴ • Brendan J Culleton⁵  • Douglas J Kennett⁶

¹Archaeometry Laboratory, Research Reactor Center, University of Missouri, Columbia, MO 65211, USA

²Department of Anthropology, University of Wisconsin-Madison, Madison, WI 53706, USA

³Instituto Nacional de Antropología e Historia, Zona Arqueológica de Teotihuacán, Estado de México, México

⁴Department of Anthropology, The Pennsylvania State University, University Park, PA 16801, USA

⁵Institutes of Energy and the Environment, The Pennsylvania State University, University Park, PA 16801, USA

⁶Department of Anthropology, University of California, Santa Barbara, CA 93106, USA

ABSTRACT. Accelerator mass spectrometry radiocarbon (AMS ¹⁴C) dates ($n = 78$) from human bone collagen were analyzed in the largest high-resolution chronology study to date at the ancient city of Teotihuacan in central Mexico (ca. AD 1–550). Samples originate from the residential neighborhood of La Ventilla, located in the heart of this major urban center. Here, a trapezoidal model using Bayesian statistics is built from ¹⁴C dates combined with data derived from the stylistic analysis of ceramics from burial contexts. Based on this model, we suggest possible refinements to Teotihuacan's ceramic chronology, at least within the La Ventilla neighborhood. We also explore the abandonment and reoccupation of La Ventilla after the political collapse of Teotihuacan in the Metepec and Coyotlatelco phases. Findings suggest that these ceramic phases began earlier than is currently projected and that the well-documented abandonment period of La Ventilla may have occurred more abruptly than originally estimated.

KEYWORDS: Bayesian modeling, ceramics, Coyotlatelco, high-resolution chronology, human burials, Mexican highlands, Teotihuacan.

INTRODUCTION

The ancient city of Teotihuacan, located in the central highlands of Mexico (Figure 1), was a political and economic powerhouse that dominated the region during the first half-millennium AD (Millon 1988; Cowgill 2015). By AD 200, an estimated 85,000 to 125,000 people lived in the city, making it the largest urban center in the Americas at the time (Cowgill 2015; Smith et al. 2019). At its height, the city was divided into neighborhood that consisted of multi-family domestic units referred to as apartment compounds (Millon 1973; Manzanilla 1996; Carballo 2011). Teotihuacan persisted as a densely populated city and the capital of a regional state until the AD 500s, when its political institutions broke down and the population decreased by at least half (Cowgill 2013:133).

Researchers have studied and refined the relative ceramic chronology at Teotihuacan for more than half a century, making it one of the most precise in Mesoamerica (Sanders 1986; Millon 1988; Rattray 2001; Cowgill 2015). Recently, archaeomagnetic and radiocarbon dating techniques have been employed to build high-resolution absolute chronologies of the ancient city (Hueda-Tanabe et al. 2004; Soler-Arechalde et al. 2006; Beramendi-Orosco et al. 2009, 2020; Gómez Chavez et al. 2017; Solís et al. 2021; Goguitchaichvili et al. 2022). However, many of these studies have relied on the dating of wood-charcoal and lime plaster samples, which is a less accurate method than directly radiocarbon dating skeletal remains (Schiffer 1986). A great deal of research involving absolute dating is still needed to build a high-resolution chronology for Teotihuacan (Nichols 2015:4–6).

*Corresponding author. Email: ginabuckley@mail.missouri.edu.

Table 1 Established periods and ceramic phases for the region of study. From Cowgill (2015) and Nichols (2015).

Mesoamerica Periods (Highlands)	Teotihuacan Valley (Ceramic Phases)	Years
Epiclassic	Coyotlatelco	AD 650–850
Classic	Metepec	AD 550–650
	Late Xolalpan	AD 450–550
	Early Xolalpan	AD 350–450
	Late Tlamimilolpa	AD 250–350
Terminal Formative	Early Tlamimilolpa	AD 150–250
	Miccaotli	AD 100–150
	Tzacualli	AD 1–100
	Patlachique	100 BC–AD 1




Figure 1 Teotihuacan within the Basin of Mexico. Outset: The map of the Teotihuacan city with the district of La Ventilla highlighted. Adapted from Millon (1973).

In this study, we apply high-precision accelerated mass spectrometry (AMS) radiocarbon (^{14}C) dating to human remains recovered from La Ventilla, Teotihuacan ($N = 78$), a centrally located neighborhood within the city (Gómez Chávez and Núñez Hernández 1999; Gómez 2000; Figure 1). We have two objectives. The first is to develop a ceramic-phase chronology for the La Ventilla apartment complex using a Bayesian statistical model informed by ^{14}C dates and the analysis of temporally-diagnostic ceramics from mortuary contexts. The second is to explore the abandonment of La Ventilla during the Metepec phase (Classic period) and its reoccupation by groups using distinct ceramics associated with the Coyotlatelco phase (Epiclassic period) (Table 1). From these results, we discuss the potential implications for the city's ceramic chronology more broadly.

The deterioration of the Teotihuacan state at the end of the Classic period is linked with significant demographic change, but there are unresolved questions about the social dimensions of this upheaval and its impact on city residents. One of the most persistent questions is whether the city was continuously inhabited during the Classic to Epiclassic transition or mostly abandoned after political collapse, to be reoccupied later by groups that introduced new practices and material culture (e.g., Manzanilla 2003; Sanders 2003). Resolving this question requires research at the scale of specific neighborhoods, as it is highly likely that these processes did not occur in a uniform way throughout the city. In the specific context of La Ventilla, there is evidence that structures were abandoned for a number of years in association with the state's decline, but estimating the timing of the resettlement of this area by new residents has been challenging.

TEOTIHUACAN CHRONOLOGY

Extensive archeological surveys (Millon 1973; Sanders et al. 1979) indicate that Teotihuacan was first settled during the Patlachique phase (100 BC–AD 1), in the Terminal Formative period (Table 1), as people arrived from surrounding areas into the Teotihuacan Valley. Within a century, Teotihuacan grew from a sparsely settled area to a burgeoning population of 20,000 (Cowgill 2015:53). The Tzacualli, Miccoatli, and Early Tlamimilopa phases followed the initial settlement of the city, respectively, and represent a time of major civic-ceremonial development with the construction and expansion of large, monumental structures in the central city.

In the Late Tlamimilopa phase, the city's civic-ceremonial center reached its peak development, and the urban population was at its height (Cowgill 2015:141). Domestic life at this time was situated within the multi-family apartment compounds (Millon 1973; Manzanilla 1996). The Early and Late Xolalpan phases were regarded by Millon (1973) as a time of "urban renewal," when expansive construction projects were realized across the city. Subsequently, in the AD 500s, city population began to decline, corresponding with increasing socioeconomic inequality among city residents (Gómez Chávez and Gazzola 2004; Robertson 2005; Cowgill 2015:235), possibly exacerbated by issues related to climate instability (Kennett and Marwan 2015; but see McClung de Tapia 2009, 2012).

Around AD 550 ± 25, as estimated from a sample of archaeomagnetic dates, an event known as the "Great Fire" took place that appears to correspond with the end of the Late Xolalpan phase (Beramendi-Orosco et al. 2009). At this time, dozens of sculptures were smashed and structures in the civic-ceremonial core of the city were burned. These destructive acts mark what scholars believe was the political collapse of Teotihuacan, although the AD 550 date differs from previous estimates that place these events in the AD 600s (Cowgill 2015:233). During the final century of Teotihuacan's dominance, the population decreased dramatically (Cowgill 2013:233). However, demographic decline did not result in the full or permanent abandonment of the city, and it is estimated that 40,000 people lived at Teotihuacan after the collapse of its governing institutions (Sanders et al. 1979:130).

The political dissolution of Teotihuacan ushered in the Epiclassic period, and with it, significant changes in settlement patterns and material culture across the basin (Crider et al. 2007; Cowgill 2013; Hernández and Healan 2019; Clayton 2020). One of the more apparent changes is the introduction of Coyotlatelco pottery, a distinctive serving ware with red designs painted on a natural buff or brown background (Rattray 1966; Cobean



Figure 2 Coyotlatelco-style decorated pottery that accompanied Burial 26 (left) and one of the Coyotlatelco *cucharones* (serving spoons) associated with Burial 173B. Photos by Sergio Gómez Chávez (left) and Miguel Morales (right).

1990; Gaxiola González 2006; Hernández and Healan 2019; Figure 2). The origin of this ceramic style has interested scholars for many years (Sugiura 2006; Healan 2012; Beekman 2019; Hernández and Healan 2019). Some archaeologists hypothesize that Coyotlatelco ceramics are of local origin, derived from earlier traditions in the Basin of Mexico (Bennyhoff 1966; Dumond and Muller 1972; Sanders 1986:190). Others suggest that Coyotlatelco pottery was introduced into central Mexico by migrants, likely from the western portion of the Bajío region (Rattray 1966; Braniff Cornejo 1972; Mastache and Cobean 1989:65). Others see it as a hybridization of non-local and central Mexican ceramic traditions (Beekman and Christensen 2003; Manzanilla 2005:269; Lopez Pérez et al. 2006; Sugiura 2006; Hernández and Healan 2019).

One of the biggest chronological challenges at Teotihuacan is to identify a more precise timing for the appearance of Coyotlatelco ceramics and how this relates temporally with the depopulation of the city and the dissolution of Teotihuacan's governing institutions. Some scholars suggest that Coyotlatelco was in use at Teotihuacan well *before* the city's demographic decline (Beekman and Christiansen 2003:144–145). Others argue that Coyotlatelco pottery was introduced by migrant groups who reoccupied the city *after* it was abandoned (Rattray 1966). In this study, we do not examine the origins of Coyotlatelco ceramics; rather, we investigate the earliest use of these materials in burial contexts within one residential neighborhood and consider the broader implications of their appearance for the timing of Teotihuacan's decline.

La Ventilla

Located in the center of the city is the neighborhood of La Ventilla (Gómez Chávez 2000; Cabrera Castro 2017:108; see Figure 1). Samples for this study come from the La Ventilla 1992–1994 Project, from which over 350 burials across four areas of investigation




Figure 3 The La Ventilla 1992–1994 site map. All features illustrated here represent the ancient structure of the La Ventilla neighborhood. Stars indicate dated burials in this study associated with Coyotlatelco ceramic offerings. Adapted from Gómez Chávez and Núñez (1999).

(operations), or “*frentes*,” were excavated (Gómez Chávez and Núñez Hernández 1999; Cabrera Castro 2000; Serrano Sánchez 2003). In this study, the primary author analyzed human remains from three of these areas, La Ventilla 1, 2, and 3, which are referred to here as LV1, LV2, and LV3 (Figure 3).

LV1 is thought to have operated as a “neighborhood temple” due to the discovery of a group of religious structures (Cabrera Castro 2003:1920). Here, community-scale ritual functions were paramount. Our sample from LV1 comprises three adult individuals, each of which were associated with Coyotlatelco-style ceramics. LV2 has been interpreted as a center for administrative and institutional purposes that likely accommodated high-ranking officials and priests (Cabrera Castro 1995; Gómez Chávez 2000). This compound is often referred to as the “Compound of the Glyphs” as it includes spaces decorated with red-painted glyphs arranged in a grid-like pattern (Cabrera Castro 2017). Eighteen individuals in this

study were from burial contexts in LV2. The largest sample, 57 individuals, is from LV3, a residential area referred to as the “Artisans’ Compound” (Cabrera Castro 2017:109). Here, lapidary specialists worked with a variety of materials, including obsidian and shells (Gómez Chávez 2000; Gazzola 2007). Samples from both LV2 and LV3 are associated with mortuary offerings spanning the Tlamimilolpa through the Coyotlatelco phases.

Coyotlatelco ceramics were recovered from all three of the areas included in this study (LV1, LV2, and LV3). Gómez Chávez and Cabrera Castro (2008:219), the principal investigators of the La Ventilla project, found stratigraphic evidence that the Coyotlatelco-phase materials represent a reoccupation of the area after its abandonment. They observed the presence of small, insubstantial structures associated with Coyotlatelco ceramics built atop earlier, deteriorated buildings, suggesting that these new residents had insufficient materials to undertake major construction work and reused spaces where structures had collapsed (see also Millon 1988). Additionally, Coyotlatelco ceramics were not associated with domestic and mortuary contexts containing Teotihuacan-style pottery. Similar findings are also reflected in the Pyramid of the Sun complex, where the construction of several structures used as *temazcales* were built after the Teotihuacan-era floors were covered by the collapse of the great pyramid (Gómez Chávez and Cabrera Castro 2008).

MATERIALS AND METHODS

Sample Collection and Preparation

All samples in this study were originally recovered during the La Ventilla 1992–1994 excavations. Only adult individuals (>15 years of age) were sampled in this study to obtain adequate bone collagen yields for ^{14}C measurements. Bone collagen samples from 78 individuals from LV1 ($N = 3$), LV2 ($N = 18$) and LV3 ($N = 57$) were processed for AMS ^{14}C dating at the Human Paleoecology and Isotope Geochemistry Laboratory at The Pennsylvania State University. The surfaces of all bone samples were first manually cleaned with an X-ACTO® blade. Approximately 1000 mg of bone were demineralized for 48–72 hr in 0.5 N HCl at 5°C, then neutralized through multiple rinses of Nanopure (>18.2 M Ω) water. Following the revised Longin method (Brown et al. 1988), the remaining collagen was gelatinized in ~2 mL 0.01 N HCl at 60°C for 10 hr and lyophilized for 24–48 hr. Samples were weighed, and based on the total yield, were purified through the ultrafiltration process (Brown et al. 1988, >3% yield) or through XAD-2 resin (styrene-divinylbenzene) chromatography (Stafford et al. 1988, 1991; Loshe et al. 2014, < 3% yield). Bone collagen sample quality was evaluated by % crude gelatin yield, carbon (%C) and nitrogen (%N) yields from the combusted collagen, and the carbon-to-nitrogen (C:N) atomic percent ratios (DeNiro 1985; van Klinken 1999). All samples have C:N ratios ranging between 3.2 and 3.4, indicating good preservation (see Table S1).

Bone collagen samples were entered onto a vacuum line for cryogenic purification and sealed in quartz tubes with CuO powder and Ag wire. Samples were combusted for 3 hr at 900°C to remove sulfides and produce sample CO₂. CO₂ samples generated from bone collagen were then converted to graphite by hydrogen reduction onto an Fe catalyst at 550°C for 3 hr (Vogel et al. 1984) and reaction water was drawn off with Mg(ClO₄)₂ (Santos et al. 2004). Graphite was pressed into Al targets with standards and backgrounds and measured for AMS analysis in the Penn State Radiocarbon Laboratory. Radiocarbon dates for bone collagen were corrected for mass fractionation with measured $\delta^{13}\text{C}$ following Stuiver and Polach (1977). Dates were calibrated with OxCal v.4.4.4 (Bronk Ramsey 2020) using the

IntCal20 Northern Hemisphere curve (Reimer et al. 2020) and are presented in supplemental Table S1 and Figure S1.

Trapezoidal Modeling

This study implements a trapezoidal framework to produce a Bayesian model for ceramic-phase refinement using OxCal v.4.4.4 software (Bronk Ramsey 2020; see Data File S1). The standard Bayesian model in radiocarbon dating uses *boundaries* and *phases* to assign relationships to grouped events, and it runs on the assumption that the phases placed between boundaries will have a uniform distribution of materials (Buck et al. 1992). *Phases* lie within *boundaries* and contain unordered groups of dates that represent a common stratigraphic marker such as a floor or sterile sediment layer. This standard model is an excellent tool for depositional modeling of samples that have a clear beginning and end phase, such as those dated between construction events within a housing unit.

In this study we rely on the distribution of temporally diagnostic ceramics associated with each burial as well as stratigraphic information from the original excavations. Although a standard uniform prior model is appropriate here, a trapezoidal model will theoretically better simulate the transitional changes generally seen with typological seriations (Lee and Bronk Ramsey 2012). Ceramic assemblages do not tend to start and end abruptly during the occupational history of a site but rather transition in and out of use over a gradual period of time; that is, the use of different ceramic assemblages by a population may overlap, resulting in periods of contemporaneous use. The trapezoidal model provides flexibility for overlapping assemblages by inserting three boundaries (*Start*, *Transition*, *End*) at the beginning and end of each phase group. In this model, the trapezoidal phase prior is used in a contiguous framework. In other words, phases separated by boundaries within a sequence are considered to be sequential (for a comprehensive example, see Lee and Bronk Ramsey 2013).

For LV3, many of the burials were assigned to a temporal range including two ceramic phases (e.g., Late Xolalpan and Metepec). This is because some wares and forms exhibit stylistic continuities across more than one phase, making it appropriate to assign these objects and the contexts that they represent to a phase-range. For this reason, we created a model with multiple *sequences*, each representing a major ceramic phase (e.g., Late Xolalpan, Metepec, etc.). Individuals with a two-ceramic phase designation were placed in *both* sequences to measure all possible outcomes for the start and end date estimations for each ceramic phase. This approach resulted in less constriction between phases. Some of these individuals were designated as outliers in one of the two sequences, which explains the discrepancy in the number of repeated samples between sequences in the model.

Table 2 describes the complete trapezoidal model rendered for this study (see also Figure S1). Unmodeled ^{14}C dates for all samples analyzed are reported in Table S1, including those that could not be incorporated into the model due to a lack of association with temporally diagnostic ceramics or because of poor agreement with the model (i.e., outliers). Here, we have chosen to omit outliers. This decision was made because some of the burials dated in this study, particularly those from LV2, are from secondary contexts; that is, the interments had been either intentionally or unintentionally disturbed or reburied. These disturbances are evident for a few individuals who date to a phase that is extremely unlikely to coincide with the associated ceramic material recovered at the time of excavation.

Table 2 Summary of the results of the trapezoidal model of ^{14}C dates from human remains.

Sequence	PSU AMS#	Sample ID	Context	Conventional age (BP + 1 σ)	Modeled age (cal AD, 2 σ range)	Median (cal AD)	<i>p</i> 2 σ (%)	A' (%)
Sequence: Tlamimilolpa								
Boundary: Start of Tlamimilolpa						210–355	296	95.4
Start						150–335	260	95.4
Duration						0–205	57	95.4
End						235–425	325	95.4
Phase: Tlamimilolpa								
	6596	VEN272	LV3; U.8; N1W2	1790 \pm 25	235–260 275–355	312	6.2 89.3	94.1
	6600	VEN93	LV2; West Complex	1755 \pm 25	275–400	328	92.5	94.1
	6486	VEN35-1	LV2; West Plaza	1735 \pm 20	255–295 310–405	343	13.2 82.3	96.9
	6599	VEN85	LV3; U.S.8; N1W2	1730 \pm 25	260–295 310–410	349	10.7 84.7	99.2
Phase: Tlamimilolpa–Early Xolalpan								
	6523	VEN19B	LV2; Jaguar Patio	1745 \pm 20	270–400	333	92.3	96.1
	6574	VEN121	LV3; U.15, S1W2	1710 \pm 20	260–280 325–410	366	5.5 89.9	101.7
	6520	VEN8	LV2; West Plaza	1665 \pm 20	350–425	400	95.4	102.1
	6530	VEN37	LV2; SW Compound	1655 \pm 20	355–435	410	95.4	107.2
	6567	VEN231	LV3; U.S.8; N1W2	1645 \pm 20	360–440	415	94.0	119.5
	6582	VEN247-1	LV3; U.S.8; N1W2	1645 \pm 20	360–440	415	94.1	119.9
	6560	VEN247-2	LV3; U.S.8; N1W2	1610 \pm 25	400–505	429	95.4	96.9
Boundary: End of Tlamimilolpa						395–520	440	95.4
Start						320–495	420	95.4
Duration						0–205	42	95.4
End						415–580	466	95.4

Table 2 (Continued)

Sequence	PSU AMS#	Sample ID	Context	Conventional age (BP + 1σ)	Modeled age (cal AD, 2σ range)	Median (cal AD)	p 2σ (%)	A' (%)
Sequence: Early Xolalpan								
Boundary: Start of Early Xolalpan					405–425	416	95.4	
Start					395–425	415	95.4	
Duration					0–20	3	95.4	
End					405–430	418	95.4	
Phase: Tlamimilolpa–Early Xolalpan								
	6520	VEN8	LV2; West Plaza	1665 ± 20	410–430	419	95.4	96.9
	6530	VEN37	LV2; SW Compound	1655 ± 20	410–430	420	95.4	129.9
	6567	VEN231	LV3; U.S.8; N1W2	1645 ± 20	410–430	420	95.4	163.6
	6582	VEN247-1	LV3; U.S.8; N1W2	1645 ± 20	410–430	420	95.4	163.7
	6560	VEN247-2	LV3; U.S.8; N1W2	1610 ± 25	410–435	421	95.4	101.8
Phase: Early Xolalpan								
	6571	VEN100	LV3; U.8; N1W2	1670 ± 25	405–430	419	95.4	88.0
	6562	VEN250-2	LV3; U.11; N1W2	1660 ± 20	410–430	419	95.4	113.2
	6612	VEN16	LV2; West Plaza	1640 ± 20	410–430	420	95.4	176.1
	6566	VEN226	LV3; U.S.9; N1W2	1625 ± 20	410–430	421	95.4	159.4
	6557	VEN180	LV3; U.11; N1W2	1625 ± 20	410–430	421	95.4	159.4
	6568	VEN236	LV3; U.17; S1W2	1620 ± 20	410–430	421	95.4	140.5
	6495	VEN75	LV2; South Section	1610 ± 20	415–435	422	95.4	100.6
	6561	VEN250-1	LV3; U.11; N1W2	1605 ± 20	415–435	422	95.4	82.8
	6558	VEN183	LV3; U.S.8; N1W2	1600 ± 20	415–435	422	95.4	67.2
Phase: Early–Late Xolalpan								
	6533	VEN79	LV3; U.5; N1/S1W2	1610 ± 25	410–435	421	95.4	101.8
Boundary: End of Early Xolalpan					415–440	426	95.4	
Start					415–435	423	95.4	
Duration					0–20	3	95.4	
End					415–445	427	95.4	

(Continued)

Table 2 (Continued)

Sequence	PSU AMS#	Sample ID	Context	Conventional age (BP + 1 σ)	Modeled age (cal AD, 2 σ range)	Median (cal AD)	<i>p</i> 2 σ (%)	A' (%)
Sequence: Late Xolalpan								
Boundary: Start of Late Xolalpan					415–520	457	95.4	
Start					395–525	450	95.4	
Duration					0–70	9	95.4	
End					420–530	466	95.4	
Phase: Early–Late Xolalpan								
	6533	VEN79	LV3; U.5; N1/S1W2	1610 \pm 25	430–535	480	95.4	101.2
	6576	VEN136-1	LV3; Comp. C; S1W2	1590 \pm 20	435–535	482	95.4	105.0
	6534	VEN80	LV3; U.8; N1W2	1580 \pm 20	435–535	482	95.4	103.2
Phase: Late Xolalpan								
	6490	VEN45	LV3; U.2; S1W2	1610 \pm 20	430–535	480	95.4	98.1
	6564	VEN193	LV3; U.S.9; N1W2	1610 \pm 20	430–535	480	95.4	98.0
	6491	VEN48	LV3; U.2; S1W2	1600 \pm 20	430–535	480	95.4	103.7
	6532	VEN68	LV3; U.5; S1W2	1600 \pm 20	430–535	481	95.4	103.7
	6580	VEN181	LV3; U.11; N1W2	1595 \pm 20	435–535	481	95.4	104.8
	6540	VEN120	LV3; U.8; N1W2	1590 \pm 20	435–535	482	95.4	105.0
	6565	VEN225	LV3; U.4; S1W2	1580 \pm 20	435–535	482	95.4	103.2
Phase: Late Xolalpan–Metepec								
	6492	VEN51A	LV3; U.16; S1W2	1590 \pm 20	435–535	482	95.4	105.0
	6493	VEN54A	LV3; U.9; S1W2	1590 \pm 20	435–535	482	95.4	105.0
	6573	VEN103	LV3; U.11; N1W2	1575 \pm 20	435–535	483	95.4	101.4
	6572	VEN102-1	LV3; U.8; N1W2	1570 \pm 20	435–535	483	95.4	98.6
Boundary: End of Late Xolalpan					450–550	510	94.2	
Start					435–545	501	95.4	
Duration					0–70	9	95.4	
End					440–570	518	95.4	

Table 2 (Continued)

Sequence	PSU AMS#	Sample ID	Context	Conventional age (BP + 1σ)	Modeled age (cal AD, 2σ range)	Median (cal AD)	p 2σ (%)	A' (%)
Sequence: Metepec								
Boundary: Start of Metepec					370–530	456	95.4	
Start					300–525	431	95.4	
Duration					0–200	40	95.4	
End					390–580	484	95.4	
Phase: Late Xolalpan–Metepec								
	6492	VEN51A	LV3; U.16; S1W2	1590 ± 20	435–545	505	95.4	99.4
	6493	VEN54A	LV3; U.9; S1W2	1590 ± 20	435–545	505	95.4	99.5
	6573	VEN103	LV3; U.11; N1W2	1575 ± 20	435–555	506	95.4	96.5
	6572	VEN102-1	LV3; U.8; N1W2	1570 ± 20	440–560	508	95.4	96.5
	6569	VEN54	LV3; U.9; S1W2	1545 ± 20	475–520	546	19.9	107.5
					525–585		69.0	
	6617	VEN224	LV3; U.8; N1W2	1480 ± 20	550–610	584	91.7	99.4
	6494	VEN58	LV3; U.9; S1W2	1465 ± 30	550–640	587	95.4	85.7
Phase: Metepec								
	6543	VEN125	LV3; U.17; S1W2	1595 ± 20	435–545	506	95.4	100.4
Boundary: End of Metepec					545–695	601	95.4	
Start					465–665	574	95.4	
Duration					0–215	50	95.4	
End					560–755	631	95.4	
Sequence: Coyotlatelco								
Boundary: Start of Coyotlatelco					450–615	553	95.4	
Start					370–590	523	95.4	
Duration					0–230	57	95.4	
End					480–690	580	95.4	

(Continued)

Table 2 (Continued)

Sequence	PSU AMS#	Sample ID	Context	Conventional age (BP + 1 σ)	Modeled age (cal AD, 2 σ range)	Median (cal AD)	<i>p</i> 2 σ (%)	A' (%)
Phase: Coyotlatelco								
	6525	VEN26	LV1; RBP	1535 \pm 20	535–600	564	95.4	101.6
	6605	VEN27	LV2; SW Section	1500 \pm 25	545–610	585	86.2	100.9
					620–640		9.2	
	6577	VEN148C	LV2; SW Section	1450 \pm 20	590–650	622	95.4	100.3
	6731	VEN173A	LV1; S. Temple, RBP	1420 \pm 25	600–655	628	95.4	99.1
	6732	VEN173C	LV1; S. Temple, RBP	1355 \pm 20	645–680	661	95.4	104.0
	6489	VEN44	LV3; U.1; S1W2	1320 \pm 20	650–705	700	88.0	105.9
					740–765		7.4	
	6488	VEN38	LV3; U.1; S1W2	1310 \pm 20	655–705	724	85.6	96.8
					740–770		9.9	
Boundary: End of Coyotlatelco					645–825	702	95.4	
Start					575–790	678	95.4	
Duration					0–230	45	95.4	
End					665–900	729	95.4	

Note: RBP = Red Borders Plaza.

A previous ^{14}C study at Teotihuacan that also used ceramic phases to build a Bayesian model (Beramendi-Orosco et al. 2009), found that the removal of outliers resulted in more distinct intervals between phases and was more consistent with the intervals obtained from prior archaeomagnetic dates (Soler-Arechalde et al. 2006). For transparency, the La Ventilla model that includes outliers is compared to the model with outliers removed in the supplemental materials (Figure S5).

Finally, due to the large number of secondary burials within this population, we have combined all measured ^{14}C dates across the three compounds to reconstruct the occupational history of the La Ventilla neighborhood as a whole. The ceramic phases for each burial analyzed in this study were assigned by Serrano Sánchez (2003) for LV1 and LV2 and by Gómez Chávez (2000) and Clayton (2009) for LV3.

RESULTS

Table 2 presents the two-sigma (2σ) calibrated ^{14}C dates and modeled results. The burials from La Ventilla yielded individual modeled ^{14}C dates from cal AD 235–770, which correlates to the Tlamimilolpa through the Coyotlatelco phases (Table 1), as estimated in recent ceramic chronologies (Cowgill 2015; Nichols 2015). Unmodeled dates are nearly identical, ranging from cal AD 215–775 (Table S1). These data provide confidence that the model reflects the overall sample, even though not every individual could be included in the model.

The modeled start and end estimations for each ceramic phase are displayed in Figure 4. These estimations refer to the earliest possible start date of a given ceramic phase and the latest possible end date as projected by the model. The earliest temporally-diagnostic ceramics associated with the La Ventilla burials are from the Tlamimilolpa phase. Here, we combine the Early and Late Tlamimilolpa phases because the total sample size for these collective phases is only four. The earliest start of the transition into the Tlamimilolpa phase ranges from cal AD 150–335 (2σ), with a possible duration of 0–205 years. This modeled ^{14}C date estimate fits well with the generally accepted dates projected for the Early Tlamimilolpa (AD 150–250) and the Late Tlamimilolpa (AD 250–350) phases (Nichols 2015). However, the latest end date ranges from cal AD 415–580 (2σ), which is much later than expected and is discussed further below.

The modeled dates for the Early Xolalpan phase are succinct. The model simulates the earliest start of this phase to a date of cal AD 395–425 (2σ) and the latest end date to cal AD 415–445 (2σ), both with a duration of up to only 20 years. Recently published ceramic chronologies (Cowgill 2015; Nichols 2015) place the Early Xolalpan phase between AD 350–450. The modeled ^{14}C dates, therefore, suggest a start to this ceramic phase up to 50 years later at La Ventilla than currently estimated, but ending at the same time, around AD 450.

For the Late Xolalpan phase, the model projects the earliest start at cal AD 395–525 (2σ) and the latest end at cal AD 440–570 (2σ), both with a duration of 70 years. These transitions suggest a start date at La Ventilla that is up to 50 years earlier and an end of up to 20 years later than estimated in recent chronologies, which place this phase at approximately AD 450–550 (e.g., Cowgill 2015). However, modeled ^{14}C dates for individual samples associated with the Late Xolalpan phase are similar to published chronologies, ranging between cal AD 430–535.

The earliest start of the Metepec phase is modeled at cal AD 300–525 (2σ) and the latest end at cal AD 560–755 (2σ). Combined, the individual samples in this sequence range in date from cal AD 435 to 640, suggesting a potentially earlier beginning for the Metepec phase than has previously been estimated (e.g., AD 550–650 in Cowgill 2015 and in Nichols 2015).

The final phase, Coyotlatelco, is simulated in the model to an earliest start date of cal AD 370–590 (2σ) with a duration up to 230 years, and a latest end date of cal AD 665–900 (2σ) with a duration up to 230 years. These projected transitional timespans are broad and not very informative for estimating the timing of Coyotlatelco ceramic use at La Ventilla. However, the earliest modeled individual, Burial 26, dates to cal AD 535–600 (2σ), suggesting that Coyotlatelco pottery was introduced in this neighborhood in the sixth century AD (Table 2). Figure 5 lists all individuals in this study originally identified with Coyotlatelco ceramic offerings or from Epiclassic domestic contexts and their unmodeled ^{14}C dates. Of these 11 samples, four were from secondary burial contexts, and, therefore, not included in the simulated model. Seven individuals came from primary contexts, and each had high agreement indices within the model ($> 96\%$). Similar to the modeled dates, the earliest sample associated with Coyotlatelco ceramics, Burial 26, has an unmodeled ^{14}C date of cal AD 530–600 (2σ , 78.7%). The latest sample, Burial 38, has an unmodeled ^{14}C date of cal AD 660–710 (2σ , 48.0%) and cal AD 735–775 (2σ , 47.5%).

DISCUSSION

Classic Period Chronology at Teotihuacan

Refinements to the Teotihuacan chronology within La Ventilla, as suggested by this study, are shown in Figure 6, and point to temporal overlap between the Late Xolalpan, Metepec, and Coyotlatelco phases. Recent chronological estimates place the Tlamimilolpa phase from approximately AD 150 to 350 (e.g., Nichols 2015). In this Bayesian model, the possible start and end transitions stretch this ceramic phase to cal AD 150–580 (Table 2). It is possible that the material culture associated with this phase was in use for the extent of the Classic period at Teotihuacan, at least within the La Ventilla neighborhood. It is also possible that Tlamimilolpa ceramics were manufactured from the AD 100s to 300s, in alignment with previous chronologies, but were sometimes buried with individuals during later phases as heirlooms (see Joyce 2000).

Although the scenarios described above are certainly plausible, the most likely explanation for this result relates to sample size. In this study, only four individuals were associated exclusively with Tlamimilolpa ceramics. The Tlamimilolpa sequence within the model is dominated by samples from burials that contained ceramics assigned to an overlapping Late Tlamimilolpa–Early Xolalpan phase range, which may skew the modeled dates for Tlamimilolpa to a later century than is likely. The Bayesian model implemented by Beramendi-Orosco et al. (2009:105) for the Teopanaczo neighborhood of Teotihuacan indicates that the Tlamimilolpa phase started between cal AD 50–240 and ended between cal AD 235–340, based on more than twice the number of samples associated with the Tlamimilolpa phase than were analyzed here. However, the same model places the transition from the Tlamimilolpa to the Early Xolalpan phase as occurring between cal AD 290 and 410. Furthermore, the more recent Bayesian model put forth by Beramendi-Orosco et al. (2020:Table 2) for the Xalla palatial compound at Teotihuacan places the start of the Xolalpan phase between cal AD 280 and 410. In our model for La Ventilla, the four individuals associated with the Tlamimilolpa phase have combined modeled ^{14}C dates




Figure 4 Ceramic phases with trapezoidal probability distributions from AMS ¹⁴C dates. The bottom table presents the current ceramic chronology based on Cowgill (2015) and Nichols (2015). Dashed, black lines represent the 2σ range of the individual calibrated dates.

ranging from cal AD 275 to 410, which is nearly identical to the Teopanazgo and Xalla models.

It must be noted that there are several challenges present in comparing prior Teotihuacan Bayesian models to the model for La Ventilla. One issue is that about half of the Teopanazgo and Xalla dates were measured by liquid scintillation counting (LSC), which is a less precise method of dating than AMS. Therefore, these previous studies have dates with standard errors ranging from ± 20 to ± 110, whereas the La Ventilla dates have standard errors ranging from ± 20 to ± 30. Additionally, the accuracy of ¹⁴C dates from Beramendi-Orosco et al. (2009, 2020), which come from charcoal, lime plasters, and wood beams, may be affected by the “old wood problem” (Palincaş 2017). Dates from the La Ventilla samples, which come from human skeletal remains, are likely to be more accurate. Finally, the Teopanazgo and Xalla models are structured differently than the La Ventilla model presented here, containing fewer transitional phases between ceramic assemblages. For these reasons, and because the objective of this study is to better identify the chronology of the La Ventilla neighborhood, it is beyond the scope of this article to




Figure 5 Unmodeled AMS ^{14}C dates for all individuals in this study associated with Coyotlatelco ceramics. Calibrated dates highlighted in the gray box were included in the model.

combine the data from all three models into one, larger model. However, more inclusive modeling is encouraged and will be conducted in the future.

The Early Xolalpan sequence in this model is more precise than the Tlamimilolpa sequence and assists in explaining why the end date for the Tlamimilolpa phase is closer to AD 400. The modeled ^{14}C dates from La Ventilla indicate that Early Xolalpan was a relatively short ceramic phase lasting from approximately cal AD 400 to 450. Recent chronologies place the beginning of this ceramic phase earlier, at AD 350 (e.g., Cowgill 2015). As stated above, in the Teopanacazco, Xalla, and La Ventilla models, the Tlamimilolpa phase may have lasted until AD 410, which is consistent with a transition to the Early Xolalpan phase towards the beginning of the fifth century.

Most of the individuals in the La Ventilla sample were associated with Late Xolalpan ceramic offerings or with ceramics assigned to the Late Xolalpan–Metepec phase range. The dual phasing for these contexts is due to stylistic continuity in many ceramic wares across these phases, in addition to the tendency for Late Xolalpan and Metepec ceramics to stratigraphically co-occur. Rattray (2001:237) noted that in her analysis of ceramics from 26 stratigraphic excavations by the Teotihuacan Mapping Project (see Millon 1973; Millon and Bennyhoff 1961), there were no unmixed Late Xolalpan phase deposits. Metepec ceramics were consistently present with Late Xolalpan materials in small amounts. Based on the existing stratigraphic data, a high degree of temporal overlap seems likely, and it is reasonable to question whether these ceramic phases may be reliably distinguished. Late Xolalpan and Metepec phase ceramics also exhibit stylistic similarities; for example, design patterns such as cross motifs became popular in bowls, and Rattray (2001) observed a general decline in the quality of ceramics during these later phases.

	Mesoamerica Periods <i>(Highlands)</i>	Teotihuacan Valley <i>(Ceramic Phases)</i>	La Ventilla, Teotihuacan <i>(Modified Ceramic Phases based on AMS ¹⁴C dates)</i>	Cultural Processes
800	Epiclassic	Coyotlatelco (650–850)	Coyotlatelco (550–850)	<i>Significant changes in settlement patterns and material culture across Basin of Mexico</i> Pop. 40,000 Post-political collapse
700		Metepec (550–650)	Metepec (500–600/650) LV3 Abandonment?	
600	Classic	Late Xolalpan (450–550)	Late Xolalpan (450–550) LV2 Abandonment?	<i>“Big Fire” Event</i> Pop. starts to decline
500		Early Xolalpan (350–450)	Early Xolalpan (400–450)	
400		Late Tlamimilolpa (250–350)	Tlamimilolpa* (150 - 400)	<i>Feathered Serpent Pyramid desecrated</i> Pop. Reaches Height Pop. 85-125,000
300		Early Tlamimilolpa (150–250)		
200	Terminal Formative	Miccaotli (100–150)	no data for model	<i>Major civic-ceremonial development - Sun/Moon Pyramids</i> Pop. 20,000 - Largest center in Basin of Mexico <i>First settlement of Teotihuacan</i>
100		Tzacualli (1–100)		
AD		Patlachique (100–1)		
BC				
100				

Figure 6 Ceramic chronology of the Mexican Highlands and Teotihuacan based on Cowgill (2015) and Nichols (2015) compared to refinements for the La Ventilla neighborhood as suggested by this study. Dashed lines within the table represent “soft” endings for the ceramic phases to convey that overlap between ceramic phases was likely. Possible abandonment periods for the LV2 and LV3 compounds are based on the 2-sigma calibrated ¹⁴C date ranges.

The model indicates that the Late Xolalpan phase may have begun in the early-mid AD 400s and ended in the late 500s, a slightly longer phase than is suggested in previous chronologies. For the Metepec phase, the model places its beginning as early as the late 300s (before Late Xolalpan) and ending as late as the mid-700s. This result can be attributed to the fact that only one individual in this dataset was associated solely with Metepec-phase ceramics. The Metepec sequence in this model relies heavily on samples that are associated with both the Late Xolalpan and the Metepec phases, thereby reflecting similar start and end transitions as the Late Xolalpan sequence. Additionally, many of the dates in the Late Xolalpan and Metepec phases fall along a plateau within the calibration curve between 1560 and 1590 ¹⁴C yr BP (AD 440–535), making it difficult to distinguish between these phases (Figure S3).

One crucial piece of evidence helps us begin to frame the Metepec phase in relation to the Late Xolalpan phase. Primary Burial 125, the singular sample associated exclusively with Metepec ceramics, has a modeled date of cal AD 435–545 (2σ), which is earlier than expected based on previously published ceramic chronologies. The unmodeled date for this individual is cal AD 425–540 (2σ), ruling out the possibility that the Bayesian model is simply pulling this sample to its earliest possible point on the calibration curve. Combining these data, it is plausible that the transition into Late Xolalpan began slightly before AD 450 and that Late Xolalpan pottery fell out of use by AD 550. Dates from Burial 125 suggest that the beginning of the Metepec phase overlapped with Late Xolalpan, perhaps around AD 500 (see median value, Table 2), and Burial 58 indicates that the modeled Late Xolalpan-Metepec phase lasted until perhaps AD 640. Therefore, it is possible that Metepec ceramics were in use for more than a century. Unfortunately, no Metepec samples were included in the Teopancazco or Xalla models so we cannot compare these data across city neighborhoods.

Archaeologists have long debated the timing of the “Great Fire” and the related dissolution of Teotihuacan’s governing institutions. Some argue that the fires occurred around AD 550, corresponding to the end of the Late Xolalpan phase based on archaeomagnetic dates from burnt and unburnt lime plasters from the floors of the Teopancazco and Xalla palatial compounds (Soler-Arechalde et al. 2006; Beramendi-Orosco et al. 2009). At La Ventilla, there is no evidence of destructive fire in any area of the neighborhood. However, Cowgill (2015:233) observed that Metepec composite censers were among Late Xolalpan ceramics smashed in the destructive events that transpired at the Feathered Serpent Pyramid. The present model indicates an overlap between the Late Xolalpan and Metepec phases. This result aligns with Cowgill’s (2015) observation that Metepec ceramics were in use when Teotihuacan’s monuments were burned, and also poses no conflict with an approximate date of AD 550 for these events.

It is important to recognize that the decline of the state was a complex and protracted process, and that changes in material culture that mark the divisions between ceramic phases do not simplistically map onto sociopolitical transformations. Rather, modeling the timing of these changes aids in establishing a chronological framework within which social developments, such as state decline, can be broadly situated. In this model, the likely end of the Metepec phase was between AD 600 and 650 (Table 2). This transition is associated with significant discontinuities in the ceramic assemblage (Cowgill 2013) and concomitant shifts in a wide range of social, economic, and ritual practices. There is also evidence that climate volatility in central Mexico had reached peak severity at this time (Kennett and Marwan 2015), and it is possible that a combination of mounting sociopolitical and environmental challenges contributed to the depopulation of the city and the dysfunction of its governing institutions.

Coyotlatelco and the Epiclassic Period at Teotihuacan

Gómez Chávez and Cabrera Castro (2008) have suggested, based on detailed stratigraphic excavations at La Ventilla, that the city’s population gradually declined between AD 600–650 and that 50 to 100 years later a new group entered the Teotihuacan Valley and introduced Coyotlatelco ceramics. However, at La Ventilla, radiocarbon dates from primary burials associated with Coyotlatelco offerings point to an earlier time frame for the adoption of these ceramics, beginning closer to cal AD 550 (Figure 5). A closer examination of the small number of burials recovered on top of collapsed structures at La

Ventilla and their median 2σ calibrated ^{14}C dates (Table 2) point to several scenarios that may explain these divergent results.

Burial 26, located in the Red Borders plaza of LV1 and associated with a Coyotlatelco red-on-natural ring-based bowl, is the earliest-dating Coyotlatelco primary burial, with a median ^{14}C date of cal AD 565 (Table 2). Burial 27, with a median ^{14}C date of cal AD 585, is the earliest-dating primary burial representing this phase in LV2 and was associated with an array of Coyotlatelco-style potsherds near the interment. During excavations, it was clear that Burials 26 and 27 were deposited into pits dug from a higher level, intruding into the walls and floors of the previous occupational phase within these compounds.

Burial 148C was located in the same architectural unit as Burial 27, the southwestern section of LV2 that had similar, distinct red borders painted across the walls as the Red Borders Plaza in LV1. This individual has a later median date of cal AD 620. In the southwest section of LV1, four individuals were deposited into a group burial and were designated as Burial 173. These individuals were placed into pits dug into a trench that was excavated in prehispanic times in the center of a temple-altar. Two large *cucharones*—large ceramic scoops that were common throughout the basin during the Epiclassic period—were recovered near individual 173B, which could not be dated due to poor preservation. However, two other individuals deposited in the group burial, 173A and 173C, have median ^{14}C dates of cal AD 630 and 660, respectively.

Finally, in LV3, Burials 38 and 44 were recovered from pits again dug from a higher level and intruding into the last construction phases of the Teotihuacan-era buildings. Burial 44 was unique in that the interment was covered by stones that were decorated in geometric patterns (Gómez Chávez 2000). These burials have median ^{14}C dates that are notably later than the others—cal AD 700 and 724, respectively.

Radiocarbon dates from the earliest burials associated with Coyotlatelco ceramics in La Ventilla shed light on the specific changes that occurred within a residential neighborhood around the time of Teotihuacan's political collapse. Here, we summarize our observations and discuss the broader implications of these data for understanding processes of abandonment, resettlement, and shifting material culture throughout the city.

First, the archaeological evidence indicates that the La Ventilla neighborhood was abandoned for a time. The burials discussed above were located atop building collapse, which indicates that enough time had passed since neighborhood abandonment for structures to fall into disrepair. These burials were associated with Coyotlatelco-style ceramics, marking a significant shift in material culture that occurred during the AD 500s, based on the ^{14}C dates in this study. Teotihuacan was an ethnically diverse city, and it is quite possible that Coyotlatelco ceramics were introduced by migrant groups before the political collapse of the state. Within La Ventilla, however, it is clear that Coyotlatelco ceramics were present in this neighborhood only after it was resettled. Therefore, the earlier ^{14}C dates suggest that the abandonment of La Ventilla was not gradual, as originally assumed, but instead happened rapidly, perhaps around AD 550 when the destruction of the ceremonial core is estimated to have occurred.

Based on the available dates, the abandonment and resettlement of LV2 may have taken place earlier than at LV3. In LV2, Burials 75 and 154 are the latest dating to the Classic period, with unmodeled ^{14}C date ranges of cal AD 415–550 (2σ). The earliest burial dating to the Epiclassic

period, Burial 27, has an unmodeled date range of cal AD 540–610 (2σ , 88.5%). These data may indicate that LV2 was abandoned by the early AD 500s and resettled by newcomers in the late 500s. Although we do not have any ^{14}C dates from the Teotihuacan period occupation of LV1, Epiclassic Burials 26, 173A, and 173C from this compound have similar dates to Burial 27. Therefore, it is possible that the abandonment and reoccupation periods were similar for both compounds, although the sample size is too small to draw this conclusion.

Conversely, Burials 58 and 224, the latest dating Classic period individuals in LV3, have later unmodeled ^{14}C date ranges of cal AD 560–650 (2σ) compared to LV2. The two Coyotlatelco-phase burials in LV3, 38 and 44, also have much later unmodeled 2σ ranges of cal AD 655–775. These results suggest that the abandonment of the LV3 lapidary worker's compound may have occurred later than that of the LV2 elite-administrative compound, with Epiclassic reoccupation also occurring several decades later than in LV2. The abandonments of sites by elite groups prior to lower-status groups has been observed elsewhere in Mesoamerica, including the Maya site of La Blanca where the palaces of the Acropolis were reoccupied by commoners after desertion by the elites (Vidal Lorenzo and Muñoz Cosme 2013). Higher status groups, characterized by greater wealth and wider social networks may have had more opportunities for rapid relocation than lower-status groups, especially in times of turmoil.

Alternatively, the occupation of LV3 may have simply been longer than that of LV2 with Burials 38 and 44 from LV3 representing the latest period of occupation at this compound. The small sample size of Coyotlatelco-associated individuals, particularly from LV3, necessitates further investigation to test the staggered abandonment and reoccupation hypothesis presented above.

CONCLUSIONS

New AMS ^{14}C dating of human remains associated with ceramic offerings from La Ventilla permit refinements to the chronology of Teotihuacan within this neighborhood. Results of Bayesian modeling indicate that the ceramic phases in the latter half of Teotihuacan's history in the Classic and Epiclassic periods may have begun earlier than previously estimated. In the Classic period, the Metepec phase appears to overlap with Late Xolalpan and begins as early as cal AD 500. Metepec phase material culture is widely considered to correspond to the final years of Teotihuacan's regional dominance as a state. Therefore, the timing of the Metepec phase in this model is consistent with previous arguments (Beramendi-Orosco et al. 2009; also see Cowgill 2015:233) that Teotihuacan's political decline occurred during the AD 500s. However, the sample size of interments associated exclusively with Metepec ceramics is small and additional dating is needed to support this hypothesis.

AMS ^{14}C dates for Coyotlatelco-phase burials suggest that the abandonment of La Ventilla was either much more rapid than originally estimated or began between AD 500 and 550, and that groups using Coyotlatelco pottery settled in this part of the city by AD 600. The appearance of Coyotlatelco ceramics in a Teotihuacan neighborhood at this time is consistent with data from other areas of the Basin of Mexico. For example, Parsons and colleagues (1996) argued that Coyotlatelco material culture was present among settlements in the southern Basin while Metepec-phase pottery was still in use at Teotihuacan. Recent

^{14}C dates from domestic contexts in this area confirm that Coyotlatelco ceramics were introduced by the early 600s and occurred in association with ceramics that were stylistically similar to earlier, local wares (Clayton 2020).

In addition to permitting a chronological model for the La Ventilla neighborhood in general, results of this analysis suggest that the timing of abandonment and resettlement may have varied among compounds. For example, LV1 and LV2, the religious and administrative compounds, may have been reoccupied earlier than LV3, the artisanal worker's compound. However, the sample size is small for burials associated with Coyotlatelco ceramics, and further dating must be done to support these hypotheses.

AMS ^{14}C dating in this study showcases the extensive past efforts to estimate the ceramic chronology of Teotihuacan and offers refinements that relative dating cannot achieve. However, the data presented here are not faultless representations of the Teotihuacan chronology, and accuracy likely lies somewhere between these absolute ^{14}C dates and the relative phasing. Studies of social change cannot rely solely on absolute dating. As with any scientific process, pulling from multiple lines of evidence is imperative in the development of more accurate representations of events and processes in the past.

SUPPLEMENTARY MATERIAL

To view supplementary material for this article, please visit <https://doi.org/10.1017/RDC.2023.21>

ACKNOWLEDGMENTS

Permission for destructive analysis and exportation of human remains was provided by the Instituto Nacional de Antropología e Historia (INAH) in Mexico City (Oficios 401.1S.3-2017/2240 and 401.3S.16-2018/450). We thank Rubén Cabrera Castro, Sergio Gómez Chávez, Alejandro Sarabia, and Nelly Zoe Núñez Rendón for providing access to the La Ventilla 1992–1994 skeletal collection and their guidance during this study. This work was primarily supported by the U.S. National Science Foundation (NSF) Dissertation Improvement Grant (BCS-1927690). Any opinions, findings, and conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect those of the National Science Foundation. This project was also supported by a Junior Fellowship granted by the Dumbarton Oaks Research Library and Collection. Buckley, with the assistance of Eccles, prepared all human skeletal remains for ^{14}C analysis in the Human Paleoecology & Isotope Geochemistry Laboratory at Penn State run by Kennett. Culleton measured the samples for ^{14}C on the AMS at Penn State. Cabrera Castro and Gómez Chávez are the original excavators of the La Ventilla 1992–1994 project, and Gómez Chávez and Clayton conducted part of the ceramic analysis. We thank the anonymous reviewers for their thoughtful and constructive comments.

DECLARATION

Competing interests: The authors declare none.

REFERENCES

- Beekman CS. 2019. Migrations in Late Mesoamerica. In: *Migrations in Late Mesoamerica*. University Press of Florida. p. 1–40. doi: [10.5744/florida/9780813066103.003.0001](https://doi.org/10.5744/florida/9780813066103.003.0001).
- Beekman CS, Christiansen AF. 2003. Controlling for doubt and uncertainty through multiple lines of evidence: a new look at the Mesoamerican Nahua migrations. *Journal of Archaeological Method and Theory* 10(2):111–164. doi: [10.1023/A:1024519712257](https://doi.org/10.1023/A:1024519712257).
- Bennyhoff JA. 1966. Chronology and periodization: continuity and change in Teotihuacan ceramic tradition. In: *Teotihuacan, XI Mesa Redonda de la SMA, México*. p. 19–36.
- Beramendi-Orosco LE, Gonzalez-Hernandez G, Soler-Arechalde AM, Manzanilla LR. 2020. A high-resolution chronology for the palatial complex of Xalla in Teotihuacan, Mexico, combining radiocarbon ages and archaeomagnetic dates in a Bayesian model. *Radiocarbon* 63(4): 1073–1084. doi: [10.1017/RDC.2020.130](https://doi.org/10.1017/RDC.2020.130).
- Beramendi-Orosco LE, Gonzalez-Hernandez G, Urrutia-Fucugauchi J, Manzanilla LR, Soler Arechalde AM, Goguitchaishvili A, Jarboe N. 2009. High-resolution chronology for the Mesoamerican urban center of Teotihuacan derived from Bayesian statistics of radiocarbon and archaeological data. *Quaternary Research* 71(2):99–107. doi: [10.1016/j.yqres.2008.10.003](https://doi.org/10.1016/j.yqres.2008.10.003).
- Braniff Cornejo B. 1972. Secuencias arqueológicas en Guanajuato y la Cuenca de México: Intento de correlación. In: *Teotihuacan: Onceava mesa redonda. Mexico City: Sociedad Mexicana de Antropología*. p. 273–323.
- Bronk Ramsey C. 2009. Dealing with outliers and offsets in radiocarbon dating. *Radiocarbon* 51(3):1023–1045. doi: [10.1017/S0033822200034093](https://doi.org/10.1017/S0033822200034093).
- Bronk Ramsey C. 2020. OxCal Version 4.4.4. Electronic program, <https://c14.arch.ox.ac.uk/oxcal.html>.
- Brown TA, Nelson DE, Vogel JS, Southon JR. 1988. Improved collagen extraction by modified Longin method. *Radiocarbon* 30(2):171–177. doi: [10.1017/S0033822200044118](https://doi.org/10.1017/S0033822200044118).
- Buck CE, Litton CD, Smith AF. 1992. Calibration of radiocarbon results pertaining to related archaeological events. *Journal of Archaeological Science* 19(5):497–512. doi: [10.1016/0305-4403\(92\)90025-X](https://doi.org/10.1016/0305-4403(92)90025-X).
- Cabrera Castro R. 2000. Teotihuacan cultural traditions transmitted into the Postclassic according to recent excavations. In: Carrasco D, editor. *Mesoamerica's classic heritage: from Teotihuacan to the Aztecs*. University of Colorado Press. p. 195–218.
- Cabrera Castro R. 2003. El Proyecto Arqueológico La Ventilla 1992–1994. In: Serrano C, editor. *Contextos Arqueológicos y Osteología del Barrio de La Ventilla, Teotihuacan (1992–1994)*. UNAM, Instituto de Investigaciones Antropológicas. p. 19–30.
- Cabrera Castro R. 2017. La Ventilla and the Plaza of the Glyphs. In: Robb MH, editor. *Teotihuacan: City of Water, City of Fire*. University of California Press. p. 108–117.
- Cabrera Castro R. 1995. Caracteres glíficos Teotihuacanos en un piso de La Ventilla. In: de la Frente B, editor. *La pintura mural prehispánica en México: Teotihuacan (Estudios)*. UNAM, Instituto de Investigaciones Estéticas. p. 401–427.
- Carballo DM. 2011. Advances in the household archaeology of highland Mesoamerica. *Journal of Archaeological Research* 19(2):133–189. doi: [10.1007/s10814-010-9045-7](https://doi.org/10.1007/s10814-010-9045-7).
- Clayton SC. 2009. Ritual diversity and social identities: a study of mortuary behaviors at Teotihuacan [doctoral dissertation]. Arizona State University.
- Clayton SC. 2020. The collapse of Teotihuacan and the regeneration of Epiclassic societies: a Bayesian approach. *Journal of Anthropological Archaeology* 59:101203. doi: [10.1016/j.jaa.2020.101203](https://doi.org/10.1016/j.jaa.2020.101203).
- Cobean R. 1990. *La Cerámica de Tula, Hidalgo, México*. Vol. 215. México: INAH.
- Cowgill GL. 2013. Possible migrations and shifting identities in the central Mexican Epiclassic. *Ancient Mesoamerica* 24(1):131–149. doi: [10.1017/S0956536113000060](https://doi.org/10.1017/S0956536113000060).
- Cowgill GL. 2015. *Ancient Teotihuacan*. Cambridge University Press. doi: [10.1017/CBO9781139046817](https://doi.org/10.1017/CBO9781139046817).
- Crider D, Neff H, Glascock MD. 2007. In the aftermath of Teotihuacan: Epiclassic pottery production and distribution in the Teotihuacan Valley, Mexico. *Latin American Antiquity* 18(2):123–143. doi: [10.2307/25063100](https://doi.org/10.2307/25063100).
- DeNiro MJ. 1985. Postmortem preservation and alteration of in vivo bone collagen isotope ratios in relation to paleodietary reconstruction. *Nature* 317:806–809. doi: [10.1038/317806a0](https://doi.org/10.1038/317806a0).
- Dumond DE, Muller F. 1972. Classic to Postclassic in Highland Central Mexico. *Science* 175(4027):1208–1215. doi: [10.1126/science.175.4027.1208](https://doi.org/10.1126/science.175.4027.1208).
- Gaxiola Gonzalez, M. 2006. Tradición y estilo en el estudio de la variabilidad cerámica del epiclásico den el centro de México. In: Solar Valverde L, editor. *El fenómeno Coyotlatelco en el centro de México: Tiempo, Espacio, y Significado*. México City: INAH. p. 17–40.
- Gazzola, J. 2007. La producción de cuentas en piedras verdes en los talleres lapidarios de La Ventilla, Teotihuacan. *Arqueología* 36:52–70.
- Goguitchaichvili A, Ortega V, Torres G, Archer J, Cejudo R, Kravchinsky V, Romero KA, Morales J. 2022. Refining the absolute chronology

- of Teotihuacan (Mesoamerica): new archaeomagnetic datings of fire footprints. *Journal of Archaeological Science: Reports* 42:103363.
- Gómez Chávez S. 2000. *La Ventilla. Un barrio de la antigua ciudad de Teotihuacan* (tesis licenciatura en arqueología). México: ENAH.
- Gómez Chávez S, Cabrera Castro R. 2008. Contextos de la ocupación Coyotlatelco en Teotihuacan. In: Solar Valverde L, editor. *El fenómeno Coyotlatelco en el centro de México: Tiempo, Espacio, y Significado*. México City: INAH. p. 231–255.
- Gómez Chávez S, Núñez Hernández J. 1999. Análisis preliminar del patrón y la distribución espacial de entierros en el barrio de La Ventilla. In: Manzanilla L, Serrano C, editors. *Prácticas Funerarias en la Ciudad de los Dios: los enterramientos humanos de la antigua Teotihuacan*. UNAM, Instituto de Investigaciones Antropológicas. p. 81–148.
- Gómez-Chávez S, Gazzola J. 2004. Una propuesta sobre el proceso, factores y condiciones del colapso de Teotihuacan. *Dimensión Antropológica* 11(31):7–57.
- Gómez-Chávez S, Solís C, Gazzola J, Chávez-Lomeli E, Mondragón M, Rodríguez-Ceja M, Martínez-Carrillo M. 2017. AMS ¹⁴C dating of materials recovered from the tunnel under the Temple of the Feathered Serpent in Teotihuacan, Mexico. *Radiocarbon* 59(2):545–557. doi: [10.1017/RDC.2016.77](https://doi.org/10.1017/RDC.2016.77).
- Healan DM. 2012. The archaeology of Tula, Hidalgo, Mexico. *Journal of Archaeological Research* 20(1):53–115. doi: [10.1007/s10814-011-9052-3](https://doi.org/10.1007/s10814-011-9052-3).
- Hernández C, Healan DM. 2019. Migration and the Coyotlatelco ceramic tradition: evidence from El Bajío. In: Beekman CS, editor. *Migrations in Late Mesoamerica*. University Press of Florida. p. 88–108. doi: [10.5744/florida/9780813066103.003.0004](https://doi.org/10.5744/florida/9780813066103.003.0004).
- Hueda-Tanabe Y, Soler-Arechalde AM, Urrutia-Fucugauchi J, Barba L, Manzanilla L, Rebolledo-Vieyra M, Goguitchaichvili A. 2004. Archaeomagnetic studies in central Mexico: dating of Mesoamerican lime-plasters. *Physics of the Earth and Planetary Interiors* 147(2–3): 269–283. doi: [10.1016/j.pepi.2004.06.006](https://doi.org/10.1016/j.pepi.2004.06.006).
- Joyce RA. 2000. Heirlooms and houses: materiality and social memory. In: Joyce RA, Gillespie SD, editors. *Beyond kinship: social and material reproduction in house societies*. University of Pennsylvania Press. p. 189–212. doi: [10.9783/9781512821628-012](https://doi.org/10.9783/9781512821628-012).
- Kennett DJ, Marwan N. 2015. Climate volatility, agricultural uncertainty, and the formation, consolidation and breakdown of preindustrial agrarian states. *Phil. Trans. R. Soc. A* 373: 20140458. doi: [10.1098/rsta.2014.0458](https://doi.org/10.1098/rsta.2014.0458).
- Lee S, Bronk Ramsey C. 2012. Development and application of the trapezoidal model for archaeological chronologies. *Radiocarbon* 54(1): 107–122. doi: [10.2458/azu_js_rc.v54i1.12397](https://doi.org/10.2458/azu_js_rc.v54i1.12397).
- Lee S, Bronk Ramsey C, Mazar A. 2013. Iron Age chronology in Israel: results from modeling with a trapezoidal Bayesian framework. *Radiocarbon* 55(2):731–740. doi: [10.1017/S003382220005788X](https://doi.org/10.1017/S003382220005788X).
- Lohse JC, Madsen DB, Culleton BJ, Kennett DJ. 2014. Isotope paleoecology of episodic Mid-to-late Holocene bison population expansions in the Southern Plains, USA. *Quaternary Science Reviews* 102:14–26. doi: [10.1016/j.quascirev.2014.07.021](https://doi.org/10.1016/j.quascirev.2014.07.021).
- López Perez C, Careta N, Manzanilla Naim L. 2006. Atributos morfológicos y estilísticos de la cerámica Coyotlatelco en el centro ceremonial de Teotihuacan. In: Solar Valverde L, editor. *El fenómeno Coyotlatelco en el centro de México: Tiempo, espacio y significado*. INAH. p. 215–230.
- Manzanilla L. 1996. Corporate groups and domestic activities at Teotihuacan. *Latin American Antiquity* 7(3):228–246. doi: [10.2307/971576](https://doi.org/10.2307/971576).
- Manzanilla L. 2003. The abandonment of Teotihuacan. In: Inomata T, Webb RW, editors. *The archaeology of settlement abandonment in Middle America*. University of Utah Press. p. 91–103.
- Manzanilla L, editor. 2005. *Reacomodos demográficos del Clásico al Posclásico en el centro de México*. UNAM, México City.
- Manzanilla L. 2009. Nuevos datos sobre la cronología de Teotihuacán. *Cronología y Periodización de Mesoamérica y el Norte de México*. In: V Coloquio Pere Bosch-Gimpera. *Cronología y Periodización de Mesoamérica y el Norte de México*. UNAM. p. 21–52.
- Mastache AG, Cobean RH. 1989. The Coyotlatelco culture and the origins of the Toltec state. In: Diehl RA, Berlo JC, editors. *Mesoamerica after the decline of Teotihuacan A.D. 700–900*. Dumbarton Oaks, Washington, D.C. doi: [10.1126/science.249.4964.78](https://doi.org/10.1126/science.249.4964.78). p. 49–67.
- McClung de Tapia E. 2009. Los ecosistemas del Valle de Teotihuacan a lo largo de su historia. In *Teotihuacán: Ciudad de los Dioses*. INAH. p. 37–45.
- McClung de Tapia E. 2012. Silent hazards, invisible risks: prehispanic erosion in the Teotihuacan Valley, central Mexico. In: Cooper J, Sheets P, editors. *Surviving sudden environmental change*. University Press of Colorado. p. 143–165. doi: [10.2307/j.ctt1wn0rbs.11](https://doi.org/10.2307/j.ctt1wn0rbs.11).
- Millon R. 1973. *The Teotihuacan Map. Part One: Text*. University of Texas Press, Austin.
- Millon R, Bennyhoff JA. 1961. A long architectural sequence at Teotihuacan. *American Antiquity* 26:516–523.
- Millon R. 1988. The last years of Teotihuacan dominance. In: Yoffee N, Cowgill GL, editors.

- The collapse of ancient states and civilizations. Tucson (AZ): University of Arizona Press. p. 102–164.
- Nichols DL. 2015. Teotihuacan. *Journal of Archaeological Research* 24:1–74. doi: [10.1007/10814-015-9085-0](https://doi.org/10.1007/10814-015-9085-0).
- Palincaş N. 2017. Radiocarbon dating in archaeology: interdisciplinary aspects and consequences (an overview). *AIP Conference Proceedings* 1852:060006. doi: [10.1063/1.4984870](https://doi.org/10.1063/1.4984870).
- Parsons JR, Brumfiel E, Hodge M. 1996. Developmental implications of earlier dates for Early Aztec in the basin of Mexico. *Ancient Mesoamerica* 7(2):217–230.
- Ratray EC. 1966. An archaeological and stylistic study of Coyotlatelco pottery. In: *Mesoamerican Notes*. 7–8. Universidad de las Américas, Puebla, México. p. 87–211.
- Ratray EC. 2001. Teotihuacan: ceramics, chronology, and cultural trends. INAH/University of Pittsburgh, Mexico City/Pittsburgh, PA.
- Reimer PJ, Austin W, Bard E, Bayliss A, Blackwell P, Bronk Ramsey C, et al. 2020. The IntCal20 Northern Hemisphere radiocarbon age calibration curve (0–55 cal kBP). *Radiocarbon* 62(4):725–757. doi: [10.1017/RDC.2020.41](https://doi.org/10.1017/RDC.2020.41).
- Robertson IG. 2005. Patronos diacrónicos en la constitución de los vecindarios Teotihuacanos. In: Ruiz Gallut ME, Torres Peralta J, editors. *Arquitectura y urbanismo: pasado y presente de los espacios en Teotihuacan, memoria de la tercera Mesa Redonda de Teotihuacan*. INAH. p. 277–294.
- Rubio Chacón A. 2003. Los entierros y las ofrendas de las excavaciones del Frente 2 de La Ventilla Temporada 1992–1994. In: Serrano C, editor. *Contextos arqueológicos y osteología del barrio de La Ventilla, Teotihuacan (1992–1994)*. UNAM, Instituto de Investigaciones Antropológicas. p. 19–30.
- Sanders WT. 1986. Ceramic chronology. In: *The Teotihuacan Valley Project Final Report, Volume 4, the Toltec Period Occupation of the Valley*. Occasional Papers. Pennsylvania State University. p. 13.
- Sanders WT. 2003. Collapse and abandonment in Middle America. In: Inomata T, Webb RW, editors. *The archaeology of settlement abandonment in Middle America*. University of Utah Press. p. 193–202.
- Sanders WT, Parsons J, Santley R. 1979. *The Basin of Mexico: the cultural ecology of a civilization*. New York: Academic.
- Santos G, Southon J, Druffel-Rodriguez K, Griffin S, Mazon M. 2004. Magnesium perchlorate as an alternative water trap in AMS graphite sample preparation: a report on sample preparation at KCCAMS at the University of California, Irvine. *Radiocarbon* 46(1):165–173. doi: [10.1017/S0033822200039485](https://doi.org/10.1017/S0033822200039485).
- Schiffer MB. 1986. Radiocarbon dating and the “old wood” problem: the case of the Hohokam chronology. *Journal of Archaeological Science* 13(1):13–30. doi: [10.1016/0305-4403\(86\)90024-5](https://doi.org/10.1016/0305-4403(86)90024-5).
- Serrano Sánchez C, editor. 2003. *Contextos arqueológicos y osteología del barrio de La Ventilla: Teotihuacan, 1992–1994*. UNAM.
- Smith ME, Chatterjee A, Huster AC, Stewart S. 2019. Apartment compounds, households, and population in the ancient city of Teotihuacan, Mexico. *Ancient Mesoamerica* 30(3):399–418. doi: [10.1017/S0956536118000573](https://doi.org/10.1017/S0956536118000573).
- Soler-Arechalde AM, Sánchez F, Rodríguez M, Caballero-Miranda C, Goguitchaishvili A, Urrutia-Fucugauchi J, Manzanilla L, Tarling DH. 2006. Archaeomagnetic investigation of oriented pre-Columbian lime-plasters from Teotihuacan, Mesoamerica. *Earth Planets and Space* 58(10):1433–1439. doi: [10.1186/BF03352639](https://doi.org/10.1186/BF03352639).
- Solis C, Rodríguez-Ceja M, Chávez-Lomelí E, Alcántara A, Gazzola J, Balcells J, Jimenez JC, de la Rosa Y, Martínez-Carrillo MA. 2021. ¹⁴C-AMS in México and Precolumbian archaeology. *Radiocarbon* 63(4):1115–1122.
- Stafford TW, Edgar Hare P, Currie L, Jull AJT, Donahue DJ. 1991. Accelerator radiocarbon dating at the molecular level. *Journal of Archaeological Science* 18(1):35–72. doi: [10.1016/0305-4403\(91\)90078-4](https://doi.org/10.1016/0305-4403(91)90078-4).
- Stafford TW, Klaus B, Duhamel, RC. 1988. Radiocarbon, ¹³C and ¹⁵N analysis of fossil bone: removal of humates with XAD-2 resin. *Geochimica et Cosmochimica Acta* 52(9):2257–2267. doi: [10.1016/0016-7037\(88\)90128-7](https://doi.org/10.1016/0016-7037(88)90128-7).
- Starkovich, BM, Hodgins, GW, Voyatzis, ME, Romano, DG. 2013. Dating gods: radiocarbon dates from the sanctuary of Zeus on Mt. Lykaion (Arcadia, Greece). *Radiocarbon* 55(2–3):501–513. doi: [10.1017/S0033822200057635](https://doi.org/10.1017/S0033822200057635).
- Stuiver M, Polach HA. 1977. Discussion: reporting of ¹⁴C data. *Radiocarbon* 19(3):355–363. doi: [10.1017/S0033822200003672](https://doi.org/10.1017/S0033822200003672).
- Sugiura Y. 2006. Cambio gradual o discontinuidad en la cerámica? Discusión acerca del paso del Clásico al Epiclásico, visto desde el valle de Toluca. In: Solar L, editor. *El fenómeno Coyotlatelco en el centro de México: tiempo, espacio y significado*. México City: Coordinación Nacional de Arqueología, INAH. p. 113–148.
- van Klinken GJ. 1999. Bone collagen indicators for paleodietary and radiocarbon measurements. *Journal of Archaeological Science* 26:687–695. doi: [10.1006/jasc.1998.0385](https://doi.org/10.1006/jasc.1998.0385).
- Vidal Lorenzo C, Muñoz Cosme G. 2013. La crisis de La Blanca en el Clásico Terminal. In: Arnauld MC, Breton A, editors. *Millenary Maya societies: past crises and resilience*. Mesowebp.

- p. 92–105. www.mesoweb.com/publications/MMS/7_Vidal-Munoz.pdf.
- Vogel JS, Southon JR, Nelson DE, Brown TA. 1984. Performance of catalytically condensed carbon for use in accelerator mass spectrometry. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interaction with Materials and Atoms* 5(2):289–293. doi: [10.1016/0168-583X\(84\)90529-9](https://doi.org/10.1016/0168-583X(84)90529-9).
- Weiner S, Bar-Yosef O. 1990. States of preservation of bones from prehistoric sites in the near east: a survey. *Journal of Archaeological Science* 17:187–196. doi: [10.1016/0305-4403\(90\)90058-D](https://doi.org/10.1016/0305-4403(90)90058-D).