


ARTICLE

On Cognitive Modeling and Other Minds

J. P. Gamboa 

Department of History and Philosophy of Science, University of Pittsburgh, Pittsburgh, PA, USA
Email: jog122@pitt.edu

(Received 18 March 2023; revised 02 October 2023; accepted 27 November 2023; first published online 14 December 2023)

Abstract

Scientists and philosophers alike debate whether various systems such as plants and bacteria exercise cognition. One strategy for resolving such debates is to ground claims about nonhuman cognition in evidence from mathematical models of cognitive capacities. In this article, I show that proponents of this strategy face two major challenges: demarcating phenomenological models from process models and overcoming underdetermination by model fit. I argue that even if the demarcation problem is resolved, fitting a process model to behavioral data is, on its own, not strong evidence for any cognitive process, let alone processes shared with humans.

1. Introduction

What kinds of things have psychological capacities? Some cases readily inspire controversy. Mimosa plants, for example, fold their leaves in response to mechanical disturbance, and properties of their response depend on their relationship to the stimulus (Gagliano et al. 2014). Whereas novel disturbances elicit more folding, repeated exposure to a harmless stimulus such as water drops attenuates the response to the point that the leaves stop folding altogether. The researchers who produced this effect describe it as habituation, a type of learning that is well studied in psychology. They further suggest that the mechanisms by which plants learn and remember are similar to those used by animals, including calcium signaling and neurochemical transmission. Unsurprisingly, these claims are controversial. Some botanists argue that such application of neurobiological concepts is based on “superficial analogies and questionable extrapolations” that do not add to our understanding of plants (Alpi et al. 2007, 136). Others argue further that plants lack consciousness, memory, and other psychological capacities attributed to them in the so-called plant neurobiology literature (Taiz et al. 2019). Similar controversies surround bacteria and artificial intelligence (Adams and Garrison 2013; Adams 2018).

One strategy for resolving such debates is to ground claims about nonhuman cognition in evidence from mathematical models of cognitive capacities. For example, Joo et al. (2021) recently developed a formal model to help address whether rats have the capacity to evaluate confidence in their own memories and use it to guide decision making. The breadth and nature of metacognition across species is a source

of spirited debate (Smith et al. 2014; Carruthers and Williams 2022), and previous experiments with rats delivered equivocal results. Joo et al. (2021) combine behavioral data from a spatial memory task with the success of their quantitative model to justify the claim that rats maximize reward by computing memory confidence. Given the availability of alternative interpretations that do not posit this metacognitive capacity, the researchers further argue that the case illustrates the importance of supplementing behavioral results with formal models. Whether or not this case is resolved in favor of the metacognitive interpretation, it exemplifies a general point, made by several other scientists and philosophers, that comparative cognition research would benefit from a shift toward more mathematical modeling and focus on quantifiable similarities/differences (Allen 2014; Mikhalevich 2017; Colombo and Scarf 2020; Farrar and Ostojic 2019; Figdor 2018).

In this article, I highlight several obstacles to inferring the presence and nature of cognitive processing from mathematical models. Although a few more challenges arise along the way, I emphasize two in particular: demarcating phenomenological models from process models and overcoming underdetermination by model fit. Both are problems for any application of mathematical models in cognitive science, but they are especially acute in the comparative cognition case. My claim is not that mathematical models cannot help with discovering nonhuman cognition. Rather, these general issues in scientific modeling should not be neglected when evaluating evidence afforded by formal models. Doing so oversimplifies the epistemology of cognitive modeling and exaggerates the strength of evidence in favor of hypotheses tested by models (i.e., that some particular cognitive process underlies behavior). I will illustrate these points in application to Carrie Figdor's (2018) appeal to formal models to guide judgments about the extension of psychological predicates beyond human cases. Her account helps bring into focus various difficulties with drawing inferences from mathematical models. She claims that quantitative similarity in behavior revealed by formal models constitutes strong evidence for shared psychological processes. Arguably, this claim or a qualified version of it is also implicit in the views of others optimistic about the epistemic benefits of formal modeling in comparative cognition. Unfortunately, things are not so simple. I argue instead that even if we solve the demarcation problem and consider only process models, fitting a process model to behavioral data is, on its own, not strong evidence for any cognitive process, let alone processes shared with humans.

The next section sketches Figdor's position on psychological continuity across taxa and one motivation for concentrating on mathematical models in this context. Section 3 analyzes her argument for the claim that quantitative similarity in behavior counts as strong evidence for shared cognition. I show that the notion of "quantitative similarity" is ambiguous and recommend operationalizing it in terms of model fit. In section 4 I begin by pointing out that the argument from quantitative similarity is only plausible with respect to process models. I then argue that demarcating phenomenological models from process models is a nontrivial task, and current accounts in the philosophy of science literature are unsuccessful at doing so. Section 5 adopts a framework for process models from the cognitive science literature and demonstrates how fitting process models to behavioral data underdetermines what kind of underlying process generated the data. I conclude with a brief discussion of why the boundary between phenomenological models and explanatory models is

blurrier in cognitive science than in other sciences. The upshot is that philosophical accounts of phenomenological modeling have been overly focused on cases in physics, rendering them ill-suited for cognitive science. I further suggest that background theories within specific sciences influence whether models are judged phenomenological or not.

2. Other minds and mathematical modeling

Figdor claims that due to various empirical discoveries, there is increasing pressure to reconsider the meaning and reference of psychological predicates. Traditional semantics of psychological predicates are anthropocentric and no longer scientifically respectable.¹ As she sees it, “[A]ll the relevant scientific evidence shows that psychological capacities are possessed by a far wider range of kinds of entities than often assumed” (Figdor 2018, 5). In support of this conclusion, she describes some empirically discovered behaviors of plants and bacteria that the researchers characterize psychologically (e.g., bacteria learning about their environments). However, her argument rests primarily on cases in which researchers also fit formal models to their behavioral data.

By Figdor’s lights, a key advantage of mathematical models is that they can powerfully challenge anthropocentric intuitions about what counts as cognition. In her view, “[A] mathematical model provides strong evidence that two domains have important similarities whether or not intuition agrees” (ibid., 135). Consider, for instance, the fact that neuroscientists frequently describe neurons as predicting stimuli. It may seem odd to think of neurons as formulating predictions like whole animals, but Figdor argues that such impressions are an unreliable guide. Mathematical models help guard against the bias of intuitions by revealing quantitative similarity in behavior. Such similarity is independent of qualitative similarity to humans and supports inferences to shared cognitive processes. Regardless of whether Figdor is right about anthropocentrism and formal modeling as a remedy for it, the claim that mathematical models provide strong evidence for psychological similarity is intriguing and worth exploring.

3. Inferring shared cognition from quantitative similarity

Figdor discusses only two types of formal models in depth: the temporal difference (TD) model and the drift-diffusion model (DDM) used in decision-making studies. I’ll describe the former case in more detail but summarize her conclusions regarding both. Making explicit how she reasons from specific modeling results will reveal some conceptual and metaphysical difficulties in interpreting mathematical models and their data. However, I will show in this section how these initial obstacles can be overcome.

The TD model was introduced by Sutton and Barto (1987) as an improvement over the well-known Rescorla–Wagner model used to explain results from classical conditioning experiments. Although both models are specified by equations that

¹ This starting point is controversial. Machery (2020) argues that there is little evidence for widespread anthropocentrism as far back as the nineteenth century. Though see Buckner (2013) for a discussion of “semantic anthropocentrism” in comparative psychology.

describe the strength of association between a conditioned stimulus (CS) and an unconditioned stimulus (US), the TD model also represents changes in associative strength within trials. By capturing these changes in real time, as opposed to between discrete trials, the TD model can predict animal behaviors in a wider range of experimental conditions.

Briefly, the model works as follows.² At each time step, the algorithm uses a representation of available stimuli to formulate a prediction about upcoming USs. It compares this US prediction with the US prediction formulated at the previous time step. The comparison yields the *temporal difference* that is then compared to any actual US received. The value of this second comparison is the prediction error at that time step. Prediction errors are then used to update the weight on each element of the stimulus representation and thereby drive learning.

Although the TD model was originally developed for classical conditioning experiments with lab animals, it turns out that it can also model some neural activity. Based on a series of experiments in the latter half of the twentieth century, neuroscientists theorized that midbrain dopamine (DA) neurons process reward prediction errors (Schultz et al. 1997). Through electrophysiological recordings in monkeys, it was shown that unexpected rewards boost DA neuron activity. However, as animals learn that reward is associated with a prior CS, DA neurons gradually respond less to the reward. They instead fire selectively upon presentation of the CS. If well-trained animals expect a reward and it is omitted, activity is suppressed. These results have since been replicated in rodents and humans, and the reward prediction error model is still widely accepted (Schultz 2016). Given the TD model's reliance on prediction errors and success with classical conditioning, it wasn't long before neuroscientists tried using it to understand DA signals.

Suri and Schultz (2001) trained an artificial neural network with the TD learning algorithm under conditions used in previous monkey experiments. They then compared the model's performance with electrophysiological data collected from monkeys. They found that the model's reward prediction error signal reproduced characteristics of midbrain DA neuron activity, while its reward prediction signal resembled cortical and striatal activity. For example, after the model was trained on one CS followed by reward, its reward prediction signal was boosted upon CS presentation compared to pretraining, and the signal progressively increased until reward onset. Putamen neurons show the same pattern of activity in monkeys trained on the task. The model also reproduced features of electrophysiological data from a more complicated task involving three different CSs and two types of reward.

What should we make of such findings? In this case, Figdor (2018, 53) concludes that "real neural populations appear to be adaptive elements that learn to predict future rewards in the quantitatively similar sense that humans, monkeys, rats, and other adaptive elements do." She goes on to say, "[The TD model simulation] is finding structure in neural behavior that is quantitatively analogous to the structure of reinforcement learning in a behaving animal" (ibid., 53–54). In her response to a critical notice, she characterizes shared structure in behavior as a "criterion" for inferences to cognition (Figdor 2020). Regarding the DDM, she says, "[It] captures in formal terms the dynamics of the behavior from which we infer to [human] decision-making. We then

² For a thorough guide with the formal details, see Ludvig et al. (2012).

use this formal structure as a criterion for inferences to decision-making in other cases” (ibid., 692). Based on a study in which researchers fit the DDM to behavioral data from fruit flies (DasGupta et al. 2014), Figdor infers that fruit flies make decisions. As she puts it, “[G]iven its fit to both human and fruit fly data, the model helps justify the ascription of decision-related component cognitive processes posited by the model (e.g., evidence accumulation) to the intended target populations of decision-makers” (Figdor 2018, 47). Such inferences are defeasible because justifying is weaker than proving: “Satisfying the DDM does not *prove* fruit flies make decisions (though it is an excellent source of confirmatory evidence)” (Figdor 2020, 692).

An immediate problem with the above proposal is that it’s unclear when behaviors from systems in different taxa count as quantitatively similar. Because no two datasets are identical, we need some way of deciding when they are similar enough to justify inferences to shared psychological capacities. Several of Figdor’s passages suggest that fitting the same formal model structure to different behavioral datasets is sufficient to count behaviors as quantitatively similar. However, she repeatedly characterizes scientific models as revealing structure in the world. For example, in addition to the preceding passage describing the TD model as “finding structure in neural behavior” (Figdor 2018, 53), she says, “indeed, social scientists are busy employing network modeling tools to explore the structure of human social relationships” (180). Behaviors may instead be considered sufficiently quantitatively similar when they have the same formal structure. Whichever interpretation Figdor intended to endorse, I will clarify the distinction in the text that follows and argue in favor of the first option.

Describing quantitative similarity in terms of shared formal structure trades one concept in need of operationalization for another. Without further explication of “formal structure,” it brings us no closer to determining when behaviors from systems in different taxa are quantitatively similar enough to infer shared cognition. Focusing on the formal structure of behavior also invites metaphysical worries. Taken literally, the idea that behaviors instantiate mathematical structure is an assumption about the way in which mathematical entities exist, and that is a topic of controversy in the philosophy of mathematics.³ Mary Leng (2010), for instance, denies that mathematical entities exist at all, precluding their instantiation in the world. Another ontological possibility coming from the philosophy of science literature is that mathematical structure is a feature of models but not their targets. So-called discoveries of mathematical structure in behavior are just conceptual reifications “mistaking an aspect of a model—its structure, its construal, or the union of both—for an aspect of empirical data or the natural world; mistaking the math for the territory, so to speak” (Andrews 2021, 29). Several analyses from philosophers help make sense of how theoretical models can be useful in science despite containing descriptions and equations that are true of no object (e.g., Potochnik [2017]; Cartwright [1983]; Toon [2012]; Rice [2015]) or only partly true (Levy 2015).

³ Talk of objects or systems “instantiating” mathematical structure is common in that literature, and Figdor (2018, 53) uses this expression when describing the study by Suri and Schultz: “They used the network to model dynamic structure instantiated by real neural populations in prior neurophysiological research.”

The assumption that mathematical structures are instantiated in nature is also ill-defined. What does it mean for a mathematical structure to be “in” or “instantiated by” (the behavior of) a system? One possibility is that mathematical structures are abstract entities that exist independently of the physical world, and physical systems sometimes exemplify their structures (Shapiro 1997). An alternative is that there exists some structural relation (isomorphism, homomorphism, etc.) between a physical system and a mathematical system, though the latter need not exist as an abstract entity (Pincock 2012). Several other possibilities are defended in the philosophy of mathematics literature. Interpreting scientific models as revealing mathematical structure in the world shoulders these metaphysical burdens, but that is unnecessary for explaining the success of models and operationalizing quantitative similarity.

By contrast, model fit is well-defined given standard techniques for fitting models to data. There is nothing metaphysically mysterious about fitting formal models to data. Whether models fit data doesn't hinge on the possibility that mathematical structures are instantiated by target systems or an account of what that means. Of course, choice of fitting method will influence how well a model fits experimental data, and there is always room for debating how much goodness of fit is good enough within a context. But the concept of fit is still rooted in modeling practice and therefore poised to operationalize quantitative similarity. Figdor more often describes formal models as *applying* to various domains, but fit is a more appropriate concept because it is understood that fit is a matter of degree. Talk of models applying suggests an all-or-none relation. In sum, I recommend operationalizing quantitative similarity with model fit because unlike Figdor's current account, it makes precise the cases under consideration and circumvents orthogonal debates in the philosophy of mathematics.

We are now ready to evaluate the following claim:

(QS) Quantitative similarity in behavior constitutes strong evidence that different systems share specific psychological processes.

Behaviors from systems within or across taxa count as quantitatively similar when a mathematical model fits their data, and the psychological processes at stake are specified in the hypothesis tested by the model. We may further assume that (QS) applies only to cases in which the data under comparison are from the same kind of behavioral task. Importantly, Figdor's account is not so much a target here as a launchpad for critically assessing when mathematical models provide compelling evidence about cognitive processes. Anyone interested in debates over nonhuman cognition might find (QS) appealing.

4. Phenomenological versus process models: a blurry boundary?

Model fit is not a reliable guide to cognition in general because it matters what kind of formal model is being fit. Some models such as Snell's law are phenomenological in the sense that they have instrumental value (e.g., aid in prediction) but reveal nothing about underlying processes or mechanisms (Bokulich 2011). Phenomenological models are usually constructed by fitting a model structure to data ad hoc. Although

phenomenological models are often discussed in the context of physics, psychologists, and neuroscientists also use the concept (Luce 1995; Mauk 2000; e.g., Bassett et al. 2018). Despite their instrumental value, phenomenological models in cognitive science neither describe nor provide evidence for internal cognitive processes. Instead, they formally redescribe a target system's behaviors or interactions. Thus, (QS) is false as a general claim about formal models in cognitive science. If fitting a phenomenological model isn't evidence for any psychological process, then fitting one to behavioral data from another system isn't evidence that the two systems share any specific psychological process.

Once phenomenological models are taken into consideration, (QS) is only plausible as a claim about models that represent possible cognitive processes underlying behavior. Following the lead of cognitive scientists, let's call these models "process models." Unfortunately, beyond this basic characterization, there is no agreed upon definition of the term or consensus on which models count as process models (Jarecki et al. 2020). In the following text, I will argue that standard accounts in the philosophy of science literature fail to demarcate phenomenological models from process models. I'll demonstrate this with the example of linear models in mathematical psychology. I chose models fit to behavioral data from humans to underscore the problem faced by researchers in comparative cognition. If it is unclear whether models of human cognitive capacities are phenomenological, all the worse for models fit to data from plants, insects, and so forth where the presence of cognition is in question. The upshot is that contrary to Figdor's suggestion, quantitative similarity is not readily applicable as a criterion for inferences to cognition.

Linear models in mathematical psychology began proliferating in the 1960s. Hoffman (1960) first proposed that judgments in decision-making tasks could be modeled as linear functions of cues. Subjects in a typical task are given a set of cues either sequentially or simultaneously and asked to predict an outcome or value of some property. In one of Hoffman's tasks, for example, subjects used nine cues about 100 persons such as their high school rating and mother's education level to judge their "intelligence." The structure of a linear model is a weighted (usually multiple) linear regression equation in which variables represent cues, and weights represent the significance subjects assign to each variable with respect to what they're judging. Hoffman showed that such models accurately predict the judgments of subjects, and the result was replicated many times over in various tasks (see Dawes and Corrigan [1974] for references and discussion). Linear models of judgment are also building blocks of the lens model equation, which is used extensively in learning studies (Karelaia and Hogarth 2008). The equation is a formalization of Brunswik's (1952) lens model, and it is useful for quantifying how much different variables influence the accuracy of judgments. For instance, Luan et al. (2020) recently showed that people judge the monetary value of objects more accurately when cues are presented sequentially instead of simultaneously. They then performed a lens model analysis to demonstrate that the improvement was primarily due to increased consistency in judgments.

Although it is possible that subjects solve linear functions in their minds to reach judgments in decision-making tasks, and some researchers have defended this sort of conclusion (Einhorn et al. 1979; Goldberg 1971; Payne et al. 1993), the evidence is hardly decisive. Indeed, when Hoffman (1960) proposed using linear models of

judgment, he called them “paramorphic representations” to emphasize that it’s unclear whether they accurately represent underlying mental processes. In the more recent literature, psychologists typically say people behave *as if* they use a linear model in these tasks (Hogarth and Karelaia 2007).⁴ Some take a firmer stance, claiming that linear models merely predict judgments without capturing the cognitive operations leading to them (Glöckner and Betsch 2011), or attempt to explain away the success of linear models (Dawes 2018; Dawes and Corrigan 1974).

Here I’ll just give a couple reasons for remaining skeptical of the claim that linear models accurately represent internal cognitive processes. First, linear models aren’t based on any biological mechanisms. In the terminology of Marr’s (2010) framework, there is no evidence that any neural mechanisms implement an algorithm computing the hypothesized linear functions. Some degree of looseness between levels of description is both tolerable and expected (Allen 2014), but in this case an implementation story is completely absent. Second, heuristic models, which don’t consist of linear functions, can also fit the same data and in some cases fit even better (Gigerenzer and Goldstein 1999). They are also arguably more psychologically plausible with respect to properties such as computational tractability (Gigerenzer et al. 2008). For example, some heuristic models predict judgments based on fewer of the available cues compared to linear models (Hogarth and Karelaia 2007). Instead of solving linear functions in decision-making tasks, it is possible that people utilize various heuristics. Though it should be stressed that the options aren’t exclusive. There is evidence that people switch strategies depending on the circumstances, including within an experimental task (Lee et al. 2019; Newell et al. 2003).

The preceding discussion provides a test case for philosophical accounts of phenomenological models. Linear models of judgment fit behavioral data from humans engaged in cognitive tasks, but are they merely phenomenological models? Early writings in philosophy of science cast phenomenological models as independent from theory. However, Margaret Morrison (1999) has persuasively argued that this view is inadequate (see also Frigg and Hartmann 2020). In the more recent literature, philosophers typically characterize phenomenological models by appealing to what they describe and whether they count as explanatory. These features are complementary, but let’s consider them in turn.

According to Kaplan and Craver (2011), the signature of phenomenological models is that they describe behaviors of systems but not the mechanisms underlying their behavior. A problem with this criterion and any other based on description is that what a model represents arguably depends on the intentions of its user (Giere 2010; Callender and Cohen 2010; Weisberg 2013). In the case of linear models, many psychologists take them to redescribe behavior, whereas Einhorn et al. (1979) claim that linear models represent underlying cognitive processes, albeit at a higher level of abstraction than models specifying algorithms. Thus, the very same model might be classified as phenomenological or not depending on whom you ask. Even if agent-based accounts of scientific representation are wrong, the fact remains that scientists sometimes disagree about what models represent. Given the possibility of disagreement, appealing to what models describe fails to settle whether some are

⁴ See van Rooij et al. (2018) for more on “as if explanations” in psychology, including an analysis of the many possible meanings of “as if” in this context.

phenomenological or process models. The same reasoning extends to accounts that emphasize what phenomenological models aim at (e.g., Bokulich [2011]).

Explanatory status also supports opposing classifications because when models count as explanatory—in the sense of answering why certain things happen—is emphatically disputed. Proponents of the mechanistic framework argue that models across the mind-brain sciences have explanatory force only to the extent that they describe details of mechanisms. Their case studies include models in cognitive science (Kaplan and Bechtel 2011), psychology (Piccinini and Craver 2011), cognitive and systems neuroscience (Craver and Kaplan 2020; Kaplan and Craver 2011), and computational neuroscience (Kaplan 2011). Unsurprisingly, others have found their mechanistic demands on explanatory adequacy overly narrow. These critics highlight other explanatory patterns in the mind-brain sciences, including functional explanations (Weiskopf 2011), dynamical explanations (Ross 2015; Silberstein and Chemero 2013), computational explanations (both causal and noncausal) (Chirimuuta 2014; Serban 2015; Chirimuuta 2018), and topological explanations (Kostić 2018; Kostić and Khalifa 2023). Depending on one's views about sources of explanatory force, linear models may be classified as phenomenological or process models. Even if it is granted that they are explanatory in some sense, there is room for disagreement about which kinds of explanation matter for being a process model.

In this section I've argued that (QS) is false because phenomenological models in cognitive science provide no evidence for psychological capacities. Rescuing (QS) depends on limiting its scope to process models, yet current philosophical accounts fail to demarcate phenomenological models from process models. This hampers the usefulness of quantitative similarity as a criterion for inferences to cognition. (QS) may be true of process models, but neither Figdor nor the modeling literature in philosophy of science make clear which ones those are. The situation seems to fit Morrison's (1999) view that the distinction between phenomenological and theoretical models is of dubious philosophical value because it is difficult to draw a sharp boundary between the two.

In response, one might argue that even if it's unclear whether a mathematical model is phenomenological or not, the fact that it fits behavioral data from different systems supports the inference that they share *some* underlying cognitive process. It just doesn't reveal which one. Such inferences are problematic, though, in light of what Taylor et al. (2022) call the "many-to-one mapping problem": Different possible cognitive processes can generate any particular behavior. A better strategy is to distinguish process models in a way that helps modelers cope with the many-to-one mapping problem. That might salvage (QS) by weeding out phenomenological models, and more generally, it doesn't give up on the intuitively valuable distinction between phenomenological and explanatory models. Fortunately, more promising ways of distinguishing process models can be found in the cognitive science literature.

5. Fitting and comparing process models

I propose adopting the conceptual framework developed by Jarecki et al. (2020). In my view, it offers the most thorough characterization of process models in the current cognitive science literature and evades the problems outlined in the previous section. Like previous proposals, they claim that process models represent testable

assumptions about how cognitive systems transform inputs. They call this the “intermediate stage” between stimulus input and behavioral output. So far, this is too flexible. Linear models arguably represent the assumption that people transform inputs by computing linear functions during decision-making tasks, and that is a testable hypothesis in the sense that linear models will fit (within some degree of goodness) behavioral choice data or not. Or perhaps linear models are merely phenomenological because they formally represent overt choice behaviors and nothing more. The blurry boundary strikes again. However, Jarecki et al. (2020) add the further condition that process models must make separate predictions at two levels: behavioral output and the intermediate stage. The theoretical significance of the latter kind, called “process predictions,” has also been urged by other cognitive scientists (Pachur et al. 2013; Sun 2008; Johnson et al. 2008). Process predictions include predictions about attention, speed, error types, and so forth. They are specific to models (e.g., the DDM predicts reaction time distributions), but all are consequences of the cognitive process hypothesized by modelers. Note that process predictions, like behavioral output predictions, are typically about behavioral measures. Which behaviors correspond to each type of prediction is defined within a modeling context. One modeler’s behavioral output prediction may be another’s process prediction.

The preceding summary leaves out important details of the framework, but it is enough to demonstrate that process models are distinguishable in a principled way. To see this, consider the following points. If a hypothesis about cognitive processing successfully predicts only one kind of behavior, then it is no more plausible than any competing hypothesis that makes the same prediction. As mentioned earlier, both linear and heuristic models of judgment predict the same choices made by people in some decision-making tasks, but they are based on competing hypotheses about the causal processes underlying those choices. Process predictions help deal with the many-to-one mapping problem by providing further points of comparison between models, allowing modelers to test competing hypotheses when they explain other data equally well. Models that fail to make process predictions might still accurately represent cognition at some level of abstraction, but they are too underspecified to be rigorously tested.⁵ Jarecki et al. (2020) apply their framework to demonstrate that at least one heuristic model of judgment qualifies as a process model, whereas equal weighting models (a species of linear models) do not. Because the details matter, every model type must be inspected individually to determine whether they meet the proposed criteria for process models.

The remainder of this section argues that (QS) is still false when charitably interpreted as a claim about process models. Fitting a process model to behavioral output data is, on its own, not strong evidence for any cognitive process, let alone shared processes. As examples of process models, I’ll use DDMs and Bayesian models of perceptual decision making. According to the previously mentioned framework, every DDM qualifies as a process model because they represent a specific process of evidence accumulation toward decision boundaries (see Ratcliff and McKoon [2008]

⁵ A stronger view is that such formal models are devoid of conceptual content and neither express nor test anything about cognitive processing. See Smith et al. (2016) for a defense of this view based on competing formal models in animal metacognition research.

for details), and they make separate predictions about choices (behavioral output) and reaction time distributions (intermediate stage). The Bayesian model built by Bitzer et al. (2014) and further developed by Fard et al. (2017) is also a process model of decision making in two-alternative forced choice tasks. Instead of the diffusion process represented by DDMs, Bayesian models assume that cognitive systems generate predictions about stimuli and compare them to noisy input. An inference mechanism calculates the likelihood of each stimulus alternative given the observations up to some timepoint. The calculated posterior beliefs are then compared to a decision policy that determines what choice will be made. The Bayesian models developed by Bitzer and colleagues also make independent predictions about choices and reaction times.

It turns out that under certain assumptions about the parameters, it is possible to “translate” DDMs into Bayesian models that make the same predictions and vice versa (Fard et al. 2017; Bitzer et al. 2014). More specifically, from parameters estimated by behavioral data in one kind of model, one can determine what parameters the other kind of model should take to predict the same choices and reaction time distributions. These models have distinct formal structures, including different numbers of parameters. Thus, they are not “exactly the same mathematical thing” or “simple rotations of each other” as Smith et al. (2016, 1347) argue is the case in their example of competing two parameter models. The DDMs and Bayesian models also make very different assumptions about the decision-making process as summarized in the previous paragraph. In the terminology adopted by Figdor (2018), their model construals are completely different.

Despite good fit to both behavioral output and process data, the kind of cognitive process generating decisions in forced choice tasks is underdetermined. From fit alone, we do not have strong evidence either that target systems use a sequential sampling process represented by DDMs or that they formulate predictions and use Bayesian inference to calculate the likelihood of each stimulus. That is why Bitzer et al. (2014) emphasize a theoretical virtue of their Bayesian models: Unlike DDMs, they explicitly model how sensory input is converted into evidence. Fard et al. (2017) further motivate translating DDMs into Bayesian models by showing that modeling input more precisely leads to improved fit. These dialectical moves reflect an understanding among researchers that epistemic considerations beyond good fit are necessary for motivating their theoretical accounts. Though it is worth recognizing that, historically, many psychologists have supported theories primarily by demonstrating model fit (see Roberts and Pashler [2000] for a widely cited critique of the practice).

Cognitive scientists further acknowledge the epistemic limitations of model fit by emphasizing the importance of comparing models. Busemeyer and Stout (2002, 260) make the point sharply: “It is meaningless to evaluate a model in isolation, and the only way to build confidence in a model is to compare it with reasonable competitors.” I’ll conclude my rejection of (QS) by drawing attention to the fact that model comparison adds yet another layer of epistemic challenges. An initial problem is that the best fitting model is not always the most accurate. If researchers simply pick the model that fits their data best, they will end up choosing overly complex models. (Relevant factors of model complexity include the number of parameters and functional form.) The result has been mathematically proven in simulation

studies. As long as there is some error in the data, which is inevitable in experimentation, more complex models will fit better than the model that generated the data (Myung 2000; Pitt and Myung 2002). Such models are overfit. They fit a particular dataset well but are sensitive to random error in it, so they are unlikely to fit new data.

Because a good fit can mislead researchers into favoring the wrong hypothesis, model selection techniques are used to achieve a balance between goodness of fit and complexity (see Myung et al. [2016] for a recent review). However, there are many factors to consider when picking a model selection method. The reliability of some methods depends on sample size (Busemeyer and Wang 2000). Different classes of methods often disagree on which competing model is best because they seek out and punish different properties, and consistency between them further depends on circumstances such as effect size (Evans 2019). There are also broader methodological issues at play. Bayesians argue that their techniques for assessing the credibility of model parameters are better at deciding between competitors than model selection methods that attempt to balance goodness of fit and complexity (Kruschke 2011; Kruschke and Liddell 2018).

If fitting a process model is not strong evidence that humans use some cognitive process, then discovering that the same model fits behavior of some nonhuman systems is not strong evidence that they share that cognitive process with humans. Further epistemic considerations are necessary for strong confirmation of hypotheses about what kind of underlying process generates behavior. Exactly what considerations and how they should be weighted are topics that deserve thorough analysis elsewhere. However, the preceding discussion indicates that model selection techniques have a key role to play, and circumstances matter (sample size, effect size, etc.). Though it should be stressed that no model selection method is optimal in all cases (Evans 2019), and choices should arguably be guided by the variable goals of researchers (Kellen 2019; Navarro 2019).

In this section I've concentrated on how model fit underdetermines the nature of cognitive processing and the many epistemic issues involved in selecting a model among multiple that fit the same data. Importantly, this kind of underdetermination is no threat to scientific realism. Underdetermination arguments against scientific realism rest on *all* epistemic considerations failing to direct theory choice. Model fit is just one of many considerations. At most, the epistemic limitations of model fit suggest cases of "practical" underdetermination (see Turnbull [2018] for a useful taxonomy of underdetermination). According to this relatively weak form of underdetermination, present evidence fails to direct theory choice, and that is fully compatible with scientific realism. Thus, my argument doesn't rely on any antirealist maneuvers. Scientific theories may (eventually) track truths about cognitive processes underlying behavior, but formal modeling is no silver bullet.

6. Concluding remarks

Mathematical models may bolster evidence for cognitive capacities in nonhuman systems, but they also introduce complications of their own. Some are metaphysical such as the question of whether mathematical structure is a property of models and

their targets or just models. Failure to distinguish these possibilities and other modeling concepts (e.g., model structure vs. model construal) is a source of confusion among scientists and philosophers (Andrews 2021). Others are more methodological. What counts as “quantitative similarity” and why is it a relevant kind of similarity for inferring shared psychological processes? These questions indicate a general burden on philosophers analyzing implications of modeling results: Notions that aren’t well defined within the considered studies require explication and justification (cf. Bickle [2008] on metascience). Furthermore, drawing inferences about modeling results without attending to more general issues in scientific modeling is hasty. Here I’ve concentrated on phenomenological modeling and underdetermination, but the same conclusion is also defensible by considering issues regarding scientific representation (Drayson 2020).

The problem of underdetermination by model fit is one epistemic challenge that cognitive modelers have addressed by adopting model selection techniques. However, I hasten to emphasize that there is no simple story about how model selection takes place in cognitive science or any straightforward solution to the problem. Again, no currently available model selection method is optimal, and under some conditions there are no practical differences between them (Evans 2019). This highlights the need for further epistemic considerations (process predictions, mechanistic evidence, etc.) and perhaps nonepistemic values, but how they should be jointly assessed is an open question. My preliminary suggestion is that the weight of each type of evidence should be sensitive to the kind of system in question. For example, mechanistic similarity may be a useful criterion for inferring shared cognition in other mammals, but misleading when applied to more distant relatives where very different mechanisms might have evolved to achieve similar ends.

Elucidating what distinguishes phenomenological models from process models is perhaps a manageable problem. The fruitfulness of Jarecki et al.’s (2020) framework remains to be seen, and future proposals may improve upon theirs. But the underdetermination of cognitive processing by model fit is a hard barrier to directly inferring shared cognition from quantitative similarity in behavior. Both phenomenological modeling and underdetermination are classic topics in general philosophy of science with extensive literatures. However, general issues can play out in different and interesting ways across the sciences. I conclude by briefly reflecting on why current philosophical accounts deliver a blurry boundary between phenomenological and process models in cognitive science.

An uninspired remark is that philosophical attempts at demarcating kinds of models rest on intuitions about what models represent and when they count as explanatory. Such intuitions are bound to generate controversy. However, the case of linear models suggests a more interesting explanation of the hazy boundary. My suspicion is that any formalism that accurately describes behavior is a how-possibly model given the computational theory of mind. According to this theory, cognitive systems are the kinds of things whose behavior is governed by internal algorithms computing functions. Given this theoretical framework, any mathematical model fit to behavioral data is doubly interpretable as a representation of both behavior and internal processing that causes behavior.

By contrast, consider the case of light. No one thinks its behavior is determined by internal computations. Hence, Snell's law is uncontroversially judged a phenomenological model (Kaplan and Craver 2011). Although it is useful as a formal representation of light behavior and aids in predicting how light will refract, no one is tempted to think that Snell's law explains why light behaves as it does. Stephan Hartmann's (1999) account of models and stories is insightful here. He argues that stories inspired by an underlying fundamental theory (but not deduced from it) play an important role in model acceptance. Stories told around the formalism fit a model into the broader framework of the fundamental theory, and there is no good model without such a story. In this terminology, what distinguishes mathematical models in cognitive science from Snell's law and other phenomenological models in physics is that stories linking models of behavior to a dominant background theory (i.e., the computational theory of mind) are readily available. Consequently, any cognitive model which formally describes a system's behavioral data is also a how-possibly model. It is a plausible possibility that the system computes the function specified by a well-fit model, and this would help explain its behavioral data, especially when supplemented with an algorithm by which the function is computed. (See Egan [2017] for more on function-theoretic characterization as an explanatory strategy in cognitive science.) Not so for formal models of light behavior. This allows a relatively clear boundary between phenomenological models and explanatory models in the case of light and perhaps physics more generally.

Given that philosophical thinking about phenomenological modeling has been so concentrated on models in physics, it is unsurprising that current accounts are ill-suited for cognitive science. Hopefully, this article encourages more philosophical work on phenomenological models, process models, and model selection, specifically in cognitive science.

Acknowledgments. An anonymous reviewer for this journal provided careful feedback that improved this article. I am grateful to Mazviita Chirimuuta, Arnon Levy, and especially Colin Allen for helpful discussions and comments on earlier versions. I also benefited from conversations with Mel Andrews, Gal Ben-Porath, Nuhu Osman Attah, and members of Colin's writing group in the spring of 2023.

References

- Adams, Fred. 2018. "Cognition Wars." *Studies in History and Philosophy of Science Part A* 68: 20–30. <https://doi.org/10.1016/j.shpsa.2017.11.007> and <https://www.sciencedirect.com/science/article/pii/S0039368117302741>.
- Adams, Fred, and Rebecca Garrison. 2013. "The Mark of the Cognitive." *Minds and Machines* 23 (3):339–52. <https://doi.org/10.1007/s11023-012-9291-1>.
- Allen, Colin. 2014. "Models, Mechanisms, and Animal Minds." *Southern Journal of Philosophy* 52 (S1):75–97.
- Alpi, Amedeo, Nikolaus Amrhein, Adam Bertl, Michael R. Blatt, Eduardo Blumwald, Felice Cervone, Jack Dainty, Maria Ida De Michelis, Emanuel Epstein, Arthur W. Galston, Mary Helen M. Goldsmith, Chris Hawes, Rüdiger Hell, Alistair Hetherington, Herman Hofte, Gerd Juergens, Chris J. Leaver, Anna Moroni, Angus Murphy, Karl Oparka, Pierdomenico Perata, Hartmut Quader, Thomas Rausch, Christophe Ritzenthaler, Alberto Rivetta, David G. Robinson, Dale Sanders, Ben Scheres, Karin Schumacher, Hervé Sentenac, Clifford L. Slayman, Carlo Soave, Chris Somerville, Lincoln Taiz, Gerhard Thiel, and Richard Wagner. 2007. "Plant Neurobiology: No Brain, No Gain?" *Trends in Plant Science* 12 (4):135–36. <https://doi.org/10.1016/j.tplants.2007.03.002>.
- Andrews, Mel. 2021. "The Math Is Not the Territory: Navigating the Free Energy Principle." *Biology & Philosophy* 36 (3):30. <https://doi.org/10.1007/s10539-021-09807-0>.

- Bassett, Danielle S., Perry Zurn, and Joshua I. Gold. 2018. "On the Nature and Use of Models in Network Neuroscience." *Nature Reviews Neuroscience* 19 (9):566–78. <https://doi.org/10.1038/s41583-018-0038-8>.
- Bickle, John. 2008. "Real Reduction in Real Neuroscience: Metascience, Not Philosophy of Science (and certainly not metaphysics!)." In *Being Reduced: New Essays on Reduction, Explanation, and Causation*, edited by Jakob Hohwy and Jesper Kallestrup, 34–51. Oxford: Oxford University Press.
- Bitzer, Sebastian, Hame Park, Felix Blankenburg, and Stefan Kiebel. 2014. "Perceptual Decision Making: Drift-Diffusion Model Is Equivalent to a Bayesian Model." *Frontiers in Human Neuroscience* 8: 1–17. <https://doi.org/10.3389/fnhum.2014.00102>.
- Bokulich, Alisa. 2011. "How Scientific Models Can Explain." *Synthese* 180 (1):33–45. <https://doi.org/10.1007/s11229-009-9565-1>.
- Brunswik, Egon. 1952. *The Conceptual Framework of Psychology*. Chicago: The University of Chicago Press.
- Buckner, Cameron. 2013. "Morgan's Canon, Meet Hume's Dictum: Avoiding Anthropofabulation in Cross-species Comparisons." *Biology & Philosophy* 28 (5):853–71. <https://doi.org/10.1007/s10539-013-9376-0>.
- Busemeyer, Jerome R., and Julie C. Stout. 2002. "A Contribution of Cognitive Decision Models to Clinical Assessment: Decomposing Performance on the Bechara Gambling Task." *Psychological Assessment* 14 (3):253–62. <https://doi.org/10.1037/1040-3590.14.3.253>.
- Busemeyer, Jerome R., and Yi-Min Wang. 2000. "Model Comparisons and Model Selections Based on Generalization Criterion Methodology." *Journal of Mathematical Psychology* 44 (1):171–89. <https://doi.org/10.1006/jmps.1999.1282> and <https://www.sciencedirect.com/science/article/pii/S0022249699912828>.
- Callender, Craig, and Jonathan Cohen. 2010. "There Is No Special Problem about Scientific Representation." *Theoria: An International Journal for Theory, History and Foundations of Science* 21 (1):67–85.
- Carruthers, Peter, and David M. Williams. 2022. "Model-free Metacognition." *Cognition* 225: 105117. <https://doi.org/10.1016/j.cognition.2022.105117> and <https://www.sciencedirect.com/science/article/pii/S0010027722001056>.
- Cartwright, Nancy. 1983. *How the Laws of Physics Lie*. Oxford: Oxford University Press.
- Chirumuuta, Mazviita. 2014. "Minimal Models and Canonical Neural Computations: The Distinctness of Computational Explanation in Neuroscience." *Synthese* 191 (2):127–53. <https://doi.org/10.1007/s11229-013-0369-y>.
- Chirumuuta, Mazviita. 2018. "Explanation in Computational Neuroscience: Causal and Non-causal." *British Journal for the Philosophy of Science* 69 (3):849–80.
- Colombo, Michael, and Damian Scarf. 2020. "Are There Differences in "Intelligence" between Nonhuman Species? The Role of Contextual Variables." *Frontiers in Psychology* 11, 2072. <https://doi.org/10.3389/fpsyg.2020.02072> and <https://www.frontiersin.org/articles/10.3389/fpsyg.2020.02072>.
- Craver, Carl F., and David Michael Kaplan. 2020. "Are More Details Better? On the Norms of Completeness for Mechanistic Explanations." *British Journal for the Philosophy of Science* 71 (1):287–319.
- DasGupta, Shamik, Clara Howcroft Ferreira, and Gero Miesenböck. 2014. "FoxP Influences the Speed and Accuracy of a Perceptual Decision in *Drosophila*." *Science* 344 (6186): 901–4. <https://doi.org/10.1126/science.1252114> and <https://www.science.org/doi/abs/10.1126/science.1252114>.
- Dawes, Robyn M. 2018. "The Mind, the Model, and the Task." In *Cognitive theory*, edited by Frank Restle, Richard M. Shiffrin, N. John Castellan, Harold R. Lindman, and David B. Pisoni, 119–29. New York: Psychology Press.
- Dawes, Robyn M., and Bernard Corrigan. 1974. "Linear Models in Decision Making." *Psychological Bulletin* 81 (2):95–106.
- Drayson, Zoe. 2020. "Why I Am Not a Literalist." *Mind and Language* 35 (5):661–70.
- Egan, Frances. 2017. "Function-Theoretic Explanation and the Search for Neural Mechanisms." In *Explanation and Integration in Mind and Brain Science*, edited by David M. Kaplan, 145–63. New York: Oxford University Press.
- Einhorn, Hillel J., Don N. Kleinmuntz, and Benjamin Kleinmuntz. 1979. "Linear Regression and Process-Tracing Models of Judgment." *Psychological Review* 86 (5):465–85. <https://doi.org/10.1037/0033-295X.86.5.465> and <https://psycnet.apa.org/doi/10.1037/0033-295X.86.5.465>.
- Evans, Nathan J. 2019. "Assessing the Practical Differences between Model Selection Methods in Inferences about Choice Response Time Tasks." *Psychonomic Bulletin & Review* 26 (4): 1070–98. <https://doi.org/10.3758/s13423-018-01563-9>.
- Fard, Pouyan R., Hame Park, Andrej Warkentin, Stefan Kiebel, and Sebastian Bitzer. 2017. "A Bayesian Reformulation of the Extended Drift-Diffusion Model in Perceptual Decision Making." *Frontiers in*

- Computational Neuroscience* 11, 29. <https://doi.org/10.3389/fncom.2017.00029> and <https://www.frontiersin.org/articles/10.3389/fncom.2017.00029>.
- Farrar, Benjamin, and Ljerka Ostojic. 2019. "The Illusion of Science in Comparative Cognition." *PsyArXiv*. <https://doi.org/10.31234/osf.io/hduyx>.
- Figdor, Carrie. 2018. *Pieces of Mind: The Proper Domain of Psychological Predicates*. Oxford: Oxford University Press.
- Figdor, Carrie. 2020. "Why Literalism Is Still the Best Game in Town: Replies to Drayson, Machery, and Schwitzgebel." *Mind and Language* 35 (5):687–93.
- Frigg, Roman, and Stephan Hartmann. 2020. "Models in Science." In *The Stanford Encyclopedia of Philosophy* (Spring 2020 edition), edited by Edward N. Zalta. <https://plato.stanford.edu/archives/spr2020/entries/models-science/>.
- Gagliano, Monica, Michael Renton, Martial Depczynski, and Stefano Mancuso. 2014. "Experience Teaches Plants to Learn Faster and Forget Slower in Environments Where It Matters." *Oecologia* 175 (1):63–72. <https://doi.org/10.1007/s00442-013-2873-7>.
- Giere, Ronald N. 2010. "An Agent-Based Conception of Models and Scientific Representation." *Synthese* 172 (2):269–81.
- Gigerenzer, Gerd, and Daniel G. Goldstein. 1999. "Betting on One Good Reason: The Take the Best Heuristic." In *Simple Heuristics That Make Us Smart*, 75–95. New York: Oxford University Press.
- Gigerenzer, Gerd, Ulrich Hoffrage, and Daniel G. Goldstein. 2008. "Fast and Frugal Heuristics Are Plausible Models of Cognition: Reply to Dougherty, Franco-Watkins, and Thomas (2008)." *Psychological Review* 115 (1):230–39. <https://doi.org/10.1037/0033-295X.115.1.230>.
- Glöckner, Andreas, and Tilmann Betsch. 2011. "The Empirical Content of Theories in Judgment and Decision Making: Shortcomings and Remedies." *Judgment and Decision Making* 6 (8):711–21.
- Goldberg, Lewis R. 1971. "Five Models of Clinical Judgment: An Empirical Comparison between Linear and Nonlinear Representations of the Human Inference Process." *Organizational Behavior and Human Performance* 6 (4):458–79. [https://doi.org/10.1016/0030-5073\(71\)90028-6](https://doi.org/10.1016/0030-5073(71)90028-6) and <https://www.sciencedirect.com/science/article/pii/0030507371900286>.
- Hartmann, Stephan. 1999. "Models and Stories in Hadron Physics." In *Models as Mediators: Perspectives on Natural and Social Science*, edited by Margaret Morrison and Mary Morgan. New York: Cambridge University Press.
- Hoffman, Paul J. 1960. "The Paramorphic Representation of Clinical Judgment." *Psychological Bulletin* 57 (2):116–31. <https://doi.org/10.1037/h0047807>.
- Hogarth, Robin M., and Natalia Karelaia. 2007. "Heuristic and Linear Models of Judgment: Matching Rules and Environments." *Psychological Review* 114 (3):733–58. <https://doi.org/10.1037/0033-295X.114.3.733>.
- Jarecki, Jana B., Jolene H. Tan, and Mirjam A. Jenny. 2020. "A Framework for Building Cognitive Process Models." *Psychonomic Bulletin & Review* 27 (6):1218–29. <https://doi.org/10.3758/s13423-020-01747-2>.
- Johnson, Eric J., Michael Schulte-Mecklenbeck, and Martijn C. Willemsen. 2008. "Process Models Deserve Process Data: Comment on Brandstätter, Gigerenzer, and Hertwig (2006)." *Psychological Review* 115 (1): 263–72. <https://doi.org/10.1037/0033-295X.115.1.263>.
- Joo, Hannah R., Hexin Liang, Jason E. Chung, Charlotte Geaghan-Breiner, Jiang Lan Fan, Benjamin P. Nachman, Adam Kepecs, and Loren M. Frank. 2021. "Rats Use Memory Confidence to Guide Decisions." *Current Biology* 31 (20):4571–83.e4. <https://doi.org/10.1016/j.cub.2021.08.013> and <https://www.sciencedirect.com/science/article/pii/S0960982221011179>.
- Kaplan, David Michael. 2011. "Explanation and Description in Computational Neuroscience." *Synthese* 183 (3):339. <https://doi.org/10.1007/s11229-011-9970-0>.
- Kaplan, David Michael, and William Bechtel. 2011. "Dynamical Models: An Alternative or Complement to Mechanistic Explanations?" *Topics in Cognitive Science* 3 (2):438–44. <https://doi.org/10.1111/j.1756-8765.2011.01147.x> and <https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1756-8765.2011.01147.x>.
- Kaplan, David Michael, and Carl F. Craver. 2011. "The Explanatory Force of Dynamical and Mathematical Models in Neuroscience: A Mechanistic Perspective." *Philosophy of Science* 78 (4):601–27. <https://doi.org/10.1086/661755>.
- Karelaia, Natalia, and Robin M. Hogarth. 2008. "Determinants of Linear Judgment: A Meta-analysis of Lens Model Studies." *Psychology Bulletin* 134 (3):404–26. <https://doi.org/10.1037/0033-2909.134.3.404>.

- Kellen, David. 2019. "A Model Hierarchy for Psychological Science." *Computational Brain & Behavior* 2 (3):160–65. <https://doi.org/10.1007/s42113-019-00037-y>.
- Kostić, Daniel. 2018. "The Topological Realization." *Synthese* 195 (1):79–98. <https://doi.org/10.1007/s11229-016-1248-0>.
- Kostić, Daniel, and Kareem Khalifa. 2023. "Decoupling Topological Explanations from Mechanisms." *Philosophy of Science* 90 (2):245–68. <https://doi.org/10.1017/psa.2022.29> and <https://www.cambridge.org/core/article/decoupling-topological-explanations-from-mechanisms/4801B5E2E1B920E818D5F27CEABA84BE>.
- Kruschke, John K. 2011. "Bayesian Assessment of Null Values via Parameter Estimation and Model Comparison." *Perspectives on Psychological Science* 6 (3):299–312. <https://doi.org/10.1177/1745691611406925>.
- Kruschke, John K., and Torrin M. Liddell. 2018. "The Bayesian New Statistics: Hypothesis Testing, Estimation, Meta-analysis, and Power Analysis from a Bayesian Perspective." *Psychonomic Bulletin & Review* 25 (1):178–206. <https://doi.org/10.3758/s13423-016-1221-4>.
- Lee, Michael D., Kevin A. Gluck, and Matthew M. Walsh. 2019. "Understanding the Complexity of Simple Decisions: Modeling Multiple Behaviors and Switching Strategies." *Decision* 6 (4):335–68. <https://doi.org/10.1037/dec0000105>.
- Leng, Mary. 2010. *Mathematics and Reality*. Oxford: Oxford University Press.
- Levy, Arnon. 2015. "Modeling without Models." *Philosophical Studies* 172 (3):781–98. <https://doi.org/10.1007/s11098-014-0333-9>.
- Luan, Shenghua, Lael J. Schooler, and Jolene H. Tan. 2020. "Improving Judgment Accuracy by Sequential Adjustment." *Psychonomic Bulletin & Review* 27 (1):170–77. <https://doi.org/10.3758/s13423-019-01696-5>.
- Luce, R. Duncan. 1995. "Four Tensions Concerning Mathematical Modeling in Psychology." *Annual Review of Psychology* 46 (1):1–27. <https://doi.org/10.1146/annurev.ps.46.020195.000245>.
- Ludvig, Elliot A., Richard S. Sutton, and E. James Kehoe. 2012. "Evaluating the TD Model of Classical Conditioning." *Learning & Behavior* 40 (3):305–19. <https://doi.org/10.3758/s13420-012-0082-6>.
- Machery, Edouard. 2020. "What Do Plants and Bacteria Want? Commentary on Carrie Figdor's Pieces of Mind." *Mind and Language* 35 (5):677–86.
- Marr, David. 2010. *Vision: A Computational Investigation into the Human Representation and Processing of Visual Information*. Cambridge, MA: MIT Press.
- Mauk, Michael D. 2000. "The Potential Effectiveness of Simulations Versus Phenomenological Models." *Nature Neuroscience* 3 (7):649–51. <https://doi.org/10.1038/76606>.
- Mikhalevich, Irina. 2017. "Simplicity and Cognitive Models: Avoiding Old Mistakes in New Experimental Contexts." In *The Routledge Handbook of Philosophy of Animal Minds*, edited by K. Andrews and J. Beck, 427–36. New York: Routledge.
- Morrison, Margaret. 1999. "Models as Autonomous Agents." In *Models as Mediators: Perspectives on Natural and Social Science*, edited by Margaret Morrison and Mary S. Morgan, In Ideas in Context (52), 38–65. Cambridge: Cambridge University Press.
- Myung, Jay. 2000. "The Importance of Complexity in Model Selection." *Journal of Mathematical Psychology* 44 (1):190–204. <https://doi.org/10.1006/jmps.1999.1283> and <https://www.sciencedirect.com/science/article/pii/S002224969991283X>.
- Myung, Jay, Daniel R. Cavagnaro, and Mark A. Pitt. 2016. "Model Evaluation and Selection." In *New Handbook of Mathematical Psychology: Volume 1: Foundations and Methodology*, edited by Ehtibar N. Dzhafarov, Hans Colonius, Jay Myung and William H. Batchelder, In Cambridge Handbooks in Psychology, 552–98. Cambridge: Cambridge University Press.
- Navarro, Danielle J. 2019. "Between the Devil and the Deep Blue Sea: Tensions between Scientific Judgement and Statistical Model Selection." *Computational Brain & Behavior* 2 (1):28–34. <https://doi.org/10.1007/s42113-018-0019-z>.
- Newell, Ben R., Nicola J. Weston, and David R. Shanks. 2003. "Empirical Tests of a Fast-and-Frugal Heuristic: Not Everyone "Takes-the-Best." *Organizational Behavior and Human Decision Processes* 91 (1):82–96. [https://doi.org/10.1016/S0749-5978\(02\)00525-3](https://doi.org/10.1016/S0749-5978(02)00525-3).
- Pachur, Thorsten, Ralph Hertwig, Gerd Gigerenzer, and Eduard Brandstätter. 2013. "Testing Process Predictions of Models of Risky Choice: A Quantitative Model Comparison Approach." *Frontiers in Psychology* 4, 646. <https://doi.org/10.3389/fpsyg.2013.00646>.

- Payne, John W., James R. Bettman, and Eric J. Johnson. 1993. *The Adaptive Decision Maker*. Cambridge: Cambridge University Press.
- Piccinini, Gualtiero, and Carl Craver. 2011. "Integrating Psychology and Neuroscience: Functional Analyses as Mechanism Sketches." *Synthese* 183 (3):283–311. <https://doi.org/10.1007/s11229-011-9898-4>.
- Pincock, Christopher. 2012. *Mathematics and Scientific Representation*. New York: Oxford University Press.
- Pitt, Mark A., and Jay Myung. 2002. "When a Good Fit Can Be Bad." *Trends in Cognitive Sciences* 6 (10): 421–25. [https://doi.org/10.1016/S1364-6613\(02\)01964-2](https://doi.org/10.1016/S1364-6613(02)01964-2) and <https://www.sciencedirect.com/science/article/pii/S1364661302019642>.
- Potochnik, Angela. 2017. *Idealization and the Aims of Science*. Chicago: University of Chicago Press.
- Ratcliff, Roger, and Gail McKoon. 2008. "The Diffusion Decision Model: Theory and Data for Two-Choice Decision Tasks." *Neural Computation* 20 (4):873–922. <https://doi.org/10.1162/neco.2008.12-06-420>.
- Rice, Collin. 2015. "Moving beyond Causes: Optimality Models and Scientific Explanation." *Noûs* 49 (3):589–615. <https://doi.org/10.1111/nous.12042> and <https://onlinelibrary.wiley.com/doi/abs/10.1111/nous.12042>.
- Roberts, Seth, and Harold Pashler. 2000. "How Persuasive Is a Good Fit? A Comment on Theory Testing." *Psychological Review* 107 (2):358–67. <https://doi.org/10.1037/0033-295X.107.2.358>.
- Ross, Lauren N. 2015. "Dynamical Models and Explanation in Neuroscience." *Philosophy of Science* 82 (1):32–54.
- Schultz, Wolfram. 2016. "Dopamine Reward Prediction Error Coding." *Dialogues Clinical Neuroscience* 18 (1):23–32. <https://doi.org/10.31887/DCNS.2016.18.1/wschultz>.
- Schultz, Wolfram, Peter Dayan, and P. Read Montague. 1997. "A Neural Substrate of Prediction and Reward." *Science* 275 (5306):1593–9. <https://doi.org/10.1126/science.275.5306.1593>.
- Serban, Maria. 2015. "The Scope and Limits of a Mechanistic View of Computational Explanation." *Synthese* 192 (10):3371–96. <https://doi.org/10.1007/s11229-015-0709-1>.
- Shapiro, Stewart. 1997. *Philosophy of Mathematics: Structure and Ontology*. New York: Oxford University Press.
- Silberstein, Michael, and Anthony Chemero. 2013. "Constraints on Localization and Decomposition as Explanatory Strategies in the Biological Sciences." *Philosophy of Science* 80 (5):958–70. <https://doi.org/10.1086/674533>.
- Smith, J. David, Justin J. Couchman, and Michael J. Beran. 2014. "Animal Metacognition: A Tale of Two Comparative Psychologies." *Journal of Comparative Psychology* 128 (2):115–31. <https://doi.org/10.1037/a0033105>.
- Smith, J. David, Alexandria C. Zakrzewski, and Barbara A. Church. 2016. "Formal Models in Animal-Metacognition Research: The Problem of Interpreting Animals' Behavior." *Psychonomic Bulletin & Review* 23 (5):1341–53. <https://doi.org/10.3758/s13423-015-0985-2>.
- Sun, Ron. 2008. "Introduction to Computational Cognitive Modeling." In *Cambridge Handbook of Computational Psychology*, edited by Ron Sun, 3–19. New York: Cambridge University Press.
- Suri, Roland E, and Wolfram Schultz. 2001. "Temporal Difference Model Reproduces Anticipatory Neural Activity." *Neural Computation* 13 (4):841–62.
- Sutton, Richard S, and Andrew G Barto. 1987. "A Temporal-Difference Model of Classical Conditioning." In *Proceedings of the Ninth Annual Conference of the Cognitive Science Society*. 355–78.
- Taiz, Lincoln, Daniel Alkon, Andreas Draguhn, Angus Murphy, Michael Blatt, Chris Hawes, Gerhard Thiel, and David G. Robinson. 2019. "Plants neither Possess nor Require Consciousness." *Trends in Plant Science* 24 (8):677–87. <https://doi.org/10.1016/j.tplants.2019.05.008> and <https://www.sciencedirect.com/science/article/pii/S1360138519301268>.
- Taylor, Alex H., Amalia P. M. Bastos, Rachael L. Brown, and Colin Allen. 2022. "The signature-Testing Approach to Mapping Biological and Artificial Intelligences." *Trends in Cognitive Sciences* 26 (9):738–50. <https://doi.org/10.1016/j.tics.2022.06.002>.
- Toon, Adam. 2012. *Models as Make-Believe: Imagination, Fiction and Scientific Representation*. London: Palgrave Macmillan.
- Turnbull, Margaret Greta. 2018. "Underdetermination in Science: What It Is and Why We Should Care." *Philosophy Compass* 13 (2):e12475. <https://doi.org/10.1111/phc3.12475> and <https://compass.onlinelibrary.wiley.com/doi/abs/10.1111/phc3.12475>.

- van Rooij, Iris, Cory D. Wright, Johan Kwisthout, and Todd Wareham. 2018. "Rational Analysis, Intractability, and the Prospects of 'as if'-Explanations." *Synthese* 195 (2):491–510. <http://www.jstor.org/stable/26748857>.
- Weisberg, Michael. 2013. *Simulation and Similarity: Using Models to Understand the World*. New York: Oxford University Press.
- Weiskopf, Daniel A. 2011. "Models and Mechanisms in Psychological Explanation." *Synthese* 183 (3):313–38.