


THE JOURNAL
OF
MENTAL SCIENCE
(THE BRITISH JOURNAL OF PSYCHIATRY)



BY AUTHORITY OF
THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION

EDITOR-IN-CHIEF
G. W. T. H. FLEMING

WITH THE ASSISTANCE OF
Alexander Walk (Co-Editor)

L. C. Cook	F. L. Golla	T. F. Main
P. K. McCowan	A. Meyer	R. M. Norman
M. Partridge	W. Linford Rees	B. W. Richards
	W. Warren	


(The above constitute the Journal Committee)

AND

Lord Adrian	J. N. P. Moore
W. Ross Ashby	A. A. W. Petrie
Sir F. C. Bartlett	Derek Richter
Sir W. E. le Gros Clark	E. T. O. Slater

LONDON
H. K. LEWIS & CO. LTD

Published Six times Yearly Twenty Shillings net



Fentazin tablets contain 2 mg or 4 mg perphenazine. Bottles of 50 and 500.

in anxiety and tension
Fentazin 2 mg three times daily

PERPHENAZINE



ALLEN & HANBURYS LTD. Bethnal Green London E2

'Fentazin' is a trade mark. AH 197

more powerful

more selective

more versatile

more extensively
documented

*Stelazine**

'Stelazine' is one of the most extensively documented phenothiazine tranquillizers. Investigators have stressed its efficacy and versatility in the treatment of severe mental illness; its unique alerting action; its prolonged therapeutic effect. 'Stelazine' often brings about a dramatic improvement in patients who have hitherto failed to respond to all other psychiatric therapy.


A new standard among tranquillizers

Developed and manufactured by

Smith Kline & French Laboratories Ltd
Welwyn Garden City, Herts

*'Stelazine' (brand of trifluoperazine) is a trade mark
SZ: PA101 (Col.)

**In senile
psychiatric
syndromes**



Pacatal improves the disturbed behaviour patterns of all senile psychiatric patients, from mild senile deterioration to marked senile dementia. Throughout therapy the patient's mental alertness is unimpaired. Maximum tranquillity is achieved with minimum sedation. **PACATAL CONTROLS** agitation—irascibility—restlessness—confusion—nocturnal wanderings—destructiveness—disturbance of bowel and bladder control.

PACATAL



Dosage: The appropriate dosage varies from case to case. Low dosage levels (ranging from 25 to 100 mg. daily) have been proved effective and safe for chronic organic senile patients.


Presentation: Tablets of 25 and 100 mg. strength in bottles of 50 and 500. Ampoules each containing 50 mg. in 2 ml. in boxes of 10 and 50.

PACATAL ELIXIR

A pleasantly flavoured presentation (in bottles of 4 fl. oz.) for elderly patients.

Dosage: one or two teaspoonfuls 3 times a day. Each teaspoonful contains 20 mg. pecazine.

WILLIAM R. WARNER & CO. LTD., *Eastleigh, Hampshire. Tel: Eastleigh 3131*



for the
mentally
disturbed

In Psychoses – for rapid reduction of psychomotor over-activity without clouding of consciousness or dulling of intellect.

In Psychoneuroses – for relief of tension, leaving the patient active but composed.

In Prolonged-Sleep Treatments – for enhancing and prolonging the action of sedatives and hypnotics, allowing safer and easier treatment without confusion.

In the Management and Rehabilitation of Drug Addicts – for suppressing withdrawal symptoms in those addicted to alcohol or narcotics.

Largactil
trade mark brand

CHLORPROMAZINE HYDROCHLORIDE
Tablets, syrup, solutions for injection
and suppositories

Detailed information is available on request

An M&B brand Medical Product



MA7896



MANUFACTURED BY
MAY & BAKER LTD

Distributors

PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM

ask yourself

... what qualities you'd expect
of the ideal sedative and hypnotic.

You'll find that 'DISTAVAL'

comes surprisingly close to
satisfying all your criteria.

'DISTAVAL'


TRADE MARK

brand of thalidomide

- * Amply proved in neurological practice—both as a day-time sedative and as a night-time hypnotic.
- * Causes no initial agitation or euphoria in patients old or young.
- * Virtually free from toxicity—therefore safe even in the hands of the temporarily unstable patient.
- * Effective in releasing patients from dependence on barbiturates.

Basic cost to N.H.S. for 12 tablets from dispensing pack of 100.

'DISTAVAL'—25 mg. tablets 1/-d.
'DISTAVAL' FORTE—100 mg. tablets 2/8d.



THE DISTILLERS COMPANY (Biochemicals) LIMITED
BROADWAY HOUSE · THE BROADWAY · WIMBLEDON · LONDON S.W.19
Telephone: LIBerty 6600
Owners of the trade mark 'Distaval'

FPN36/60A.

'LIBRIUM'

the successor to the tranquillizers

*covers
the field of
meprobamate*

*extends into
the field of
the phenothiazines*

*extends
into the
field
of the
sedatives*

*exerts
an effect
in some
cases that
respond to
reserpine*



Roche Products Limited

15 MANCHESTER SQUARE • LONDON • W1 •

Librium is a registered trade mark


Tofranil[®] Geigy

N-(γ-Dimethylaminopropyl)-iminodibenzyl hydrochloride

Thymoleptic Specific therapeutic measure in the treatment of depression

PH 184

DEPRESSION INDUCED ANXIETY



MOST COMMONLY ENCOUNTERED IN:

Psychosomatic disorders · Chronic diseases
Other organic illnesses

MOST COMMONLY EXPRESSED BY:

Nervousness · Anorexia · Tension fatigue
states · Sadness · Insomnia · Apprehension
Irritability · Hypochondriasis

MOST EFFECTIVELY TREATED WITH:

A true antidepressant which relieves the
depression-induced anxiety by alleviating
the depression itself.

NARDIL


BRAND OF PHENELZINE

TRADE MARK


IN GENERAL PRACTICE

- * Nardil is a true antidepressant which acts selectively on the brain.
- * Nardil acts rapidly, improvement is seen within the first week and often in the first few days.
- * Nardil is safe — toxic effects on blood or liver are extremely rare.
- * Nardil has a simple and convenient dosage schedule (one tablet three times a day) which helps patient co-operation.
- * Nardil is economical in use. Basic N.H.S. cost only 4/11 (excl. p.t.) for 25 tablets.

Nardil is available in bottles of 100 and 500 sugar-coated tablets each containing 15 mg. phenelzine.



WILLIAM R. WARNER & CO. LTD., EASTLEIGH, HANTS. TEL: EASTLEIGH 3131
NAR498



trade mark

brand

CHLORPROMAZINE/DEXAMPHETAMINE

A carefully selected association of two of the most important centrally acting drugs.

Tablets containing Chlorpromazine Hydrochloride B.P. 25 mg. and Dexamphetamine Sulphate B.P. 5 mg.

Detailed information is available on request

An **M&B** brand Medical Product



MANUFACTURED BY


MAY & BAKER LTD

MA7351/100

DISTRIBUTORS: PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM

DISIPAL

ORPHENADRINE HYDROCHLORIDE



1. Correction of Drug Induced Extra Pyramidal Symptoms
2. Parkinsonism
3. Arteriosclerotic Dementia
4. Geriatric Depressive States

**ALSO USEFUL IN VERTIGINOUS AND
POST-TRAUMATIC DIZZINESS**

MANUFACTURED AND DISTRIBUTED IN THE U.K. BY

CAMDEN CHEMICAL CO. LTD

LONDON · WC1

For N.V. KONINKLIJKE PHARMACEUTISCHE FABRIEKEN V.H BROCADES · STHEEMAN AND PHARMACIA · AMSTERDAM · HOLLAND

for the tense and anxious patient

**EMOTIONAL
EQUILIBRIUM**

with
1 mg
once a day

MODITEN

Squibb Fluphenazine Dihydrochloride

SQUIBB 

A Century of Experience Builds Faith
'MODITEN' is a trademark


E R SQUIBB & SONS LIMITED
Edwards Lane Speke Liverpool 24

DOSAGE: 1 mg. daily. If necessary, the total daily dosage may be increased to 1 mg. b.i.d. or two 1 mg. tablets given as a single dose in patients with relatively severe symptoms who have had a trial at lower dosages. A daily dose in excess of 2 mg. is rarely necessary, and when employed should be used with caution.

SUPPLY: Coated 1 mg. tablets, bottles of 25, 100 and 500.

'ECTONUSTIM'**E.C.T. APPARATUS and
CEREBRAL STIMULATOR**

(A.C. or D.C. Mains)



For a new improved E.C.T. technique which eliminates the need for muscle relaxants and anaesthetics.

Also:

'ECTONUS'
—E.C.T. apparatus

'ECTRON'
—E.C.T. apparatus

'ECTRON'
—Rubber Mouth Gag

'ECTRONOLYTE'
—Electrolyte Powder

Write for full details to: **ECTRON LTD**
39 NORTON ROAD, LETCHWORTH, HERTS, ENGLAND
Telephone: LETCHWORTH 2124

**LABORATORIES FOR APPLIED BIOLOGY
PRESENT
A NEW ANTI-CONVULSANT FOR PETIT-MAL**

Emeside—ethylmethylsuccinimide—is now available in this country for prescription by Neurologists and other members of the medical profession who know of the encouraging reports on its use in petit-mal.

Considerable reduction of attacks has been described in 75% of cases, with complete control in 25% after six months and 42% after two years. Tolerance has not been observed to develop, and toxicity has been low.

Clinical trials in this country are now being undertaken. Laboratories for Applied Biology Ltd., in releasing Emeside for prescription, emphasize the need for careful observation of patients while long term evaluation is being made.

Available in glass jars of 100 capsules, each capsule 250 mg.
Retail price 41s. 0d.

EMESIDE

Manufactured by :

NV. TECHNISCH PHARMACEUTISCHE ONDERNEMING

All enquiries to:

L.A.B. 91 AMHURST PARK, LONDON, N.16



'Mysoline' opens prison doors

TO THE EPILEPTIC CHILD, 'Mysoline' can bring new-found confidence and alertness. It enables the child to enjoy normal activity in a safe and healthy environment. 'Mysoline' can often be used with advantage in cases already controlled with other drugs but where freedom from

hypnotic effect would be desirable.

The place of 'Mysoline' in juvenile epilepsy is now well documented in the literature.

Available in tablets of 0.25 G. and as a palatable oral suspension. Basic N.H.S. costs: 4/4d. for 30 tablets dispensed from packs of 1,000, and 5/8d. for 100 ml. of suspension.

Mysoline TRADE MARK greatly valued in the treatment of epilepsy

Primidone B.P.

IMPERIAL CHEMICAL INDUSTRIES LIMITED
PHARMACEUTICALS DIVISION

WILMSLOW CHESHIRE



Ph.4

BARNWOOD HOUSE

GLOUCESTER

A PRIVATE HOSPITAL (outside the National Health Service), for the CARE and TREATMENT of LADIES and GENTLEMEN suffering from NERVOUS and MENTAL DISORDERS. Within two miles of the Western and London Midland Regional Railway Stations at Gloucester, the Hospital is easily accessible by rail from London and all parts of the United Kingdom. It is beautifully situated at the foot of the Cotswold Hills, and stands in its own grounds of over 300 acres. Patients of both sexes are received for treatment. Special accommodation is provided at a villa residence, which stands in its own grounds and is entirely separate from the main Hospital. All the most modern methods of treatment including electric shock and prefrontal leucotomy are used.

HUME TOWERS

27 BRANKSOME WOOD ROAD, BOURNEMOUTH

TELEPHONE: WESTBOURNE 64384

has been opened as an ordinary nursing home for all kinds of borderline mental and nervous breakdown, with special accommodation for geriatric cases in a separate villa. Applications for admissions should be made to the Resident Medical Officer, Hume Towers.

For Terms, etc., apply to

G. W. T. H. FLEMING, M.R.C.S., L.R.C.P., D.P.M.,
Physician Superintendent

TELEPHONE: No. 66207 GLOUCESTER

WYKE HOUSE, ISLEWORTH MIDDLESEX

Tel. ISLeworth 7000

A Private Home established in 1826,
for the individual treatment and care
of all forms of Nervous and Mental
Illness, including Addiction.

Further particulars from the Resident Physicians:

H. PULLAR-STRECKER,
M.D.,

G. W. SMITH,
O.B.E., M.B.



La Métairie NYON (Switzerland)

Lake of Geneva

Private Nursing Home, Founded in 1857. Several villas in a large park

All types of modern Treatment for Mental & Nervous Diseases

Rest Cures - Psychotherapy - Insulin
Sleep Cures - Carbo-Oxygen Therapy
Electro-shock

For further information: *Apply to Dr. W. SEMADENI, Chief Doctor*
Telephone 9.65.91

NORTHUMBERLAND HOUSE

A Psychiatric Nursing Home for voluntary and certified patients. Situated in pleasant grounds at 237-9 Ballards Lane, N.3. Tel. FINchley 5283. Resident Medical Director, Dr. Robert M. Riggall, Memb. Brit. Psycho-Analytical Socy. with Assistant Psychiatrist. Deep Insulin Coma Unit, psychotherapy, etc. Central heating and running water in all rooms.

HITCHAM PLACE, BURNHAM, BUCKS.

(late Fenstanton, Christchurch Road, S.W.2)

A Private Home for the Care and Treatment of a limited number of Ladies with Mental and Nervous Disorders. Temporary and Voluntary Patients received. Large Country Mansion with twenty acres of grounds in Green Belt. Home-like surroundings.

Apply: Dr. Madeline R. Lockwood, Resident Physician. Telephone: Burnham 624

SPRINGFIELD HOUSE, Near BEDFORD

Telephone: Bedford 3417

A Private Mental Nursing Home two miles from Bedford Station, for 48 patients of both sexes. Extensive grounds and vegetable garden. Elderly patients requiring special care and attention are admitted.

Fees from 11 Guineas per week

For Forms of Admission, etc., apply to the Resident Physician, CEDRIC W. BOWER

CHISWICK HOUSE, PINNER, MIDDLESEX

Telephone: Pinner 0234

Private Nursing Home for Nervous and Psychological Troubles including Alcoholism. All modern treatments. Forty patients of both sexes. Country house in six acres of grounds. Twelve miles north-west London. Easily accessible by Metropolitan train from Baker Street to Pinner — 22 minutes. Ten minutes walk Pinner Station.

Medical Director, Douglas Macaulay, M.D., D.P.M.

TRAINING POSTS IN PSYCHIATRY

MENTAL HEALTH SERVICES

PROVINCE OF NEWFOUNDLAND

The Mental Health Services of Newfoundland have a limited number of training posts, offering two full years of accredited training, in an integrated University Programme. The additional two years of training required to qualify for University Diploma, and the Certification Examination of the Royal College of Physicians and Surgeons of Canada may be taken in the Department of Psychiatry at Dalhousie University, Halifax, Nova Scotia. This comprehensive training programme is under the general direction and supervision of the Department of Psychiatry, Dalhousie University. Pre-requisites are graduation from an approved Medical School and one year rotating internship.

Salary Range for full four years: \$7,000—\$8,000 per annum.

Service Contract required for University part of training.

Assistance given with transportation costs.

Permanent Posts available on completion of training.

Application forms and additional information may be obtained by writing to:

**C. H. POTTLE, M.D., Director, Mental Health Services,
P.O. Box 967, St. John's, Newfoundland**

PSYCHIATRISTS

required by

THE PROVINCE OF NEWFOUNDLAND

for posts in Mental Hospitals and Day Care Clinic at St. John's.

Salary Range: \$10,000—\$12,000 per annum for candidates holding the D.P.M.

Posts are also available for non-certificated physicians with training who wish to qualify for certification.


Full Civil Service Benefits.

Assistance given with travel costs.

Applications or requests for further information should be directed to:

**C. H. POTTLE, M.D., Director, Mental Health Services,
P.O. Box 967, St. John's, Newfoundland, Canada.**

**When signs of anxiety-tension
are obvious . . .**



Dartalan

Brand of Thiopropazate dihydrochloride

safe and effective in

PSYCHOSES Particularly Schizophrenia

NEUROSES Tension states and patients with
obsessional traits

GERIATRICS Agitated states in the elderly

GENERAL MEDICINE Pain in inoperable carcinoma
and control of nausea and vomiting

SEARLE

THE JOURNAL OF MENTAL SCIENCE

© 1961

Communications on general editorial matters, including MSS. for publication, printed matter, and communications regarding the *Epitome* section, including journals to be abstracted, should be sent to the **Editor-in-Chief, Dr. G. W. T. H. Fleming, Barnwood House, Gloucester.**

Books for review should be sent to **Dr. A. Walk, c/o R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.**

Communications and enquiries regarding sales should be addressed to the Publishers, **Messrs. H. K. LEWIS & Co. Ltd., 136 Gower Street, W.C.1;** and those regarding Advertisements to **Aldridge Press Ltd., 27 Chancery Lane, London, W.C.2.**

Details of membership of the Royal Medico-Psychological Association are obtainable from the **Secretary, R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.**

THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION PUBLICATIONS

From Messrs. H. K. LEWIS & Co. Ltd.,
136 Gower Street, W.C.1

"The Journal of Mental Science." Published six times a year. Price 20/-. Postage extra.

From Messrs. J. & A. CHURCHILL, Ltd.,
104 Gloucester Place, W.1

"Recent Progress in Psychiatry." Vol. 2, 1950. Pp. 711. Price 50/-.
Vol. 3, 1959. Pp. 404. Price 50/-.

From MESSRS. BAILLIÈRE, TINDALL & COX,
8 Henrietta Street, W.C.2.

"Handbook for Mental Nurses." 8th edn. 1954. Price 21/-.

FROM THE SECRETARY, 11 Chandos Street, W.1.

The Charter and By-Laws of the Association. Price 2/-. Postage 1½d.

"Recent Progress in Psychiatry." Vol. 2, 1950 } (at special price to members of R.M.P.A.)
Vol. 3, 1959 }

WHEN THE PATIENT
FEELS HE'S GOING ALL
TO
PIECES



Miltown^{*}
PROPRIETARY *REGD. TRADEMARK OF GASTEN PRODUCTS, INC.

**RESTORES COMPOURE
OF BODY AND MIND**

Capsules 200 mg., Tablets 400 mg. (scored),
in bottles of 50 and 250.



LEDERLE LABORATORIES
a division of
CYANAMID OF GREAT BRITAIN LTD. London W.C.2

INSTRUCTIONS TO AUTHORS

Strict observation of the following requirements will save intending authors considerable time and worry, and will facilitate the publication of papers submitted.

(1) Authors should consult a current issue to see how a paper should be presented. They should consult *General Notes on the Preparation of Scientific Papers*, published for the Royal Society by the Cambridge University Press, 200 Euston Road, London, N.W.1 (price 2s. 9d. post free).

(2) The title should be brief and contain no sub-heading. This should be followed by the author's name, his qualifications and his present appointment.

(3) Omit a summary of the literature when this has been adequately summarized elsewhere.

(4) For reasons of economy, case-histories of patients can be published only when they are of exceptional scientific interest.

(5) Diagrams and graphs must be drawn in black ink with properly printed lettering. If they have to be redrawn by the printer, the cost, which may amount to several pounds, will be charged to the author.

(6) Tables and graphs should be kept as few as possible. If they number more than a few, the author must be prepared to pay part of their cost.

(7) Any deviation or difference that might be due to random sampling must, if it is to be discussed in its general, scientific significance, be first shown, by calculation of the appropriate probability, to be significant statistically.

(8) All references should be given at the end of the paper, in alphabetical order, and be numbered, i.e.

(1) SMITH, A. B., *J. Ment. Sci.*, 1950, **95**, 493.

(2) THOMAS, B. C., *Arch. Neur. Psychiat.*, 1955, **74**, 489.

In the body of the paper they should appear as: Smith (1), Thomas (2).

(9) When the proof arrives from the printer it is for the correction of printer's mistakes only. Larger alterations can be made only with the Editor's permission and if the author is willing to defray the cost.

(10) Each author and co-author will receive 10 reprints of his paper free of charge. If further reprints are required the order should be sent **direct** to Messrs. Headley Brothers, Ltd., The Invicta Press, Ashford, Kent, at the time the galley proof is sent to the author. Orders for reprints must **not** be sent to the Editor-in-Chief.

(11) A paper sent to the Editor-in-Chief is, as a rule, sent to one of the panel of Referees set out on the cover of the Journal for his opinion.



DIABETIC NEUROPATHY

Neuropathy complicates diabetes to a variable extent, estimated at about 14% of cases. The commonest symptom is pain in the limbs. Reflexes may be absent.

Recently, treatment by the whole B complex in the form of Parentrovite has been employed with encouraging results. 10 ml. given twice weekly for four to six weeks produced impressive effects both in respect of relief of pain and rate of recovery.

It is now acknowledged that there is seldom, if ever, a need for large doses of a single vitamin of the B complex, since these factors interact in enzyme symptoms. Inadequacy of vitamin reserves, i.e. "Vitamin insufficiency" may occur apart from nutritional deficiency, and may manifest as symptoms and signs of peripheral neuropathy.

PARENTROVITE

is a high potency injectable preparation of the Vitamin B complex with Vitamin C. Packs: in boxes of 3 and 12 pairs. Hospital packs also available.

OROVITE

Treatment may be continued with OROVITE—high dosage Vitamin B complex for oral use—for rapid restoration of intracellular metabolism.

Available in tablets and elixir form.

PARENTROVITE AND OROVITE two products of
VITAMINS LIMITED, UPPER MALL, LONDON, W6





Photograph by Polyfoto

ALEXANDER WALK
President 1960-61

Frontispiece