INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, http://www.editorialmanager.com/psm/. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

- 1. S.I. units should be used throughout in text, figures and tables.
- 2. Authors should spell out in full any abbreviations used in their manuscripts.
- 3. Foreign quotations and phrases should be followed by a translation.
- 4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* 286, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* 32, 173–179.

Cleckley HJ (1941). The Mask of Sanity, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank. org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. Line artwork: Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; Combination artwork (line/tone): Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; Black and white halftone artwork: Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; Colour halftone artwork: Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. Tables Tables should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

ORIGINAL ARTICLES Associations of mood symptoms with ante- and postnatal weight change in obese pregnancy are not mediated by cortisol		Changes in genetic and environmental influences on disordered eating between early and late adolescence: a longitudinal twin study Fairweather-Schmidt AK & Wade TD	3249
Mina TH, Denison FC, Forbes S, Stirrat LI, Norman JE & Reynolds RM	3133	Spatiotemporal variation and social determinants of suicide in China, 2006–2012: findings from a nationally	
Combined social cognitive and neurocognitive rehabilitation strategies in schizophrenia: neuropsychological and psychopathological influences on Theory of Mind improvement		representative mortality surveillance system Liu S, Page A, Yin P, Astell-Burt T, Feng X, Liu Y, Liu J, Wang L & Zhou M	3259
Bechi M, Bosia M, Spangaro M, Buonocore M, Cocchi F, Pigoni A, Piantanida M, Guglielmino C, Bianchi L, Smeraldi E & Cavallaro R	3147	Minimal clinically important difference on the Beck Depression Inventory – II according to the patient's Perspective	
Influence of <i>DAT1</i> and <i>COMT</i> variants on neural activation during response inhibition in adolescents with attention-		Button KS, Kounali D, Thomas L, Wiles NJ, Peters TJ, Welton NJ, Ades AE & Lewis G	3269
deficit/hyperactivity disorder and healthy controls van Rooij D, Hoekstra PJ, Bralten J, Hakobjan M, Oosterlaan J, Franke B, Rommelse N, Buitelaar JK & Hartman CA	3159	Pituitary gland volume and psychosocial stress among children at elevated risk for schizophrenia	3281
Structural alterations in white-matter tracts connecting (para-)limbic and prefrontal brain regions in borderline personality disorder Lischke A, Domin M, Freyberger HJ, Grabe HJ, Mentel R, Bernheim D & Lotze M	3171	Cullen AE, Day FL, Roberts RE, Pariante CM & Laurens KR Occupational differences in US Army suicide rates Kessler RC, Stein MB, Bliese PD, Bromet EJ, Chiu WT, Cox KL, Colpe LJ, Fullerton CS, Gilman SE, Gruber MJ, Heeringa SG, Lewandowski-Romps L, Millikan-Bell A, Naifeh JA, Nock MK,	3281
Examining the profile of high-potency cannabis and its association with severity of cannabis dependence		Petukhova MV, Rosellini AJ, Sampson NA, Schoenbaum M, Zaslavsky AM & Ursano RJ	3293
Freeman TP & Winstock AR Improved cognitive content endures for 2 years among unstable responders to acute-phase cognitive therapy for recurrent major depressive disorder	3181	Latent classes of childhood trauma exposure predict the development of behavioral health outcomes in adolescence and young adulthood Ballard ED, Van Eck K, Musci RJ, Hart SR, Storr CL, Breslau N & Wilcox HC	3305
Vittengl JR, Clark LA, Thase ME & Jarrett RB	3191	Neurocognition in individuals at high familial risk of mood	
Predictors of outcome for telephone and face-to-face administered cognitive behavioral therapy for depression Stiles-Shields C, Corden ME, Kwasny MJ, Schueller SM & Mohr DC	3205	disorders with or without subsequent onset of depression Papmeyer M, Sussmann JE, Hall J, McKirdy J, Peel A, Macdonald A, Lawrie SM, Whalley HC & McIntosh AM	3317
Maternal depressive symptoms during pregnancy, placental expression of genes regulating glucocorticoid and serotonin function and infant regulatory behaviors		Investigation of metamemory functioning in the at-risk mental state for psychosis Eisenacher S, Rausch F, Ainser F, Mier D, Veckenstedt R, Schirmbeck F, Lewien A, Englisch S, Andreou C, Moritz S,	
Räikkönen K, Pesonen A-K, O'Reilly JR, Tuovinen S, Lahti M, Kajantie E, Villa P, Laivuori H, Hämäläinen E, Seckl JR & Reynolds RM	3217	Meyer-Lindenberg A, Kirsch P & Zink M The impact of psychosis on the course of cognition: a prospective, nested case-control study in individuals at	3329
Changes in genetic risk for emotional eating across the menstrual cycle: a longitudinal study		clinical high-risk for psychosis Carrión RE, McLaughlin D, Auther AM, Olsen R, Correll CU &	
Klump KL, Hildebrandt BA, O'Connor SM, Keel PK, Neale M, Sisk CL, Boker S & Burt SA	3227	Comblatt BA Book Review	3341 3355
Trajectories of childhood neighbourhood cohesion and adolescent mental health: evidence from a national Canadian cohort			
Kingsbury M, Kirkbride JB, McMartin SE, Wickham ME, Weeks M & Colman I	3239		



