

General Notes

TEMPORAL BONE SURGICAL DISSECTION COURSE

OFFERED BY

THE DEPARTMENT OF OTOLARYNGOLOGY

THE UNIVERSITY OF MICHIGAN MEDICAL SCHOOL, ANN ARBOR, MICHIGAN

COURSE DIRECTOR: JOHN L. KEMINK, M.D.

1990: 2-6 April 14-18 May 15-19 October 12-16 November

Intensive one-week courses emphasize the surgical and anatomical approaches to the temporal bone, and are presented in a manner relevant for the otologic surgeon, utilizing lectures, videotapes, and dissection.

Mornings and afternoons are spent in the dissection laboratory, giving extensive drilling experience in temporal bone anatomy and surgical techniques. All instruments and high-speed handpieces will be provided.

Course fee is: Physicians \$1,000 Residents \$750

For further information write:

John L. Kemink, M.D.,
Box 0312 Taubman Medical Center,
1500 E. Medical Center Drive,
Ann Arbor,
Michigan 48109, U.S.A.
Tel: (313) 936-8006

2nd FUNCTIONAL ENDOSCOPIC NASAL SURGERY COURSE

5-6 December, 1989

LONDON

INTERNATIONAL FACULTY INCLUDE

Professor J. Friedrich, O.R.L. Hospital, La Chaux de Fonds, Switzerland.

Professor W. Thumfahrt, ENT Department, University Hospital, Cologne.

LECTURES, DEMONSTRATIONS, VIDEOS AND PRACTICAL DISSECTION

£320—(including Dissection Facility Utilizing Endoscopic Instruments), or

£200—(without Dissection Facility)

Further details from:

D. Garfield Davies
Ferens Institute of Otolaryngology
Middlesex Hospital
Mortimer Street
London W1P 5FD

FONDATION GEORGES PORTMANN
 CLINIQUE UNIVERSITAIRE D'OTO-RHINO-LARYNGOLOGIE DE BORDEAUX
 31ST ENGLISH COURSE IN MICRO SURGERY IN OTOTOLOGY AND OTONEUROLOGY
 from 2 to 7 July, 1990

Conducted by Professor Michel Portmann, M.D.,

- Participation of Jean-Pierre Bébéar, M.D. and Guy Lacher, M.D. (Bordeaux)
- with collaboration of A. Richards (London, U.K.), N. Shah (London, U.K.) and J. Garro (Washington D.C., U.S.A).
- and the collaboration of the staff of the ENT Department of the University of Bordeaux.

A six-day intensive course including:

- Theoretical and practical lectures: basic principles in otological surgery/pathology of the middle ear/impedance audiometry/various techniques of tympanoplasty/reconstruction of the middle ear/agenesia of the ear/ossiculoplasty/facial nerve surgery/surgery of vertigo/oto-neuro surgery (neurinoma, etc.).
- Surgical demonstrations on colour TV.
- Temporal bone dissection (equipment provided for each participant).
- Cases presentations
- Discussion.

The course will be given in English.

Fee: FF 5.000.

CME Credit: 59 hours. Sponsored by the American Academy of Otolaryngology Head and Neck Surgery.

G. Portmann Foundation members and residents in training (with a letter of certification) will benefit from a 20 per cent discount.

Applications should be made to:

Secretary of the Course,
 "Fondation G. Portmann",
 114, avenue d'Arès
 33074 Bordeaux Cedex (France).

EUROPEAN RHINOLOGIC SOCIETY, LONDON 1990

The Thirteenth Congress of the European Rhinologic Society will be held in London from Sunday 24 June through until Friday 29 June, 1990. The meeting will be combined with the International Symposium of Infection and Allergy of the Nose and Paranasal Sinuses (ISIAN) and we are pleased to welcome the British Society for Allergy and Clinical Immunology (BSACI) who will be joining us on Tuesday 26 and Wednesday, 27 June, 1990. On the final day, Friday, 29 June, there will be the first combined meeting of ERS with the European Academy of Facial Surgery (EAFS—The Joseph Society).

There will be three Plenary Sessions each day in addition to Instructional Sessions, Video Sessions and ample time has been allotted for Free Paper Sessions. The Plenary Sessions will include a faculty of International leaders in their fields who will present papers on medico-legal aspect of rhinology, radiology and ultrasound, oncology, the rhinological aspects of snoring, olfaction, the role of anti-cholinergic medication, mast cells and antihistamines, immunotherapy, topical steroids, nasal endoscopic diagnosis and treatment, paediatric rhinology, the history of rhinology and the final day is devoted to facial plastic surgery and will cover nasal trauma, tip surgery and augmentation rhinoplasty.

For further details contact:

Ian S. Mackay, F.R.C.S.,
 Honorary Secretary,
 13th Congress,
 55 Harley Street,
 London W1. U.K

GRAY'S INN ROAD ENT FELLOWSHIP COURSE

26 February to 9 March 1990

(For students taking the Final F.R.C.S in Otolaryngology)

This two week, full-time course is *limited to twenty senior students who are about to take the final F.R.C.S.* In addition to a series of lectures/demonstrations at the appropriate level, both in the specialty and in related branches of general surgery, the course will include a number of clinical and *viva voce* sessions, and the setting and correction of test papers.

Course Tutors: Mr C. M. Bailey and Mr C. B. Croft.

Course Fee: £395.00 (Meals and refreshments not included apart from the Course Dinner).

All applications must be accompanied by the course fee. Cheques should be made payable to University College, London, and sent together with the completed application form to:

Cheryl Overington,
Courses Organizer,
The Institute of Laryngology & Otology,
330-332 Gray's Inn Road,
London WC1X 8EE.
Telephone: 01-837 8855 Ext. 4218

XV COURSE IN THE TEMPORAL BONE DISECCION

2-4 April, 1990

Barcelona, Spain

Dr Pedro Clarós and Professor J. P. Bebear (Portmann Foundation)

For further information:

Pedro Clarós, M.D., Ph.D.
ENT Department
San Juan de Dios Hospital
Carretera de Esplugas s/n
08034 Barcelona, Spain

8TH INTERNATIONAL WINTER COURSE ON EAR SURGERY, COSMETIC SURGERY OF THE NOSE AND FACE

Selva Gardena, Dolomites, Italy

January 20-27, 1990

Course Directors: G. Babighian (Italy), A. De La Cruz (U.S.A.), G. Sulsenti (Italy).

Faculty: Babighian (Italy), De La Cruz (U.S.A.), Farrior (U.S.A.), Filippo (Italy), Huizing (The Netherlands), May (U.S.A.), Meyer (Switzerland), Sanna (Italy), Sulsenti (Italy), Wigand (W. Germany), Zini (Italy).

The Course will be implemented by the following additional Seminars (optional registration, max. 30 registrants):

- Stapes surgery. (G. Babighian)
- Septorhinoplasty. (R. Farrior)
- Surgery of the facial nerve. (M. May)
- Nasal reconstruction. (R. Farrior, R. Meyer).

For information: Mrs. A. Carloni, Otologia Oggi—Otology Today, Via Piave 108, 38100 Trento, Italy.
Phone: (0)461-986477.

THE TWJ FOUNDATION

The Trustees of the TWJ Foundation invite
 applications for
 AN OTOLOGICAL RESEARCH AND CLINICAL FELLOWSHIP
 at
 THE COLEMAN LABORATORY, SAN FRANCISCO
 IN THE UNIVERSITY OF CALIFORNIA
 for
 SIX MONTHS DURING 1991

The main emphasis will be on research projects in the Coleman Laboratory under the supervision of Professor Michael Merzenich but the holder will also have the opportunity to observe clinical work in the Department of Otolaryngology as the appointment has the approval of both Dr Boles and Dr Dedo.

Applicants must be Fellows of one of the Royal Colleges of Surgeons and a Senior Registrar in Otolaryngology in an appointment recognized for Higher Surgical Training.

Further details concerning applications should be obtained *now* from:

The Trustees of the TWJ Foundation,
 Courtlands, 61 Kingswood Firs,
 Grayshott, Hindhead
 Surrey GU26 6ER

The closing date for formal applications will be
 Saturday, 13 January, 1990

3rd FUNCTIONAL ENDOSCOPIC NASAL SURGERY COURSE

30-31 January and 1 February, 1990

LONDON

INTERNATIONAL FACULTY INCLUDE

Dr Heinz Stammberger, University ENT-Hospital, Graz, Austria.

Dr D. W. Kennedy and Dr S. J. Zinreich, Johns Hopkins University, USA.

LECTURES, DEMONSTRATIONS, VIDEOS AND PRACTICAL DISSECTION

£350—(including Dissection Facility Utilizing Endoscopic Instruments), or

£200—(without Dissection Facility)

Further details from:

D. Garfield Davies
 Ferens Institute of Otolaryngology
 Middlesex Hospital
 Mortimer Street
 London W1P 5FD

**EXTRAORDINARY SYMPOSIUM OF
THE INTERNATIONAL ASSOCIATION OF PHYSICIANS IN AUDIOLOGY
"UP-DATE AND NEW PERSPECTIVES IN AUDIOLOGY"**

Sirmione del Garda (Italy)
29 April–2 May, 1990

Subjects: — Future trends in auditory electrophysiology
— Auditory brain mapping
— Auditory evoked magnetic fields
— Otoacoustic emissions
— Otoimmunology
— Advances in hearing aids
— Forensic audiology
— Informatics in Audiology

Invited Speakers:

Arnold, W. – Luzern; Borg, E. – Stockholm; Chiappa, K. – Boston; Collet, L. – Lyon; Elberling, C. – Lyngby; Grisanti, G. – Palermo; Hinchcliffe, R. – London; Hoke, M. – Munster; Kemp, D. T. – London; Møller, A. – Pittsburg; Rossi, G. – Torino; Stephens, S. D. G. – Cardiff; Zwicker – Munich.

For further information contact:

M. Carner, M.D., F. Fiorino, M.D.,
ENT Department
Ospedale Borgo Roma
Via delle Menegone
I-37134 Verona, Italy
Phone: +45-581473
Fax: +45-508343

**THE XOMED PRIZE 1990
ENTRIES ARE INVITED FOR THE 1990 PRIZE FOR OTOLARYNGOLOGY**

- ☆ The Prize consists of a fully-sponsored visit to the American Academy of Otolaryngology Meeting in San Diego, California, from 9–13 September, 1990 together with a tour of Xomed's manufacturing facility in Jacksonville, Florida.
- ☆ Open to Senior Registrars in Otolaryngology and Consultants who are within 5 years of first appointment at the closing date, which is Friday, 12 January, 1990.
- ☆ Entrants should submit a written paper, which may be on any subject, but must be unpublished, and must not have been submitted previously for the Xomed, or other prizes.
- ☆ The winning entry will be the one which is considered to be "The most significant contribution to Otolaryngology".
- ☆ Entries will be judged by senior members of the speciality.

Please send four copies of your entry to the following address:

Xomed
Division of Zimmer Surgical Specialities
Dunbeath Road
Swindon
SN2 6EA
Attention of Mr P. J. Smith

to arrive no later than Friday, 12 January, 1990.

Receipt of all entries will be acknowledged.

PREVIOUS WINNERS

1986 Adrian Drake-Lee
1987 Robert Mills
1988 Andrew Grace
1989 David Jonathan

HOWNS SURGICAL

in association with

THE INSTITUTE OF LARYNGOLOGY AND OTOTOLOGY

are pleased to announce

THE 8th TEMPORAL BONE DISSECTION PRIZE

The First Prize enables the winner to attend the Portmann Course in Microsurgery in Otolaryngology and Otoneurology at Bordeaux in July 1990.

The Second Candidate will receive Medical Books to the value of £150 and the Third Candidate to the value of £100.

Commemorative Ties are awarded for all bones included in the display.

Candidates eligible for this prize will be full-time SHO's, Registrars and Senior Registrars in clinical posts in Otolaryngology within the United Kingdom, and Consultants appointed after 1 January 1990.

Submissions should consist of two dried temporal bones:

- 1) Dissected to demonstrate the intra-temporal course of the facial nerve
- 2) Dissected according to the candidates' own choice.

The Winner will be announced at the meeting of the Otolaryngology section at the Royal Society of Medicine in May 1990.

The judges are: Mr Bernard Colman, Mr Stephen Richards and Mr Martin Bailey.

Further Information is available from Mr C. M. Bailey at the address below.

Entries must be sent to Mr C. M. Bailey (c/o the Department of Pathology), at the address below. All temporal bones must be transported according to the existing regulations, and must be received before 28 February 1990. No entries can be accepted after this date.

Contact:

The Institute of Laryngology and Otolaryngology
330/332 Gray's Inn Road
LONDON WC1X 8EE
Tel. 01-837 8855 ext. 4010

THE CLEVELAND CLINIC FOUNDATION

THE FIRST INTERNATIONAL LARYNGOTRACHEAL RECONSTRUCTION SYMPOSIUM

will be held at the

Stouffer Tower City Plaza Hotel, Cleveland, Ohio

24-27 August, 1991

Category 1 Credit

For further information write or call:

The Cleveland Clinic Educational Foundation
Department of Continuing Education
9500 Euclid Avenue, TT31
Cleveland, OH 44195-5241

444-5696 (Local)
800-762-8172 (Ohio)
800-762-8173 (outside Ohio)

ANNUAL GENERAL & SCIENTIFIC MEETING
OTOLARYNGOLOGY SOCIETY OF AUSTRALIA, MELBOURNE

Hilton Hotel
Sunday 18 to Friday 23 March, 1990

Keynote Speakers:

Professor Michael E. Glasscock, Dr Gaylon McCollough and Professor David Schuller

The scientific meeting will include oral presentations, cine clinics and scientific poster sessions as well as meetings of many special interest groups.

Abstract forms are available from the O.L.S.A. Office, in Sydney or Kevin Wickham (03) 859 1885.

The closing date for abstracts will be 30 November, 1989.

For further information on the meeting contact:

Kevin Wickham
PO Box 235
North Balwyn, VIC. 3104
(03) 859 1885 or facsimile (03) 859 2211

THE SHILEY FELLOWSHIP 1990
ENTRIES ARE INVITED FOR THE 1990 AWARD

The Fellowship value \$2,000 is awarded to enable a Registrar/Senior Registrar from Great Britain and Ireland with an interest in Laryngology to visit a centre or to attend a conference abroad.

The award will be presented for the best new design of an instrument or device for use in the field of Laryngology or Rhinology.

Entries must be submitted by 1 July 1990 to the Honorary Secretary, Section of Laryngology, Royal Society of Medicine.

The award will be presented at the November meeting of the Royal Society of Medicine.

Further information can be obtained from the

Honorary Secretary
Section of Laryngology.
Royal Society of Medicine
1, Wimpole Street, London W.1.

RESEARCH PRIZES 1990
EUROPEAN RHINOLOGIC SOCIETY

Two prizes will be awarded for original basic research and one prize for an original clinical study in the field of Rhinology.

—Candidates should be under 40 years of age.

—The work may be the result of personal or team work. The first author will be considered the prize candidate.

—Each author can submit only ONE article. The candidate is asked to indicate whether his article should be considered a basic research or a clinical study.

—The work has to be submitted in the form of a scientific paper which already have been accepted for publication by a journal, but not yet published. Supplements and theses are *excluded* from competition.

—The two first prizes will amount to 1250 ECU each, the second prize for basic research will amount to 750 ECU (European Currency Unit—1 ECU = NLG 2,35).

—The Executive Committee of the European Rhinologic Society with the support of invited expert referees will act as the jury and elect the prize winners.

—The prizes will be awarded during the Opening Ceremony of the next Congress in London, June 1990. The prize winners will be invited to attend the congress free of congress-fee.

—Application and articles (5 copies) should be directed to the Chief-Editor of the journal Rhinology, Prof. Dr. E. H. Huizing, Dept. of O.R.L., University Hospital Utrecht, P.O. Box 16250, 3500 CG Utrecht, The Netherlands, before **January 1, 1990**.

Index

Orig. Art. Original Article *Clin. Rec.* Clinical Record *Path. Focus* Pathology in Focus *Rad. Focus* Radiology in Focus
Short Comm. Short Communication

AUTHORS

- Adlington, P., Anscombe, A. J. and Joshi, J. B. Influence of the mode of preparation on the distortion and consistency of homologous costal cartilage implants. *Orig. Art.*, 572
- Agarwal, S. P., Sharma, H. and Dayal, D. Nasal myiasis: Review of 10 years' experience. *Orig. Art.*, 489
- Akemoto, Y., Umeda, R. and Takimoto, T. Pharyngeal cyst arising from second branchial cleft. *Clin. Rec.*, 964
- Åkerlund, A., Klint, T., Olsen, L. and Rundcrantz, H. Nasal decongestant effect of Oxymetazoline in the common cold: An objective dose-response study in 106 patients. *Orig. Art.*, 743
- Al Khalifa, S., Raj, S. S., Saeed, T. and Paulose, K. O. Pilonidal sinus of the nose. *Clin. Rec.*, 1210
- Al Khalifa, S., Shenoy, P., Sharma, R. K. and Paulose, K. O. Maxillary antral lavage—infiltration and surface anaesthesia compared. *Orig. Art.*, 582
- Al Khalifa, S., Shenoy, P., Sharma, R. K. and Paulose, K. O. Myotic infection of the ear (otomycosis). *Orig. Art.*, 30
- Alajmo, E., Polli, G. and De Meester, W. Total parotidectomy—a routine treatment of parotid gland swellings? *Orig. Art.*, 181
- Albizzati, C. and Mills, R. Out-patient examination of the upper airway: A survey of current practice in the U.K. *Orig. Art.*, 272
- Alun-Jones, T. and Hill, J. Eyelid necrosis complicating acute maxillary sinusitis. *Clin. Rec.*, 413
- Alun-Jones, T. and Koay, C. E. Pharyngeal paralysis due to botulinum toxin injection. *Clin. Rec.*, 698
- Alun-Jones, T. and Morrissey, M. S. C. A case of jaw locking. *Clin. Rec.*, 419
- Amin, M., Wilson, J. A. and Maran, A. G. D. Radical neck dissection: A 19 year experience. *Orig. Art.*, 760
- Anilakumari, C. K., Krishnamoorthy, S., Sreedharan, V. P., Koshy, P. and Kumar, S. Culture of *Rhinosporidium seeberi*: Preliminary report. *Orig. Art.*, 178
- Annis, J. A. D., Phelps, P. D. and Croft, C. B. A revealing C.T. examination in nasopharyngeal carcinoma. *Rad. Focus*, 801
- Anscombe, A. J., Joshi, J. B. and Adlington, P. Influence of the mode of preparation on the distortion and consistency of homologous costal cartilage implants. *Orig. Art.*, 572
- Appel, B., Marquet, J., Declau, F., Jacob, W. and Dorrine, W. Early ossification within the human fetal otic capsule: morphological and microanalytical findings. *Orig. Art.*, 1113
- Ars, B. *Organogenesis of the middle ear structures*. *Orig. Art.*, 16
- Aryya, N. C., Jain, R. K. and Gupta, O. P. Cysticercosis of the tongue. *Path. Focus*, 1227
- Asakura, K., Sambe, S., Kataura, A., Enomoto, K. and Kawai, N. Metastatic squamous cell carcinoma of the paranasal sinuses from a primary squamous cell carcinoma of the urinary bladder. *Clin. Rec.*, 602
- Asami, K., Yokoi, H., Hattori, T., Rao, A. J. and Yanagita, N. Metastatic gallbladder carcinoma of the palatine tonsil. *Clin. Rec.*, 211
- Ataya, N. L. Sensorineural deafness associated with IgA nephropathy. *Clin. Rec.*, 412
- Austin, D. F. Staging in cholesteatoma surgery. *Orig. Art.*, 143
- Bacon, M. P., Chevretton, E. B., Slack, R. W. T. and MacLeod, T. I. F. Verrucous carcinoma of the maxillary antrum. *Clin. Rec.*, 415
- Baer, S. and Davis, J. Cystic hygroma presenting in adulthood. *Clin. Rec.*, 976
- Bagger-Sjöback, D. and Takumida, M. Effects of amiloride on the endolymphatic sac. *Orig. Art.*, 466
- Bagger-Sjöback, D., Harada, Y., Takumida, M. and Wersäll, J. Observation of the glycoalyx of the organ of Corti: An investigation by electron microscopy in the normal and gentamicin-treated guinea pig. *Orig. Art.*, 133
- Bagger-Sjöback, D., Harada, Y., Wersäll, J., Takumida, M. and Fredelius, L. Effect of acoustic overstimulation on the glycoalyx and the ciliary interconnections in the organ of Corti: High resolution scanning electron microscopic investigation. *Orig. Art.*, 1125
- Bagger-Sjöback, D., Rask-Anderson, H., Filipo, R. and Barbara, M. Does severe water deprivation affect the inner ear? *Orig. Art.*, 22
- Bagger-Sjöback, D., Wersäll, J., Takumida, M. and Urquiza, R. Effect of gentamicin on the carbohydrates of the vestibular end organs: An investigation by the use of FITC-lectins. *Orig. Art.*, 357
- Baguley, D., Evans, R. A., Hardy, D. G. and Moffat, D. A. Mastoid ache in acoustic neuroma. *Orig. Art.*, 1043
- Baguley, D. M., Croxson, G. R., Moffat, D. A. and Hardy, D. G. Role of post-operative electroneurography in predicting facial nerve recovery after acoustic neuroma removal. *Orig. Art.*, 60
- Baguley, D. M., Hardy, D. G., Moffat, D. A. and Croxson, G. R. Facial nerve recovery after acoustic neuroma tumour removal. *Orig. Art.*, 169
- Baguley, D. M., Hardy, D. G., Moffat, D. A. and Harries, M. L. L. Unterberger's stepping test in acoustic neuroma. *Orig. Art.*, 839
- Baguley, D. M., Hardy, D. G., Tsui, Y. N. and Moffat, D. A. Contralateral auditory brainstem response abnormalities in acoustic neuroma. *Orig. Art.*, 835
- Baguley, D. M., Moffat, D. A. and Hardy, D. G. Strategy and benefits of acoustic neuroma searching. *Orig. Art.*, 51
- Baguley, D. M., Moffat, D. A. and Harries, M. L. L. Hearing aids—a case for review. *Orig. Art.*, 850
- Baguley, D. M., Moffat, D. A., Evans, R. A. and Harries, M. A. Reliability of the House and Brackmann grading system for facial palsy. *Orig. Art.*, 1045
- Baguley, D., Moffat, D. A. and McFerran, D. J. Aberrant reinnervation of the stapedius muscle following facial palsy. *Clin. Rec.*, 205
- Bahgat, Y. S., El-Ghazzawy, E., Elwany, S. and Talaat, A. M. Nasopharyngeal bacterial flora before and after adenoidectomy. *Orig. Art.*, 372
- Bais, A. S. and Uppal, K. Tonsillar microflora—superficial surface vs deep. *Orig. Art.*, 175
- Bais, A. S., Uppal, K. and Logani, K. B. Congenital cysts of the larynx. *Clin. Rec.*, 966
- Banerjee, A., Subba Rao, K. S. V. K. and Nachiappan, M. Perforated telescoping double catheter for uncontaminated endobronchial sampling—a new technique. *Orig. Art.*, 310
- Baraka, M. E. A modified incision for the trans-septal trans-sphenoidal approach to the pituitary. *Orig. Art.*, 670
- Barbara, M. Carbohydrate content of the endolymphatic sac: A histochemical and lectin-labelling study in the mongolian gerbil. *Orig. Art.*, 137
- Barbara, M., Bagger-Sjöback, D., Rask-Anderson, H. and Filipo, R. Does severe water deprivation affect the inner ear? *Orig. Art.*, 22
- Barra, E., Boscaio, A., Gentile, R., Di Prisco, B. and De Rosa, G. Fibromatosis of the larynx in the adult. *Clin. Rec.*, 1219
- Barr, G. D. and MacDonald, I. Management of achalasia and laryngo-tracheal compression. *Clin. Rec.*, 713
- Baruah, A. K. and Osammor, J. Y. Unexplained neurological problems after mastoid surgery. *Orig. Art.*, 269

- Bar-Ziv, J., Zohar, Y., Djaldetti, M., Cohen, A. M., Talmi, Y. P. and Floru, S. Ossification of the auricle in Addison's disease. *Rad. Focus*, 885
- Bar-Ziv, J., Zohar, Y., Finkelstein, Y., Talmi, Y. P. and Rubel, Y. Otitis media with effusion as a presenting symptom of chronic sinusitis. *Orig. Art.*, 827
- Basu, A. and De, S. K. Unusual presentation of neurilemmoma in the cerebellopontine angle. *Clin. Rec.*, 508
- Batch, A. J. G. and Thomson, H. G. Flexible oesophagogastrosocopy in otolaryngology. *Orig. Art.*, 399
- Batsakis, J. G., Bruner, J. M., Cleary, K. R. and Smith, F. B. Immunocytochemical identification of HIV (p24) antigen in parotid lymphoid lesions. *Orig. Art.*, 1063
- Batsakis, J. G., Luna, M. A., Goepfert, H., Tortoledo, M. E. and El-Naggar, A. D.N.A. content and proliferative activity of myoepitheliomas. *Orig. Art.*, 1192
- Batsakis, J. G., Regezi, J. A., Luna, M. A. and El-Naggar, A. Histogenesis of salivary gland neoplasms: a postulate with prognostic implications. *Orig. Art.*, 939
- Batsakis, J. G., Tortoledo, M. E., del Junco, G. W. and Luna, M. A. Carcinomas ex monomorphic adenoma of salivary glands. *Orig. Art.*, 756
- Beggs, D. and Morgan, W. E. Spontaneous perforation of cervical oesophagus associated with oesophageal web. *Clin. Rec.*, 537
- Ben David, J., Podoshin, L. and Fradis, M. Ototoxicity of ear drops in patients suffering from chronic otitis media. *Orig. Art.*, 46
- Bennett, J. D. C., Evans, J. N. G., Pambakian, H. and Saldanha, C. B. R. Metastasis to the temporal bone, secondary to carcinoma of the bladder. *Clin. Rec.*, 599
- Berger, G. Nature of spontaneous tympanic membrane perforation in acute otitis media in children. *Orig. Art.*, 1150
- Bernheim, J. and Sadé, J. Histopathology of the soft parts in 50 patients with malignant otitis externa. *Orig. Art.*, 366
- Berridge, D. C., Hitchcock, A., Bradley, P. J. and Kapila, L. Second primary tumour following retinoblastoma. *Clin. Rec.*, 690
- Bevan, K. and Griffiths, M. V. Chronic aspiration and laryngeal competence. *Orig. Art.*, 196
- Bevan, K., Griffiths, M. V. and Morgan, M. H. Cricothyroid muscle paralysis: its recognition and diagnosis. *Orig. Art.*, 191
- Bhanu, T. S. and Rupa, V. Laryngeal tuberculosis in the eighties—an Indian experience. *Orig. Art.*, 864
- Bhanu, T. S., Chandi, S. M., Rupa, V. and Rajshekhar, V. Primary chondroid chordoma of the base of the petrous temporal bone. *Clin. Rec.*, 771
- Bhanu, T. S., Date, A., Rupa, V. and Mathew, J. Paediatric laryngeal tuberculosis presenting with stridor. *Clin. Rec.*, 787
- Bhanu, T. S., Kurien, M. and Thomas, K. Hearing threshold in patients with diabetes mellitus. *Orig. Art.*, 164
- Bhatia, N., Pant, M. C., Mishra, S. C. and Shukla, G. K. A rational classification of angiofibromas of the post nasal space. *Orig. Art.*, 912
- Bhatia, P. L. Aural Schistosomiasis mansoni. *Clin. Rec.*, 596
- Bingham, B. J. G. and Griffiths, M. V. Sublabial rhinotomy with septal transfixion as an approach to the nasal fossa, paranasal sinuses and nasopharynx. *Orig. Art.*, 661
- Blanshard, J. D. and Veitch, D. Ossifying lipoma. *Clin. Rec.*, 429
- Blanshard, J., Veitch, D. and Rogers, M. Parapharyngeal mass presenting with sleep apnoea. *Clin. Rec.*, 961
- Bleach, N. R., Keen, C. E. and Dixon, J. A. Superficial malignant schwannoma of the face; a case for early radical surgery. *Clin. Rec.*, 316
- Bonding, P., Charabi, S. and Engel, P. Myxoid tumours in the temporal bone. *Clin. Rec.*, 1206
- Booth, C. Is research worthwhile? *Orig. Art.*, 351
- Booth, J. B., Morrison, G. A. J. and Butler, P. AIDS to the post nasal space. *Rad. Focus*, 1091
- Booth, J. B. Norris Wolfenden—A footnote. *Orig. Art.*, 1014
- Boscaino, A., Gentile, R., Di Prisco, B., De Rosa, G. and Barra, E. Fibromatosis of the larynx in the adult. *Clin. Rec.*, 1219
- Boss, J. H., Fradis, M., Podoshin, L., Goldstein, Y. and Miselvich, I. Cervical Echinococcal hydatid cyst. *Clin. Rec.*, 435
- Boss, J. H., Fradis, M., Podoshin, L., Simon, J., Lazarov, N. and Shagrawi, I. Combined treatment of large head and neck capillaro-venous malformation by a fibrosing agent. *Orig. Art.*, 390
- Boss, J. H., Podoshin, L., Fradis, M., Goldstein, J. and Misselevitch, I. Intrahyoid thyroglossal cyst. *Clin. Rec.*, 539
- Boysen, M., Wetteland, P., Hovig, T. and Brandtzaeg, P. Neuroendocrine carcinoma of the lip (Merkel cell tumour) examined by electron microscopy and immunohistochemistry. *Clin. Rec.*, 519
- Bradley, P. J. and Cumberworth, V. L. Atypical thyroglossal duct cyst. *Clin. Rec.*, 700
- Bradley, P. J. and Skinner, D. W. Psychogenic stridor. *Orig. Art.*, 383
- Bradley, P. J., Cumberworth, V. L., Narula, A. and MacLennan, K. A. Mucoepidermoid carcinoma of the larynx. *Clin. Rec.*, 420
- Bradley, P. J., Kapila, L., Berridge, D. C. and Hitchcock, A. Second primary tumour following retinoblastoma. *Clin. Rec.*, 690
- Bradley, P. J., Narula, A., Harvey, L., Holland, I., Morgan, D. A. and MacLennan, K. Haemangiopericytoma of the larynx. *Path. Focus*, 234
- Brahe-Pedersen, C. Traumatic middle ear lesions: fracture of the malleus handle, aetiology, diagnosis and treatment. *Orig. Art.*, 901
- Brain, D. J., Nigam, A. and Campbell, J. B. The Birmingham and Midland Ear, Nose and Throat Hospital: An obituary. *Orig. Art.*, 815
- Brandrick, J. T. Traumatic CSF fistula presenting late as a middle ear effusion. *Clin. Rec.*, 97
- Brandtzaeg, P., Boysen, M., Wetteland, P. and Hovig, T. Neuroendocrine carcinoma of the lip (Merkel cell tumour) examined by electron microscopy and immunohistochemistry. *Clin. Rec.*, 519
- Bredenkamp, J. K., Hutcherson, R. W., Buchholtz, B. D. and Mickel, R. A. Two-stage temporalis flap reconstruction for facial paralysis. *Orig. Art.*, 672
- Bridger, M. W., Violaris, N. S. and Chang, S. Securing of section drains in head and neck surgery. *Short Comm.*, 869
- Brightwell, A. P., Rhys Williams, S. and Robinson, P. J. Management of the inflammatory aural polyp. *Orig. Art.*, 1040
- Britton, P. D. Effect of respiration on nasopharyngeal radiographs when assessing adenoidal enlargement. *Orig. Art.*, 71
- Brockbank, M. J., Veitch, D. Y. and Thomson, H. G. Cerebrospinal fluid in the rhinitis clinic. *Orig. Art.*, 281
- Browne, B., Dawes, P. and Kasanzew, M. Tetanus presenting as dysphagia. *Clin. Rec.*, 229
- Browning, G. G., Swan, I. R. C. and Chew, K. K. Clinical role of informed tests of hearing. *Orig. Art.*, 7
- Bruner, J. M., Cleary, K. R., Smith, F. B. and Batsakis, J. G. Immunocytochemical identification of HIV (p24) antigen in parotid lymphoid lesions. *Orig. Art.*, 1063
- Buchholtz, B. D., Mickel, R. A., Bredenkamp, J. K. and Hutcherson, R. W. Two-stage temporalis flap reconstruction for facial paralysis. *Orig. Art.*, 672
- Bull, P. D., Wright, R. G. and Variend, S. Granular cell tumour of the larynx in childhood. *Clin. Rec.*, 880
- Butler, P., Booth, J. B. and Morrison, G. A. J. AIDS to the post nasal space. *Rad. Focus*, 1091
- Butler, S. and Grossenbacher, R. Cholesterol granuloma of the paranasal sinuses. *Clin. Rec.*, 776
- Calabrese, V., Cifola, M., Pareschi, R., Parma, A. and Sonzogni, A. Primary malignant melanoma of the oral cavity. *Path. Focus.*, 887
- Campbell, J. B., Brain, D. J. and Nigam, A. The Birmingham and Midland Ear, Nose and Throat Hospital: An obituary. *Orig. Art.*, 815
- Capper, J. W. R. and Radstone, D. J. Adenocarcinoma of the ethmoid sinuses in High Wycombe, 1986. *Orig. Art.*, 1050
- Capper, J. W. R., Habashi, S. and Padel, A. F. Carcinoma of the laryngeal saccule: A biopsy technique to make a difficult diagnosis. *Clin. Rec.*, 692

- Carder, P., Sellar, R. J., Sharp, J. F. and Kerr, A. I. G. Facial schwannoma without facial paralysis. *Clin. Rec.*, 973
- Cert, D. N., Gibbin, K., O'Callaghan, C. and Dryden, S. Asthma therapy and a tracheostomy. *Clin. Rec.*, 427
- Ceryan, K., Küpelioglu, A. A. and Günbay, M. U. Metastatic renal carcinoma to the parotid gland. *Clin. Rec.*, 417
- Cetik, F., Ozsahinoglu, C., Kivanc, F. and Secinti, E. Alveolar soft part sarcoma of the tongue. *Clin. Rec.*, 952
- Chandi, S. M., Rupa, V., Rajshekhar, V. and Bhanu, T. S. Primary chondroid chordoma of the base of the petrous temporal bone. *Clin. Rec.*, 771
- Chandrachud, H. R., Chaurasia, M. K. and Sinha, K. P. Subtotal laryngectomy with myomucosal shunt. *Orig. Art.*, 504
- Chandy, M. J. and Rajshekhar, V. Non-traumatic intracavernous carotid aneurysm presenting with epistaxis. *Clin. Rec.*, 425
- Chang, S., Bridger, M. W. and Violaris, N. S. Securing of section drains in head and neck surgery. *Short Comm.*, 869
- Charabi, S., Engel, P. and Bonding, P. Myxoid tumours in the temporal bone. *Clin. Rec.*, 1206
- Chaurasia, M. K., Sinha, K. P. and Chandrachud, H. R. Subtotal laryngectomy with myomucosal shunt. *Orig. Art.*, 504
- Cheesman, A. D., Golding-Wood, D. G. and Quiney, R. E. Carcinoma of the ear: Retrospective analysis of 61 patients. *Orig. Art.*, 653
- Cherry, J. R. and El-Kholy, A. A. Primary cholesteatoma of the mastoid presenting as cervical abscess. *Clin. Rec.*, 92
- Cherry, J. R., Dalziel, M. and Osammor, J. Y. Lingual abscess: the value of ultrasound in diagnosis. *Clin. Rec.*, 950
- Chevretton, E. B., Slack, R. W. T., MacLeod, T. I. F. and Bacon, M. P. Verrucous carcinoma of the maxillary antrum. *Clin. Rec.*, 415
- Chevretton, E., O'Reilly, B. J., Ryan, J. and Reynard, J. Malignant fibrous histiocytoma of the nasopharynx. *Clin. Rec.*, 1076
- Chew, K. K., Browning, G. G. and Swan, I. R. C. Clinical role of informed tests of hearing. *Orig. Art.*, 7
- Christmas, H., Padgam, N. and Mills, R. Has the increasing use of grommets influenced the frequency of surgery for cholesteatoma? *Orig. Art.*, 1034
- Cifola, M., Pareschi, R., Parma, A., Sonzogni, A. and Calabrese, V. Primary malignant melanoma of the oral cavity. *Path. Focus.*, 887
- Clarke, P. M., Dilkes, M., Maw, A. R. and Robson, A. K. Transmastoid extracranial repair of CSF leaks following acoustic neuroma resection. *Orig. Art.*, 842
- Clayton, M. I., Rinon, R. P., Hanson, D. R. and Fenwick, J. D. Evaluation of recent experience in hypoglossal-facial nerve anastomosis in the treatment of facial palsy. *Orig. Art.*, 63
- Cleary, K. R., Smith, F. B., Batsakis, J. G. and Bruner, J. M. Immunocytochemical identification of HIV (p24) antigen in parotid lymphoid lesions. *Orig. Art.*, 1063
- Clements, M. R., Mistry, C. D., Keith, A. O. and Ramsden, R. T. Recovery from sensorineural deafness in Wegener's granulomatosis. *Clin. Rec.*, 515
- Cocita, V. C., D'Amico, A. and Cusimano, F. Sensorineural hearing loss in chronic otitis media. *Orig. Art.*, 158
- Cohen, A. M., Talmi, Y. P., Floru, S., Bar-Ziv, J., Zohar, Y. and Djaldetti, M. Ossification of the auricle in Addison's disease. *Rad. Focus*, 885
- Cook, J. A. and Dawkins, R. S. Airgun pellet injuries of the neck. *Clin. Rec.*, 432
- Cook, P. and Terry, R. M. Haemorrhage during minitracheotomy: Reduction of risk by altered incision. *Clin. Rec.*, 207
- Cox, T. C. S., Shotton, J. C. and Ludman, H. Temporal bone venous anomaly of surgical significance. *Clin. Rec.*, 101
- Cox, T. C. S., Strong, A. J. and Gleeson, M. J. Aneurysm of the anterior inferior cerebellar artery mimicking an intracanalicular acoustic neuroma. *Clin. Rec.*, 107
- Croft, C. B. and Fisher, E. W. Antroscopy: Current practice—A survey of U.K. otolaryngologists. *Orig. Art.*, 747
- Croft, C. B., Annis, J. A. D. and Phelps, P. D. A revealing C.T. examination in nasopharyngeal carcinoma. *Rad. Focus*, 801
- Croft, C. B., Fisher, E. W. and Whittet, H. B. Symptomatic mucosal cysts of the maxillary sinus: antroscopic treatment. *Orig. Art.*, 1184
- Croft, C. B., Howard, D. J., Rhys Evans, P., Jayne, D. and Hoare, T. J. Wegener's granulomatosis, subglottic stenosis and anti-neutrophil cytoplasm antibodies. *Orig. Art.*, 1187
- Croxson, G. R., Baguley, D. M., Hardy, D. G. and Moffat, D. A. Facial nerve recovery after acoustic neuroma tumour removal. *Orig. Art.*, 169
- Croxson, G. R., Moffat, D. A., Hardy, D. G. and Baguley, D. M. Role of post-operative electroneuronography in predicting facial nerve recovery after acoustic neuroma removal. *Orig. Art.*, 60
- Cumberworth, V. L. and Bradley, P. J. Atypical thyroglossal duct cyst. *Clin. Rec.*, 700
- Cumberworth, V. L., Narula, A., MacLennan, K. A. and Bradley, P. J. Mucoepidermoid carcinoma of the larynx. *Clin. Rec.*, 420
- Curley, J. W. A. and Timms, M. S. Incidence of abnormality in routine vocal cord checks. *Orig. Art.*, 1057
- Curry, A. R., Nahl, S. S. and Kent, S. E. Treatment of auricular haematoma by silicone rubber splints. *Orig. Art.*, 1146
- Cusimano, F., Cocita, V. C. and D'Amico, A. Sensorineural hearing loss in chronic otitis media. *Orig. Art.*, 158
- Dalziel, M., Osammor, J. Y. and Cherry, J. R. Lingual abscess: the value of ultrasound in diagnosis. *Clin. Rec.*, 950
- D'Amico, A., Cusimano, F. and Cocita, V. C. Sensorineural hearing loss in chronic otitis media. *Orig. Art.*, 158
- Damkaer, D. M., Norris Wolfenden M.D. The medical episode. *Orig. Art.*, 1005
- Date, A., Rupa, V., Mathew, J. and Bhanu, T. S. Paediatric laryngeal tuberculosis presenting with stridor. *Clin. Rec.*, 787
- Davidson, N. G. P. and Wilson, A. Tongue metastasis from carcinoma of the rectum. *Clin. Rec.*, 322
- Davidsson, A., Hugosson, S., Tjellström, A., Svendsen, P. and Jacobsson, M. Aberrant intratympanic internal carotid artery: a potentially hazardous anomaly. *Clin. Rec.*, 1202
- Davies, J. E., Semeraro, D., Knight, L. C. and Griffiths, G. J. Middle ear neoplasms showing adenomatous and neuroendocrine components. *Clin. Rec.*, 404
- Davies, R., Shotton, J. C. and Ludman, H. Persisting nystagmus following vestibular nerve section for Menière's disease. *Orig. Art.*, 263
- Davis, A.-E. and Robin, P. E. Transpalatal approach to the petrous apex. *Clin. Rec.*, 94
- Davis, J. and Baer, S. Cystic hygroma presenting in adulthood. *Clin. Rec.*, 976
- Dawes, P., Kasanzew, M. and Browne, B. Tetanus presenting as dysphagia. *Clin. Rec.*, 229
- Dawkins, R. S. and Cook, J. A. Airgun pellet injuries of the neck. *Clin. Rec.*, 432
- Dayal, D., Agarwal, S. P. and Sharma, H. Nasal myiasis: Review of 10 years' experience. *Orig. Art.*, 489
- Declau, F., Jacob, W., Dorrine, W., Appel, B. and Marquet, J. Early ossification within the human fetal otic capsule: morphological and microanalytical findings. *Orig. Art.*, 1113
- Declau, F., Moeneclaey, L. and Marquet, J. Normal growth pattern of the middle ear cleft in the human fetus. *Orig. Art.*, 461
- Declaye, X., Mayne, A. and Remacle, M. Subglottic haemangioma in the infant: contribution by laser CO₂. *Orig. Art.*, 930
- del Junco, G. W., Luna, M. A., Batsakis, J. G. and Tortoledo, M. E. Carcinomas ex monomorphic adenoma of salivary glands. *Orig. Art.*, 756
- De Meester, W., Alajmo, E. and Polli, G. Total parotidectomy—a routine treatment of parotid gland swellings? *Orig. Art.*, 181
- Denny, S. and Harrison, D. F. N. Symmorphosis in relation to the relative dimensions of the glottic and tracheal area in the mammalian larynx. *Orig. Art.*, 1053
- Dent, J. A. and Rickhuss, P. K. Invasive pituitary adenoma presenting with nasal obstruction. *Clin. Rec.*, 605
- De Rosa, G., Barra, E., Boscaino, A., Gentile, R. and Di Prisco, B. Fibromatosis of the larynx in the adult. *Clin. Rec.*, 1219
- De, S. K. and Basu, A. Unusual presentation of neurilemmoma in the cerebellopontine angle. *Clin. Rec.*, 508

- Desai, S. and Rajaratnam, K. Pedunculated squamous papilloma of the laryngopharynx. *Clin. Rec.*, 209
- Diamond, C., Sisson, P. R., Kearns, A. M. and Ingham, H. R. Bacteriology of chronic otitis media with effusion. *Orig. Art.*, 369
- Dilkes, M., Maw, A. R., Robson, A. K. and Clarke, P. M. Transmastoid extracranial repair of CSF leaks following acoustic neuroma resection. *Orig. Art.*, 842
- Di Prisco, B., De Rosa, G., Barra, E., Boscaino, A. and Gentile, R. Fibromatosis of the larynx in the adult. *Clin. Rec.*, 1219
- Dixon, J. A. Spontaneous external carotid artery occlusion. *Clin. Rec.*, 710
- Dixon, J. A., Bleach, N. R. and Keen, C. E. Superficial malignant schwannoma of the face; a case for early radical surgery. *Clin. Rec.*, 316
- Djaldetti, M., Cohen, A. M., Talmi, Y. P., Floru, S., Bar-Ziv, J. and Zohar, Y. Ossification of the auricle in Addison's disease. *Rad. Focus*, 885
- Djazeri, B., Evans, J. N. G., Quiney, R. E. and Mitchell, D. B. Recurrent meningitis in children due to inner ear abnormalities. *Orig. Art.*, 473
- Djupesland, G., Lyberg, T. and Krogstad, O. Cephalometric analysis in patients with obstructive sleep apnoea syndrome. I. Skeletal morphology. *Orig. Art.*, 287
- Djupesland, G., Lyberg, T. and Krogstad, O. Cephalometric analysis in patients with obstructive sleep apnoea syndrome. II. Soft tissue morphology. *Orig. Art.*, 293
- Donovan, R. and Violaris, N. S. Obliteration of the middle ear cleft. *Orig. Art.*, 43
- Dorrine, W., Appel, B., Marquet, J., Declau, F. and Jacob, W. Early ossification within the human fetal otic capsule: morphological and microanalytical findings. *Orig. Art.*, 1113
- Doyle-Kelly, W., Fennell, G., Walsh, M., McShane, D. and El Sherif, I. Dermoids ('hairy polyps') of the oro-nasopharynx. *Clin. Rec.*, 612
- Doyle-Kelly, W., Timon, C. I. and Leen, E. Hypopharyngeal involvement by thyroid cancer. *Clin. Rec.*, 629
- Drake-Lee, A. B. and Morgan, D. W. Nasal polyps and sinusitis in children with cystic fibrosis. *Orig. Art.*, 753
- Dryden, S., Cert, D. N., Gibbin, K. and O'Callaghan, C. Asthma therapy and a tracheostomy. *Clin. Rec.*, 427
- Duncan, P. W. and Hariri, M. A. Infective complications of brief nasotracheal intubation. *Clin. Rec.*, 1217
- Dunkin, K. T., Sriwardhana, K. B. and Howard, A. J. Bacteriology of otitis media with effusion. *Orig. Art.*, 253
- Durham, L. M., Jones, A. S. and Willatt, D. J. Nasal airflow: resistance and sensation. *Orig. Art.*, 909
- Eisen, S. M. Simple method to control laryngeal overspill in tracheostomized patients. *Clin. Rec.*, 222
- Eitelberg, E. and Samuel, J. Tuning forks: the problem of striking. *Orig. Art.*, 1
- El-Ghazzawy, E., Elwany, S., Talaat, A. M. and Bahgat, Y. S. Nasopharyngeal bacterial flora before and after adenoidectomy. *Orig. Art.*, 372
- Eliopoulos, P. N. and Philippakis, C. Prevention of post-operative intra-nasal adhesions (a new material). *Orig. Art.*, 664
- El-Kholy, A. A. and Cherry, J. R. Primary cholesteatoma of the mastoid presenting as cervical abscess. *Clin. Rec.*, 92
- El-Kholy, A. Manipulation of the fractured nose using topical local anaesthesia. *Orig. Art.*, 580
- Ell, S. R. Radio-opacity of fishbones. *Rad. Focus*, 1224
- El-Naggar, A., Batsakis, J. G., Luna, M. A., Goepfert, H. and Tortoledo, M. E. D.N.A. content and proliferative activity of myoepitheliomas. *Orig. Art.*, 1192
- El-Naggar, A., Batsakis, J. G., Regezi, J. A. and Luna, M. A. Histogenesis of salivary gland neoplasms: a postulate with prognostic implications. *Orig. Art.*, 939
- El Sherif, I., Doyle-Kelly, W., Fennell, G., Walsh, M. and McShane, D. Dermoids ('hairy polyps') of the oro-nasopharynx. *Clin. Rec.*, 612
- Elwany, S., Talaat, A. M., Bahgat, Y. S. and El-Ghazzawy, E. Nasopharyngeal bacterial flora before and after adenoidectomy. *Orig. Art.*, 372
- Engel, P., Bonding, P. and Charabi, S. Myxoid tumours in the temporal bone. *Clin. Rec.*, 1206
- Enomoto, K., Kawai, N., Asakura, K., Sambe, S. and Kataura, A. Metastatic squamous cell carcinoma of the paranasal sinuses from a primary squamous cell carcinoma of the urinary bladder. *Clin. Rec.*, 602
- Evans, J. N. G., Pambakian, H., Saldanha, C. B. R. and Bennett, J. D. C. Metastasis to the temporal bone, secondary to carcinoma of the bladder. *Clin. Rec.*, 599
- Evans, J. N. G., Quiney, R. E., Mitchell, D. B. and Djazeri, B. Recurrent meningitis in children due to inner ear abnormalities. *Orig. Art.*, 473
- Evans, R. A., Hardy, D. G., Moffat, D. A. and Baguley, D. Mastoid ache in acoustic neuroma. *Orig. Art.*, 1043
- Evans, R. A., Harries, M. A., Baguley, D. M. and Moffat, D. A. Reliability of the House and Brackmann grading system for facial palsy. *Orig. Art.*, 1045
- Fagan, P. A. and Loh, K. K. Results of surgery to the damaged facial nerve. *Orig. Art.*, 567
- Farrell, G., Phillips, A. J., Haacke, N. P., Rhys-Williams, S. and Thornton, A. R. D. Verification of a new test of endolymphatic hydrops. *Orig. Art.*, 1136
- Fatah, M. F. and Grocutt, M. Recurrent multiple epidermoid inclusion cysts following rhinoplasty—an unusual complication. *Clin. Rec.*, 1214
- Faye-Lund, H. Acute and latent mastoiditis. *Orig. Art.*, 1158
- Fennell, G., Walsh, M., McShane, D., El Sherif, I. and Doyle-Kelly, W. Dermoids ('hairy polyps') of the oro-nasopharynx. *Clin. Rec.*, 612
- Fenwick, J. D., Clayton, M. I., Rinon, R. P. and Hanson, D. R. Evaluation of recent experience in hypoglossal-facial nerve anastomosis in the treatment of facial palsy. *Orig. Art.*, 63
- Ferit, T. and Stahl, N. Recurrent bilateral peripheral facial palsy. *Clin. Rec.*, 117
- Ferlito, A., Pesavento, G., Recher, G., Mingrino, S., Visonà, A., Fiore, D. L. and Macchi, C. Intracranial pneumocephalus (secondary to fronto-ethmoidal osteoma). *Rad. Focus*, 634
- Fernandes, C. M. C. and Samuel, J. Mycotic aneurysm of the petrous portion of the internal carotid artery. *Clin. Rec.*, 111
- Fidler, H. and Jones, N. S. Late onset Cogan's syndrome. *Clin. Rec.*, 512
- Fielder, C. P. Effect of weather conditions on acute laryngotracheitis. *Orig. Art.*, 187
- Filipo, R., Barbara, M., Bagger-Sjöback, D. and Rask-Anderson, H. Does severe water deprivation affect the inner ear? *Orig. Art.*, 22
- Finkelstein, Y., Shem-Tov, Y., Zohar, Y. and Talmi, Y. P. Use of a Braunula for maxillary sinus irrigation. *Orig. Art.*, 279
- Finkelstein, Y., Talmi, Y. P., Rubel, Y., Bar-Ziv, J. and Zohar, Y. Otitis media with effusion as a presenting symptom of chronic sinusitis. *Orig. Art.*, 827
- Fiore, D. L., Macchi, C., Ferlito, A., Pesavento, G., Recher, G., Mingrino, S., Visonà, A. Intracranial pneumocephalus (secondary to fronto-ethmoidal osteoma). *Rad. Focus*, 364
- Fisher, C., Nicolaidis, A. R. and Rhys Evans, P. Adenosquamous carcinoma of the thyroid gland. *Clin. Rec.*, 978
- Fisher, C., Rhys-Evans, P. H. and Nicolaidis, A. Metastatic melanoma of the tonsil. *Path. Focus*, 890
- Fisher, E. W. and Croft, C. B. Antroscopy: Current practice—A survey of U.K. otolaryngologists. *Orig. Art.*, 747
- Fisher, E. W., Whittet, H. B. and Croft, C. B. Symptomatic mucosal cysts of the maxillary sinus: antroscopic treatment. *Orig. Art.*, 1184
- Flood, L. M., Hampal, S. and Horowitz, M. Cryosurgical treatment of endolymphatic hydrops. *Orig. Art.*, 481

- Flood, L. M., Hart, J. J., Jones, M. G. and Robertshaw, D. A system for accelerated provision of hearing aids to residents of homes for the elderly. *Orig. Art.*, 485
- Floru, S., Bar-Ziv, J., Zohar, Y., Djaldetti, M., Cohen, A. M. and Talmi, Y. P. Ossification of the auricle in Addison's disease. *Rad. Focus*, 885
- Forster, S., Munro, A. J., Stafford, N. D. and Herdman, R. C. D. Kaposi's sarcoma of the head and neck in patients with AIDS. *Orig. Art.*, 379
- Fradis, M., Ben David, J. and Podoshin, L. Ototoxicity of ear drops in patients suffering from chronic otitis media. *Orig. Art.*, 46
- Fradis, M., Goldstein, J., Misselevitch, I., Boss, J. H. and Podoshin, L. Intrahyoid thyroglossal cyst. *Clin. Rec.*, 539
- Fradis, M., Podoshin, L., Goldstein, Y., Miselvich, I. and Boss, J. H. Cervical Echinococcal hydatid cyst. *Clin. Rec.*, 435
- Fradis, M., Podoshin, L., Simon, J., Lazarov, N., Shagrawi, I. and Boss, J. H. Combined treatment of large head and neck capillaro-venous malformation by a fibrosing agent. *Orig. Art.*, 390
- Frans, A. and Van Den Eeckhaut, J. Cough as the sole manifestation of airway hyperreactivity. *Orig. Art.*, 680
- Fredelius, L., Bagger-Sjöbäck, D., Harada, Y., Wersäll, J. and Takumida, M. Effect of acoustic overstimulation on the glycocalyx and the ciliary interconnections in the organ of Corti: High resolution scanning electron microscopic investigation. *Orig. Art.*, 1125
- Friedmann, I., Thomsen, P., Kristensen, S. and Tveterås, K. Nasopharyngeal Warthin's tumour: A metaplastic lesion. *Clin. Rec.*, 616
- Friedman, S., Klijanienko, J., Micheau, C., Schwaab, G. and Marandas, P. Clear cell carcinoma in pleomorphic adenoma of the minor salivary gland. *Clin. Rec.*, 789
- Fung, G., McIntosh, W. A. and Urquhart, A. C. Isolated sphenoiditis: A diagnostic problem. *Clin. Rec.*, 526
- Furukawa, M., Miwa, T., Kamide, M., Sakumoto, M. and Umeda, R. Three cases of inter-sterno-costo-clavicular ossification associated with tonsillar infection. *Clin. Rec.*, 783
- Gadre, A. K. and Gadre, K. C. Cholesteatoma of the external auditory canal in hemifacial hypertrophy (hyperplasia). *Clin. Rec.*, 74
- Gadre, K. C. and Gadre, A. K. Cholesteatoma of the external auditory canal in hemifacial hypertrophy (hyperplasia). *Clin. Rec.*, 74
- Gale, N., Kambič, V. and Žargi, M. Laryngeal chondrosarcoma: is conservative surgery adequate treatment? *Clin. Rec.*, 970
- Gatland, D. J. and Murrant, N. J. Temporal bone laboratory training for stapedectomy. *Orig. Art.*, 833
- Gentile, R., Di Prisco, B., De Rosa, G., Barra, E. and Boscaio, A. Fibromatosis of the larynx in the adult. *Clin. Rec.*, 1219
- Ghani, S. A. and Ming, C. C. Fractured tracheostomy tube in the tracheobronchial tree. *Clin. Rec.*, 335
- Gholkar, A., Ramsden, R. T. and West, P. D. B. Wildervanck's syndrome—unilateral Mondini dysplasia identified by computed tomography. *Clin. Rec.*, 408
- Gibbin, K., O'Callaghan, C., Dryden, S. and Cert, D. N. Asthma therapy and a tracheostomy. *Clin. Rec.*, 427
- Gilbert, J. G. Antroscopy in maxillary sinus disease associated with nasal polyposis. *Orig. Art.*, 861
- Girling, A. and Robb, P. J. Granular cell myoblastoma of the supraglottis. *Clin. Rec.*, 328
- Gleeson, M. J., Cox, T. C. S. and Strong, A. J. Aneurysm of the anterior inferior cerebellar artery mimicking an intracanalicular acoustic neuroma. *Clin. Rec.*, 107
- Gleitman, Y., Muchnik, C., Hildesheimer, M. and Rubinstein, M. Validity of tympanometry in cases of confirmed otosclerosis. *Orig. Art.*, 36
- Glossop, P. and Wake, M. Guillotine and dissection tonsillectomy compared. *Orig. Art.*, 588
- Goel, H., Lal, H., Kumar, L., Kohli, G. S. and Sharma, A. Serum enzymes in head and neck cancer. IV: 5-nucleotidase. *Orig. Art.*, 200
- Goepfert, H., Tortoledo, M. E., El-Naggar, A., Batsakis, J. G. and Luna, M. A. D.N.A. content and proliferative activity of myoepitheliomas. *Orig. Art.*, 1192
- Going, J. J. and Kean, D. M. Malignant melanoma of the nasal cavity. *Path. Focus*, 231
- Golding-Wood, D. G. and McGlashan, J. A. Snoring as a presenting feature of the Shy-Drager syndrome. *Clin. Rec.*, 610
- Golding-Wood, D. G. and Whittet, H. B. The lingual tonsil. A neglected symptomatic structure? *Orig. Art.*, 922
- Golding-Wood, D. G., Quiney, R. E. and Cheesman, A. D. Carcinoma of the ear: Retrospective analysis of 61 patients. *Orig. Art.*, 653
- Goldstein, J., Misselevitch, I., Boss, J. H., Podoshin, L. and Fradis, M. Intrahyoid thyroglossal cyst. *Clin. Rec.*, 539
- Goldstein, Y., Miselvich, I., Boss, J. H., Fradis, M. and Podoshin, L. Cervical Echinococcal hydatid cyst. *Clin. Rec.*, 435
- Goodman, R. M., Hildesheimer, M., Maayan, Z., Muchnik, C. and Rubinstein, M. Auditory and vestibular findings in Waardenburg's Type II syndrome. *Orig. Art.*, 1130
- Gould, S. J. and Graham, J. Long term pathological sequelae of neonatal endotracheal intubation. *Clin. Rec.*, 622
- Graham, J. and Gould, S. J. Long term pathological sequelae of neonatal endotracheal intubation. *Clin. Rec.*, 622
- Grant, H. R., Milroy, C. M. and Robinson, P. J. Primary composite squamous cell carcinoma and large cell neuroendocrine carcinoma of the hypopharynx. *Path. Focus*, 1093
- Greven, A. J., Karim, A. B. M. F., Snow, G. B. and Tiwari, R. M. Total glossectomy: reconstruction and rehabilitation. *Orig. Art.*, 917
- Grewal, D. S. Round window reflex and oval window fistulae. *Orig. Art.*, 562
- Grewal, D. S., Nasar, B. and Hiranandani, N. External rhinoplasty in the tropics. *Short Comm.*, 1198
- Griffiths, G. J., Davies, J. E., Semeraro, D. and Knight, L. C. Middle ear neoplasms showing adenomatous and neuroendocrine components. *Clin. Rec.*, 404
- Griffiths, M. V. and Bevan, K. Chronic aspiration and laryngeal competence. *Orig. Art.*, 196
- Griffiths, M. V. and Bingham, B. J. G. Sublabial rhinotomy with septal transfixion as an approach to the nasal fossa, paranasal sinuses and nasopharynx. *Orig. Art.*, 661
- Griffiths, M. V., Morgan, M. H. and Bevan, K. Cricothyroid muscle paralysis: its recognition and diagnosis. *Orig. Art.*, 191
- Grocutt, M. and Fatah, M. F. Recurrent multiple epidermoid inclusion cysts following rhinoplasty—an unusual complication. *Clin. Rec.*, 1214
- Grossenbacher, R. and Butler, S. Cholesterol granuloma of the paranasal sinuses. *Clin. Rec.*, 776
- Günbay, M. U., Ceryan, K. and Küpelioglu, A. A. Metastatic renal carcinoma to the parotid gland. *Clin. Rec.*, 417
- Gupta, O. P., Aryya, N. C. and Jain, R. K. Cysticercosis of the tongue. *Path. Focus*, 1227
- Haacke, N. P., Rhys-Williams, S., Thornton, A. R. D., Farrell, G. and Phillips, A. J. Verification of a new test of endolymphatic hydrops. *Orig. Art.*, 1136
- Habashi, S., Padel, A. F. and Capper, J. W. R. Carcinoma of the laryngeal saccule: A biopsy technique to make a difficult diagnosis. *Clin. Rec.*, 692
- Hampal, S., Horowitz, M. and Flood, L. M. Cryosurgical treatment of endolymphatic hydrops. *Orig. Art.*, 481
- Hanson, D. R., Fenwick, J. D., Clayton, M. I. and Rinon, R. P. Evaluation of recent experience in hypoglossal-facial nerve anastomosis in the treatment of facial palsy. *Orig. Art.*, 63
- Harada, Y., Takumida, M., Wersäll, J. and Bagger-Sjöbäck, D. Observation of the glycocalyx of the organ of Corti: An investigation by electron microscopy in the normal and gentamicin-treated guinea pig. *Orig. Art.*, 133
- Harada, Y., Wersäll, J., Takumida, M., Fredelius, L. and Bagger-Sjöbäck, D. Effect of acoustic overstimulation on the glycocalyx and the ciliary interconnections in the organ of Corti: High resolution scanning electron microscopic investigation. *Orig. Art.*, 1125
- Hardy, D. G. and Moffat, D. A. Surgical management of large glomus jugulare tumours: Infra- and trans-temporal approach. *Orig. Art.*, 1167

- Hardy, D. G., Baguley, D. M. and Moffat, D. A. Strategy and benefits of acoustic neuroma searching. *Orig. Art.*, 51
- Hardy, D. G., Baguley, D. M., Croxson, G. R. and Moffat, D. A. Role of post-operative electroneurography in predicting facial nerve recovery after acoustic neuroma removal. *Orig. Art.*, 60
- Hardy, D. G., Moffat, D. A., Baguley, D. and Evans, R. A. Mastoid ache in acoustic neuroma. *Orig. Art.*, 1043
- Hardy, D. G., Moffat, D. A., Croxson, G. R. and Baguley, D. M. Facial nerve recovery after acoustic neuroma tumour removal. *Orig. Art.*, 169
- Hardy, D. G., Moffat, D. A., Harries, M. L. L. and Baguley, D. M. Unterberger's stepping test in acoustic neuroma. *Orig. Art.*, 839
- Hardy, D. G., Tsui, Y. N., Moffat, D. A. and Baguley, D. M. Contralateral auditory brainstem response abnormalities in acoustic neuroma. *Orig. Art.*, 835
- Hariri, M. A. and Duncan, P. W. Infective complications of brief nasotracheal intubation. *Clin. Rec.*, 1217
- Harries, M. and Lund, V. J. Head and neck surgery in the elderly—a maturing problem. *Orig. Art.*, 306
- Harries, M. A., Baguley, D. M., Moffat, D. A. and Evans, R. A. Reliability of the House and Brackmann grading system for facial palsy. *Orig. Art.*, 1045
- Harries, M. L. L., Baguley, D. M. and Moffat, D. A. Hearing aids—a case for review. *Orig. Art.*, 850
- Harries, M. L. L., Baguley, D. M., Hardy, D. G. and Moffat, D. A. Unterberger's stepping test in acoustic neuroma. *Orig. Art.*, 839
- Harrison, D. F. N. and Denny, S. Symmorphosis in relation to the relative dimensions of the glottic and tracheal area in the mammalian larynx. *Orig. Art.*, 1053
- Harsten, G., Prellner, K., Löfgren, B., Heldrup, J., Kalm, O. and Kornfalt, R. Serum antibodies against respiratory tract viruses. A prospective three-year follow-up from birth. *Orig. Art.*, 904
- Hart, J. J., Jones, M. G., Robertshaw, D. and Flood, L. M. A system for accelerated provision of hearing aids to residents of homes for the elderly. *Orig. Art.*, 485
- Harvey, L., Holland, I., Morgan, D. A., MacLennan, K., Bradley, P. J. and Narula, A. Haemangiopericytoma of the larynx. *Path. Focus*, 234
- Hattori, T., Rao, A. J., Yanagita, N., Asami, K. and Yokoi, H. Metastatic gallbladder carcinoma of the palatine tonsil. *Clin. Rec.*, 211
- Hazell, J. W. P. and Robinson, P. J. Patulous Eustachian tube syndrome: The relationship with sensorineural hearing loss. Treatment by Eustachian tube diathermy. *Orig. Art.*, 739
- Heath, D. A new look at the carotid bodies. *Path. Focus*, 803
- Heldrup, J., Kalm, O., Kornfalt, R., Harsten, G., Prellner, K. and Löfgren, B. Serum antibodies against respiratory tract viruses. A prospective three-year follow-up from birth. *Orig. Art.*, 904
- Herdman, R. C. D., Forster, S., Munro, A. J. and Stafford, N. D. Kaposi's sarcoma of the head and neck in patients with AIDS. *Orig. Art.*, 379
- Hildesheimer, M., Maayan, Z., Muchnik, C., Rubinstein, M. and Goodman, R. M. Auditory and vestibular findings in Waardenburg's Type II syndrome. *Orig. Art.*, 1130
- Hildesheimer, M., Rubinstein, M., Gleitman, Y. and Muchnik, C. Validity of tympanometry in cases of confirmed otosclerosis. *Orig. Art.*, 36
- Hill, J. and Alun-Jones, T. Eyelid necrosis complicating acute maxillary sinusitis. *Clin. Rec.*, 413
- Hinton, A. E. Surgery for otitis media with effusion in children and its relationship to parental smoking. *Orig. Art.*, 559
- Hiranandani, N., Grewal, D. S. and Nasar, B. External rhinoplasty in the tropics. *Short Comm.*, 1198
- Hitchcock, A., Bradley, P. J., Kapila, L. and Berridge, D. C. Second primary tumour following retinoblastoma. *Clin. Rec.*, 690
- Hoare, T. J., Croft, C. B., Howard, D. J., Rhys Evans, P. and Jayne, D. Wegener's granulomatosis, subglottic stenosis and anti-neutrophil cytoplasm antibodies. *Orig. Art.*, 1187
- Hoffman, R. A. and Horten, B. Rheumatoid nodule of the temporal bone. *Clin. Rec.*, 768
- Hogbin, B. M., Nishikawa, H. and Kirkham, N. Synchronous extra-parotid Warthin's tumour. *Clin. Rec.*, 792
- Holland, I., Morgan, D. A., MacLennan, K., Bradley, P. J., Narula, A. and Harvey, L. Haemangiopericytoma of the larynx. *Path. Focus*, 234
- Horowitz, A., Leventon, G. and Kronenberg, J. Sialadenoma papilliferum of the parotid gland. *Clin. Rec.*, 1089
- Horowitz, M., Flood, L. M. and Hampal, S. Cryosurgical treatment of endolymphatic hydrops. *Orig. Art.*, 481
- Horten, B. and Hoffman, R. A. Rheumatoid nodule of the temporal bone. *Clin. Rec.*, 768
- Hovig, T., Brandtzaeg, P., Boysen, M. and Wetteland, P. Neuroendocrine carcinoma of the lip (Merkel cell tumour) examined by electron microscopy and immunohistochemistry. *Clin. Rec.*, 519
- Howard, A. J., Dunkin, K. T. and Sriwardhana, K. B. Bacteriology of otitis media with effusion. *Orig. Art.*, 253
- Howard, D. J., McCombe, A. and Lund, V. J. Multiple synchronous carcinoma of the aero-digestive tract. *Clin. Rec.*, 794
- Howard, D. J., Rhys Evans, P., Jayne, D., Hoare, T. J. and Croft, C. B. Wegener's granulomatosis, subglottic stenosis and anti-neutrophil cytoplasm antibodies. *Orig. Art.*, 1187
- Hugosson, S., Tjellström, A., Svendsen, P., Jacobsson, M. and Davidsson, A. Aberrant intratympanic internal carotid artery: a potentially hazardous anomaly. *Clin. Rec.*, 1202
- Hussain, S. S. M. and Whitehead, E. Malignant melanoma of the larynx. *Clin. Rec.*, 533
- Hussain, S. S. M., Simpson, R. D., McCormick, D. and Johnstone, C. I. Langerhan's cell histiocytosis in the sphenoid sinus: A case of diabetes insipidus. *Clin. Rec.*, 877
- Hutcherson, R. W., Buchholtz, B. D., Mickel, R. A. and Bredenkamp, J. K. Two-stage temporalis flap reconstruction for facial paralysis. *Orig. Art.*, 672
- Ijaduola, T. G. A. Use of a Foley catheter for short-term drainage in frontal sinus surgery. *Orig. Art.*, 375
- Illum, P. Resection with laser and high frequency cutting loop in tracheo-bronchial diseases. *Orig. Art.*, 386
- Inamitsu, M., Uemura, T., Sugimoto, T. and Nakashima, T. Immunopathology of polymorphic reticulosis of the larynx. *Clin. Rec.*, 955
- Ingham, H. R., Diamond, C., Sisson, P. R. and Kearns, A. M. Bacteriology of chronic otitis media with effusion. *Orig. Art.*, 369
- Ishikawa, S., Umeda, R., Nishimura, T., Takimoto, T. and Kamide, M. Agenesis of the cervical internal carotid artery. *Clin. Rec.*, 707
- Ito, M., Umeda, R., Takimoto, T. and Okabe, Y. Intravagal parathyroid adenoma. *Clin. Rec.*, 704
- Jacob, W., Dorrine, W., Appel, B., Marquet, J. and Declau, F. Early ossification within the human fetal otic capsule: morphological and microanalytical findings. *Orig. Art.*, 1113
- Jacobsson, M., Davidsson, A., Hugosson, S., Tjellström, A. and Svendsen, P. Aberrant intratympanic internal carotid artery: a potentially hazardous anomaly. *Clin. Rec.*, 1202
- Jain, R. K., Gupta, O. P. and Aryya, N. C. Cysticercosis of the tongue. *Path. Focus*, 1227
- James, W. H. Sex ratios in otosclerotic families. *Orig. Art.*, 1036
- Jarrar, R. F., Phillips, J. J., Reid, A. and Marchbanks, R. J. Objective tinnitus and tympanic membrane displacement. *Clin. Rec.*, 872
- Jayne, D., Hoare, T. J., Croft, C. B., Howard, D. J. and Rhys Evans, P. Wegener's granulomatosis, subglottic stenosis and anti-neutrophil cytoplasm antibodies. *Orig. Art.*, 1187

- Johnstone, C. I., Hussain, S. S. M., Simpson, R. D. and McCormick, D. Langerhan's cell histiocytosis in the sphenoid sinus: A case of diabetes insipidus. *Clin. Rec.*, 877
- Jonathan, D., Lund, V. and Milroy, C. Allergic aspergillus sinusitis—An overlooked diagnosis? *Orig. Art.*, 1181
- Jones, A. J., Slack, R. W. T. and Robson, A. K. CSF otorrhoea secondary to a tegmen defect. *Rad. Focus*, 980
- Jones, A. S., Willatt, D. J. and Durham, L. M. Nasal airflow: resistance and sensation. *Orig. Art.*, 909
- Jones, M. G., Robertshaw, D., Flood, L. M. and Hart, J. J. A system for accelerated provision of hearing aids to residents of homes for the elderly. *Orig. Art.*, 485
- Jones, N. S. and Fidler, H. Late onset Cogan's syndrome. *Clin. Rec.*, 512
- Jones, N. S., von Schoenberg, M. V. and Lannigan, F. J. An avoidable occupational hazard during mastoid surgery. *Orig. Art.*, 566
- Jordan, M. B. and Soames, J. V. Fibrous histiocytoma of the larynx. *Clin. Rec.*, 216
- Joshi, J. B., Adlington, P. and Ancombe, A. J. Influence of the mode of preparation on the distortion and consistency of homologous costal cartilage implants. *Orig. Art.*, 572
- Kallis, S. and Stevens, D. J. Acinous cell carcinoma of the larynx. *Path. Focus*, 638
- Kalm, O., Kornfalt, R., Harsten, G., Prellner, K., Löfgren, B. and Heldrup, J. Serum antibodies against respiratory tract viruses. A prospective three-year follow-up from birth. *Orig. Art.*, 904
- Kambič, V., Žargi, M. and Gale, N. Laryngeal chondrosarcoma: is conservative surgery adequate treatment? *Clin. Rec.*, 970
- Kamel, R. H. Endoscopic transnasal surgery in chronic maxillary sinusitis. *Orig. Art.*, 492
- Kamel, R. H. Nasal endoscopy in chronic maxillary sinusitis. *Orig. Art.*, 275
- Kamide, M., Ishikawa, S., Umeda, R., Nishimura, T. and Takimoto, T. Agenesis of the cervical internal carotid artery. *Clin. Rec.*, 707
- Kamide, M., Sakumoto, M., Umeda, R., Furukawa, M. and Miwa, T. Three cases of inter-sterno-costo-clavicular ossification associated with tonsillar infection. *Clin. Rec.*, 783
- Kapila, L., Berridge, D. C., Hitchcock, A. and Bradley, P. J. Second primary tumour following retinoblastoma. *Clin. Rec.*, 690
- Karim, A. B. M. F., Snow, G. B., Tiwari, R. M. and Greven, A. J. Total glossectomy: reconstruction and rehabilitation. *Orig. Art.*, 917
- Karim, A. B. M. F., Tierie, A. H., Koka, V. N., Tiwari, R. M., Van Der Waal, I., Snow, G. B. and Nauta, J. Adenoid cystic carcinoma of the salivary glands: Clinicopathological survey of 51 patients. *Orig. Art.*, 675
- Kasantikul, V. and Shuangshoti, S. Primary intracranial mesenchymal chondrosarcoma. *Path. Focus*, 545
- Kasanzew, M., Browne, B. and Dawes, P. Tetanus presenting as dysphagia. *Clin. Rec.*, 229
- Kataura, A., Enomoto, K., Kawai, N., Asakura, K. and Sambe, S. Metastatic squamous cell carcinoma of the paranasal sinuses from a primary squamous cell carcinoma of the urinary bladder. *Clin. Rec.*, 602
- Kataura, A., Wakabayashi, J., Satoh, M., Kodama, H., Takezawa, H., Suzuki, T. and Kobayashi, K. Carcinoid tumour of the middle ear. *Clin. Rec.*, 86
- Kawai, N., Asakura, K., Sambe, S., Kataura, A. and Enomoto, K. Metastatic squamous cell carcinoma of the paranasal sinuses from a primary squamous cell carcinoma of the urinary bladder. *Clin. Rec.*, 602
- Kean, D. M. and Going, J. J. Malignant melanoma of the nasal cavity. *Path. Focus*, 231
- Kearns, A. M., Ingham, H. R., Diamond, C. and Sisson, P. R. Bacteriology of chronic otitis media with effusion. *Orig. Art.*, 369
- Keen, C. E., Dixon, J. A. and Bleach, N. R. Superficial malignant schwannoma of the face; a case for early radical surgery. *Clin. Rec.*, 316
- Keith, A. O., Ramsden, R. T., Clements, M. R. and Mistry, C. D. Recovery from sensorineural deafness in Wegener's granulomatosis. *Clin. Rec.*, 515
- Kelleher, R. J., Murray, J. A. M. and Welsby, P. D. Recurrent meningitis associated with meningioma of the mastoid cavity. *Clin. Rec.*, 99
- Kent, S. E., Curry, A. R. and Nahl, S. S. Treatment of auricular haematoma by silicone rubber splints. *Orig. Art.*, 1146
- Kerr, A. G., Smyth, G. D. L. and Lang, J. Transplanted ossicles after two decades. *Orig. Art.*, 471
- Kerr, A. G., Toner, J. G., McKee, G. J. and Smyth, G. D. L. Role and results of cortical mastoidectomy and endolymphatic sac surgery in Menière's disease. *Orig. Art.*, 1161
- Kerr, A. I. G., Carder, P., Sellar, R. J. and Sharp, J. F. Facial schwannoma without facial paralysis. *Clin. Rec.*, 973
- Khalifa, S. A., Sharma, R., Shenoy, P. and Paulose, K. O. Osteoma of the ear canal presenting with headache. *Clin. Rec.*, 683
- Khoury, G. G., Robinson, P. M. and Robinson, A. C. R. Role of irradiation in the suppression of parotid secretions. *Orig. Art.*, 594
- Kirkham, N., Hogbin, B. M. and Nishikawa, H. Synchronous extra-parotid Warthin's tumour. *Clin. Rec.*, 792
- Kivanc, F., Secinti, E., Cetik, F. and Ozsahinoglu, C. Alveolar soft part sarcoma of the tongue. *Clin. Rec.*, 952
- Klijanienko, J., Micheau, C., Schwaab, G., Marandas, P. and Friedman, S. Clear cell carcinoma in pleomorphic adenoma of the minor salivary gland. *Clin. Rec.*, 789
- Klint, T., Olsen, L., Rundcrantz, H. and Åkerlund, A. Nasal decongestant effect of Oxymetazoline in the common cold: An objective dose-response study in 106 patients. *Orig. Art.*, 743
- Kluyskeris, P., Vakaet, L., Vande Maele, C. and Van Cauwenberge, P. Morphology of a columellaform stapes. *Clin. Rec.*, 79
- Knight, L. C. and Lesser, T. H. J. Changing incidence of sinus infection in children. *Orig. Art.*, 659
- Knight, L. C., Griffiths, G. J., Davies, J. E. and Semeraro, D. Middle ear neoplasms showing adenomatous and neuroendocrine components. *Clin. Rec.*, 404
- Koay, C. E. and Alun-Jones, T. Pharyngeal paralysis due to botulinum toxin injection. *Clin. Rec.*, 698
- Kobayashi, K., Kataura, A., Wakabayashi, J., Satoh, M., Kodama, H., Takezawa, H. and Suzuki, T. Carcinoid tumour of the middle ear. *Clin. Rec.*, 86
- Kodama, H., Takezawa, H., Suzuki, T., Kobayashi, K., Kataura, A., Wakabayashi, J. and Satoh, M. Carcinoid tumour of the middle ear. *Clin. Rec.*, 86
- Kohli, G. S., Sharma, A., Goel, H., Lal, H. and Kumar, L. Serum enzymes in head and neck cancer. IV: 5-nucleotidase. *Orig. Art.*, 200
- Koka, V. N., Tiwari, R. M., Van Der Waal, I., Snow, G. B., Nauta, J., Karim, A. B. M. F. and Tierie, A. H. Adenoid cystic carcinoma of the salivary glands: Clinicopathological survey of 51 patients. *Orig. Art.*, 675
- Kornfalt, R., Harsten, G., Prellner, K., Löfgren, B., Heldrup, J. and Kalm, O. Serum antibodies against respiratory tract viruses. A prospective three-year follow-up from birth. *Orig. Art.*, 904
- Koshy, P., Kumar, S., Anilakumari, C. K., Krishnamoorthy, S. and Sreedharan, V. P. Culture of *Rhinosporidium seeberi*: Preliminary report. *Orig. Art.*, 178
- Krishnamoorthy, S., Sreedharan, V. P., Koshy, P., Kumar, S. and Anilakumari, C. K. Culture of *Rhinosporidium seeberi*: Preliminary report. *Orig. Art.*, 178
- Krishnamurthy, S. N. and Paulose, K. O. Vocal cord paralysis with Ebstein's anomaly. *Clin. Rec.*, 626
- Kristensen, S., Tveterås, K., Friedmann, I. and Thomsen, P. Nasopharyngeal Warthin's tumour: A metaplastic lesion. *Clin. Rec.*, 616
- Krogstad, O., Djupesland, G. and Lyberg, T. Cephalometric analysis in patients with obstructive sleep apnoea syndrome. I. Skeletal morphology. *Orig. Art.*, 287
- Krogstad, O., Djupesland, G. and Lyberg, T. Cephalometric analysis in patients with obstructive sleep apnoea syndrome. II. Soft tissue morphology. *Orig. Art.*, 293
- Kronenberg, J., Horowitz, A. and Leventon, G. Sialadenoma papilliferum of the parotid gland. *Clin. Rec.*, 1089

- Kumar, L., Kohli, G. S., Sharma, A., Goel, H. and Lal, H. Serum enzymes in head and neck cancer. IV: 5-nucleotidase. *Orig. Art.*, 200
- Kumar, S., Anilakumari, C. K., Krishnamoorthy, S., Sreedharan, V. P. and Koshy, P. Culture of *Rhinosporidium seeberi*: Preliminary report. *Orig. Art.*, 178
- Küpelioglu, A. A., Günbay, M. U. and Ceryan, K. Metastatic renal carcinoma to the parotid gland. *Clin. Rec.*, 417
- Kurien, M., Nair, S. and Thomas, S. Angiosarcoma of the nasal cavity and maxillary antrum. *Clin. Rec.*, 874
- Kurien, M., Thomas, K. and Bhanu, T. S. Hearing threshold in patients with diabetes mellitus. *Orig. Art.*, 164
- Lal, H., Kumar, L., Kohli, G. S., Sharma, A. and Goel, H. Serum enzymes in head and neck cancer. IV: 5-nucleotidase. *Orig. Art.*, 200
- Lang, J., Kerr, A. G. and Smyth, G. D. L. Transplanted ossicles after two decades. *Orig. Art.*, 471
- Lang, W., Pollock, J. G. and Nunez, D. A. Associated carotid body tumour and pharyngeal pouch. *Clin. Rec.*, 531
- Lannigan, F. J., Jones, N. S. and von Schoenberg, M. V. An avoidable occupational hazard during mastoid surgery. *Orig. Art.*, 566
- Lau, T. and Tos, M. Tensa retraction cholesteatoma: treatment and long-term results. *Orig. Art.*, 149
- Lazarov, N., Shagrawi, I., Boss, J. H., Fradis, M., Podoshin, L. and Simon, J. Combined treatment of large head and neck capillaro-venous malformation by a fibrosing agent. *Orig. Art.*, 390
- Leen, E., Doyle-Kelly, W. and Timon, C. I. Hypopharyngeal involvement by thyroid cancer. *Clin. Rec.*, 629
- Lesser, T. H. J. and Knight, L. C. Changing incidence of sinus infection in children. *Orig. Art.*, 659
- Leventon, G., Kronenberg, J. and Horowitz, A. Sialadenoma papilliferum of the parotid gland. *Clin. Rec.*, 1089
- Lloyd, G. A. S. Diagnostic imaging of the nose and paranasal sinuses. *Orig. Art.*, 453
- Löfgren, B., Heldrup, J., Kalm, O., Kornfalt, R., Harsten, G. and Prellner, K. Serum antibodies against respiratory tract viruses. A prospective three-year follow-up from birth. *Orig. Art.*, 904
- Logani, K. B., Bais, A. S. and Uppal, K. Congenital cysts of the larynx. *Clin. Rec.*, 966
- Loh, K. K. and Fagan, P. A. Results of surgery to the damaged facial nerve. *Orig. Art.*, 567
- Ludman, H., Cox, T. C. S. and Shotton, J. C. Temporal bone venous anomaly of surgical significance. *Clin. Rec.*, 101
- Ludman, H., Davies, R. and Shotton, J. C. Persisting nystagmus following vestibular nerve section for Menière's disease. *Orig. Art.*, 263
- Lukaszewicz, C. M. and Robinson, A. C. Bilateral carotid body tumours. *Rad. Focus*, 543
- Luna, M. A., Batsakis, J. G., Tortoledo, M. E. and del Junco, G. W. Carcinomas ex monomorphic adenoma of salivary glands. *Orig. Art.*, 756
- Luna, M. A., El-Naggar, A., Batsakis, J. G. and Regezi, J. A. Histogenesis of salivary gland neoplasms: a postulate with prognostic implications. *Orig. Art.*, 939
- Luna, M. A., Goepfert, H., Tortoledo, M. E., El-Naggar, A. and Batsakis, J. G. D.N.A. content and proliferative activity of myoepitheliomas. *Orig. Art.*, 1192
- Lund, V. J. and Harries, M. Head and neck surgery in the elderly—a maturing problem. *Orig. Art.*, 306
- Lund, V. J. and Rolfe, M. E. Ophthalmic considerations in fronto-ethmoidal mucocoeles. *Orig. Art.*, 667
- Lund, V. J., Howard, D. J. and McCombe, A. Multiple synchronous carcinoma of the aero-digestive tract. *Clin. Rec.*, 794
- Lund, V., Milroy, C. and Jonathan, D. Allergic aspergillus sinusitis—An overlooked diagnosis? *Orig. Art.*, 1181
- Lyberg, T., Krogstad, O. and Djupesland, G. Cephalometric analysis in patients with obstructive sleep apnoea syndrome. I. Skeletal morphology. *Orig. Art.*, 287
- Lyberg, T., Krogstad, O. and Djupesland, G. Cephalometric analysis in patients with obstructive sleep apnoea syndrome. II. Soft tissue morphology. *Orig. Art.*, 293
- Maayan, Z., Muchnik, C., Rubinstein, M., Goodman, R. M. and Hildesheimer, M. Auditory and vestibular findings in Waardenburg's Type II syndrome. *Orig. Art.*, 1130
- Macchi, C., Ferlito, A., Pesavento, G., Recher, G., Mingrino, S., Visonà, A. and Fiore, D. L. Intracranial pneumocephalus (secondary to fronto-ethmoidal osteoma). *Rad. Focus*, 634
- MacDonald, A., Woodhead, C. J., Wickham, M. J. and Smelt, G. J. C. Some observations on submucous diathermy. *Orig. Art.*, 1047
- MacDonald, I. and Barr, G. D. Management of achalasia and laryngo-tracheal compression. *Clin. Rec.*, 713
- MacLennan, K. A., Bradley, P. J., Cumberworth, V. L. and Narula, A. Mucoepidermoid carcinoma of the larynx. *Clin. Rec.*, 420
- MacLennan, K., Bradley, P. J., Narula, A., Harvey, L., Holland, I. and Morgan, D. A. Haemangiopericytoma of the larynx. *Path. Focus*, 234
- MacLeod, T. I. F., Bacon, M. P., Chevetton, E. B. and Slack, R. W. T. Verrucous carcinoma of the maxillary antrum. *Clin. Rec.*, 415
- Mains, B. and Nagle, M. Thrombosis of the internal carotid artery due to soft palate injury. *Clin. Rec.*, 796
- Mains, B. T. and Toner, J. G. Pneumatic otoscopy: Study of inter-observer variability. *Orig. Art.*, 1134
- Mains, B. Wegener's granulomatosis: false positive anti-neutrophil cytoplasmic antibody test. *Clin. Rec.*, 524
- Mair, I. W. S. Occasional stapes surgery—A Norwegian experience. *Orig. Art.*, 259
- Majumder, N. K., Sharma, H. S. and Srinivasan, V. Malignant fibrous histiocytoma of larynx. *Clin. Rec.*, 219
- Makki, H. T. An evaluation of myringoplasty in war injured people. *Short Comm.*, 945
- Manni, J. J., Schaafsma, H. E., Westerbeek, G. F. and Yap, S. H. Rare case of obscure haemorrhage in the upper aero-digestive tract (epiglottitis). *Clin. Rec.*, 331
- Marandas, P., Friedman, S., Klijanienko, J., Micheau, C. and Schwaab, G. Clear cell carcinoma in pleomorphic adenoma of the minor salivary gland. *Clin. Rec.*, 789
- Maran, A. G. D., Amin, M. and Wilson, J. A. Radical neck dissection: A 19 year experience. *Orig. Art.*, 760
- Marchbanks, R. J., Jarrar, R. F., Phillips, J. J. and Reid, A. Objective tinnitus and tympanic membrane displacement. *Clin. Rec.*, 872
- Marquet, J., Declau, F. and Moeneclaey, L. Normal growth pattern of the middle ear cleft in the human fetus. *Orig. Art.*, 461
- Marquet, J., Declau, F., Jacob, W., Dorrine, W. and Appel, B. Early ossification within the human fetal otic capsule: morphological and microanalytical findings. *Orig. Art.*, 1113
- Mathew, J., Bhanu, T. S., Date, A. and Rupa, V. Paediatric laryngeal tuberculosis presenting with stridor. *Clin. Rec.*, 787
- Maw, A. R. and Parker, A. J. Treatment of glue ear in relation to radiographic palatal airway size: a predictor for outcome following adenoidectomy? *Orig. Art.*, 66
- Maw, A. R., Robson, A. K., Clarke, P. M. and Dilkes, M. Transmastoid extracranial repair of CSF leaks following acoustic neuroma resection. *Orig. Art.*, 842
- Mayne, A., Remacle, M. and Declaye, X. Subglottic haemangioma in the infant: contribution by laser CO₂. *Orig. Art.*, 930
- McCarthy, K., Milford, C. A., Mugliston, T. A. and O'Flynn, P. Carcinoma arising in a pleomorphic adenoma of the epiglottis. *Clin. Rec.*, 324
- McClymont, L. G. and Simpson, D. C. Noise levels and exposure patterns to Do-It-Yourself power tools. *Orig. Art.*, 1140
- McCombe, A., Lund, V. J. and Howard, D. J. Multiple synchronous carcinoma of the aero-digestive tract. *Clin. Rec.*, 794
- McCormick, D., Johnstone, C. I., Hussain, S. S. M. and Simpson, R. D. Langerhan's cell histiocytosis in the sphenoid sinus: A case of diabetes insipidus. *Clin. Rec.*, 877
- McDonagh, M. and Meiring, J. H. Endoscopic transnasal dacryocystorhinostomy. *Orig. Art.*, 585
- McFerran, D. J., Baguley, D. and Moffat, D. A. Aberrant reinnervation of the stapedius muscle following facial palsy. *Clin. Rec.*, 205

- McGlashan, J. A. and Golding-Wood, D. G. Snoring as a presenting feature of the Shy-Drager syndrome. *Clin. Rec.*, 610
- McGovern, E., Walsh, M., Timon, C. I. and McShane, D. Treatment of combined and critically low tracheal stenoses secondary to burn inhalation injury. *Clin. Rec.*, 1083
- McIntosh, W. A., Urquhart, A. C. and Fung, G. Isolated sphenoiditis: A diagnostic problem. *Clin. Rec.*, 526
- McKee, G. J., Smyth, G. D. L., Kerr, A. G. and Toner, J. G. Role and results of cortical mastoidectomy and endolymphatic sac surgery in Menière's disease. *Orig. Art.*, 1161
- McShane, D., El Sherif, I., Doyle-Kelly, W., Fennell, G. and Walsh, M. Dermoids ('hairy polyps') of the oro-nasopharynx. *Clin. Rec.*, 612
- McShane, D., McGovern, E., Walsh, M. and Timon, C. I. Treatment of combined and critically low tracheal stenoses secondary to burn inhalation injury. *Clin. Rec.*, 1083
- McShane, D., Ward, D. and Rabic, I. Bacterial tracheitis. *Orig. Art.*, 1059
- Meiring, J. H. and McDonagh, M. Endoscopic transnasal dacryocystorhinostomy. *Orig. Art.*, 585
- Micheau, C., Schwaab, G., Marandas, P., Friedman, S. and Klijanienko, J. Clear cell carcinoma in pleomorphic adenoma of the minor salivary gland. *Clin. Rec.*, 789
- Mickel, R. A., Bredenkamp, J. K., Hutcherson, R. W. and Buchholtz, B. D. Two-stage temporalis flap reconstruction for facial paralysis. *Orig. Art.*, 672
- Milford, C. A., Mugliston, T. A., O'Flynn, P. and McCarthy, K. Carcinoma arising in a pleomorphic adenoma of the epiglottis. *Clin. Rec.*, 324
- Mills, R. and Albizzati, C. Out-patient examination of the upper airway: A survey of current practice in the U.K. *Orig. Art.*, 272
- Mills, R., Christmas, H. and Padgam, N. Has the increasing use of grommets influenced the frequency of surgery for cholesteatoma? *Orig. Art.*, 1034
- Milroy, C., Jonathan, D. and Lund, V. Allergic aspergillus sinusitis—An overlooked diagnosis? *Orig. Art.*, 1181
- Milroy, C. M., Robinson, P. J. and Grant, H. R. Primary composite squamous cell carcinoma and large cell neuroendocrine carcinoma of the hypopharynx. *Path. Focus*, 1093
- Milroy, C., Parker, A. and Slack, R. W. T. Rare submandibular swelling (Capillary haemangioma). *Clin. Rec.*, 632
- Ming, C. C. and Ghani, S. A. Fractured tracheostomy tube in the tracheobronchial tree. *Clin. Rec.*, 335
- Mingrino, S., Visonà, A., Fiore, D. L., Macchi, C., Ferlito, A., Pesavento, G. and Recher, G. Intracranial pneumocephalus (secondary to fronto-ethmoidal osteoma). *Rad. Focus*, 634
- Miselvich, I., Boss, J. H., Fradis, M., Podoshin, L. and Goldstein, Y. Cervical Echinococcal hydatid cyst. *Clin. Rec.*, 435
- Mishra, S. C., Shukla, G. K., Bhatia, N. and Pant, M. C. A rational classification of angiofibromas of the post nasal space. *Orig. Art.*, 912
- Misselevitch, I., Boss, J. H., Podoshin, L., Fradis, M. and Goldstein, J. Intrahyoid thyroglossal cyst. *Clin. Rec.*, 539
- Mistry, C. D., Keith, A. O., Ramsden, R. T. and Clements, M. R. Recovery from sensorineural deafness in Wegener's granulomatosis. *Clin. Rec.*, 515
- Mitchell, D. B., Djazeri, B., Evans, J. N. G. and Quiney, R. E. Recurrent meningitis in children due to inner ear abnormalities. *Orig. Art.*, 473
- Miwa, T., Kamide, M., Sakumoto, M., Umeda, R. and Furukawa, M. Three cases of inter-sterno-costo-clavicular ossification associated with tonsillar infection. *Clin. Rec.*, 783
- Moeneclaey, L., Marquet, J. and Declau, F. Normal growth pattern of the middle ear cleft in the human fetus. *Orig. Art.*, 461
- Moffat, D. A. and Hardy, D. G. Surgical management of large glomus jugulare tumours: Infra- and trans-temporal approach. *Orig. Art.*, 1167
- Moffat, D. A., Baguley, D., Evans, R. A. and Hardy, D. G. Mastoid ache in acoustic neuroma. *Orig. Art.*, 1043
- Moffat, D. A., Baguley, D. M., Hardy, D. G. and Tsui, Y. N. Contralateral auditory brainstem response abnormalities in acoustic neuroma. *Orig. Art.*, 835
- Moffat, D. A., Croxson, G. R., Baguley, D. M. and Hardy, D. G. Facial nerve recovery after acoustic neuroma tumour removal. *Orig. Art.*, 169
- Moffat, D. A., Evans, R. A., Harries, M. A. and Baguley, D. M. Reliability of the House and Brackmann grading system for facial palsy. *Orig. Art.*, 1045
- Moffat, D. A., Hardy, D. G. and Baguley, D. M. Strategy and benefits of acoustic neuroma searching. *Orig. Art.*, 51
- Moffat, D. A., Hardy, D. G., Baguley, D. M. and Croxson, G. R. Role of post-operative electroneuronography in predicting facial nerve recovery after acoustic neuroma removal. *Orig. Art.*, 60
- Moffat, D. A., Harries, M. L. L. and Baguley, D. M. Hearing aids—a case for review. *Orig. Art.*, 850
- Moffat, D. A., Harries, M. L. L., Baguley, D. M. and Hardy, D. G. Unterberger's stepping test in acoustic neuroma. *Orig. Art.*, 839
- Moffat, D. A., McFerran, D. J. and Baguley, D. Aberrant reinnervation of the stapedius muscle following facial palsy. *Clin. Rec.*, 205
- Moffat, D. A., Varley, E. W. B. and Nigam, A. Benign paroxysmal positional vertigo resulting from surgical trauma. *Clin. Rec.*, 203
- Morgan, D. A., MacLennan, K., Bradley, P. J., Narula, A., Harvey, L. and Holland, I. Haemangiopericytoma of the larynx. *Path. Focus*, 234
- Morgan, D. W. and Drake-Lee, A. B. Nasal polyps and sinusitis in children with cystic fibrosis. *Orig. Art.*, 753
- Morgan, D. W. and Shenoi, P. M. Swimming in chlorinated water and its effect on Eustachian tube function. *Orig. Art.*, 25
- Morgan, M. H., Bevan, K. and Griffiths, M. V. Cricothyroid muscle paralysis: its recognition and diagnosis. *Orig. Art.*, 191
- Morgan, W. E. and Beggs, D. Spontaneous perforation of cervical oesophagus associated with oesophageal web. *Clin. Rec.*, 537
- Morrison, G. A. J. Pulsatile tinnitus and dural arteriovenous malformation. *Clin. Rec.*, 1073
- Morrison, G. A. J., Butler, P. and Booth, J. B. AIDS to the post nasal space. *Rad. Focus*, 1091
- Morrissey, M. S. C. and Alun-Jones, T. A case of jaw locking. *Clin. Rec.*, 419
- Mould, R. F. Norris Wolfenden and X-rays. *Orig. Art.*, 1020
- Muchnik, C., Hildesheimer, M., Rubinstein, M. and Gleitman, Y. Validity of tympanometry in cases of confirmed otosclerosis. *Orig. Art.*, 36
- Muchnik, C., Rubinstein, M., Goodman, R. M., Hildesheimer, M. and Maayan, Z. Auditory and vestibular findings in Waardenburg's Type II syndrome. *Orig. Art.*, 1130
- Mugliston, T. A., O'Flynn, P., McCarthy, K. and Milford, C. A. Carcinoma arising in a pleomorphic adenoma of the epiglottis. *Clin. Rec.*, 324
- Munro, A. J., Stafford, N. D., Herdman, R. C. D. and Forster, S. Kaposi's sarcoma of the head and neck in patients with AIDS. *Orig. Art.*, 379
- Murrant, N. J. and Gatland, D. J. Temporal bone laboratory training for stapedectomy. *Orig. Art.*, 833
- Murray, J. A. M., Smith, I. M., Turnbull, L. W. and Sellar, R. J. CT Air meatography: Review of side effects in 60 patients. *Orig. Art.*, 173
- Murray, J. A. M., Welsby, P. D. and Kelleher, R. J. Recurrent meningitis associated with meningioma of the mastoid cavity. *Clin. Rec.*, 99
- Murty, G. E. and Smith, M. C. F. Recurrent laryngeal nerve palsy following heart-lung transplantation: three cases of vocal cord augmentation in the acute phase. *Clin. Rec.*, 968
- Nachiappan, M., Banerjee, A. and Subba Rao, K. S. V. K. Perforated telescoping double catheter for uncontaminated endobronchial sampling—a new technique. *Orig. Art.*, 310

- Nagle, M. and Mains, B. Thrombosis of the internal carotid artery due to soft palate injury. *Clin. Rec.*, 796
- Nahl, S. S., Kent, S. E. and Curry, A. R. Treatment of auricular haematoma by silicone rubber splints. *Orig. Art.*, 1146
- Nair, S., Thomas, S. and Kurien, M. Angiosarcoma of the nasal cavity and maxillary antrum. *Clin. Rec.*, 874
- Nakashima, T., Inamitsu, M., Uemura, T. and Sugimoto, T. Immunopathology of polymorphic reticulosis of the larynx. *Clin. Rec.*, 955
- Narula, A., Harvey, L., Holland, I., Morgan, D. A., MacLennan, K. and Bradley, P. J. Haemangiopericytoma of the larynx. *Path. Focus*, 234
- Narula, A., MacLennan, K. A., Bradley, P. J. and Cumberworth, V. L. Mucoepidermoid carcinoma of the larynx. *Clin. Rec.*, 420
- Nasar, B., Hiranandani, N. and Grewal, D. S. External rhinoplasty in the tropics. *Short Comm.*, 1198
- Nauta, J., Karim, A. B. M. F., Tierie, A. H., Koka, V. N., Tiwari, R. M., Van Der Waal, I. and Snow, G. B. Adenoid cystic carcinoma of the salivary glands: Clinicopathological survey of 51 patients. *Orig. Art.*, 675
- Newton, V. E. Genetic counselling for isolated hearing loss. *Orig. Art.*, 12
- Nicolaides, A., Fisher, C. and Rhys-Evans, P. H. Metastatic melanoma of the tonsil. *Path. Focus.*, 890
- Nicolaides, A. R., Rhys Evans, P. and Fisher, C. Adenosquamous carcinoma of the thyroid gland. *Clin. Rec.*, 978
- Nielsen, P. L., Walsted, A. and Thomsen, J. Two malignant melanomas in skin and tonsil during consecutive pregnancies. *Clin. Rec.*, 780
- Nigam, A., Campbell, J. B. and Brain, D. J. The Birmingham and Midland Ear, Nose and Throat Hospital: An obituary. *Orig. Art.*, 815
- Nigam, A., Moffat, D. A. and Varley, E. W. B. Benign paroxysmal positional vertigo resulting from surgical trauma. *Clin. Rec.*, 203
- Nishikawa, H., Kirkham, N. and Hogbin, B. M. Synchronous extra-parotid Warthin's tumour. *Clin. Rec.*, 792
- Nishimura, T., Takimoto, T., Kamide, M., Ishikawa, S. and Umeda, R. Agenesis of the cervical internal carotid artery. *Clin. Rec.*, 707
- Nkanza, N. K. and Tumushime-Buturo, C. G. Glial teratoma thought to be a lingual thyroid. *Clin. Rec.*, 620
- Nofal, F. and Thomas, M. Liposarcoma in the pharynx. *Clin. Rec.*, 1080
- Nunez, D. A., Lang, W. and Pollock, J. G. Associated carotid body tumour and pharyngeal pouch. *Clin. Rec.*, 531
- Nunez, D. A., Sutherland, C. G. G. and Sood, R. K. Breast metastasis from a pharyngeal carcinoma. *Clin. Rec.*, 227
- O'Callaghan, C., Dryden, S., Cert, D. N. and Gibbin, K. Asthma therapy and a tracheostomy. *Clin. Rec.*, 427
- O'Connell, J. E., Raafat, F. and Proops, D. Congenital subglottic fibromatosis. *Path. Focus*, 983
- O'Dwyer, T. P. and Timon, C. I. Ethmoidal mucocoeles in children. *Orig. Art.*, 284
- O'Dwyer, T. P., Timon, C. and Walsh, M. A. Surgical management of drooling in the neurologically damaged child. *Orig. Art.*, 750
- O'Flynn, P., McCarthy, K., Milford, C. A. and Mugliston, T. A. Carcinoma arising in a pleomorphic adenoma of the epiglottis. *Clin. Rec.*, 324
- Okabe, Y., Ito, M., Umeda, R. and Takimoto, T. Intravagal parathyroid adenoma. *Clin. Rec.*, 704
- Olsen, L., Rundcrantz, H., Åkerlund, A. and Klint, T. Nasal decongestant effect of Oxymetazoline in the common cold: An objective dose-response study in 106 patients. *Orig. Art.*, 743
- O'Reilly, B. F. and Stewart, E. J. Klippel-Feil syndrome and conductive deafness. *Clin. Rec.*, 947
- O'Reilly, B. J. and Zuk, R. Transitional-type papilloma of the nasopharynx. *Clin. Rec.*, 528
- O'Reilly, B. J., Ryan, J., Reynard, J. and Chevretton, E. Malignant fibrous histiocytoma of the nasopharynx. *Clin. Rec.*, 1076
- O'Reilly, B., Teasdale, E., Todd, N. V. and Reece, A. T. Subarachnoid fat embolism complicating autologous fat grafting following translabrynthine excision of acoustic neuroma. *Clin. Rec.*, 870
- Osammor, J. Y. and Baruah, A. K. Unexplained neurological problems after mastoid surgery. *Orig. Art.*, 269
- Osammor, J. Y., Cherry, J. R. and Dalziel, M. Lingual abscess: the value of ultrasound in diagnosis. *Clin. Rec.*, 950
- Ozshahinoglu, C., Kivanc, F., Secinti, E. and Cetik, F. Alveolar soft part sarcoma of the tongue. *Clin. Rec.*, 952
- Padel, A. F., Capper, J. W. R. and Habashi, S. Carcinoma of the laryngeal saccule: A biopsy technique to make a difficult diagnosis. *Clin. Rec.*, 692
- Padgam, N., Mills, R. and Christmas, H. Has the increasing use of grommets influenced the frequency of surgery for cholesteatoma? *Orig. Art.*, 1034
- Pambakian, H., Saldanha, C. B. R., Bennett, J. D. C. and Evans, J. N. G. Metastasis to the temporal bone, secondary to carcinoma of the bladder. *Clin. Rec.*, 599
- Pant, M. C., Mishra, S. C., Shukla, G. K. and Bhatia, N. A rational classification of angiofibromas of the post nasal space. *Orig. Art.*, 912
- Pareschi, R., Parma, A., Sonzogni, A., Calabrese, V. and Cifola, M. Primary malignant melanoma of the oral cavity. *Path. Focus.*, 887
- Parker, A. J. and Maw, A. R. Treatment of glue ear in relation to radiographic palatal airway size: a predictor for outcome following adenoidectomy? *Orig. Art.*, 66
- Parker, A., Slack, R. W. T. and Milroy, C. Rare submandibular swelling (Capillary haemangioma). *Clin. Rec.*, 632
- Parker, D. A., Reid, A. P. and Patel, P. J. Localized middle ear effusions: Three unusual acute cases in adults. *Clin. Rec.*, 83
- Parma, A., Sonzogni, A., Calabrese, V., Cifola, M. and Pareschi, R. Primary malignant melanoma of the oral cavity. *Path. Focus.*, 887
- Patel, P. J., Parker, D. A. and Reid, A. P. Localized middle ear effusions: Three unusual acute cases in adults. *Clin. Rec.*, 83
- Paulose, K. O., Al Khalifa, S., Raj, S. S. and Saeed, T. Pilonidal sinus of the nose. *Clin. Rec.*, 1210
- Paulose, K. O., Al Khalifa, S., Shenoy, P. and Sharma, R. K. Maxillary antral lavage—infiltration and surface anaesthesia compared. *Orig. Art.*, 582
- Paulose, K. O., Al Khalifa, S., Shenoy, P. and Sharma, R. K. Myotic infection of the ear (otomycosis). *Orig. Art.*, 30
- Paulose, K. O., Khalifa, S. A., Sharma, R. and Shenoy, P. Osteoma of the ear canal presenting with headache. *Clin. Rec.*, 683
- Paulose, K. O. and Krishnamurthy, S. N. Vocal cord paralysis with Ebstein's anomaly. *Clin. Rec.*, 626
- Pesavento, G., Recher, G., Mingrino, S., Visonà, A., Fiore, D. L. Macchi, C. and Ferlito, A. Intracranial pneumocephalus (secondary to fronto-ethmoidal osteoma). *Rad. Focus*, 634
- Phelps, P. D. and Stansbie, J. M. Air in the neck. *Rad. Focus*, 337
- Phelps, P. D., Croft, C. B. and Annis, J. A. D. A revealing C.T. examination in nasopharyngeal carcinoma. *Rad. Focus*, 801
- Philippakis, C. and Eliopoulos, P. N. Prevention of post-operative intra-nasal adhesions (a new material). *Orig. Art.*, 664
- Phillips, A. J., Haacke, N. P., Rhys-Williams, S., Thornton, A. R. D. and Farrell, G. Verification of a new test of endolymphatic hydrops. *Orig. Art.*, 1136
- Phillips, J. J., Reid, A., Marchbanks, R. J. and Jarrar, R. F. Objective tinnitus and tympanic membrane displacement. *Clin. Rec.*, 872
- Podoshin, L., Fradis, M. and Ben David, J. Ototoxicity of ear drops in patients suffering from chronic otitis media. *Orig. Art.*, 46
- Podoshin, L., Fradis, M., Goldstein, J., Misselevitch, I. and Boss, J. H. Intrahyoid thyroglossal cyst. *Clin. Rec.*, 539
- Podoshin, L., Goldstein, Y., Miselvich, I., Boss, J. H. and Fradis, M. Cervical Echinococcal hydatid cyst. *Clin. Rec.*, 435
- Podoshin, L., Simon, J., Lazarov, N., Shagrawi, I., Boss, J. H. and Fradis, M. Combined treatment of large head and neck capillaro-venous malformation by a fibrosing agent. *Orig. Art.*, 390
- Polli, G., De Meester, W. and Alajmo, E. Total parotidectomy—a routine treatment of parotid gland swellings? *Orig. Art.*, 181
- Pollock, J. G., Nunez, D. A. and Lang, W. Associated carotid body tumour and pharyngeal pouch. *Clin. Rec.*, 531
- Prellner, K., Löfgren, B., Heldrup, J., Kalm, O., Kornfalt, R. and Harsten, G. Serum antibodies against respiratory tract viruses. A prospective three-year follow-up from birth. *Orig. Art.*, 904
- Premachandra, D. J. and Radcliffe, G. Bilateral facial nerve palsy following secretory otitis media. *Clin. Rec.*, 685

- Proops, D., O'Connell, J. E. and Raafat, F. Congenital subglottic fibromatosis. *Path. Focus*, 983
- Proops, D. W., Smallman, L. A., Stores, O. P. R. and Watson, M. G. Cryptococcosis of the larynx. *Clin. Rec.*, 214
- Puhakka, H. J. Complications of mediastinoscopy. *Orig. Art.*, 312
- Quiney, R. E., Cheesman, A. D. and Golding-Wood, D. G. Carcinoma of the ear: Retrospective analysis of 61 patients. *Orig. Art.*, 653
- Quiney, R. E., Mitchell, D. B., Djazeri, B. and Evans, J. N. G. Recurrent meningitis in children due to inner ear abnormalities. *Orig. Art.*, 473
- Raafat, F., Proops, D. and O'Connell, J. E. Congenital subglottic fibromatosis. *Path. Focus*, 983
- Rabie, I., McShane, D. and Ward, D. Bacterial tracheitis. *Orig. Art.*, 1059
- Radcliffe, G. and Premachandra, D. J. Bilateral facial nerve palsy following secretory otitis media. *Clin. Rec.*, 685
- Radstone, D. J. and Capper, J. W. R. Adenocarcinoma of the ethmoid sinuses in High Wycombe, 1986. *Orig. Art.*, 1050
- Raisanen, S. and Stenfors, L.-E. Presence of *Branhamella catarrhalis* alters the survival of *Streptococcus pneumoniae* and *Haemophilus influenzae* in middle ear effusion: An *in vitro* study. *Orig. Art.*, 1030
- Rajaratnam, K. and Desai, S. Pedunculated squamous papilloma of the laryngopharynx. *Clin. Rec.*, 209
- Rajshekar, V. and Chandy, M. J. Non-traumatic intracavernous carotid aneurysm presenting with epistaxis. *Clin. Rec.*, 425
- Rajshekhar, V., Bhanu, T. S., Chandi, S. M. and Rupa, V. Primary chondroid chordoma of the base of the petrous temporal bone. *Clin. Rec.*, 771
- Raj, S. S., Saeed, T., Paulose, K. O. and Al Khalifa, S. Pilonidal sinus of the nose. *Clin. Rec.*, 1210
- Ramakantan, R. and Shah, P. Anterior neck lipoma masquerading as an external laryngocoele. *Clin. Rec.*, 1087
- Ramsden, R. T., Clements, M. R., Mistry, C. D. and Keith, A. O. Recovery from sensorineural deafness in Wegener's granulomatosis. *Clin. Rec.*, 515
- Ramsden, R. T., West, P. D. B. and Gholkar, A. Wildervanck's syndrome—unilateral Mondini dysplasia identified by computed tomography. *Clin. Rec.*, 408
- Rao, A. J., Yanagita, N., Asami, K., Yokoi, H. and Hattori, T. Metastatic gallbladder carcinoma of the palatine tonsil. *Clin. Rec.*, 211
- Rask-Anderson, H., Filipo, R., Barbara, M. and Bagger-Sjöback, D. Does severe water deprivation affect the inner ear? *Orig. Art.*, 22
- Recher, G., Mingrino, S., Visonà, A., Fiore, D. L., Macchi, C., Ferlito, A. and Pesavento, G. Intracranial pneumocephalus (secondary to fronto-ethmoidal osteoma). *Rad. Focus*, 634
- Reece, A. T., O'Reilly, B., Teasdale, E. and Todd, N. V. Subarachnoid fat embolism complicating autologous fat grafting following translabyrinthine excision of acoustic neuroma. *Clin. Rec.*, 870
- Regezi, J. A., Luna, M. A., El-Naggar, A. and Batsakis, J. G. Histogenesis of salivary gland neoplasms: a postulate with prognostic implications. *Orig. Art.*, 939
- Reid, A. P., Patel, P. J. and Parker, D. A. Localized middle ear effusions: Three unusual acute cases in adults. *Clin. Rec.*, 83
- Reid, A., Marchbanks, R. J., Jarrar, R. F. and Phillips, J. J. Objective tinnitus and tympanic membrane displacement. *Clin. Rec.*, 872
- Reilly, P. G. Congenital cholesteatoma presenting as a post-auricular mass. *Clin. Rec.*, 1069
- Remacle, M., Declaye, X. and Mayne, A. Subglottic haemangioma in the infant: contribution by laser CO₂. *Orig. Art.*, 930
- Revonta, M. and Suonpää, J. Diagnosis of frontal sinusitis. *Short Comm.*, 765
- Reynard, J., Chevretton, E., O'Reilly, B. J. and Ryan, J. Malignant fibrous histiocytoma of the nasopharynx. *Clin. Rec.*, 1076
- Rhys Evans, P. H. Complications in head and neck surgery and how to avoid trouble. *Orig. Art.*, 926
- Rhys Evans, P., Fisher, C. and Nicolaides, A. R. Adenosquamous carcinoma of the thyroid gland. *Clin. Rec.*, 978
- Rhys Evans, P., Jayne, D., Hoare, T. J., Croft, C. B. and Howard, D. J. Wegener's granulomatosis, subglottic stenosis and anti-neutrophil cytoplasm antibodies. *Orig. Art.*, 1187
- Rhys Evans, P. H., Nicolaides, A. and Fisher, C. Metastatic melanoma of the tonsil. *Path. Focus.*, 890
- Rhys Williams, S., Robinson, P. J. and Brightwell, A. P. Management of the inflammatory aural polyp. *Orig. Art.*, 1040
- Rhys Williams, S., Thornton, A. R. D., Farrell, G., Phillips, A. J. and Haacke, N. P. Verification of a new test of endolymphatic hydrops. *Orig. Art.*, 1136
- Rickhuss, P. K. and Dent, J. A. Invasive pituitary adenoma presenting with nasal obstruction. *Clin. Rec.*, 605
- Rifai, M. Laryngotracheal resection for post scleromatous laryngeal stenosis. *Orig. Art.*, 935
- Rinon, R. P., Hanson, D. R., Fenwick, J. D. and Clayton, M. I. Evaluation of recent experience in hypoglossal-facial nerve anastomosis in the treatment of facial palsy. *Orig. Art.*, 63
- Rivron, R. P. Bifid uvula: Prevalence and association in otitis media with effusion in children admitted for routine otolaryngological operations. *Orig. Art.*, 249
- Robb, P. J. and Girling, A. Granular cell myoblastoma of the supraglottis. *Clin. Rec.*, 328
- Robertshaw, D., Flood, L. M., Hart, J. J. and Jones, M. G. A system for accelerated provision of hearing aids to residents of homes for the elderly. *Orig. Art.*, 485
- Robertson, M. R. and Sim, D. W. Right vocal cord paralysis after internal jugular vein cannulation. *Clin. Rec.*, 424
- Robin, P. E. and Davis, A.-E. Transpalatal approach to the petrous apex. *Clin. Rec.*, 94
- Robinson, A. C. and Lukaszewicz, C. M. Bilateral carotid body tumours. *Rad. Focus*, 543
- Robinson, A. C. Evaluation for waterproof ear protectors in swimmers. *Orig. Art.*, 1154
- Robinson, A. C. R., Khoury, G. G. and Robinson, P. M. Role of irradiation in the suppression of parotid secretions. *Orig. Art.*, 594
- Robinson, J. M. and Solomons, N. B. Bone pâté repair of the eroded incus. *Orig. Art.*, 41
- Robinson, P. J. and Hazell, J. W. P. Patulous Eustachian tube syndrome: The relationship with sensorineural hearing loss. Treatment by Eustachian tube diathermy. *Orig. Art.*, 739
- Robinson, P. J., Brightwell, A. P. and Rhys Williams, S. Management of the inflammatory aural polyp. *Orig. Art.*, 1040
- Robinson, P. J., Grant, H. R. and Milroy, C. M. Primary composite squamous cell carcinoma and large cell neuroendocrine carcinoma of the hypopharynx. *Path. Focus*, 1093
- Robinson, P. M., Robinson, A. C. R. and Khoury, G. G. Role of irradiation in the suppression of parotid secretions. *Orig. Art.*, 594
- Robson, A. K., Clarke, P. M., Dilkes, M. and Maw, A. R. Transmastoid extracranial repair of CSF leaks following acoustic neuroma resection. *Orig. Art.*, 842
- Robson, A. K., Jones, A. J. and Slack, R. W. T. CSF otorrhoea secondary to a tegmen defect. *Rad. Focus*, 980
- Rogers, J. H. and Stoney, P. J. Attitudes to tympanometry. *Orig. Art.*, 657
- Rogers, M., Blanshard, J. and Veitch, D. Parapharyngeal mass presenting with sleep apnoea. *Clin. Rec.*, 961
- Rolfe, M. E. and Lund, V. J. Ophthalmic considerations in fronto-ethmoidal mucocoeles. *Orig. Art.*, 667
- Rubel, Y., Bar-Ziv, J., Zohar, Y., Finkelstein, Y. and Talmi, Y. P. Otitis media with effusion as a presenting symptom of chronic sinusitis. *Orig. Art.*, 827
- Rubinstein, M., Gleitman, Y., Muchnik, C. and Hildesheimer, M. Validity of tympanometry in cases of confirmed otosclerosis. *Orig. Art.*, 36
- Rubinstein, M., Goodman, R. M., Hildesheimer, M., Maayan, Z. and Muchnik, C. Auditory and vestibular findings in Waardenburg's Type II syndrome. *Orig. Art.*, 1130
- Rubin, J. S. Repair of post-laryngectomy pharyngeal fistulae. *Orig. Art.*, 302

- Rundcrantz, H., Åkerlund, A., Klint, T. and Olsen, L. Nasal decongestant effect of Oxymetazoline in the common cold: An objective dose-response study in 106 patients. *Orig. Art.*, 743
- Rupa, V. and Bhanu, T. S. Laryngeal tuberculosis in the eighties—an Indian experience. *Orig. Art.*, 864
- Rupa, V., Mathew, J., Bhanu, T. S. and Date, A. Paediatric laryngeal tuberculosis presenting with stridor. *Clin. Rec.*, 787
- Rupa, V., Rajshekhar, V., Bhanu, T. S. and Chandi, S. M. Primary chondroid chordoma of the base of the petrous temporal bone. *Clin. Rec.*, 771
- Ryan, J., Reynard, J., Chevretton, E. and O'Reilly, B. J. Malignant fibrous histiocytoma of the nasopharynx. *Clin. Rec.*, 1076
- Sadé, J. and Bernheim, J. Histopathology of the soft parts in 50 patients with malignant otitis externa. *Orig. Art.*, 366
- Saeed, T., Paulose, K. O., Al Khalifa, S. and Raj, S. S. Pilonidal sinus of the nose. *Clin. Rec.*, 1210
- Sakumoto, M., Umeda, R., Furukawa, M., Miwa, T. and Kamide, M. Three cases of inter-sterno-costo-clavicular ossification associated with tonsillar infection. *Clin. Rec.*, 783
- Salama, A. W. and Shehata, M. A. Clofazimin in the treatment of scleroma. *Orig. Art.*, 856
- Saldanha, C. B. R., Bennett, J. D. C., Evans, J. N. G. and Pambakian, H. Metastasis to the temporal bone, secondary to carcinoma of the bladder. *Clin. Rec.*, 599
- Sambe, S., Kataura, A., Enomoto, K., Kawai, N. and Asakura, K. Metastatic squamous cell carcinoma of the paranasal sinuses from a primary squamous cell carcinoma of the urinary bladder. *Clin. Rec.*, 602
- Samuel, J. and Eitelberg, E. Tuning forks: the problem of striking. *Orig. Art.*, 1
- Samuel, J. and Fernandes, C. M. C. Mycotic aneurysm of the petrous portion of the internal carotid artery. *Clin. Rec.*, 111
- Satoh, M., Kodama, H., Takezawa, H., Suzuki, T., Kobayashi, K., Kataura, A. and Wakabayashi, J. Carcinoid tumour of the middle ear. *Clin. Rec.*, 86
- Schaafsma, H. E., Westerbeek, G. F., Yap, S. H. and Manni, J. J. Rare case of obscure haemorrhage in the upper aero-digestive tract (epiglottis). *Clin. Rec.*, 331
- Schwaab, G., Marandas, P., Friedman, S., Klijanienko, J. and Micheau, C. Clear cell carcinoma in pleomorphic adenoma of the minor salivary gland. *Clin. Rec.*, 789
- Schwarz, M. A., Toner, G. C. and Thomas, R. L. Metastatic bone marrow involvement from supraglottic squamous cell carcinoma. *Clin. Rec.*, 225
- Secinti, E., Cetik, F., Ozsahinoglu, C. and Kivanc, F. Alveolar soft part sarcoma of the tongue. *Clin. Rec.*, 952
- Sellar, R. J., Murray, J. A. M., Smith, I. M. and Turnbull, L. W. CT Air meatography: Review of side effects in 60 patients. *Orig. Art.*, 173
- Sellar, R. J., Sharp, J. F., Kerr, A. I. G. and Carder, P. Facial schwannoma without facial paralysis. *Clin. Rec.*, 973
- Semeraro, D., Knight, L. C., Griffiths, G. J. and Davies, J. E. Middle ear neoplasms showing adenomatous and neuroendocrine components. *Clin. Rec.*, 404
- Shagrawi, I., Boss, J. H., Fradis, M., Podoshin, L., Simon, J. and Lazarov, N. Combined treatment of large head and neck capillaro-venous malformation by a fibrosing agent. *Orig. Art.*, 390
- Shah, P. and Ramakantan, R. Anterior neck lipoma masquerading as an external laryngocoele. *Clin. Rec.*, 1087
- Sharma, A., Goel, H., Lal, H., Kumar, L. and Kohli, G. S. Serum enzymes in head and neck cancer. IV: 5-nucleotidase. *Orig. Art.*, 200
- Sharma, H., Dayal, D. and Agarwal, S. P. Nasal myiasis: Review of 10 years' experience. *Orig. Art.*, 489
- Sharma, H. S., Srinivasan, V. and Majumder, N. K. Malignant fibrous histiocytoma of larynx. *Clin. Rec.*, 219
- Sharma, R. K., Paulose, K. O., Al Khalifa, S. and Shenoy, P. Maxillary antral lavage—infiltration and surface anaesthesia compared. *Orig. Art.*, 582
- Sharma, R. K., Paulose, K. O., Al Khalifa, S. and Shenoy, P. Myotic infection of the ear (otomycosis). *Orig. Art.*, 30
- Sharma, R., Shenoy, P., Paulose, K. O. and Khalifa, S. A. Osteoma of the ear canal presenting with headache. *Clin. Rec.*, 683
- Sharp, J. F., Kerr, A. I. G., Carder, P. and Sellar, R. J. Facial schwannoma without facial paralysis. *Clin. Rec.*, 973
- Shehata, M. A. and Salama, A. W. Clofazimin in the treatment of scleroma. *Orig. Art.*, 856
- Shem-Tov, Y., Zohar, Y., Talmi, Y. P. and Finkelstein, Y. Use of a Braunula for maxillary sinus irrigation. *Orig. Art.*, 279
- Shenoi, P. M. and Morgan, D. W. Swimming in chlorinated water and its effect on Eustachian tube function. *Orig. Art.*, 257
- Shenoy, P., Paulose, K. O., Khalifa, S. A. and Sharma, R. Osteoma of the ear canal presenting with headache. *Clin. Rec.*, 683
- Shenoy, P., Sharma, R. K., Paulose, K. O. and Al Khalifa, S. Maxillary antral lavage—infiltration and surface anaesthesia compared. *Orig. Art.*, 582
- Shenoy, P., Sharma, R. K., Paulose, K. O. and Al Khalifa, S. Myotic infection of the ear (otomycosis). *Orig. Art.*, 30
- Shotton, J. C., Ludman, H. and Cox, T. C. S. Temporal bone venous anomaly of surgical significance. *Clin. Rec.*, 101
- Shotton, J. C., Ludman, H. and Davies, R. Persisting nystagmus following vestibular nerve section for Menière's disease. *Orig. Art.*, 263
- Shuangshoti, S. and Kasantikul, V. Primary intracranial mesenchymal chondrosarcoma. *Path. Focus.*, 545
- Shukla, G. K., Bhatia, N., Pant, M. C. and Mishra, S. C. A rational classification of angiofibromas of the post nasal space. *Orig. Art.*, 912
- Simon, J., Lazarov, N., Shagrawi, I., Boss, J. H., Fradis, M. and Podoshin, L. Combined treatment of large head and neck capillaro-venous malformation by a fibrosing agent. *Orig. Art.*, 390
- Simpson, D. C. and McClymont, L. G. Noise levels and exposure patterns to Do-It-Yourself power tools. *Orig. Art.*, 1140
- Simpson, R. D., McCormick, D., Johnstone, C. I. and Hussain, S. S. M. Langerhan's cell histiocytosis in the sphenoid sinus: A case of diabetes insipidus. *Clin. Rec.*, 877
- Sim, D. W. and Robertson, M. R. Right vocal cord paralysis after internal jugular vein cannulation. *Clin. Rec.*, 424
- Sim, D. W. Co-existent inverted papilloma and squamous carcinoma of the nasal septum. *Clin. Rec.*, 774
- Sim, D. W. Spiral prominence epithelium. *Orig. Art.*, 1122
- Sim, D. W. The E.N.T. consultation: A prospective study of the doctor's and the patient's perceptions. *Orig. Art.*, 363
- Sinha, K. P., Chandrachud, H. R. and Chaurasia, M. K. Subtotal laryngectomy with myomucosal shunt. *Orig. Art.*, 504
- Sirimana, K. S. Calcium alginate fibre (Kaltostat®) for nasal packing after trimming of turbinates. A pilot study. *Short Comm.*, 1067
- Sisson, P. R., Kearns, A. M., Ingham, H. R. and Diamond, C. Bacteriology of chronic otitis media with effusion. *Orig. Art.*, 369
- Skinner, D. W. and Bradley, P. J. Psychogenic stridor. *Orig. Art.*, 383
- Slack, R. W. T., MacLeod, T. I. F., Bacon, M. P. and Chevretton, E. B. Verrucous carcinoma of the maxillary antrum. *Clin. Rec.*, 415
- Slack, R. W. T., Milroy, C. and Parker, A. Rare submandibular swelling (Capillary haemangioma). *Clin. Rec.*, 632
- Slack, R. W. T., Robson, A. K. and Jones, A. J. CSF otorrhoea secondary to a tegmen defect. *Rad. Focus.*, 980
- Sleeman, D. and Turner, R. Spontaneous pneumomediastinum with alteration in voice. *Clin. Rec.*, 1222
- Smallman, L. A., Stores, O. P. R., Watson, M. G. and Proops, D. W. Cryptococcosis of the larynx. *Clin. Rec.*, 214
- Smelt, G. J. C., MacDonald, A., Woodhead, C. J. and Wickham, M. J. Some observations on submucous diathermy. *Orig. Art.*, 1047
- Smith, F. B., Batsakis, J. G., Bruner, J. M. and Cleary, K. R. Immunocytochemical identification of HIV (p24) antigen in parotid lymphoid lesions. *Orig. Art.*, 1063
- Smith, I. M., Turnbull, L. W., Sellar, R. J. and Murray, J. A. M. CT Air meatography: Review of side effects in 60 patients. *Orig. Art.*, 173
- Smith, M. C. F. and Murty, G. E. Recurrent laryngeal nerve palsy following heart-lung transplantation: three cases of vocal cord augmentation in the acute phase. *Clin. Rec.*, 968

- Smith, M. C. F. and Soames, J. V. Fibrosarcoma of the ethmoid. *Clin. Rec.*, 686
- Smyth, G. D. L., Kerr, A. G., Toner, J. G. and McKee, G. J. Role and results of cortical mastoidectomy and endolymphatic sac surgery in Menière's disease. *Orig. Art.*, 1161
- Smyth, G. D. L., Lang, J. and Kerr, A. G. Transplanted ossicles after two decades. *Orig. Art.*, 471
- Snow, G. B. and Tiwari, R. M. Role of masseter crossover flap in oropharyngeal reconstruction. *Orig. Art.*, 298
- Snow, G. B., Nauta, J., Karim, A. B. M. F., Tierie, A. H., Koka, V. N., Tiwari, R. M. and Van Der Waal, I. Adenoid cystic carcinoma of the salivary glands: Clinicopathological survey of 51 patients. *Orig. Art.*, 675
- Snow, G. B., Tiwari, R. M., Greven, A. J. and Karim, A. B. M. F. Total glossectomy: reconstruction and rehabilitation. *Orig. Art.*, 917
- Soames, J. V. and Jordan, M. B. Fibrous histiocytoma of the larynx. *Clin. Rec.*, 216
- Soames, J. V. and Smith, M. C. F. Fibrosarcoma of the ethmoid. *Clin. Rec.*, 686
- Solomons, N. B. and Robinson, J. M. Bone pâté repair of the eroded incus. *Orig. Art.*, 41
- Soni, N. K. Antroscopic study of the maxillary antrum in lepromatous leprosy. *Orig. Art.*, 502
- Sonzogni, A., Calabrese, V., Cifola, M., Pareschi, R. and Parma, A. Primary malignant melanoma of the oral cavity. *Path. Focus.*, 887
- Sood, R. K., Nunez, D. A. and Sutherland, C. G. G. Breast metastasis from a pharyngeal carcinoma. *Clin. Rec.*, 227
- Sreedharan, V. P., Koshy, P., Kumar, S., Anilakumari, C. K. and Krishnamoorthy, S. Culture of *Rhinosporidium seeberi*: Preliminary report. *Orig. Art.*, 178
- Srinivasan, V., Majumder, N. K. and Sharma, H. S. Malignant fibrous histiocytoma of larynx. *Clin. Rec.*, 219
- Sriwardhana, K. B., Howard, A. J. and Dunkin, K. T. Bacteriology of otitis media with effusion. *Orig. Art.*, 253
- Stafford, N. D., Herdman, R. C. D., Forster, S. and Munro, A. J. Kaposi's sarcoma of the head and neck in patients with AIDS. *Orig. Art.*, 379
- Stahl, N. and Ferit, T. Recurrent bilateral peripheral facial palsy. *Clin. Rec.*, 117
- Stansbie, J. M. and Phelps, P. D. Air in the neck. *Rad. Focus*, 337
- Stenfors, L.-E. and Raisanen, S. Presence of *Branhamella catarrhalis* alters the survival of *Streptococcus pneumoniae* and *Haemophilus influenzae* in middle ear effusion: An *in vitro* study. *Orig. Art.*, 1030
- Stenfors, L.-E. Repair of tympanic membrane perforations using hyaluronic acid: An alternative to myringoplasty. *Orig. Art.*, 39
- Stevens, D. J. and Kallis, S. Acinous cell carcinoma of the larynx. *Path. Focus*, 638
- Stevens, D. J. Carcinoma of the pharyngeal pouch. *Clin. Rec.*, 695
- Stewart, E. J. and O'Reilly, B. F. Klippel-Feil syndrome and conductive deafness. *Clin. Rec.*, 947
- Stoney, P. J. and Rogers, J. H. Attitudes to tympanometry. *Orig. Art.*, 657
- Stores, O. P. R., Watson, M. G., Proops, D. W. and Smallman, L. A. Cryptococcosis of the larynx. *Clin. Rec.*, 214
- Strong, A. J., Gleeson, M. J. and Cox, T. C. S. Aneurysm of the anterior inferior cerebellar artery mimicking an intracanalicular acoustic neuroma. *Clin. Rec.*, 107
- Su, C.-Y. A coin as a tracheal foreign body for 30 years. *Clin. Rec.*, 798
- Subba Rao, K. S. V. K., Nachiappan, M. and Banerjee, A. Perforated telescoping double catheter for uncontaminated endobronchial sampling—a new technique. *Orig. Art.*, 310
- Sugimoto, T., Nakashima, T., Inamitsu, M. and Uemura, T. Immunopathology of polymorphic reticulosis of the larynx. *Clin. Rec.*, 955
- Suonpää, J. and Revonta, M. Diagnosis of frontal sinusitis. *Short Comm.*, 765
- Sutherland, C. G. G., Sood, R. K. and Nunez, D. A. Breast metastasis from a pharyngeal carcinoma. *Clin. Rec.*, 227
- Suzuki, T., Kobayashi, K., Kataura, A., Wakabayashi, J., Satoh, M., Kodama, H. and Takezawa, H. Carcinoid tumour of the middle ear. *Clin. Rec.*, 86
- Svendsen, P., Jacobsson, M., Davidsson, A., Hugosson, S. and Tjellström, A. Aberrant intratympanic internal carotid artery: a potentially hazardous anomaly. *Clin. Rec.*, 1202
- Swan, I. R. C. Diagnostic vetting of individuals with asymmetric sensorineural hearing impairments. *Orig. Art.*, 823
- Swan, I. R. C., Chew, K. K. and Browning, G. G. Clinical role of informed tests of hearing. *Orig. Art.*, 7
- Takezawa, H., Suzuki, T., Kobayashi, K., Kataura, A., Wakabayashi, J., Satoh, M. and Kodama, H. Carcinoid tumour of the middle ear. *Clin. Rec.*, 86
- Takimoto, T., Akemoto, Y. and Umeda, R. Pharyngeal cyst arising from second branchial cleft. *Clin. Rec.*, 964
- Takimoto, T., Kamide, M., Ishikawa, S., Umeda, R. and Nishimura, T. Agensis of the cervical internal carotid artery. *Clin. Rec.*, 707
- Takimoto, T., Okabe, Y., Ito, M. and Umeda, R. Intravagal parathyroid adenoma. *Clin. Rec.*, 704
- Takumida, M. and Bagger-Sjöback, D. Effects of amiloride on the endolymphatic sac. *Orig. Art.*, 466
- Takumida, M., Fredelius, L., Bagger-Sjöback, D., Harada, Y. and Wersäll, J. Effect of acoustic overstimulation on the glycocalyx and the ciliary interconnections in the organ of Corti: High resolution scanning electron microscopic investigation. *Orig. Art.*, 1125
- Takumida, M., Urquiza, R., Bagger-Sjöback, D. and Wersäll, J. Effect of gentamicin on the carbohydrates of the vestibular end organs: An investigation by the use of FITC-lectins. *Orig. Art.*, 357
- Takumida, M., Wersäll, J., Bagger-Sjöback, D. and Harada, Y. Observation of the glycocalyx of the organ of Corti: An investigation by electron microscopy in the normal and gentamicin-treated guinea pig. *Orig. Art.*, 133
- Talaat, A. M., Bahgat, Y. S., El-Ghazzawy, E. and Elwany, S. Nasopharyngeal bacterial flora before and after adenoidectomy. *Orig. Art.*, 372
- Talmi, Y. P., Finkelstein, Y., Shem-Tov, Y. and Zohar, Y. Use of a Braunula for maxillary sinus irrigation. *Orig. Art.*, 279
- Talmi, Y. P., Floru, S., Bar-Ziv, J., Zohar, Y., Djaldetti, M. and Cohen, A. M. Ossification of the auricle in Addison's disease. *Rad. Focus*, 885
- Talmi, Y. P., Rubel, Y., Bar-Ziv, J., Zohar, Y. and Finkelstein, Y. Otitis media with effusion as a presenting symptom of chronic sinusitis. *Orig. Art.*, 827
- Teasdale, E., Todd, N. V., Reece, A. T. and O'Reilly, B. Subarachnoid fat embolism complicating autologous fat grafting following translabyrinthine excision of acoustic neuroma. *Clin. Rec.*, 870
- Terry, R. M. and Cook, P. Haemorrhage during minitracheotomy: Reduction of risk by altered incision. *Clin. Rec.*, 207
- Thomas, K., Bhanu, T. S. and Kurien, M. Hearing threshold in patients with diabetes mellitus. *Orig. Art.*, 164
- Thomas, M. and Nofal, F. Liposarcoma in the pharynx. *Clin. Rec.*, 1080
- Thomas, M. R. Factitious illness and the ENT surgeon. *Clin. Rec.*, 882
- Thomas, R. L., Schwarz, M. A. and Toner, G. C. Metastatic bone marrow involvement from supraglottic squamous cell carcinoma. *Clin. Rec.*, 225
- Thomas, S., Kurien, M. and Nair, S. Angiosarcoma of the nasal cavity and maxillary antrum. *Clin. Rec.*, 874
- Thompson, A. C. Surgical reduction of the inferior turbinate in children: extended follow-up. *Orig. Art.*, 577
- Thomsen, J., Nielsen, P. L. and Walsted, A. Two malignant melanomas in skin and tonsil during consecutive pregnancies. *Clin. Rec.*, 780
- Thomsen, J., Tos, M. and Trojaborg, N. The contralateral ear after translabyrinthine removal of acoustic neuromas. Is there a drill—noise generated loss? *Orig. Art.*, 845
- Thomsen, P., Kristensen, S., Tveterås, K. and Friedmann, I. Nasopharyngeal Warthin's tumour: A metaplastic lesion. *Clin. Rec.*, 616

- Thomson, H. G. Septic arthritis of the temporomandibular joint complicating otitis externa. *Clin. Rec.*, 319
- Thomson, H. G. and Batch, A. J. G. Flexible oesophagogastrosocopy in otolaryngology. *Orig. Art.*, 399
- Thomson, H. G., Brockbank, M. J. and Veitch, D. Y. Cerebrospinal fluid in the rhinitis clinic. *Orig. Art.*, 281
- Thornton, A. R. D., Farrell, G., Phillips, A. J., Haacke, N. P. and Rhys-Williams, S. Verification of a new test of endolymphatic hydrops. *Orig. Art.*, 1136
- Tierie, A. H., Koka, V. N., Tiwari, R. M., Van Der Waal, I., Snow, G. B., Nauta, J. and Karim, A. B. M. F. Adenoid cystic carcinoma of the salivary glands: Clinicopathological survey of 51 patients. *Orig. Art.*, 675
- Timms, M. S. and Curley, J. W. A. Incidence of abnormality in routine vocal cord checks. *Orig. Art.*, 1057
- Timon, C. I. and O'Dwyer, T. P. Ethmoidal mucocoeles in children. *Orig. Art.*, 284
- Timon, C. I. and Walsh, M. A. Sudden sensorineural hearing loss as a presentation of HIV infection. *Clin. Rec.*, 1071
- Timon, C. I., Leen, E. and Doyle-Kelly, W. Hypopharyngeal involvement by thyroid cancer. *Clin. Rec.*, 629
- Timon, C. I., McShane, D., McGovern, E. and Walsh, M. Treatment of combined and critically low tracheal stenoses secondary to burn inhalation injury. *Clin. Rec.*, 1083
- Timon, C., Walsh, M. A. and O'Dwyer, T. P. Surgical management of drooling in the neurologically damaged child. *Orig. Art.*, 750
- Tiwari, R. M. and Snow, G. B. Role of masseter crossover flap in oropharyngeal reconstruction. *Orig. Art.*, 298
- Tiwari, R. M., Greven, A. J., Karim, A. B. M. F. and Snow, G. B. Total glossectomy: reconstruction and rehabilitation. *Orig. Art.*, 917
- Tiwari, R. M., Van Der Waal, I., Snow, G. B., Nauta, J., Karim, A. B. M. F., Tierie, A. H. and Koka, V. N. Adenoid cystic carcinoma of the salivary glands: Clinicopathological survey of 51 patients. *Orig. Art.*, 675
- Tjellström, A., Svendsen, P., Jacobsson, M., Davidsson, A. and Hugosson, S. Aberrant intratympanic internal carotid artery: a potentially hazardous anomaly. *Clin. Rec.*, 1202
- Todd, N. V., Reece, A. T., O'Reilly, B. and Teasdale, E. Subarachnoid fat embolism complicating autologous fat grafting following translabyrinthine excision of acoustic neuroma. *Clin. Rec.*, 870
- Toner, G. C., Thomas, R. L. and Schwarz, M. A. Metastatic bone marrow involvement from supraglottic squamous cell carcinoma. *Clin. Rec.*, 225
- Toner, J. G. and Mains, B. T. Pneumatic otoscopy: Study of inter-observer variability. *Orig. Art.*, 1134
- Toner, J. G., McKee, G. J., Smyth, G. D. L. and Kerr, A. G. Role and results of cortical mastoidectomy and endolymphatic sac surgery in Menière's disease. *Orig. Art.*, 1161
- Tortoledo, M. E., del Junco, G. W., Luna, M. A. and Batsakis, J. G. Carcinomas ex monomorphic adenoma of salivary glands. *Orig. Art.*, 756
- Tortoledo, M. E., El-Naggar, A., Batsakis, J. G., Luna, M. A. and Goepfert, H. D.N.A. content and proliferative activity of myoepitheliomas. *Orig. Art.*, 1192
- Tos, M. and Lau, T. Tensa retraction cholesteatoma: treatment and long-term results. *Orig. Art.*, 149
- Tos, M., Trojaborg, N. and Thomsen, J. The contralateral ear after translabyrinthine removal of acoustic neuromas. Is there a drill—noise generated loss? *Orig. Art.*, 845
- Trojaborg, N., Thomsen, J. and Tos, M. The contralateral ear after translabyrinthine removal of acoustic neuromas. Is there a drill—noise generated loss? *Orig. Art.*, 845
- Tsui, Y. N., Moffat, D. A., Baguley, D. M. and Hardy, D. G. Contralateral auditory brainstem response abnormalities in acoustic neuroma. *Orig. Art.*, 835
- Tuffin, J. R. and Violaris, N. S. Can post-tonsillectomy pain be reduced by topical bupivacaine? double blind controlled trial. *Orig. Art.*, 592
- Tumushime-Buturo, C. G. and Nkanza, N. K. Glial teratoma thought to be a lingual thyroid. *Clin. Rec.*, 620
- Turnbull, L. W., Sellar, J. J., Murray, J. A. M. and Smith, I. M. CT Air meatography: Review of side effects in 60 patients. *Orig. Art.*, 173
- Turner, R. and Sleeman, D. Spontaneous pneumomediastinum with alteration in voice. *Clin. Rec.*, 1222
- Tveterås, K., Friedmann, I., Thomsen, P. and Kristensen, S. Nasopharyngeal Warthin's tumour: A metaplastic lesion. *Clin. Rec.*, 616
- Uemura, T., Sugimoto, T., Nakashima, T. and Inamitsu, M. Immunopathology of polymorphic reticulosis of the larynx. *Clin. Rec.*, 955
- Umeda, R., Furukawa, M., Miwa, T., Kamide, M. and Sakumoto, M. Three cases of inter-sterno-costo-clavicular ossification associated with tonsillar infection. *Clin. Rec.*, 783
- Umeda, R., Nishimura, T., Takimoto, T., Kamide, M. and Ishikawa, S. Agenesis of the cervical internal carotid artery. *Clin. Rec.*, 707
- Umeda, R., Takimoto, T. and Akemoto, Y. Pharyngeal cyst arising from second branchial cleft. *Clin. Rec.*, 964
- Umeda, R., Takimoto, T., Okabe, Y. and Ito, M. Intravagal parathyroid adenoma. *Clin. Rec.*, 704
- Uppal, K. and Bais, A. S. Tonsillar microflora—superficial surface vs deep. *Orig. Art.*, 175
- Uppal, K., Logani, K. B. and Bais, A. S. Congenital cysts of the larynx. *Clin. Rec.*, 966
- Urquhart, A. C., Fung, G. and McIntosh, W. A. Isolated sphenoiditis: A diagnostic problem. *Clin. Rec.*, 526
- Urquiza, R., Bagger-Sjöbäck, D., Wersäll, J. and Takumida, M. Effect of gentamicin on the carbohydrates of the vestibular end organs: An investigation by the use of FITC-lectins. *Orig. Art.*, 357
- Vakaet, L., Vande Maele, C., Van Cauwenberge, P. and Kluyskeris, P. Morphology of a columellaform stapes. *Clin. Rec.*, 79
- Van Cauwenberge, P., Kluyskeris, P., Vakaet, L. and Vande Maele, C. Morphology of a columellaform stapes. *Clin. Rec.*, 79
- Van Den Eeckhaut, J. and Frans, A. Cough as the sole manifestation of airway hyperreactivity. *Orig. Art.*, 680
- Van Der Waal, I., Snow, G. B., Nauta, J., Karim, A. B. M. F., Tierie, A. H., Koka, V. N. and Tiwari, R. M. Adenoid cystic carcinoma of the salivary glands: Clinicopathological survey of 51 patients. *Orig. Art.*, 675
- Vande Maele, C., Van Cauwenberge, P., Kluyskeris, P. and Vakaet, L. Morphology of a columellaform stapes. *Clin. Rec.*, 79
- Vanlierde, M. J. R. R. Post-traumatic asymptomatic saccular aneurysm of the internal carotid artery. *Clin. Rec.*, 115
- Variend, S., Bull, P. D. and Wright, R. G. Granular cell tumour of the larynx in childhood. *Clin. Rec.*, 880
- Varley, E. W. B., Nigam, A. and Moffat, D. A. Benign paroxysmal positional vertigo resulting from surgical trauma. *Clin. Rec.*, 203
- Veitch, D. and Blandshard, J. D. Ossifying lipoma. *Clin. Rec.*, 429
- Veitch, D., Rogers, M. and Blanshard, J. Parapharyngeal mass presenting with sleep apnoea. *Clin. Rec.*, 961
- Veitch, D. Y., Thomson, H. G. and Brockbank, M. J. Cerebrospinal fluid in the rhinitis clinic. *Orig. Art.*, 281
- Viani, L. G. Tinnitus in children with hearing loss. *Orig. Art.*, 1142
- Violaris, N. S. and Donovan, R. Obliteration of the middle ear cleft. *Orig. Art.*, 43
- Violaris, N. S. and Tuffin, J. R. Can post-tonsillectomy pain be reduced by topical bupivacaine? double blind controlled trial. *Orig. Art.*, 592
- Violaris, N. S. and Windle-Taylor, P. C. Idiopathic fibrosis of the upper aerodigestive tract. *Clin. Rec.*, 333
- Violaris, N. S., Chang, S. and Bridger, M. W. Securing of section drains in head and neck surgery. *Short Comm.*, 869
- Visonà, A., Fiore, D. L., Macchi, C., Ferlito, A., Pesavento, G., Recher, G. and Mingrino, S. Intracranial pneumocephalus (secondary to fronto-ethmoidal osteoma). *Rad. Focus*, 634
- von Schoenberg, M. V., Lannigan, F. J. and Jones, N. S. An avoidable occupational hazard during mastoid surgery. *Orig. Art.*, 566
- Wakabayashi, J., Satoh, M., Kodama, H., Takezawa, H., Suzuki, T., Kobayashi, K. and Kataura, A. Carcinoid tumour of the middle ear. *Clin. Rec.*, 86

- Wake, M. and Glossop, P. Guillotine and dissection tonsillectomy compared. *Orig. Art.*, 588
- Walsh, M. A. and Timon, C. I. Sudden sensorineural hearing loss as a presentation of HIV infection. *Clin. Rec.*, 1071
- Walsh, M. A., O'Dwyer, T. P. and Timon, C. Surgical management of drooling in the neurologically damaged child. *Orig. Art.*, 750
- Walsh, M., McShane, D., El Sherif, I., Doyle-Kelly, W. and Fennell, G. Dermoids ('hairy polyps') of the oro-nasopharynx. *Clin. Rec.*, 612
- Walsh, M., Timon, C. I., McShane, D. and McGovern, E. Treatment of combined and critically low tracheal stenoses secondary to burn inhalation injury. *Clin. Rec.*, 1083
- Walsted, A., Thomsen, J. and Nielsen, P. L. Two malignant melanomas in skin and tonsil during consecutive pregnancies. *Clin. Rec.*, 780
- Ward, D., Rabie, I. and McShane, D. Bacterial tracheitis. *Orig. Art.*, 1059
- Watkin, P. M. Otolgical disease in Turner's syndrome. *Orig. Art.*, 731
- Watson, M. G., Proops, D. W., Smallman, L. A. and Stores, O. P. R. Cryptococcosis of the larynx. *Clin. Rec.*, 214
- Welsby, P. D., Kelleher, R. J. and Murray, J. A. M. Recurrent meningitis associated with meningioma of the mastoid cavity. *Clin. Rec.*, 99
- Wersäll, J., Bagger-Sjöbäck, D., Harada, Y. and Takumida, M. Observation of the glycocalyx of the organ of Corti: An investigation by electron microscopy in the normal and gentamicin-treated guinea pig. *Orig. Art.*, 133
- Wersäll, J., Takumida, M., Fredelius, L., Bagger-Sjöbäck, D. and Harada, Y. Effect of acoustic overstimulation on the glycocalyx and the ciliary interconnections in the organ of Corti: High resolution scanning electron microscopic investigation. *Orig. Art.*, 1125
- Wersäll, J., Takumida, M., Urquiza, R. and Bagger-Sjöbäck, D. Effect of gentamicin on the carbohydrates of the vestibular end organs: An investigation by the use of FITC-lectins. *Orig. Art.*, 357
- Westerbeek, G. F., Yap, S. H., Manni, J. J. and Schaafsma, H. E. Rare case of obscure haemorrhage in the upper aero-digestive tract (epiglottitis). *Clin. Rec.*, 331
- West, P. D. B., Gholkar, A. and Ramsden, R. T. Wildervanck's syndrome—unilateral Mondini dysplasia identified by computed tomography. *Clin. Rec.*, 408
- Wetteland, P., Hovig, T., Brandtzaeg, P. and Boysen, M. Neuroendocrine carcinoma of the lip (Merkel cell tumour) examined by electron microscopy and immunohistochemistry. *Clin. Rec.*, 519
- Whitehead, E. and Hussain, S. S. M. Malignant melanoma of the larynx. *Clin. Rec.*, 533
- Whittet, H. B. and Golding-Wood, D. G. The lingual tonsil. A neglected symptomatic structure? *Orig. Art.*, 922
- Whittet, H. B., Croft, C. B. and Fisher, E. W. Symptomatic mucosal cysts of the maxillary sinus: antroscopic treatment. *Orig. Art.*, 1184
- Wickham, M. J., Smelt, G. J. C., MacDonald, A. and Woodhead, C. J. Some observations on submucous diathermy. *Orig. Art.*, 1047
- Willatt, D. J., Durham, L. M. and Jones, A. S. Nasal airflow: resistance and sensation. *Orig. Art.*, 909
- Wilson, A. and Davidson, N. G. P. Tongue metastasis from carcinoma of the rectum. *Clin. Rec.*, 322
- Wilson, J. A., Maran, A. G. D. and Amin, M. Radical neck dissection: A 19 year experience. *Orig. Art.*, 760
- Windle-Taylor, P. C. and Violaris, N. S. Idiopathic fibrosis of the upper aerodigestive tract. *Clin. Rec.*, 333
- Woodhead, C. J., Wickham, M. J., Smelt, G. J. C. and MacDonald, A. Some observations on submucous diathermy. *Orig. Art.*, 1047
- Wright, R. G., Variend, S. and Bull, P. D. Granular cell tumour of the larynx in childhood. *Clin. Rec.*, 880
- Yanagita, N., Asami, K., Yokoi, H., Hattori, T. and Rao, A. J. Metastatic gallbladder carcinoma of the palatine tonsil. *Clin. Rec.*, 211
- Yap, S. H., Manni, J. J., Schaafsma, H. E. and Westerbeek, G. F. Rare case of obscure haemorrhage in the upper aero-digestive tract (epiglottitis). *Clin. Rec.*, 331
- Yokoi, H., Hattori, T., Rao, A. J., Yanagita, N. and Asami, K. Metastatic gallbladder carcinoma of the palatine tonsil. *Clin. Rec.*, 211
- Yue, W. L. Nasal mucociliary clearance in patients with diabetes mellitus. *Orig. Art.*, 853
- Zaidi, S. H. Anthropological study of the mastoid air cell system in Pakistani races. *Orig. Art.*, 819
- Zargi, M., Gale, N. and Kambič, V. Laryngeal chondrosarcoma: is conservative surgery adequate treatment? *Clin. Rec.*, 970
- Zohar, Y., Djaldeiti, M., Cohen, A. M., Talmi, Y. P., Floru, S. and Bar-Ziv, J. Ossification of the auricle in Addison's disease. *Rad. Focus*, 885
- Zohar, Y., Finkelstein, Y., Talmi, Y. P., Rubel, Y. and Bar-Ziv, J. Otitis media with effusion as a presenting symptom of chronic sinusitis. *Orig. Art.*, 827
- Zohar, Y., Talmi, Y. P., Finkelstein, Y. and Shem-Tov, Y. Use of a Braunula for maxillary sinus irrigation. *Orig. Art.*, 279
- Zuk, R. and O'Reilly, B. J. Transitional-type papilloma of the nasopharynx. *Clin. Rec.*, 528

GENERAL

- Aberrant intratympanic internal carotid artery: a potentially hazardous anomaly—M. Jacobsson, A. Davidsson, S. Hugosson, A. Tjellström and P. Svendsen. *Clin. Rec.*, 1202
- Aberrant reinnervation of the stapedius muscle following facial palsy—D. J. McFerran, D. Baguley and D. A. Moffat. *Clin. Rec.*, 205
- Acinous cell carcinoma of the larynx—S. Kallis and D. J. Stevens. *Path. Focus.*, 638
- Acute and latent mastoiditis—H. Faye-Lund. *Orig. Art.*, 1158
- Adenocarcinoma of the ethmoid sinuses in High Wycombe, 1986—J. W. R. Capper and D. J. Radstone. *Orig. Art.*, 1050
- Adenoid cystic carcinoma of the salivary glands: Clinicopathological survey of 51 patients—V. N. Koka, R. M. Tiwari, I. Van Der Waal, G. B. Snow, J. Nauta, A. B. M. F. Karim and A. H. Tierie. *Orig. Art.*, 675
- Adenosquamous carcinoma of the thyroid gland—A. R. Nicolaidis, P. Rhys Evans and C. Fisher. *Clin. Rec.*, 978
- Agnesis of the cervical internal carotid artery—T. Nishimura, T. Takimoto, M. Kamide, S. Ishikawa and R. Umeda. *Clin. Rec.*, 707
- AIDS to the post nasal space—G. A. J. Morrison, P. Butler and J. B. Booth. *Rad. Focus*, 1091
- Air in the neck—P. D. Phelps and J. M. Stansbie. *Rad. Focus*, 337
- Airgun pellet injuries of the neck—J. A. Cook and R. S. Dawkins. *Clin. Rec.*, 432
- Allergic aspergillus sinusitis—An overlooked diagnosis?—D. Jonathan, V. Lund and C. Milroy. *Orig. Art.*, 1181
- Alveolar soft part sarcoma of the tongue—F. Cetik, C. Ozsahinoglu, F. Kivanc and E. Secinti. *Clin. Rec.*, 952
- Aneurysm of the anterior inferior cerebellar artery mimicking an intracanalicular acoustic neuroma—M. J. Gleeson, T. C. S. Cox and A. J. Strong. *Clin. Rec.*, 107
- Angiosarcoma of the nasal cavity and maxillary antrum—M. Kurien, S. Nair and S. Thomas. *Clin. Rec.*, 874
- Anterior neck lipoma masquerading as an external laryngocoele—R. Ramakantan and P. Shah. *Clin. Rec.*, 1087
- Anthropological study of the mastoid air cell system in Pakistani races—S. H. Zaidi. *Orig. Art.*, 819
- Antroscopic study of the maxillary antrum in lepromatous leprosy—N. K. Soni. *Orig. Art.*, 502
- Antroscopy: Current practice—A survey of U.K. otolaryngologists—E. W. Fisher and C. B. Croft. *Orig. Art.*, 747
- Antroscopy in maxillary sinus disease associated with nasal polyposis—J. G. Gilbert. *Orig. Art.*, 861
- Associated carotid body tumour and pharyngeal pouch—D. A. Nunez, W. Lang and J. G. Pollock. *Clin. Rec.*, 531
- Asthma therapy and a tracheostomy—C. O'Callaghan, S. Dryden, D. N. Cert and K. Gibbin. *Clin. Rec.*, 427
- Attitudes to tympanometry—P. J. Stoney and J. H. Rogers. *Orig. Art.*, 657
- Atypical thyroglossal duct cyst—V. L. Cumberworth and P. J. Bradley. *Clin. Rec.*, 700

- Auditory and vestibular findings in Waardenburg's Type II syndrome—M. Hildesheimer, Z. Maayan, C. Muchnik, M. Rubinstein and R. M. Goodman. *Orig. Art.*, 1130
- Aural Schistosomiasis mansoni—P. L. Bhatia. *Clin. Rec.*, 596
- Avoidable occupational hazard during mastoid surgery, An—F. J. Lannigan, N. S. Jones and M. V. von Schoenberg. *Orig. Art.*, 566
- Bacterial tracheitis—I. Rabie, D. McShane and D. Ward. *Orig. Art.*, 1059
- Bacteriology of chronic otitis media with effusion—C. Diamond, P. R. Sisson, A. M. Kearns and H. R. Ingham. *Orig. Art.*, 369
- Bacteriology of otitis media with effusion—K. B. Sriwardhana, A. J. Howard and K. T. Dunkin. *Orig. Art.*, 253
- Benign paroxysmal positional vertigo resulting from surgical trauma—A. Nigam, D. A. Moffat and E. W. B. Varley. *Clin. Rec.*, 203
- Bifid uvula: Prevalence and association in otitis media with effusion in children admitted for routine otolaryngological operations—R. P. Rivron. *Orig. Art.*, 249
- Bilateral carotid body tumours—A. C. Robinson and C. M. Lukaszewicz. *Rad. Focus*, 543
- Bilateral facial nerve palsy following secretory otitis media—D. J. Premachandra and G. Radcliffe. *Clin. Rec.*, 685
- Birmingham and Midland Ear, Nose and Throat Hospital: An obituary, The—A. Nigam, J. B. Campbell and D. J. Brain. *Orig. Art.*, 815
- Bone pâté repair of the eroded incus—N. B. Solomons and J. M. Robinson. *Orig. Art.*, 41
- Breast metastasis from a pharyngeal carcinoma—D. A. Nunez, C. G. G. Sutherland and R. K. Sood. *Clin. Rec.*, 227
- Calcium alginate fibre (Kaltostat®) for nasal packing after trimming of turbinates. A pilot study—K. S. Sirimana. *Short Comm.*, 1067
- Can post-tonsillectomy pain be reduced by topical bupivacaine? double blind controlled trial—N. S. Violaris and J. R. Tuffin. *Orig. Art.*, 592
- Carbohydrate content of the endolymphatic sac: A histochemical and lectin-labelling study in the mongolian gerbil—M. Barbara. *Orig. Art.*, 137
- Carcinoid tumour of the middle ear—H. Kodama, H. Takezawa, T. Suzuki, K. Kobayashi, A. Kataura, J. Wakabayashi and M. Satoh. *Clin. Rec.*, 86
- Carcinoma arising in a pleomorphic adenoma of the epiglottis—C. A. Milford, T. A. Mugliston, P. O'Flynn and K. McCarthy. *Clin. Rec.*, 324
- Carcinoma of the ear: Retrospective analysis of 61 patients—D. G. Golding-Wood, R. E. Quiney and A. D. Cheesman. *Orig. Art.*, 653
- Carcinoma of the laryngeal sacculae: A biopsy technique to make a difficult diagnosis—S. Habashi, A. F. Padel and J. W. R. Capper. *Clin. Rec.*, 692
- Carcinoma of the pharyngeal pouch—D. J. Stevens. *Clin. Rec.*, 695
- Carcinomas ex monomorphic adenoma of salivary glands—M. A. Luna, J. G. Batsakis, M. E. Tortoledo and G. W. del Junco. *Orig. Art.*, 756
- Case of jaw locking, A—M. S. C. Morrissey and T. Alun-Jones. *Clin. Rec.*, 419
- Cephalometric analysis in patients with obstructive sleep apnoea syndrome. I. Skeletal morphology—T. Lyberg, O. Krogstad and G. Djupesland. *Orig. Art.*, 287
- Cephalometric analysis in patients with obstructive sleep apnoea syndrome. II. Soft tissue morphology—T. Lyberg, O. Krogstad and G. Djupesland. *Orig. Art.*, 293
- Cerebrospinal fluid in the rhinitis clinic—M. J. Brockbank, D. Y. Veitch and H. G. Thomson. *Orig. Art.*, 281
- Cervical Echinococcal hydatid cyst—M. Fradis, L. Podoshin, Y. Goldstein, I. Miselvich and J. H. Boss. *Clin. Rec.*, 435
- Changing incidence of sinus infection in children—L. C. Knight and T. H. J. Lesser. *Orig. Art.*, 659
- Cholesteatoma of the external auditory canal in hemifacial hypertrophy (hyperplasia)—A. K. Gadre and K. C. Gadre. *Clin. Rec.*, 74
- Cholesterol granuloma of the paranasal sinuses—S. Butler and R. Grossenbacher. *Clin. Rec.*, 776
- Chronic aspiration and laryngeal competence—K. Bevan and M. V. Griffiths. *Orig. Art.*, 196
- Clear cell carcinoma in pleomorphic adenoma of the minor salivary gland—J. Klijanienko, C. Micheau, G. Schwaab, P. Marandas and S. Friedman. *Clin. Rec.*, 789
- Clinical role of informed tests of hearing—G. G. Browning, I. R. C. Swan and K. K. Chew. *Orig. Art.*, 7
- Clofazimin in the treatment of scleroma—M. A. Shehata and A. W. Salama. *Orig. Art.*, 856
- Co-existent inverted papilloma and squamous carcinoma of the nasal septum—D. W. Sim. *Clin. Rec.*, 774
- Coin as a tracheal foreign body for 30 years, A—C-Y. Su. *Clin. Rec.*, 798
- Combined treatment of large head and neck capillaro-venous malformation by a fibrosing agent—M. Fradis, L. Podoshin, J. Simon, N. Lazarov, I. Shagrawi and J. H. Boss. *Orig. Art.*, 390
- Complications in head and neck surgery and how to avoid trouble—P. H. Rhys Evans. *Orig. Art.*, 926
- Complications of mediastinoscopy—H. J. Puhakka. *Orig. Art.*, 312
- Congenital cholesteatoma presenting as a post-auricular mass—P. G. Reilly. *Clin. Rec.*, 1069
- Congenital cysts of the larynx—A. S. Bais, K. Uppal and K. B. Logani. *Clin. Rec.*, 966
- Congenital subglottic fibromatosis—J. E. O'Connell, F. Raafat and D. Proops. *Path Focus*, 983
- Contralateral auditory brainstem response abnormalities in acoustic neuroma—D. A. Moffat, D. M. Baguley, D. G. Hardy and Y. N. Tsui. *Orig. Art.*, 835
- Contralateral ear after translabyrinthine removal of acoustic neuromas. Is there a drill—noise generated loss? The—M. Tos, N. Trojaborg and J. Thomsen. *Orig. Art.*, 845
- Cough as the sole manifestation of airway hyperreactivity—A. Frans and J. Van Den Eeckhaut. *Orig. Art.*, 680
- Cricothyroid muscle paralysis: its recognition and diagnosis—K. Bevan, M. V. Griffiths and M. H. Morgan. *Orig. Art.*, 191
- Cryosurgical treatment of endolymphatic hydrops—M. Horowitz, L. M. Flood and S. Hampal. *Orig. Art.*, 481
- Cryptococcosis of the larynx—L. A. Smallman, O. P. R. Stores, M. G. Watson and D. W. Proops. *Clin. Rec.*, 214
- CSF otorrhoea secondary to a tegmen defect—A. K. Robson, A. J. Jones and R. W. T. Slack. *Rad. Focus*, 980
- CT Air meatography: Review of side effects in 60 patients—I. M. Smith, L. W. Turnbull, R. J. Sellar and J. A. M. Murray. *Orig. Art.*, 173
- Culture of *Rhinosporidium seeberi*: Preliminary report—S. Krishnamoorthy, V. P. Sreedharan, P. Koshy, S. Kumar and C. K. Anilakumari. *Orig. Art.*, 178
- Cystic hygroma presenting in adulthood—S. Baer and J. Davis. *Clin. Rec.*, 976
- Cysticercosis of the tongue—R. K. Jain, O. P. Gupta and N. C. Aryya. *Path Focus*, 1227
- Dermoids ('hairy polyps') of the oro-nasopharynx—D. McShane, I. El Sherif, W. Doyle-Kelly, G. Fennell and M. Walsh. *Clin. Rec.*, 612
- Diagnosis of frontal sinusitis—J. Suonpää and M. Revonta. *Short Comm.*, 765
- Diagnostic imaging of the nose and paranasal sinuses—G. A. S. Lloyd. *Orig. Art.*, 453
- Diagnostic vetting of individuals with asymmetric sensorineural hearing impairments—I. R. C. Swan. *Orig. Art.*, 823
- Does severe water deprivation affect the inner ear?—M. Barbara, D. Bagger-Sjöback, H. Rask-Anderson and R. Filipino. *Orig. Art.*, 22
- D.N.A. content and proliferative activity of myoepitheliomas—A. El-Naggar, J. G. Batsakis, M. A. Luna, H. Goepfert and M. E. Tortoledo. *Orig. Art.*, 1192
- Early ossification within the human fetal otic capsule: morphological and microanalytical findings—F. Declau, W. Jacob, W. Dorrine, B. Appel and J. Marquet. *Orig. Art.*, 1113

- Effect of acoustic overstimulation on the glycocalyx and the ciliary interconnections in the organ of Corti: High resolution scanning electron microscopic investigation—M. Takumida, L. Fredelius, D. Bagger-Sjöback, Y. Harada and J. Wersäll. *Orig. Art.*, 1125
- Effect of gentamicin on the carbohydrates of the vestibular end organs: An investigation by the use of FITC-lectins—M. Takumida, R. Urquiza, D. Bagger-Sjöback and J. Wersäll. *Orig. Art.*, 357
- Effect of respiration on nasopharyngeal radiographs when assessing adenoidal enlargement—P. D. Britton. *Orig. Art.*, 71
- Effect of weather conditions on acute laryngotracheitis—C. P. Fielder. *Orig. Art.*, 187
- Effects of amiloride on the endolymphatic sac—M. Takumida and D. Bagger-Sjöback. *Orig. Art.*, 466
- Endoscopic transnasal dacryocystorhinostomy—M. McDonagh and J. H. Meiring. *Orig. Art.*, 585
- Endoscopic transnasal surgery in chronic maxillary sinusitis—R. H. Kamel. *Orig. Art.*, 492
- Ethmoidal mucocoeles in children—C. I. Timon and T. P. O'Dwyer. *Orig. Art.*, 284
- Evaluation for waterproof ear protectors in swimmers—A. C. Robinson. *Orig. Art.*, 1154
- Evaluation of myringoplasty in war injured people, An—H. T. Makki. *Short Comm.*, 945
- Evaluation of recent experience in hypoglossal-facial nerve anastomosis in the treatment of facial palsy—M. I. Clayton, R. P. Rinon, D. R. Hanson and J. D. Fenwick. *Orig. Art.*, 63
- External rhinoplasty in the tropics—B. Nasar, N. Hiranandani and D. S. Grewal. *Short Comm.*, 1198
- Eyelid necrosis complicating acute maxillary sinusitis—J. Hill and T. Alun-Jones. *Clin. Rec.*, 413
- E.N.T. consultation: A prospective study of the doctor's and the patient's perceptions, The—D. W. Sim. *Orig. Art.*, 363
- Facial nerve recovery after acoustic neuroma tumour removal—D. A. Moffat, G. R. Croxson, D. M. Baguley and D. G. Hardy. *Orig. Art.*, 169
- Facial schwannoma without facial paralysis—J. F. Sharp, A. I. G. Kerr, P. Carder and R. J. Sellar. *Clin. Rec.*, 973
- Factitious illness and the ENT surgeon—M. R. Thomas. *Clin. Rec.*, 882
- Fibromatosis of the larynx in the adult—G. De Rosa, E. Barra, A. Boscaino, R. Gentile and B. Di Prisco. *Clin. Rec.*, 1219
- Fibrosarcoma of the ethmoid—M. C. F. Smith and J. V. Soames. *Clin. Rec.*, 686
- Fibrous histiocytoma of the larynx—M. B. Jordan and J. V. Soames. *Clin. Rec.*, 216
- Flexible oesophagogastrosopy in otolaryngology—H. G. Thomson and A. J. G. Batch. *Orig. Art.*, 399
- Fractured tracheostomy tube in the tracheobronchial tree—C. C. Ming and S. A. Ghani. *Clin. Rec.*, 335
- Genetic counselling for isolated hearing loss—V. E. Newton. *Orig. Art.*, 12
- Glial teratoma thought to be a lingual thyroid—C. G. Tumushime-Buturo and N. K. Nkanza. *Clin. Rec.*, 620
- Granular cell myoblastoma of the supraglottis—P. J. Robb and A. Girling. *Clin. Rec.*, 328
- Granular cell tumour of the larynx in childhood—R. G. Wright, S. Variend and P. D. Bull. *Clin. Rec.*, 880
- Guillotine and dissection tonsillectomy compared—M. Wake and P. Glossop. *Orig. Art.*, 588
- Haemangiopericytoma of the larynx—P. J. Bradley, A. Narula, L. Harvey, I. Holland, D. A. Morgan and K. MacLennan. *Path. Focus*, 234
- Haemorrhage during minitracheotomy: Reduction of risk by altered incision—R. M. Terry and P. Cook. *Clin. Rec.*, 207
- Has the increasing use of grommets influenced the frequency of surgery for cholesteatoma?—N. Padgam, R. Mills and H. Christmas. *Orig. Art.*, 1034
- Head and neck surgery in the elderly—a maturing problem—M. Harries and V. J. Lund. *Orig. Art.*, 306
- Hearing aids—a case for review—M. L. L. Harries, D. M. Baguley and D. A. Moffat. *Orig. Art.*, 850
- Hearing threshold in patients with diabetes mellitus—M. Kurien, K. Thomas and T. S. Bhanu. *Orig. Art.*, 164
- Histogenesis of salivary gland neoplasms: a postulate with prognostic implications—J. G. Batsakis, J. A. Regezi, M. A. Luna and A. El-Naggar. *Orig. Art.*, 939
- Histopathology of the soft parts in 50 patients with malignant otitis externa—J. Bernheim and J. Sadé. *Orig. Art.*, 366
- Hypopharyngeal involvement by thyroid cancer—C. I. Timon, E. Leen and W. Doyle-Kelly. *Clin. Rec.*, 629
- Idiopathic fibrosis of the upper aerodigestive tract—N. S. Violaris and P. C. Windle-Taylor. *Clin. Rec.*, 333
- Immunocytochemical identification of HIV (p24) antigen in parotid lymphoid lesions—J. M. Bruner, K. R. Cleary, F. B. Smith and J. G. Batsakis. *Orig. Art.*, 1063
- Immunopathology of polymorphic reticulosis of the larynx—T. Nakashima, M. Inamitsu, T. Uemura and T. Sugimoto. *Clin. Rec.*, 955
- Incidence of abnormality in routine vocal cord checks—J. W. A. Curley and M. S. Timms. *Orig. Art.*, 1057
- Infective complications of brief nasotracheal intubation—M. A. Hariri and P. W. Duncan. *Clin. Rec.*, 1217
- Influence of the mode of preparation on the distortion and consistency of homologous costal cartilage implants—P. Adlington, A. J. Anscombe and J. B. Joshi. *Orig. Art.*, 572
- Intracranial pneumocephalus (secondary to fronto-ethmoidal osteoma)—A. Ferlito, G. Pesavento, G. Recher, S. Mingrino, A. Visonà, D. L. Fiore and C. Macchi. *Rad. Focus*, 634
- Intrahyoid thyroglossal cyst—L. Podoshin, M. Fradis, J. Goldstein, I. Misselevitch and J. H. Boss. *Clin. Rec.*, 539
- Intravagal parathyroid adenoma—T. Takimoto, Y. Okabe, M. Ito and R. Umeda. *Clin. Rec.*, 704
- Invasive pituitary adenoma presenting with nasal obstruction—J. A. Dent and P. K. Rickhuss. *Clin. Rec.*, 605
- Isolated sphenoiditis: A diagnostic problem—A. C. Urquhart, G. Fung and W. A. McIntosh. *Clin. Rec.*, 526
- Kaposi's sarcoma of the head and neck in patients with AIDS—N. D. Stafford, R. C. D. Herdman, S. Forster and A. J. Munro. *Orig. Art.*, 379
- Klippel-Feil syndrome and conductive deafness—E. J. Stewart and B. F. O'Reilly. *Clin. Rec.*, 947
- Langerhan's cell histiocytosis in the sphenoid sinus: A case of diabetes insipidus—S. S. M. Hussain, R. D. Simpson, D. McCormick and C. I. Johnstone. *Clin. Rec.*, 877
- Laryngeal chondrosarcoma: is conservative surgery adequate treatment?—V. Kambič, M. Žargi and N. Gale. *Clin. Rec.*, 970
- Laryngeal tuberculosis in the eighties—an Indian experience—V. Rupa and T. S. Bhanu. *Orig. Art.*, 864
- Laryngotracheal resection for post scleromatous laryngeal stenosis—M. Rifai. *Orig. Art.*, 935
- Late onset Cogan's syndrome—H. Fidler and N. S. Jones. *Clin. Rec.*, 512
- Lingual abscess: the value of ultrasound in diagnosis—J. Y. Osammor, J. R. Cherry and M. Dalziel. *Clin. Rec.*, 950
- Lingual tonsil. A neglected symptomatic structure?, The—D. G. Golding-Wood and H. B. Whittet. *Orig. Art.*, 922
- Liposarcoma in the pharynx—F. Nofal and M. Thomas. *Clin. Rec.*, 1080
- Localized middle ear effusions: Three unusual acute cases in adults—D. A. Parker, A. P. Reid and P. J. Patel. *Clin. Rec.*, 83
- Long term pathological sequelae of neonatal endotracheal intubation—S. J. Gould and J. Graham. *Clin. Rec.*, 622
- Malignant fibrous histiocytoma of larynx—N. K. Majumder, H. S. Sharma and V. Srinivasan. *Clin. Rec.*, 219
- Malignant fibrous histiocytoma of the nasopharynx—B. J. O'Reilly, J. Ryan, J. Reynard and E. Chevretton. *Clin. Rec.*, 1076

- Malignant melanoma of the larynx—S. S. M. Hussain and E. Whitehead. *Clin. Rec.*, 533
- Malignant melanoma of the nasal cavity—J. J. Going and D. M. Kean. *Path. Focus*, 231
- Management of achalasia and laryngo-tracheal compression—G. D. Barr and I. MacDonald. *Clin. Rec.*, 713
- Management of the inflammatory aural polyp—S. Rhys Williams, P. J. Robinson and A. P. Brightwell. *Orig. Art.*, 1040
- Manipulation of the fractured nose using topical local anaesthesia—A. El-Kholy. *Orig. Art.*, 580
- Mastoid ache in acoustic neuroma—D. A. Moffat, D. Baguley, R. A. Evans and D. G. Hardy. *Orig. Art.*, 1043
- Maxillary antral lavage—infiltration and surface anaesthesia compared—K. O. Paulose, S. Al Khalifa, P. Shenoy and R. K. Sharma. *Orig. Art.*, 582
- Metastasis to the temporal bone, secondary to carcinoma of the bladder—C. B. R. Saldanha, J. D. C. Bennett, J. N. G. Evans and H. Pambakian. *Clin. Rec.*, 599
- Metastatic bone marrow involvement from supraglottic squamous cell carcinoma—G. C. Toner, R. L. Thomas and M. A. Schwarz. *Clin. Rec.*, 225
- Metastatic gallbladder carcinoma of the palatine tonsil—K. Asami, H. Yokoi, T. Hattori, A. J. Rao and N. Yanagita. *Clin. Rec.*, 211
- Metastatic melanoma of the tonsil—A. Nicolaidis, C. Fisher and P. H. Rhys-Evans. *Path. Focus*, 890
- Metastatic renal carcinoma to the parotid gland—M. U. Günbay, K. Ceryan and A. A. Küpelioglu. *Clin. Rec.*, 417
- Metastatic squamous cell carcinoma of the paranasal sinuses from a primary squamous cell carcinoma of the urinary bladder—N. Kawai, K. Asakura, S. Sambe, A. Kataura and K. Enomoto. *Clin. Rec.*, 602
- Middle ear neoplasms showing adenomatous and neuroendocrine components—J. E. Davies, D. Semeraro, L. C. Knight and G. J. Griffiths. *Clin. Rec.*, 404
- Modified incision for the trans-septal trans-sphenoidal approach to the pituitary, A—M. E. Baraka. *Orig. Art.*, 670
- Morphology of a columellaform stapes—C. Vande Maele, P. Van Cauwenberge, P. Kluyskeris and L. Vakaet. *Clin. Rec.*, 79
- Mucoepidermoid carcinoma of the larynx—V. L. Cumberworth, A. Narula, K. A. MacLennan and P. J. Bradley. *Clin. Rec.*, 420
- Multiple synchronous carcinoma of the aero-digestive tract—A. McCombe, V. J. Lund and D. J. Howard. *Clin. Rec.*, 794
- Mycotic aneurysm of the petrous portion of the internal carotid artery—J. Samuel and C. M. C. Fernandes. *Clin. Rec.*, 111
- Myxotic infection of the ear (otomycosis)—K. O. Paulose, S. Al Khalifa, P. Shenoy and R. K. Sharma. *Orig. Art.*, 30
- Myxoid tumours in the temporal bone—S. Charabi, P. Engel and P. Bonding. *Clin. Rec.*, 1206
- Nasal airflow: resistance and sensation—A. S. Jones, D. J. Willatt and L. M. Durham. *Orig. Art.*, 909
- Nasal decongestant effect of Oxymetazoline in the common cold: An objective dose-response study in 106 patients—A. =kerlund, T. Klint, L. Olsen and H. Rundcrantz. *Orig. Art.*, 743
- Nasal endoscopy in chronic maxillary sinusitis—R. H. Kamel. *Orig. Art.*, 275
- Nasal mucociliary clearance in patients with diabetes mellitus—W. L. Yue. *Orig. Art.*, 853
- Nasal myiasis: Review of 10 years' experience—H. Sharma, D. Dayal and S. P. Agarwal. *Orig. Art.*, 489
- Nasal polyps and sinusitis in children with cystic fibrosis—A. B. Drake-Lee and D. W. Morgan. *Orig. Art.*, 753
- Nasopharyngeal bacterial flora before and after adenoidectomy—A. M. Talaat, Y. S. Bahgat, E. El-Ghazzawy and S. Elwany. *Orig. Art.*, 372
- Nasopharyngeal Warthin's tumour: A metaplastic lesion—S. Kristensen, K. Tveterås, I. Friedmann and P. Thomsen. *Clin. Rec.*, 616
- Nature of spontaneous tympanic membrane perforation in acute otitis media in children—G. Berger. *Orig. Art.*, 1150
- Neuroendocrine carcinoma of the lip (Merkel cell tumour) examined by electron microscopy and immunohistochemistry—M. Boysen, P. Wetteland, T. Hovig and P. Brandtzaeg. *Clin. Rec.*, 519
- New look at the carotid bodies, A—D. Heath. *Path. Focus*, 803
- Noise levels and exposure patterns to Do-It-Yourself power tools—L. G. McClymont and D. C. Simpson. *Orig. Art.*, 1140
- Non-traumatic intracavernous carotid aneurysm presenting with epistaxis—M. J. Chandy and V. Rajshekar. *Clin. Rec.*, 425
- Normal growth pattern of the middle ear cleft in the human fetus—F. Declau, L. Moeneclay and J. Marquet. *Orig. Art.*, 461
- Norris Wolfenden—A footnote—J. B. Booth. *Orig. Art.*, 1014
- Norris Wolfenden and X-rays—R. F. Mould. *Orig. Art.*, 1020
- Objective tinnitus and tympanic membrane displacement—J. J. Phillips, A. Reid, R. J. Marchbanks and R. F. Jarrar. *Clin. Rec.*, 872
- Obliteration of the middle ear cleft—N. S. Violaris and R. Donovan. *Orig. Art.*, 43
- Observation of the glycocalyx of the organ of Corti: An investigation by electron microscopy in the normal and gentamicin-treated guinea pig—M. Takumida, J. Wersäll, D. Bagger-Sjöbäck and Y. Harada. *Orig. Art.*, 133
- Occasional stapes surgery—A Norwegian experience—I. W. S. Mair. *Orig. Art.*, 259
- Ophthalmic considerations in fronto-ethmoidal mucocoeles—V. J. Lund and M. E. Rolfe. *Orig. Art.*, 667
- Organogenesis of the middle ear structures—B. Ars. *Orig. Art.*, 16
- Ossification of the auricle in Addison's disease—A. M. Cohen, Y. P. Talmi, S. Floru, J. Bar-Ziv, Y. Zohar and M. Djaldetti. *Rad. Focus*, 885
- Ossifying lipoma—J. D. Blandshard and D. Veitch. *Clin. Rec.*, 429
- Osteoma of the ear canal presenting with headache—P. Shenoy, K. O. Paulose, S. A. Khalifa and R. Sharma. *Clin. Rec.*, 683
- Otitis media with effusion as a presenting symptom of chronic sinusitis—Y. Finkelstein, Y. P. Talmi, Y. Rubel, J. Bar-Ziv and Y. Zohar. *Orig. Art.*, 827
- Otological disease in Turner's syndrome—P. M. Watkin. *Orig. Art.*, 731
- Ototoxicity of ear drops in patients suffering from chronic otitis media—L. Podoshin, M. Fradis and J. Ben David. *Orig. Art.*, 46
- Out-patient examination of the upper airway: A survey of current practice in the U.K.—C. Albizzati and R. Mills. *Orig. Art.*, 272
- Paediatric laryngeal tuberculosis presenting with stridor—V. Rupa, J. Mathew, T. S. Bhanu and A. Date. *Clin. Rec.*, 787
- Parapharyngeal mass presenting with sleep apnoea—D. Veitch, M. Rogers and J. Blanshard. *Clin. Rec.*, 961
- Patulous Eustachian tube syndrome: The relationship with sensorineural hearing loss. Treatment by Eustachian tube diathermy—P. J. Robinson and J. W. P. Hazell. *Orig. Art.*, 739
- Pedunculated squamous papilloma of the laryngopharynx—S. Desai and K. Rajaratnam. *Clin. Rec.*, 209
- Perforated telescoping double catheter for uncontaminated endobronchial sampling—a new technique—A. Banerjee, K. S. V. K. Subba Rao and M. Nachiappan. *Orig. Art.*, 310
- Persisting nystagmus following vestibular nerve section for Menière's disease—J. C. Shotton, H. Ludman and R. Davies. *Orig. Art.*, 263
- Pharyngeal cyst arising from second branchial cleft—T. Takimoto, Y. Akemoto and R. Umeda. *Clin. Rec.*, 964
- Pharyngeal paralysis due to botulinum toxin injection—C. E. Koay and T. Alun-Jones. *Clin. Rec.*, 698
- Pilonidal sinus of the nose—K. O. Paulose, S. Al Khalifa, S. S. Raj and T. Saeed. *Clin. Rec.*, 1210
- Pneumatic otoscopy: Study of inter-observer variability—B. T. Mains and J. G. Toner. *Orig. Art.*, 1134
- Post-traumatic asymptomatic saccular aneurysm of the internal carotid artery—M. J. R. R. Vanlierde. *Clin. Rec.*, 115
- Presence of *Branhamella catarrhalis* alters the survival of *Streptococcus pneumoniae* and *Haemophilus influenzae* in middle ear effusion: An *in vitro* study—L. E. Stenfors and S. Raisanen. *Orig. Art.*, 1030
- Prevention of post-operative intra-nasal adhesions (a new material)—P. N. Eliopoulos and C. Philippakis. *Orig. Art.*, 664
- Primary cholesteatoma of the mastoid presenting as cervical abscess—A. A. El-Kholy and J. R. Cherry. *Clin. Rec.*, 92

- Primary chondroid chordoma of the base of the petrous temporal bone—V. Rupa, V. Rajshekhar, T. S. Bhanu and S. M. Chandi. *Clin. Rec.*, 771
- Primary composite squamous cell carcinoma and large cell neuroendocrine carcinoma of the hypopharynx—C. M. Milroy, P. J. Robinson and H. R. Grant. *Path. Focus*, 1093
- Primary intracranial mesenchymal chondrosarcoma—S. Shuangshoti and V. Kasantikul. *Path. Focus.*, 545
- Primary malignant melanoma of the oral cavity—V. Calabrese, M. Cifola, R. Pareschi, A. Parma and A. Sonzogni. *Path. Focus.*, 887
- Psychogenic stridor—D. W. Skinner and P. J. Bradley. *Orig. Art.*, 383
- Pulsatile tinnitus and dural arteriovenous malformation—G. A. J. Morrison. *Clin. Rec.*, 1073
- Radical neck dissection: A 19 year experience—A. G. D. Maran, M. Amin and J. A. Wilson. *Orig. Art.*, 760
- Radio-opacity of fishbones—S. R. Ell. *Rad. Focus*, 1224
- Rare case of obscure haemorrhage in the upper aero-digestive tract (epiglottis)—J. J. Manni, H. E. Schaafsma, G. F. Westerbeek and S. H. Yap. *Clin. Rec.*, 331
- Rare submandibular swelling (Capillary haemangioma)—R. W. T. Slack, C. Milroy and A. Parker. *Clin. Rec.*, 632
- Rational classification of angiofibromas of the post nasal space, A—S. C. Mishra, G. K. Shukla, N. Bhatia and M. C. Pant. *Orig. Art.*, 912
- Recovery from sensorineural deafness in Wegener's granulomatosis—M. R. Clements, C. D. Mistry, A. O. Keith and R. T. Ramsden. *Clin. Rec.*, 515
- Recurrent bilateral peripheral facial palsy—N. Stahl and T. Ferit. *Clin. Rec.*, 117
- Recurrent laryngeal nerve palsy following heart-lung transplantation: three cases of vocal cord augmentation in the acute phase—G. E. Murty and M. C. F. Smith. *Clin. Rec.*, 968
- Recurrent meningitis associated with meningioma of the mastoid cavity—R. J. Kelleher, J. A. M. Murray and P. D. Welsby. *Clin. Rec.*, 99
- Recurrent meningitis in children due to inner ear abnormalities—R. E. Quiney, D. B. Mitchell, B. Djazeri and J. N. G. Evans. *Orig. Art.*, 473
- Recurrent multiple epidermoid inclusion cysts following rhinoplasty—an unusual complication—M. Grocutt and M. F. Fatah. *Clin. Rec.*, 1214
- Reliability of the House and Brackmann grading system for facial palsy—R. A. Evans, M. A. Harries, D. M. Baguley and D. A. Moffat. *Orig. Art.*, 1045
- Repair of post-laryngectomy pharyngeal fistulae—J. S. Rubin. *Orig. Art.*, 302
- Repair of tympanic membrane perforations using hyaluronic acid: An alternative to myringoplasty—L.-E. Stenfors. *Orig. Art.*, 39
- Research worthwhile? Is—C. Booth. *Orig. Art.*, 351
- Resection with laser and high frequency cutting loop in tracheo-bronchial diseases—P. Illum. *Orig. Art.*, 386
- Results of surgery to the damaged facial nerve—P. A. Fagan and K. K. Loh. *Orig. Art.*, 567
- Revealing C.T. examination in nasopharyngeal carcinoma, A—J. A. D. Annis, P. D. Phelps and C. B. Croft. *Rad. Focus*, 801
- Rheumatoid nodule of the temporal bone—R. A. Hoffman and B. Horten. *Clin. Rec.*, 768
- Right vocal cord paralysis after internal jugular vein cannulation—D. W. Sim and M. R. Robertson. *Clin. Rec.*, 424
- Role and results of cortical mastoidectomy and endolymphatic sac surgery in Menière's disease—A. G. Kerr, J. G. Toner, G. J. McKee and G. D. L. Smyth. *Orig. Art.*, 1161
- Role of irradiation in the suppression of parotid secretions—A. C. R. Robinson, G. G. Khoury and P. M. Robinson. *Orig. Art.*, 594
- Role of masseter crossover flap in oropharyngeal reconstruction—R. M. Tiwari and G. B. Snow. *Orig. Art.*, 298
- Role of post-operative electroneurography in predicting facial nerve recovery after acoustic neuroma removal—G. R. Croxson, D. A. Moffat, D. G. Hardy and D. M. Baguley. *Orig. Art.*, 60
- Round window reflex and oval window fistulae—D. S. Grewal. *Orig. Art.*, 562
- R. Norris Wolfenden M.D: The medical episode—D. M. Damkaer. *Orig. Art.*, 1005
- Second primary tumour following retinoblastoma—D. C. Berridge, A. Hitchcock, P. J. Bradley and L. Kapila. *Clin. Rec.* 690
- Securing of suction drains in head and neck surgery—N. S. Violaris, S. Chang and M. W. Bridger. *Short Comm.*, 869
- Sensorineural hearing loss in chronic otitis media—F. Cusimano, V. C. Cocita and A. D'Amico. *Orig. Art.*, 158
- Sensorinural deafness associated with IgA nephropathy—N. L. Ataya. *Clin. Rec.*, 412
- Septic arthritis of the temporomandibular joint complicating otitis externa—H. G. Thomson. *Clin. Rec.*, 319
- Serum antibodies against respiratory tract viruses. A prospective three-year follow-up from birth—G. Harsten, K. Prellner, B. Löfgren, J. Heldrup, O. Kalm and R. Kornfalt. *Orig. Art.*, 904
- Serum enzymes in head and neck cancer. IV: 5-nucleotidase—H. Lal, L. Kumar, G. S. Kohli, A. Sharma and H. Goel. *Orig. Art.*, 200
- Sex ratios in otosclerotic families—W. H. James. *Orig. Art.*, 1036
- Sialadenoma papilliferum of the parotid gland—J. Kronenberg, A. Horowitz and G. Leventon. *Clin. Rec.*, 1089
- Simple method to control laryngeal overspill in tracheostomized patients—S. M. Eisen. *Clin. Rec.*, 222
- Snoring as a presenting feature of the Shy-Drager syndrome—J. A. McGlashan and D. G. Golding-Wood. *Clin. Rec.*, 610
- Some observations on submucous diathermy—C. J. Woodhead, M. J. Wickham, G. J. C. Smelt and A. MacDonald. *Orig. Art.*, 1047
- Spiral prominence epithelium—D. W. Sim. *Orig. Art.*, 1122
- Spontaneous external carotid artery occlusion—J. A. Dixon. *Clin. Rec.*, 710
- Spontaneous perforation of cervical oesophagus associated with oesophageal web—D. Beggs and W. E. Morgan. *Clin. Rec.*, 537
- Spontaneous pneumomediastinum with alteration in voice—D. Sleeman and R. Turner. *Clin. Rec.*, 1222
- Staging in cholesteatoma surgery—D. F. Austin. *Orig. Art.*, 143
- Strategy and benefits of acoustic neuroma searching—D. A. Moffat, D. G. Hardy and D. M. Baguley. *Orig. Art.*, 51
- Subarachnoid fat embolism complicating autologous fat grafting following translabyrinthine excision of acoustic neuroma—A. T. Reece, B. O'Reilly, E. Teasdale and N. V. Todd. *Clin. Rec.*, 870
- Subglottic haemangioma in the infant: contribution by laser CO₂—M. Remacle, X. Declaye and A. Mayne. *Orig. Art.*, 930
- Sublabial rhinotomy with septal transfixion as an approach to the nasal fossa, paranasal sinuses and nasopharynx—B. J. G. Bingham and M. V. Griffiths. *Orig. Art.*, 661
- Subtotal laryngectomy with myomucosal shunt—H. R. Chandrachud, M. K. Chaurasia and K. P. Sinha. *Orig. Art.*, 504
- Sudden sensorineural hearing loss as a presentation of HIV infection—C. I. Timon and M. A. Walsh. *Clin. Rec.*, 1071
- Superficial malignant schwannoma of the face; a case for early radical surgery—N. R. Bleach, C. E. Keen and J. A. Dixon. *Clin. Rec.*, 316
- Surgery for otitis media with effusion in children and its relationship to parental smoking—A. E. Hinton. *Orig. Art.*, 559
- Surgical management of drooling in the neurologically damaged child—T. P. O'Dwyer, C. Timon and M. A. Walsh. *Orig. Art.*, 750
- Surgical management of large glomus jugulare tumours: Infra- and trans-temporal approach—D. A. Moffat and D. G. Hardy. *Orig. Art.*, 1167
- Surgical reduction of the inferior turbinate in children: extended follow-up—A. C. Thompson. *Orig. Art.*, 577
- Swimming in chlorinated water and its effect on Eustachian tube function—D. W. Morgan and P. M. Shenoi. *Orig. Art.*, 257
- Symmorphosis in relation to the relative dimensions of the glottic and tracheal area in the mammalian larynx—D. F. N. Harrison and S. Denny. *Orig. Art.*, 1053
- Symptomatic mucosal cysts of the maxillary sinus: antroscopic treatment—E. W. Fisher, H. B. Whittet and C. B. Croft. *Orig. Art.*, 1184

- Synchronous extra-parotid Warthin's tumour—H. Nishikawa, N. Kirkham and B. M. Hogbin. *Clin. Rec.*, 792
- System for accelerated provision of hearing aids to residents of homes for the elderly, A—J. J. Hart, M. G. Jones, D. Robertshaw and L. M. Flood. *Orig. Art.*, 485
- Temporal bone laboratory training for stapedectomy—N. J. Murrant and D. J. Gatland. *Orig. Art.*, 833
- Temporal bone venous anomaly of surgical significance—J. C. Shotton, H. Ludman and T. C. S. Cox. *Clin. Rec.*, 101
- Tensa retraction cholesteatoma: treatment and long-term results—T. Lau and M. Tos. *Orig. Art.*, 149
- Tetanus presenting as dysphagia—M. Kasanzew, B. Browne and P. Dawes. *Clin. Rec.*, 229
- Three cases of inter-sterno-costo-clavicular ossification associated with tonsillar infection—M. Furukawa, T. Miwa, M. Kamide, M. Sakumoto and R. Umeda. *Clin. Rec.*, 783
- Thrombosis of the internal carotid artery due to soft palate injury—B. Mains and M. Nagle. *Clin. Rec.*, 796
- Tinnitus in children with hearing loss—L. G. Viani. *Orig. Art.*, 1142
- Tongue metastasis from carcinoma of the rectum—N. G. P. Davidson and A. Wilson. *Clin. Rec.*, 322
- Tonsillar microflora—superficial surface vs deep—K. Uppal and A. S. Bais. *Orig. Art.*, 175
- Total glossectomy: reconstruction and rehabilitation—R. M. Tiwari, A. J. Greven, A. B. M. F. Karim and G. B. Snow. *Orig. Art.*, 917
- Total parotidectomy—a routine treatment of parotid gland swellings?—E. Alajmo, G. Polli and W. De Meester. *Orig. Art.*, 181
- Transitional-type papilloma of the nasopharynx—B. J. O'Reilly and R. Zuk. *Clin. Rec.*, 528
- Transmastoid extracranial repair of CSF leaks following acoustic neuroma resection—A. K. Robson, P. M. Clarke, M. Dilkes and A. R. Maw. *Orig. Art.*, 842
- Transpalatal approach to the petrous apex—A. E. Davis and P. E. Robin. *Clin. Rec.*, 94
- Transplanted ossicles after two decades—J. Lang, A. G. Kerr and G. D. L. Smyth. *Orig. Art.*, 471
- Traumatic CSF fistula presenting late as a middle ear effusion—J. T. Brandrick. *Clin. Rec.*, 97
- Traumatic middle ear lesions: fracture of the malleus handle, aetiology, diagnosis and treatment—C. Brahe-Pedersen. *Orig. Art.*, 901
- Treatment of auricular haematoma by silicone rubber splints—S. S. Nahl, S. E. Kent and A. R. Curry. *Orig. Art.*, 1146
- Treatment of combined and critically low tracheal stenoses secondary to burn inhalation injury—C. I. Timon, D. McShane, E. McGovern and M. Walsh. *Clin. Rec.*, 1083
- Treatment of glue ear in relation to radiographic palatal airway size: a predictor for outcome following adenoidectomy?—A. J. Parker and A. R. Maw. *Orig. Art.*, 66
- Tuning forks: the problem of striking—J. Samuel and E. Eitelberg. *Orig. Art.*, 1
- Two malignant melanomas in skin and tonsil during consecutive pregnancies—A. Walsted, J. Thomsen and P. L. Nielsen. *Clin. Rec.*, 780
- Two-stage temporalis flap reconstruction for facial paralysis—B. D. Buchholtz, R. A. Mickel, J. K. Bredenkamp and R. W. Hutcherson. *Orig. Art.*, 672
- Unexplained neurological problems after mastoid surgery—J. Y. Osammor and A. K. Baruah. *Orig. Art.*, 269
- Unterberger's stepping test in acoustic neuroma—D. A. Moffat, M. L. L. Harries, D. M. Baguley and D. G. Hardy. *Orig. Art.*, 839
- Unusual presentation of neurilemmoma in the cerebellopontine angle—S. K. De and A. Basu. *Clin. Rec.*, 508
- Use of a Braunula for maxillary sinus irrigation—Y. Zohar, Y. P. Talmi, Y. Finkelstein and Y. Shem-Tov. *Orig. Art.*, 279
- Use of a Foley catheter for short-term drainage in frontal sinus surgery—T. G. A. Ijaduola. *Orig. Art.*, 375
- Validity of tympanometry in cases of confirmed otosclerosis—C. Muchnik, M. Hildesheimer, M. Rubinstein and Y. Gleitman. *Orig. Art.*, 36
- Verification of a new test of endolymphatic hydrops—A. R. D. Thornton, G. Farrell, A. J. Phillips, N. P. Haacke and S. Rhys-Williams. *Orig. Art.*, 1136
- Verrucous carcinoma of the maxillary antrum—M. P. Bacon, E. B. Chevretton, R. W. T. Slack and T. I. F. MacLeod. *Clin. Rec.*, 415
- Vocal cord paralysis with Ebstein's anomaly—S. N. Krishnamurthy and K. O. Paulose. *Clin. Rec.*, 626
- Wegener's granulomatosis: false positive anti-neutrophil cytoplasmic antibody test—B. Mains. *Clin. Rec.*, 524
- Wegener's granulomatosis, subglottic stenosis and anti-neutrophil cytoplasm antibodies—T. J. Hoare, C. B. Croft, D. J. Howard, P. Rhys Evans and D. Jayne. *Orig. Art.*, 1187
- Wildervanck's syndrome—unilateral Mondini dysplasia identified by computed tomography—P. D. B. West, A. Gholkar and R. T. Ramsden. *Clin. Rec.*, 408

Instructions to Authors *Inside Front Cover*

Main Articles

Editorial	1111
Early ossification within the human fetal otic capsule: morphological and microanalytical findings: <i>F. Declau, W. Jacob, W. Dorrine, B. Appel and J. Marquet</i>	1113
Spiral prominence epithelium: <i>D. W. Sim</i>	1122
Effect of acoustic overstimulation on the glycocalyx and the ciliary interconnections in the organ of Corti: High resolution scanning electron microscopic investigation: <i>M. Takumida, L. Fredelius, D. Bagger-Sjöbäck, Y. Harada and J. Wersäll</i>	1125
Auditory and vestibular findings in Waardenburg's Type II syndrome: <i>M. Hildesheimer, Z. Maayan, C. Muchnik, M. Rubinstein and R. M. Goodman</i>	1130
Pneumatic otoscopy: Study of inter-observer variability: <i>B. T. Mains and J. G. Toner</i>	1134
Verification of a new test of endolymphatic hydrops: <i>A. R. D. Thornton, G. Farrell, A. J. Phillips, N. P. Haacke and S. Rhys-Williams</i>	1136
Noise levels and exposure patterns to Do-It-Yourself power tools: <i>L. G. McClymont and D. C. Simpson</i>	1140
Tinnitus in children with hearing loss: <i>L. G. Viani</i>	1142
Treatment of auricular haematoma by silicone rubber splints: <i>S. S. Nahl, S. E. Kent and A. R. Curry</i>	1146
Nature of spontaneous tympanic membrane perforation in acute otitis media in children: <i>G. Berger</i>	1150
Evaluation for waterproof ear protectors in swimmers: <i>A. C. Robinson</i>	1154
Acute and latent mastoiditis: <i>H. Faye-Lund</i>	1158
Role and results of cortical mastoidectomy and endolymphatic sac surgery in Menière's disease: <i>A. G. Kerr, J. G. Toner, G. J. McKee and G. D. L. Smyth</i>	1161
Surgical management of large glomus jugulare tumours: Infra- and trans-temporal approach: <i>D. A. Moffat and D. G. Hardy</i>	1167
Allergic aspergillus sinusitis—An overlooked diagnosis? <i>D. Jonathan, V. Lund and C. Milroy</i>	1181
Symptomatic mucosal cysts of the maxillary sinus: antroscopic treatment: <i>E. W. Fisher, H. B. Whittet and C. B. Croft</i>	1184
Wegener's granulomatosis, subglottic stenosis and anti-neutrophil cytoplasm antibodies: <i>T. J. Hoare, C. B. Croft, D. J. Howard, P. Rhys Evans and D. Jayne</i>	1187
D.N.A. content and proliferative activity of myoepitheliomas: <i>A. El-Naggar, J. G. Batsakis, M. A. Luna, H. Goeptert and M. E. Tortoledo</i>	1192

Short communication

External rhinoplasty in the tropics: <i>B. Nasar, N. Hiranandani and D. S. Grewal</i>	1198
---	------

Clinical Records

Aberrant intratympanic internal carotid artery: a potentially hazardous anomaly <i>M. Jacobsson, A. Davidsson, S. Hugosson, A. Tjellström and P. Svendsen</i>	1202
Myxoid tumours in the temporal bone: <i>S. Charabi, P. Engel and P. Bonding</i>	1206
Pilonidal sinus of the nose: <i>K. O. Paulose, S. Al Khalifa, S. S. Raj and T. Saeed</i>	1210
Recurrent multiple epidermoid inclusion cysts following rhinoplasty—an unusual complication: <i>M. Grocutt and M. F. Fatah</i>	1214
Infective complications of brief nasotracheal intubation: <i>M. A. Hariri and P. W. Duncan</i>	1217
Fibromatosis of the larynx in the adult: <i>G. De Rosa, E. Barra, A. Boscaino, R. Gentile and B. Di Prisco</i>	1219
Spontaneous pneumomediastinum with alteration in voice: <i>D. Sleeman and R. Turner</i>	1222

View from Within (Radiology in Focus)

Radio-opacity of fishbones: <i>S. R. Ell</i>	1224
--	------

View from Beneath (Pathology in Focus)

Cysticercosis of the tongue: <i>R. K. Jain, O. P. Gupta and N. C. Aryya</i>	1227
---	------

Abstract Selection	1229
-------------------------------------	------

Letters to the Editor	1234
--	------

General Notes	1236
--------------------------------	------

Index.	1243
-------------------------	------