

VOL. XIII.—1898.

THE
JOURNAL OF LARYNGOLOGY,
RHINOLOGY, AND OTOTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE, AND EAR.

PUBLISHED MONTHLY.

London:

THE REBMAN PUBLISHING COMPANY, LIMITED,
129, SHAFTESBURY AVENUE, CAMBRIDGE CIRCUS, W.C.

ENTERED AT STATIONERS' HALL.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by **MORELL MACKENZIE** *and* **NORRIS WOLFENDEN.**

EDITORS :

JOHN MACINTYRE, M.B., F.R.S.E.,
DUNDAS GRANT, M.A., M.D., F.R.C.S.Eng.,
ARTHUR SANDFORD, M.D., M.Ch.R.U.I.

W. MILLIGAN, M.D. (Manchester), Sub-Ed.
R. LAKE, F.R.C.S. (London), Managing Sub-Ed.

WITH THE CO-OPERATION OF

DRS. **BARON (Bristol), BETTMAN (Rome), BOTEY (Barcelona),**
PRICE-BROWN (Toronto), CARTAZ (Paris), BRYSON DELAVAN (New York),
DODD (Chicago), DRAISPUL (St. Petersburg), GRAZZI (Florence),
GUYE (Amsterdam), HICGUET (Brussels), MIDDLEMASS HUNT (Liverpool),
HUTCHISON (Glasgow), JOAL (Paris), KARWOWSKI (Warsaw),
KELLY (Glasgow), LACOARRET (Toulouse), LICHTWITZ (Bordeaux),
LIEVEN (Aix-la-Chapelle), JOHN N. MACKENZIE (Baltimore),
PROF. MASSEI (Naples), MEYJES (Amsterdam), E. MEYER (Berlin),
MYLES (New York), HOLGER MYGIND (Copenhagen), PORTER (St. Louis),
GUILD (Dundee), SACHS (Hamburg),
STGEORGE REID (London), RUEDA (Madrid), SAJOUS (Philadelphia),
SENDZIAK (Warsaw), SOTA (Seville), STCLAIR THOMSON (London),
WAGGETT (London), WOODS (Dublin), AND ZIEM (Dantzic).

CONTENTS.

Societies' Meetings—

BRITISH MEDICAL ASSOCIATION—

Early Symptom of Pressure upon the Vagus and Recurrent. By D. NEWMAN.....	Page 475
Pathogenesis and Early Clinical Evidence of Laryngeal Tuberculosis. By W. J. HORNE	„ 481
Septic Thrombosis of Lateral Sinus. By H. A. BALLANCE	„ 486
On the Relation of Fibrinous Rhinitis to Diphtheria. By J. M. HUNT	„ 492
On Bilateral Tumours of the Septum. By H. PEGLER	„ 495
An Operation for Fractured Triangular Cartilage. By H. PEGLER	„ 496
Supposed Malignant Growth of Ear. By C. JACKSON	„ 498
Nasal Hydrorrhœa. By STCLAIR THOMSON	„ 500
On the Pathology of Diphtheritic Paralysis. By F. E. BATTEN	„ 501

BRITISH LARYNGOLOGICAL, &C., ASSOCIATION..... „ 502

BELGIAN OTOLOGICAL AND LARYNGOLOGICAL SOCIETY

Abstracts—

Nose.—Abscess of Naso-Pharynx, *Ardenne*—Sinusitis, *Brindel*—Atrophic Rhinitis, *Heche, Richards*—Syphilis, *Lieven*—Malignant Polypus, *MacKenzie*—Caries of Sphenoid, *Schech*—External Diphtheritic Rhinitis, *Todd*

Page 513

Larynx.—Foreign Body in Bronchus, *Barnet*—Measles, *Fraenkel*—Endo-laryngeal Removal of Cancer, *Jurasz*—Direct Bronchoscopy, *Killian*—Situation of the Cords after Section of the Recurrent and Posticus, *Klemperer*—Laryngeal Vertigo, *McBride*—Asepsis, *McKee*—Adenoids in Adult, *Moure*—Bilateral Abductor Paralysis, *Ross*—Urticaria, *Woodbury*

Page 518

Reviews—

Handbuch der Laryngologie..... Page 523

The Mineral Waters and Health Resorts of Europe. WEBER..... „ 525

The Ferment Treatment of Cancer and Tuberculosis. MANDERS

„ 526

THE MEYER MEMORIAL

„ 526

ERRATA

„ 526

GUIDE TO ADVERTISEMENTS

	PAGE
Bullock & Co.	vii.
Burroughs, Wellcome & Co.....	vi.
Central London Throat Hospital	xii.
Ingram & Royle.....	vii., ix.
Lambert Pharmacal Co.	ii.
Mayer & Meltzer	xi.
Rebman Publishing Company	iii., iv., vii., viii., x.
Tibbles' Vi-Cocoa	x.
Woodruff	vii.



TRADE
MARK **'SOLOID'** BRAND

Compressed Medicinal Substances.

THE WORD 'SOLOID' is a brand which designates fine products manufactured by BURROUGHS WELLCOME AND Co. Under this brand are issued, in accurately divided quantities, substances and combinations of substances which are chiefly used as antiseptics and astringents. They enable the practitioner to conveniently carry materials for preparing solutions of any desired strength at the moment they are required.



ABRIDGED LIST OF 'SOLOID' PRODUCTS.

Alum, 10 gr.	Nasal, Alkaline.
Alum Compound.	.. Alkaline and Antiseptic.
Alumol, 4 gr.	.. 'Eucalyptia' Compound.
Boric Acid, 6 gr. (<i>scented with Otto of Rose</i>).	.. Phenol Compound.
Carbolic Acid, >	Naso-Pharyngeal.
*Chinosol, 8.75 gr.	Ophthalmic, Mercuric Chloride, 1/1000 gr.
Cocaine Hydrochlorate, 1/2, 1 and 5 gr.	Potassium Permanganate, 5 gr.
Cocaine and Eucaine Hydrochlor., 1/2 gr. of each.	Silver Nitrate, 1 and 5 gr.
Eucaine Hydrochloride, 1 and 5 gr.	Sodium Biborate Compound.
Fehling's Test, Modified (Cupric Tartrate, Alkaline).	Zinc and Tannin Compound.
Iodic-Hydrarg., 1 and 8.75 gr.	Zinc Chloride, 1 and 5 gr.
L. G. B.	Zinc Permanganate, 1/8 gr.
Mercuric Chloride, 1.75 and 8.75 gr.	Zinc Sulphate, 1 and 10 gr.
	Zinc Sulphocarbonate, 2 and 10 gr.

* *By special arrangement with the Licensees.*

Burroughs Wellcome and Co., LONDON and SYDNEY.