

Epidemiology and Psychiatric Sciences

Editor

Michele Tansella, University of Verona, Italy

Epidemiology and Psychiatric Sciences is an international, peer-reviewed journal published quarterly. It provides updated data and scientific information to epidemiologists, psychiatrists, psychologists, statisticians and other research and mental health workers primarily concerned with public health and epidemiological and social psychiatry.

Price information

is available at: <http://journals.cambridge.org/eps>

Free email alerts

Keep up-to-date with new material – sign up at
<http://journals.cambridge.org/alerts>

For free online content visit:
<http://journals.cambridge.org/eps>

***Epidemiology and Psychiatric Sciences***

is available online at:
<http://journals.cambridge.org/eps>

**To subscribe contact
Customer Services**

in Cambridge:
Phone +44 (0)1223 326070
Fax +44 (0)1223 325150
Email journals@cambridge.org

in New York:
Phone +1 (845) 353 7500
Fax +1 (845) 353 4141
Email subscriptions_newyork@cambridge.org



CAMBRIDGE
UNIVERSITY PRESS

INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, <http://www.editorialmanager.com/psm/>. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

1. S.I. units should be used throughout in text, figures and tables.
2. Authors should spell out in full any abbreviations used in their manuscripts.
3. Foreign quotations and phrases should be followed by a translation.
4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* **32**, 173–179.

Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq_tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour halftone artwork:** Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. **Tables** Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

REVIEW ARTICLES

Personality disorder in DSM-5: an oral history

Zachar P, Krueger RF & Kendler KS

1

Altered corticostriatal functional connectivity in individuals with high social anhedonia

Wang Y, Liu W-H, Li Z, Wei X-H, Jiang X-Q, Geng F-L, Zou L-Q, Lui SSY, Cheung EFC, Pantelis C & Chan RCK

125

Preventing depression and anxiety in young people: a review of the joint efficacy of universal, selective and indicated prevention

Stockings EA, Degenhardt L, Dobbins T, Lee YY, Erskine HE, Whiteford HA & Patton G

11

Altered emotion regulation in obsessive-compulsive disorder as evidenced by the late positive potential

Paul S, Simon D, Endrass T & Kathmann N

137

Abnormalities in neuroendocrine stress response in psychosis: the role of endocannabinoids

Appiah-Kusi E, Leyden E, Parmar S, Mondelli V, McGuire P & Bhattacharyya S

27

You looking at me?: Interpreting social cues in schizophrenia

White TP, Borgan F, Ralley O & Shergill SS

149

ORIGINAL ARTICLES

Metacognitive training for schizophrenia spectrum patients: a meta-analysis on outcome studies

van Oosterhout B, Smit F, Krabbendam L, Castelein S, Staring ABP & van der Gaag M

47

The stability and change of etiological influences on depression, anxiety symptoms and their co-occurrence across adolescence and young adulthood

Waszczuk MA, Zavos HMS, Gregory AM & Eley TC

161

Jumping to negative conclusions – a case of study-gathering bias?

Moritz S, Werner D, Menon M, Balzan RP & Woodward TS

59

The effects of cannabis on memory function in users with and without a psychotic disorder: findings from a combined meta-analysis

Schoeler T, Kambeitz J, Behlke I, Murray R & Bhattacharyya S

177

Psychological strength assessed in late adolescence and risk for criminal behavior: a Swedish prospective cohort and twin analysis

Kendler KS, Lönn SL, Lichtenstein P, Sundquist J & Sundquist K

63

Effects of psychoeducation on helpful support for complicated grief: a preliminary randomized controlled single-blind study

Nam IS

189

Symptoms of generalized anxiety disorder but not panic disorder at age 15 years increase the risk of depression at 18 years in the Avon Longitudinal Study of Parents and Children (ALSPAC) cohort study

Davies SJC, Pearson RM, Stapinski L, Bould H, Christmas DM, Button KS, Skapinakis P, Lewis G & Evans J

73

Altered functioning of reward circuitry in youth offspring of parents with bipolar disorder

Manelis A, Ladouceur CD, Graur S, Monk K, Bonar LK, Hickey MB, Dwojak AC, Axelson D, Goldstein BI, Goldstein TR, Bebko G, Bertocci MA, Gill MK, Birmaher B & Phillips ML

197

Psychotic experiences and hyper-theory-of-mind in preadolescence – a birth cohort study

Clemmensen L, van Os J, Drukker M, Munkholma A, Rimvall MK, Væver M, Rask CU, Bartels-Velthuis AA, Skovgaard AM & Jeppesen P

87

Personality traits and combat exposure as predictors of psychopathology over time

Koffel E, Kramer MD, Arbisi PA, Erbes CR, Kaler M & Polusny MA

209

Acceptance and commitment group therapy (ACT-G) for health anxiety: a randomized controlled trial

Eilenberg T, Fink P, Jensen JS, Rief W & Frostholm L

103

Correspondence

221

Heritability and familiarity of neurological soft signs: evidence from healthy twins, patients with schizophrenia and non-psychotic first-degree relatives

Xu T, Wang Y, Li Z, Huang J, Lui SSY, Tan S-P, Yu X, Cheung EFC, He M-G, Ott J, Gur RE, Gur RC & Chan RCK

117