

Index of Subjects

- Adenosine 5'-triphosphate**, in milk, 91
- Amides**, added, heat stability, milk, 211
- Blood**, plasma, constituents, parturient cows, 1 α -hydroxycholecalciferol, injected, 177
- Buffalo**, β -casein, rennin, action, 421
- Camel**, milk, quality, effect of drought, 159
- Casein(s)**, composition, milk, Friesian cows, 71
rats, 97
distribution, cell count, milk, cheese-making parameters, 393
stored milk, cheese-making parameters, 371, 383
hydrophobic surface areas, 123
lysinoalanine produced from, 193
micelles, coagulation, rennet, effect of structure of additives 359
dilution, stability, 343
glycosylated κ -casein, localization, 185
heat-induced association, β -lactoglobulin, 313
- α_1 -Casein**, Ca²⁺, binding to, complexes, precipitability, 113
- β -Casein**, buffalo, rennin, action, 421
- κ -Casein**, glycosylated, localization, casein micelle, 185
hydrolysis, rennet, 351
- Cell count**, milk, casein distribution, cheese-making parameters, 393
types, dry cow secretions, colostrum, milk, 39
- Cell volume**, distribution, mastitis, diagnosis, 167
- Cheesemaking**, casein distribution, cell count, milk, influence, 393
stored milk, influence, 371, 383
- Chloroform**, introduced into rumen, milk-composition, -yield, goats, 51
- Chymosin**, *see* **Rennin**
- Coagulation**, milk proteins, heated, amides, effect of, 211
concentrated skim-milk, 327
milk dialysate, factors, 337
skim-milk, effect of pH, temperature, forewarming treatments, 199
- Colostrum**, cell types, electron microscopy, 39
- Cream**, ripening, lactic acid bacteria, quality, ghee, 411
- Dairy products**, *see also individual products*
lipolysis, pre-, post-manufacture, flavour impairment, 237
- Diet**, grass silage, oil enriched, milk-yield, -composition, milk fat composition, 277
- Disease**, *see* **Mastitis**
- Drought**, effect on milk quality, camel, 159
- Enzymes**, *see individual names*
- Fat(s)**, non-milk, detection, quantification, mixtures milk and non-milk fats, 295
- Feeding**, restricted, with/without protected rape seed oil, lipolysis, milk, 287
- Flavour**, ghee, effect of lactic acid bacteria, 411
milk, dairy products, effect of lipolysis, 237
- Friesian cattle**, milk, casein, composition, 71
- Ghee**, quality, effect of lactic acid bacteria, 411
- Heat stability**, *see* **Coagulation**, milk proteins, heated
- Heat treatment**, β -lactoglobulin, casein micelles, association, 313
- Hormones**, milk (review), 427
- 1 α -Hydroxycholecalciferol**, injected, parturient cows, Ca, Mg, inorganic phosphate, blood plasma, 177
- Kid**, rennet, preparation, properties, 221
- Lactic acid bacteria**, ripening, cream, quality, ghee, 411
- Lactic streptococci**, modification/restriction systems, phage-typing, 403
phages, heat resistance, 131
- β -Lactoglobulin**, heat-induced association, casein micelles, 313
- Lamb(s)**, rennet, preparation, properties, 221
- Lipase**, milk, activation by serum proteins, 61
- Lipolysis**, milk, dairy products, flavour impairment, 237
lipoprotein lipase, 61
restricted feeding, with/without protected rape seed oil, 287
- Lymphocytes**, mammary secretion, dry-period, 305
- Lysinoalanine**, formation from caseins, 193
- Mammary gland**, *see also* **Udder**
dry-period secretion, lymphocytes, 305
- Mastitis**, diagnosis, somatic cell volume distribution, 167
- Milk**, cell count, casein distribution, cheese-making parameters, 393
cell types, electron microscopy, 39
coagulase-negative staphylococci, identification, 155
coagulation, *see* **Coagulation**
concentration, rennet coagulation time, 231
dialysate, stability, factors, 337
lipolysis, flavour impairment, 237
restricted feeding, with/without protected rape seed oil, 287
non-milk fats, mixtures, detection, quantification, non-milk fat, 295
- Milk composition**, adenosine 5'-triphosphate, 91
Ca, Mg, analysis, pH-stat, 417
chloroform introduced into rumen, goats, 51
feeding grass silage, oil enriched, 277
hormones (review), 427
- Milk fat**, breakdown, *see* **Lipolysis**
composition, properties, feeding grass silage, oil enriched, 277
- Milk proteins**, concentration, enzymic gelling, 103
content, composition, creamery milks, S.W. Scotland, 83
heat stability, *see* **Coagulation**, milk proteins, heated

- Milk serum**, proteins, lipolysis, milk, 61
- Milk yield**, feeding grass silage, oil enriched, 277
goats, chloroform introduced into rumen, 51
- Milking machine**, teatcup liner, deflector shields,
udder infection, 1
- Pepsin**, gelling, effect of milk protein concentration,
103
- Pregnancy**, 1 α -hydroxycholecalciferol injected, con-
stituents, plasma, 177
- Proteins**, *see* **Milk proteins**
- Rat(s)**, milk, caseins, 97
- Rennets**, coagulation, casein micelles, effect of struc-
ture of additives, 359
time, effect of milk concentration, 231
hydrolysis, κ -casein, 351
lamb, kid, preparation, properties, 221
- Rennin**, buffalo β -casein, action on, 421
gelling, effect of milk protein concentration, 103
- Scotland, S.W.**, milk, protein-content, -composition,
83
- Skim-milk**, coagulation, κ -casein, hydrolysis, rennet,
351
heat stability, 199
concentrated by ultrafiltration, 327
- Soy extract**, zabadi, enrichment, 151
- Staphylococci**, coagulase-negative, teats, milk sam-
ples, 155
- Starters**, cheese, single-strain, 141
- Storage**, milk, casein distribution, cheese-making
parameters, 371, 383
- Teat**, coagulase-negative staphylococci, identifica-
tion, 155
disinfection, pre-, post-milking, 253
iodine disinfectant dips, 19, 27, 33
motility, lactating cows, 259
- Udder**, *see also* **Mammary gland**
disinfection, pre-, post-milking, 253
infection, dry period, 11
shields, teatcup liner, 1
- Whey**, Ca, Mg, analysis, pH-stat, 417
- Zabadi**, enrichment, soy extract, 151

Index of Authors

- ABOU-DONIA, S. A., 151
ADDEO, F., 421
ALI, A. E., 371, 383, 393
ANDREWS, A. T., 371, 383, 393
ANIFANTAKIS, E., 221
APPACHAR, S. R., 411
ASTRUP, H. N., 287
- BANKS, W., 277
BARRY, J. G., 71
BASMAEIL, S., 51
BERNABÉ, J., 259
BÈVRE, L., 287
BOUSSEMAER, J. P., 401
BROWN, J. V., 141
- CAROLAN, T., 193
CHAPLIN, B., 351
CHEESEMAN, G. C., 371, 383, 393
CHEN, S. C., 33
CHIANESE, L., 421
CHOBERT, J.-M., 97
CHOPIN, M.-C., 131
CLAPPERTON, J. L., 51, 277
CLEGG, R. A., 61
CONCHA, C., 305
CORRE, C., 103
COUSINS, C. L., 11
- DALGLEISH, D. G., 113, 231
DARLING, D. F., 199
DAVIES, D. T., 83
DE KEYSER, H., 155
DEVRIESE, L. A., 155
DI GREGORIO, F., 417
DODD, F. H., 11
DONNELLY, W. J., 71
DOSAKO, S., 123
DOWNEY, W. K., 237
- EKERN, A., 287
EL-SODA, M. A., 151
ETZION, Z., 159
- FORD, E. J. H., 177
FOX, P. F., 211
- GARNOT, P., 103
GREEN, M. L., 221, 351, 359
GRIFFIN, T. K., 1
GUY, P., 401
- HIGGS, T. M., 11
HOARE, R. J. T., 19, 27, 33, 167, 253
HOLMBERG, O., 305
HORAN, T. J., 211
HORISBERGER, M., 185
HORNE, D. S., 337, 343
HUTCHINSON, J. E., 19
- JACKSON, E. R., 11
JOSEPH, A. M., 411
- KAMINOGAWA, S., 123
KEARNEY, R. D., 91
KELLY, M. E., 277
KEMP, P., 39
- LAW, A. J. R., 83
LEE, C. S., 39
- MCGANN, T. C. A., 91
MCGREGOR, G. D., 167
MCPhillips, J., 33
MAGUIRE, P. D., 1
MANSON, W., 193
MARSHALL, R. J., 359
MASHALY, R., 151
MEIN, G. A., 1
MOREIN, B., 305
MORRISSEY, P. A., 211
MUIR, D. D., 327
- NASH, B. M., 211
NEAVE, F. K., 1, 11
NICHOLLS, P. J., 167
- O'BRIEN, J., 211
OSBORNE, R. J. W., 141
- PARKER, T. G., 113, 337, 343
PEETERS, G., 259
PELISSIER, J.-P., 97, 421
POPE, G. S., 427
- RIBADEAU DUMAS, B., 97
RICHARDSON, T., 91
- SCHRAUWEN, P. P., 401
SHELDRAKE, R. F., 19, 27, 33, 167, 253
SISTO, R., 417
SMITS, P., 313
SOURROUILLE, J. L., 401
SWEETSUR, A. W. M., 327
SWINBURNE, J. K., 427
- TANEYA, S., 123
THOMPSON, W. H., 1
TIMMS, R. E., 295
- VAN BROUWERSHAVEN, J. H., 313
VIK-MO, L., 287
VONLANTHEN, M., 185
- WESTGARTH, D. R., 1
WITTWER, F., 177
WOODHOUSE, V. E., 167
WOODING, F. B. P., 39
- YAGIL, R., 159
YAHIA, A., 97
YAMAUCHI, K., 123

**JOURNAL OF DAIRY
RESEARCH**

EDITED BY

M. ELISABETH SHARPE, PH.D., D.Sc., F.I.BIOL.
National Institute for Research in Dairying,
Shinfield, Reading, Berkshire, RG2 9AT

W. MANSON, PH.D.
The Hannah Research Institute, Ayr, KA6 5HL

Assistant Editors

A. T. ANDREWS, M.A., D.Phil.
B. F. BONE, B.A., A.L.A., A.I.Inf.Sc.
L. W. PHIPPS, B.Sc., Ph.D.

Editorial Assistant

MRS DOROTHY SKIDMORE

Secretary

L. C. FITZGERALD

VOLUME, 47, 1980

CAMBRIDGE UNIVERSITY PRESS

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS
The Pitt Building, Trumpington Street, Cambridge, CB2 1RP
Bentley House, 200 Euston Road, London, NW1 2DB
32 East 57th Street, New York, N.Y. 10022

© Proprietors of *The Journal of Dairy Research* 1980

Printed in Great Britain at the University Press, Cambridge

Contents

No. 1 (February 1980)

	PAGE
Effect of deflector shields fitted in the milking machine teatcup liner on bovine udder disease. T. K. GRIFFIN, G. E. MEIN, D. R. WESTGARTH, F. K. NEAVE, W. H. THOMPSON and P. D. MAGUIRE	1
Susceptibility of the bovine udder to bacterial infection in the dry period. C. L. COUSINS, T. M. HIGGS, E. R. JACKSON, F. K. NEAVE and F. H. DODD.	11
Post milking iodine teat skin disinfectants. 1. Bactericidal efficacy. R. F. SHELDRAKE, R. J. T. HOARE and J. E. HUTCHINSON	19
Post milking iodine teat skin disinfectants. 2. New intramammary infection rates. R. F. SHELDRAKE and R. J. T. HOARE	27
Post milking iodine teat skin disinfectants. 3. Residues. R. F. SHELDRAKE, R. J. T. HOARE, S. C. CHEN and J. McPHILLIPS.	33
Identification, properties, and differential counts of cell populations using electron microscopy of dry cow secretions, colostrum and milk from normal cows. C. S. LEE, F. B. P. WOODING and P. KEMP	39
The effect of chloroform introduced into the rumen of the lactating goat on the yield and composition of the milk. S. BASMAEIL and J. L. CLAPPERTON	51
Activation of milk lipase by serum proteins: possible role in the occurrence of lipolysis in raw bovine milk. R. A. CLEGG	61
Casein compositional studies. I. The composition of casein from Friesian herd milks. J. G. BARRY and W. J. DONNELLY	71
The content and composition of protein in creamery milks in south-west Scotland. D. T. DAVIES and A. J. R. LAW	83
Levels and location of adenosine 5'-triphosphate in bovine milk. T. RICHARDSON, T. C. A. MCGANN and R. D. KEARNEY.	91
Isolation and characterization of the principal caseins in rat milk. J.-P. PELISSIER, A. YAHIA, J.-M. CHOBERT and B. RIBADEAU DUMAS	97
Influence of milk protein concentration on the gelling activity of chymosin and bovine pepsin. P. GARNOT and C. CORRE	103
Binding of calcium ions to bovine κ_{s1} -casein and precipitability of the protein-calcium iron complexes. D. G. DALGLEISH and T. G. PARKER	113
Hydrophobic surface areas and net charges of α_{s1} ⁻ , κ -casein and α_{s1} -casein: κ -casein complex. S. DOSAKO, S. KAMINOGAWA, S. TANEYA and K. YAMAUCHI	123
Resistance of 17 mesophilic lactic <i>Streptococcus</i> bacteriophages to pasteurization and spray drying. M. C. CHOPIN	131

	PAGE
Properties of single-strain cheese starter bacteria grown in diffusion culture. R. J. W. OSBORNE and J. V. BROWN	141
Enrichment of zabadi with soy extract. S. A. ABOU-DONIA, M. A. EL-SODA and R. MASHALY	151
Prevalence of different species of coagulase-negative staphylococci on teats and in milk samples from dairy cows. L. A. DEVRIESE and H. DEKEYSER	155

No. 2 (June 1980)

Effect of drought condition on the quality of camel milk. R. YAGIL and Z. ETZION	159
Analysis of somatic cell volume distribution as an aid to the diagnosis of mastitis. R. J. T. HOARE, R. F. SHELDRAKE, P. J. NICHOLLS, G. D. MCGREGOR and V. E. WOODHOUSE	167
The effect of 1α -hydroxycholecalciferol on the concentrations of calcium, magnesium and inorganic phosphate in the plasma of parturient cows. F. WITWER and E. J. H. FORD	177
Localization of glycosylated κ -casein in bovine casein micelles by lectin-labelled gold granules. M. HORISBERGER and M. VONLANTHEN	185
Formation of lysinoalanine from individual bovine caseins. W. MANSON and T. CAROLAN	193
Heat stability of milk. D. F. DARLING	199
Effect of selected amides on heat-induced changes in milk. P. F. FOX, B. M. NASH, T. J. HORAN, J. O'BRIEN and P. A. MORRISSEY	211
Preparation and properties of rennets from lambs' and kids' abomasa. E. ANIFANTAKIS and M. L. GREEN	221
Effect of milk concentration on the rennet coagulation time. D. G. DALGLEISH.	231
Review of the progress of Dairy Science: Flavour impairment from pre- and post-manufacture lipolysis in milk and dairy products. W. K. DOWNEY	237

No. 3 (October 1980)

Effect of disinfectant udder wash and a post-milking teat dip on the bacterial population of the teat end and on the rate of new intramammary infection R. F. SHELDRAKE and R. J. T. HOARE	253
Studies on the motility of smooth muscles of the teats in lactating cows. J. BERNABÉ and G. PEETERS	259
Effect of oil-enriched diets on the milk yield and composition, and on the composition and physical properties of the milk fat, of dairy cows receiving a basal ration of grass silage. W. BANKS, J. L. CLAPPERTON and M. E. KELLY	277

	PAGE
Effect on milk lipolysis of restricted feeding with and without supplementation with rape seed oil. H. N. ASTRUP, L. BAEVRE, L. VIK-MO and A. EKERN	287
Detection and quantification of non-milk fat in mixtures of milk and non-milk fats. R. E. TIMMS	295
Characterization and response to mitogens of mammary lymphocytes from the bovine dry-period secretion. C. CONCHA, O. HOLMBERG and B. MOREIN	305
Heat-induced association of β -lactoglobulin and casein micelles. P. SMITS and J. H. VAN BROUWERSHAVEN	313
Effect of concentration by ultrafiltration on the heat stability of skim-milk. A. W. M. SWEETSUR and D. D. MUIR.	327
Factors influencing the stability of milk dialysate. T. G. PARKER and D. S. HORNE	337
Light scattering investigation of the stability of bovine casein micelles to dilution. T. G. PARKER and D. S. HORNE	343
Determination of the proportion of κ -casein hydrolysed by rennet on coagulation of skim-milk. B. CHAPLIN and M. L. GREEN	351
The effect of the chemical structure of additives on the coagulation of casein micelle suspensions by rennet. R. J. MARSHALL and M. L. GREEN	359
Influence of storage of milk on casein distribution between the micellar and soluble phases and its relationship to cheese-making parameters. A. E. ALI, A. T. ANDREWS and G. C. CHEESEMAN	371
Factors influencing casein distribution in cold-stored milk and their effects on cheese-making parameters. A. E. ALI, A. T. ANDREWS and G. C. CHEESEMAN	383
Influence of elevated somatic cell count on casein distribution and cheese-making. A. E. ALI, A. T. ANDREWS and G. C. CHEESEMAN.	393
Multiple modification/restriction system in lactic streptococci and their significance in defining a phage-typing systems. J. P. BOUSSEMAER, P. P. SCHRAUWEN, J. L. SOURROUILLE and P. GUY	401
Effect of ripening cream with selected lactic acid bacteria on the quality of ghee. A. M. JOSEPH and S. R. APPACHAR	411
Use of a pH-stat to indicate the end-point in titration of calcium plus magnesium in milk and whey. F. DI GREGORIO and R. SISTO	417
Specific action of milk-clotting enzymes on water buffalo caseins. I. Effect of chymosin on β -casein. F. ADDEO, J.-P. PELISSIER and L. CHIANESE	421
Review of the progress of Dairy Science: Hormones in milk: their physiological significance and value as diagnostic aids. G. S. POPE and J. K. SWINBURNE	427
Erratum	451

DIRECTIONS TO CONTRIBUTORS

GENERAL

Two copies of manuscripts should be sent to Dr M. E. Sharpe (*The Journal of Dairy Research*), National Institute for Research in Dairying, Shinfield, Reading, RG2 9AT, England. Submission of a paper will be held to imply that it reports unpublished original work, that it is not under consideration for publication elsewhere, and that if accepted for the *Journal* it will not be published elsewhere in any language, without the consent of the Editors.

FORM OF PAPERS

The author should follow these directions carefully, and consult a current issue of the *Journal* for guidance on details of typographical and other conventions.

Every paper should be headed with its title, the names and initials of the authors (each author supplying one given name) and the name and address of the laboratory where the work was done.

Papers should be in English, using the spelling of the *Shorter Oxford English Dictionary*. They should be typed with double spacing, on one side only of the sheets, and with ample margins for editorial annotations.

Papers should in general be divided into the following parts in the order indicated: (a) Summary, brief and self-contained; (b) Introductory paragraphs, briefly explaining the object of the work but without giving an extensive account of the literature; (c) Experimental or Methods; (d) Results; (e) Discussion and Conclusions; (f) Acknowledgements without a heading; (g) References. With some types of material headings other than (c), (d) and (e) may be preferable.

The use of footnotes should be avoided if possible. Underlining should be used only to indicate italics. Proper nouns, including trade names, should be given a capital initial letter. Wherever possible numerals should be used unless this leads to ambiguity. The typescript should carry the name and address of the person to whom the proofs are to be sent, and give a shortened version of the paper's title, not exceeding 45 letters and spaces, suitable for a running title in the *Journal*.

TABLES


Tables should be numbered and should carry headings describing their content. They should be comprehensible without reference to the text. They should be typed on separate sheets and their approximate positions in the text indicated. *To minimize the cost of printing, the number and size of tables should be kept to an absolute minimum.*

ILLUSTRATIONS

Line drawings and photographs, which must be originals, should be numbered as Figures in Arabic numerals. Drawings should be in Indian ink, on Bristol board or cartridge paper. However, a technique which may be more convenient to authors is to use a double-sized piece of tracing paper, or translucent graph paper faintly lined in blue or grey, folded down the centre with the drawing on one half and the other half acting as a flyleaf.

Attached to every figure and plate there should be a translucent flyleaf cover on the outside of which should be written legibly: (a) title of paper and name of author; (b) figure or plate number; (c) the figures and lettering,

which are intended to appear on the finished block, in the correct positions relative to the drawing underneath. Each paper should have a separate typed sheet listing figure and plate numbers with their legends, and the approximate positions of illustrations should be indicated in the text.

The photographs and diagrams should be about twice the size of the finished block and not larger overall than the sheets on which the paper itself is typed. For a figure measuring 250 mm × 150 mm all lines, axes and curves should be 0.4 mm thick, thus . Graph symbols in order of preference are ○ ●, △ ▲, □ ■, × +, and for a 250 mm × 150 mm graph the circles should be 3 mm in diam. The triangles should be equilateral of 3 mm side, and the squares also of 3 mm side. The crosses should have lines 3 mm long at right angles. Scale marks on the axes should be on the inner side of each axis and should be 3 mm long.

SHORT COMMUNICATIONS

Short communications or notes of not more than 2500 words or the equivalent space in print and without a summary will also be published.

REFERENCES

In the text, references should be quoted by whichever of the following ways is appropriate: Arnold & Barnard (1900); Arnold & Barnard (1900a); Arnold & Barnard (1900a, b); (Arnold & Barnard, 1900). Give all the surnames of 3 authors at the first mention, but in subsequent citations and in all cases where there are more than 3 authors give only the first surname (e.g. Brown *et al.*) provided that there is no possible ambiguity.

References should be listed alphabetically at the end of the paper. Titles of journals should be given in full, authors' initials should be included, and each reference should be punctuated in the typescript thus: Arnold, T. B., Barnard, R. N. & Compound, P. J. (1900). *Journal of Dairy Research* 18, 158–165. References to books should include names of authors, year of publication, title, names of editors, town of publication and name of publisher in that order, thus: Arnold, T. B. (1900). *Dairying*. London: Brown and Chester.

It is the duty of the author to check all references.

UNITS, SYMBOLS AND ABBREVIATIONS

SI units must be used, as explained in British Standards Institution publication PD 5686:1972. *The use of SI units*. Until SI units are widely understood, it is permissible to give the equivalent value in other units in parenthesis. Symbols and abbreviations used are those of British Standard 1991: Part 1: 1967. *Letter Symbols, Signs and Abbreviations*.

DESCRIPTIONS OF SOLUTIONS

Normality and molarity should be indicated thus: N-HCl, 0.1 M-NaH₂PO₄. The term '% ' means g/100 g solution. For ml/100 ml solution the term '% (v/v)' should be used and for g/100 ml solution the correct abbreviation is '% (w/v)'.

OFFPRINTS

Order forms giving quotations for offprints are sent to authors with their proofs.

CONTENTS

ORIGINAL ARTICLES

- Effect of a disinfectant udder wash and a post-milking teat dip on the bacterial population of the teat end and on the rate of new intramammary infection
R. F. SHELDRAKE and R. J. T. HOARE pages 253-258
- Studies on the motility of smooth muscles of the teats in lactating cows
J. BERNABÉ and G. PEETERS 259-275
- Effect of oil-enriched diets on the milk yield and composition, and on the composition and physical properties of the milk fat, of dairy cows receiving a basal ration of grass silage
W. BANKS, J. L. CLAPPERTON and M. E. KELLY 277-285
- Effect on milk lipolysis of restricted feeding with and without supplementation with protected rape seed oil
H. N. ASTRUP, L. BÈVRE, L. VIK-MO and A. EKERN 287-294
- Detection and quantification of non-milk fat in mixtures of milk and non-milk fats
R. E. TIMMS 295-303
- Characterization and response to mitogens of mammary lymphocytes from the bovine dry-period secretion
C. CONCHA, O. HOLMBERG and B. MOREIN 305-311
- Heat-induced association of β -lactoglobulin and casein micelles
P. SMITS and J. H. VAN BROUWERSHAVEN 313-325
- Effect of concentration by ultrafiltration on the heat stability of skim-milk
A. W. M. SWEETSUR and D. D. MUIR 327-335
- Factors influencing the stability of milk dialysate
T. G. PARKER and D. S. HORNE 337-342
- Light scattering investigation of the stability of bovine casein micelles to dilution
T. G. PARKER and D. S. HORNE 343-350
- Determination of the proportion of κ -casein hydrolysed by rennet on coagulation of skim-milk
B. CHAPLIN and M. L. GREEN 351-358
- The effect of the chemical structure of additives on the coagulation of casein micelle suspensions by rennet
R. J. MARSHALL and M. L. GREEN 359-369
- Influence of storage of milk on casein distribution between the micellar and soluble phases and its relationship to cheese-making parameters
A. E. ALI, A. T. ANDREWS and G. C. CHEESEMAN 371-382
- Factors influencing casein distribution in cold-stored milk and their effects on cheese-making parameters
A. E. ALI, A. T. ANDREWS and G. C. CHEESEMAN 383-391
- Influence of elevated somatic cell count on casein distribution and cheese-making
A. E. ALI, A. T. ANDREWS and G. C. CHEESEMAN 393-400
- Multiple modification/restriction systems in lactic streptococci and their significance in defining a phage-typing system
J. P. BOUSSEMAER, P. P. SCHRAUWEN, J. L. SOURROUILLE and P. GUY 401-409
- Effect of ripening cream with selected lactic acid bacteria on the quality of ghee
A. M. JOSEPH and S. R. APPACHAR 411-415
- SHORT COMMUNICATIONS
- Use of a pH-stat to indicate the end-point in titration of calcium plus magnesium in milk and whey
F. DI GREGORIO and R. SISTO 417-419
- Specific action of milk-clotting enzymes on water buffalo caseins. I. Effect of chymosin on β -casein
F. ADDEO, J.-P. PELISSIER and L. CHIANESE 421-426
- Reviews of the progress of Dairy Science: Hormones in milk: their physiological significance and value as diagnostic aids
G. S. POPE and J. K. SWINBURNE 427-449
- ERRATUM 451