

CAMBRIDGE

JOURNALS

Acta Neuropsychiatrica

Published on behalf of the Scandinavian College of
Neuropsychopharmacology (SCNP)


Editor-in-Chief

Gregers Wegener, Aarhus University, Denmark

Acta Neuropsychiatrica is an international journal that publishes translational high-quality research papers in neuropharmacology neuropsychiatry and neuroscience. The journal provides a forum for original basic and clinical research from disciplines and research areas relevant to the pathophysiology, neurobiology, and treatment of neuropsychiatric disorders.

Acta Neuropsychiatrica provides its readership with the latest perspectives from current and emerging fields of psychiatry, neurology, pharmacology, genetics and neuroimaging. Such research may derive from the full spectrum of biological and psychological fields of inquiry encompassing classical and novel techniques/strategies. Emphasis will be given to translational original research that is of wide interest and clearly advances the field.

Acta Neuropsychiatrica welcomes Full-length Original Research Articles, Short Communications, Perspectives, as well as Review Articles. Debate is encouraged in the form of Letters to the Editor. All articles published in *Acta Neuropsychiatrica* undergo peer review.



Acta Neuropsychiatrica

is available online at:
<http://journals.cambridge.org/neu>

To subscribe contact Customer Services

Americas:

Phone +1 (845) 353 7500

Fax +1 (845) 353 4141

Email

subscriptions_newyork@cambridge.org

Rest of world:

Phone +44 (0)1223 326070

Fax +44 (0)1223 325150

Email journals@cambridge.org

Free email alerts

Keep up-to-date with new
material – sign up at

journals.cambridge.org/neu-alerts

For free online content visit:
<http://journals.cambridge.org/neu>



CAMBRIDGE
UNIVERSITY PRESS

INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, <http://www.editorialmanager.com/psm/>. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

1. S.I. units should be used throughout in text, figures and tables.
2. Authors should spell out in full any abbreviations used in their manuscripts.
3. Foreign quotations and phrases should be followed by a translation.
4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* **32**, 173–179.

Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq_tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour halftone artwork:** Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

EDITORIAL

- Does asking about suicide and related behaviours induce suicidal ideation? What is the evidence?**
Dazzi T, Gribble R, Wessely S, & Fear NT 3361

REVIEW ARTICLES

- Set-shifting ability across the spectrum of eating disorders and in overweight and obesity: a systematic review and meta-analysis**
Wu M, Brockmeyer T, Hartmann M, Skunde M, Herzog W, & Friederich H-C 3365
- How much do we know about schizophrenia and how well do we know it? Evidence from the Schizophrenia Library**
Matheson SL, Shepherd AM, & Carr VJ 3387

COMMENTARY

- On collecting meta-analyses of schizophrenia and postage stamps**
Murray RM 3407

ORIGINAL ARTICLES

- The ethics of doing nothing. Suicide-bereavement and research: ethical and methodological considerations**
Omerov P, Steineck G, Dyregrov K, Runeson B & Nyberg U 3409
- Exploring causal pathways of child behavior and maternal mental health in families with a child with congenital heart disease: a longitudinal study**
Landolt MA, Ystrom E, Stene-Larsen K, Holmström H & Vollrath ME 3421
- Associations of cannabis and cigarette use with psychotic experiences at age 18: findings from the Avon Longitudinal Study of Parents and Children**
Gage SH, Hickman M, Heron J, Munafò MR, Lewis G, Macleod J & Zammit S 3435
- Reduced brain reward response during cooperation in first-degree relatives of patients with psychosis: an fMRI study**
Gromann PM, Shergill SS, de Haan L, Meewis DGJ, Fett A-KJ, Korver-Nieberg N & Krabbendam L 3445
- Age at onset, course of illness and response to psychotherapy in bipolar disorder: results from the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD)**
Peters A, Sylvia LG, da Silva Magalhães PV, Miklowitz DJ, Frank E, Otto MW, Hansen NS, Dougherty DD, Berk M, Nierenberg AA & Deckersbach T 3455

- Cognitive content specificity in anxiety and depressive disorder symptoms: a twin study of cross-sectional associations with anxiety sensitivity dimensions across development**
Brown HM, Waszczuk MA, Zavos HMS, Trzaskowski M, Gregory AM & Eley TC 3469

- Direct comparison of first-contact *versus* longitudinal register-based case finding in the same population: early evidence that the incidence of schizophrenia may be three times higher than commonly reported**
Hogerzeil SJ, van Hemert AM, Rosendaal FR, Susser E & Hoek HW 3481

- Are we really mapping psychosis risk? Neuroanatomical signature of affective disorders in subjects at ultra high risk**
Modinos G, Allen P, Frascarelli M, Tognin S, Valmaggia L, Xenaki L, Keedwell P, Broome M, Valli I, Woolley J, Stone JM, Mechelli A, Phillips ML, McGuire P & Fusar-Poli P 3491

- Co-occurrence of psychotic experiences and common mental health conditions across four racially and ethnically diverse population samples**
DeVylder JE, Burnette D & Yang LH 3503

- Cognitive-behavioural therapy augments the effects of deep brain stimulation in obsessive-compulsive disorder**
Mantione M, Nieman DH, Figees M & Denys D 3515

- The role of oxytocin in empathy to the pain of conflictual out-group members among patients with schizophrenia**
Abu-Akel A, Fischer-Shofty M, Levkovitz Y, Decety J & Shamay-Tsoory S 3523

- Deep brain stimulation for obsessive-compulsive disorder: a systematic review and meta-analysis**
Kisely S, Hall K, Siskind D, Frater J, Olson S & Crompton D 3533

- Neurocognitive profiles in help-seeking individuals: comparison of risk for psychosis and bipolar disorder criteria**
Metzler S, Dvorsky D, Wyss C, Müller M, Traber-Walker N, Walitza S, Theodoridou A, Rössler W & Heekeren K 3543

- Refining the latent structure of neuropsychological performance in schizophrenia**
Lam M, Collinson SL, Eng GK, Rapisarda A, Kraus M, Lee J, Chong SA & Keefe RSE 3557

- Everyday emotional experience of adults with attention deficit hyperactivity disorder: evidence for reactive and endogenous emotional lability**
Skirrow C, Ebner-Priemer U, Reinhard I, Malliaris Y, Kuntsi J & Asherson P 3571