



Weeds

VOLUME III
APRIL 1954
NUMBER 2

NATIONAL LENDING LIBRARY
For SCIENCE & TECHNOLOGY
SECONDHAND PURCHASE
11 DEC 1969

9284.5 C

EDITORIAL BOARD

- Western Weed Control Conference*.....W. A. HARVEY, College of Agriculture, Davis, California.
- North Central Weed Control Conference*.....R. S. DUNHAM, College of Agriculture, St. Paul, Minnesota.
- Northeastern Weed Control Conference*.....R. D. SWEET, Department of Vegetable Crops, Cornell University, Ithaca, New York.
- Southern Weed Control Conference*.....W. B. ENNIS, JR., Mississippi State College, State College, Mississippi.

C. E. MINARIK, *Editor*, Camp Detrick, Frederick, Maryland.

R. D. SWEET, *Business Manager*, Cornell University, Ithaca, New York

STATE REPORTERS

- | | | | |
|-------------------------|---------------|----------------------|----------------|
| V. S. Searcy..... | Alabama | N. E. Shafer..... | Nebraska |
| H. J. Hodgson..... | Alaska | W. W. Smith..... | New Hampshire |
| H. F. Arle..... | Arizona | R. J. Aldrich..... | New Jersey |
| D. A. Hinkle..... | Arkansas | W. C. Robocker..... | Nevada |
| O. A. Leonard..... | California | J. W. Whitworth..... | New Mexico |
| B. J. Thornton..... | Colorado | S. N. Fertig..... | New York |
| R. A. Peters..... | Connecticut | G. C. Klingman..... | North Carolina |
| E. M. Rahn..... | Delaware | E. A. Helgeson..... | North Dakota |
| E. G. Rogers..... | Florida | E. K. Alban..... | Ohio |
| E. W. Hauser..... | Georgia | J. Dreessen..... | Oklahoma |
| N. S. Hanson..... | Hawaii | V. H. Freed..... | Oregon |
| C. I. Seely..... | Idaho | S. M. Raleigh..... | Pennsylvania |
| F. W. Slife..... | Illinois | T. Muzik..... | Puerto Rico |
| G. F. Warren..... | Indiana | T. E. Odland..... | Rhode Island |
| D. W. Staniforth..... | Iowa | W. B. Albert..... | South Carolina |
| V. I. Woestermeyer..... | Kansas | L. A. Derscheid..... | South Dakota |
| S. J. P. Chilton..... | Louisiana | J. K. Leasure..... | Tennessee |
| M. F. Trevett..... | Maine | R. A. Darrow..... | Texas |
| A. O. Kuhn..... | Maryland | F. L. Timmons..... | Utah |
| W. H. Lachman..... | Massachusetts | A. R. Midgley..... | Vermont |
| B. H. Grigsby..... | Michigan | W. E. Chappell..... | Virginia |
| H. L. Hansen..... | Minnesota | L. W. Rasmussen..... | Washington |
| W. B. Ennis..... | Mississippi | C. Veatch..... | West Virginia |
| D. L. Klingman..... | Missouri | K. P. Buchholtz..... | Wisconsin |
| R. L. Warden..... | Montana | D. W. Bohmont..... | Wyoming |

WEEDS is a quarterly journal published by the Association of Regional Weed Control Conferences. Editorial offices are located at Camp Detrick, Frederick, Maryland. Printing is by the W. F. Humphrey Press, Inc., Geneva, New York. Subscription price is \$4.00 yearly for four issues; single copies \$1.25. Address all communications regarding subscriptions and advertising to R. D. Sweet, Department of Vegetable Crops, Cornell University, Ithaca, New York. Inquiries concerning information on manuscripts, other material for publication and reprints should be addressed to the Editorial offices. All checks, money orders and other remittances should be made payable to WEEDS, Journal of the Association of Regional Weed Control Conferences.

Entered as second-class matter at the post office
at Ithaca, New York, and Geneva, New York

Table of Contents

| | <i>Page</i> |
|--|-------------|
| Killing Native Barberry with Hormone-type Herbicides. L. W. Melander, E. A. Lungren and W. M. Watson..... | 123 |
| Influence of 2,4-D on Enzyme Systems. D. J. Wort..... | 131 |
| Trends in Teaching Weed Control. Oliver C. Lee..... | 136 |
| Marsh and Aquatic Weed Problems in Wildlife Habitat. Alexander C. Martin..... | 139 |
| An Inexpensive Controlled-Environment Chamber for Herbicide Research. Charles L. Leinweber and Wayne G. McCully..... | 143 |
| Accumulation and Distribution of TCA in Plant Tissue. Theodore W. Tib- bits and LeRoy G. Holm..... | 146 |
| Design and Analysis in Chemical Weed Control Research. S. K. Ries and W. C. Jacob..... | 152 |
| Blended Solvents for Control of the Submersed Water Weed Naiad in South Florida. John C. Stevens, A. L. Craig and Chas. C. Seale..... | 160 |
| Species Sensitivity to Chemicals Tested for Herbicidal Properties. James W. Brown and J. Arthur Throne..... | 171 |
| Translocation of 3-(<i>p</i> -chlorophenyl)-1, 1-Dimethylurea in Plants. J. R. Haun and J. H. Peterson..... | 177 |
| A Statewide Extension Program in Weed Control. R. B. Widdifield..... | 188 |
| Evaluation of Several Chemicals for Weed Control in Strawberry Fields. D. H. Scott, W. C. Shaw and R. U. Ruppenthal..... | 192 |
| News and WEEDS Affairs..... | 208 |
| Bibliography of Weed Investigations October, November, December, 1953.. | 209 |

Advertisers Index

| | |
|--|------|
| American Cyanamid Co..... | ii |
| Chipman Chemical Co., Inc..... | iii |
| Diamond Alkali Co..... | iv |
| duPont de Nemours & Co..... | v |
| Pacific Coast Borax Co..... | vi |
| Pittsburgh Agricultural Chemical Co..... | vii |
| Spraying Systems, Inc..... | viii |
| Thompson-Hayward Co..... | ix |
| American Chemical Paint Co..... | x |

A *Cyanamid* **PRODUCTS**

for effective, economical weed control

POTASSIUM CYANATE

for pre-emergence contact weedkilling, post-emergence selective contact weedkilling, top-killing and defoliation. Breaks down rapidly on contact with soil.

AERO[®] CYANAMID, Granular

Contains 20% nitrogen and 70% hydrated lime. For pre-emergence weed control in peas, corn, asparagus and other crops. For pre-seeding weed control in tobacco and other plant beds, for establishing or renovating weed-free turf. In granular form for easy handling and application.

AERO[®] CYANAMID, Special Grade

Contains 21% nitrogen and 70% hydrated lime. In dust form for pre-emergence residual and contact weed control. Defoliates cotton, field beans and other crops. For pre-harvest top-killing of tomatoes and potatoes.

AMINO TRIAZOLE (3-amino-1,2,4-triazole)

(LIMITED QUANTITIES AVAILABLE FOR EXPERIMENTAL PURPOSES)

Herbicide, Defoliant, Growth Regulator

Amino Triazole has demonstrated effectiveness in control of a number of troublesome weeds, including Canada thistle, sow thistle, poison ivy, poison oak, quack grass, nut grass and certain woody species. By virtue of a short residual life in the soil, Amino Triazole can be sprayed on weed infestations a short time before planting without injury to the crop.


Amino Triazole translocates readily through the plant and produces unusual systemic effects, manifested by albinism or chlorophyll inhibition in new growth. This typical effect has continued to show up as long as one year after spraying certain species.

At rates of $\frac{1}{2}$ to $1\frac{1}{2}$ pounds per acre, cotton has been defoliated and re-growth controlled for a sufficient time to permit harvest.

AMERICAN Cyanamid COMPANY

AGRICULTURAL CHEMICALS DIVISION

30 Rockefeller Plaza, New York 20, N. Y.



ATLACIDE: A chlorate weed killer...widely used for non-selective eradication of bindweed, Canada thistle, quack grass, Johnson grass and other tough perennials. Kills roots...destroys entire plant...discourages regrowth. Applied as spray or in original dry form. Atlacide is backed by over 25 years of successful use, plus an outstanding reputation as "the safer chlorate".

ATLACIDE WITH 2, 4-D: A combination of Atlacide and 2,4-D acid. Offers dual killing action of sodium chlorate and 2,4-D.

CHLORAX SPRAY POWDER: A non-separating composition of sodium chlorate and pentaborate. For use where long-lasting residual effect is desirable...such as along fence rows, ditch banks, around buildings and other structures. Kills practically all types of weeds and grasses. Creates no fire or poison hazard. Applied dry or as spray.

ATLAS "A": A 40% sodium arsenite solution (4 lbs. arsenic trioxide

per gal.). Destroys certain submerged vegetation in ponds and lakes. Used for selective control of crabgrass, chickweed and clover in turf. Also used as general weed killer for annual weeds and grasses. Used to kill trees and stumps.

SODIUM ARSENITE: A powder containing 75% arsenic trioxide. Used for the same purposes as Atlas "A". Applied dry or as a spray.

2, 4-D WEED KILLERS: Available as 2,4-D Amine and 2,4-D Ester liquids; also 2,4-D Ester dusts.

METHOXONE: Contains 2 pounds of MCP sodium salt per gallon. Used for weed control in small grains, flax, rice and grass. Controls same weeds as 2,4-D; considered safer for selective spraying, especially in flax.

Low Volatile 2,4,5-T
 Low Volatile Brush Killer
 Sodium TCA 90% IPC 90% Liquid
 CIPC-4L (Chloro IPC)
 Chipman General (Dinitro)

Write for Weed Control Booklet

CHIPMAN CHEMICAL COMPANY, INC.

BOUND BROOK, N. J.

Chicago, Ill. . Palo Alto, Calif. . Pasadena, Tex. . Portland, Ore.

Manufacturers of Weed Killers Since 1912

For Herbicides

DIAMOND'S facilities for manufacturing and distributing agricultural chemicals for weed and brush control assure formulators a dependable source of supply for these important materials.

2,4-D and
2,4,5-T
Weed Killers
and
Brush Killers

Isopropyl Ester
Butyl Ester
Butoxy Ethoxy Propanol
Esters (*low volatile type*)

think
first
of

DIAMOND

DIAMOND ALKALI COMPANY

Organic Chemicals Division

80 LISTER AVE., NEWARK 5, NEW JERSEY

Plants: Newark, N. J., Houston, Texas

Chemicals you live by

DIAMOND



CHEMICALS

For dependable control of
weeds, grass and brush

Use DuPont Weed & Brush Killers

CMU Weed Killer clears the ground of vegetation. This new, powerful chemical kills weeds and grass and prevents regrowth. Just 1 or 2 lbs. per 1,000 square feet may do the job for a year! CMU is non-volatile, non-flammable, non-corrosive, easy to use in spray.

AMMATE[®] Weed and Brush Killer destroys roots and tops so there's little re-sprouting. Ideal for killing poison ivy, woody plants and clearing rights-of-way. Keeps brush down with little or no retreatment necessary. Non-volatile, non-flammable, non-poisonous to livestock.

Other Du Pont Weed and Brush Killers include TCA and 2,4-D Weed Killers; also 2,4-D - 2,4,5-T and 2,4,5-T Brush Killers. For details, write Du Pont, Grasselli Chemicals Dept., Wilmington, Del.



BETTER THINGS FOR BETTER LIVING ... THROUGH CHEMISTRY

Products for Agriculture from borates



... BY THE MANUFACTURERS OF FAMOUS "20 MULE TEAM" PACKAGE PRODUCTS

Weed Killers

Nonselective—Long-Lasting Effects

BORASCU®
CONCENTRATED BORASCU®
POLYBOR-CHLORATES®
GERSTLEY BORATE

Borate Fertilizers

for Correction of Boron Deficiency

FERTILIZER BORATE—Regular Grade
FERTILIZER BORATE—High Grade
POYBOR-2® ... for foliar spray applications

Cotton Defoliation

CHEM-FROST DEFOLIANT } LIQUID
 DRY

Wetting Agent

SPRAY-CHEM-A

Parasite (Larvae) Control

POLYBOR-3®
Destroys Larvae of: } FLIES
 DOG HOOKWORM
 SWINE KIDNEY WORMS

● FOR FURTHER INFORMATION, WRITE TO: 630 SHATTO PLACE, LOS ANGELES 5, CALIF.

PACIFIC COAST BORAX CO.

DIVISION OF BORAX CONSOLIDATED, LIMITED

LOS ANGELES, NEW YORK AND ALL PRINCIPAL CITIES

You could get
rid of WEEDS
like this . . .




but for fast, positive control

buy *Pittsburgh*

2, 4-D

Crop yields go up and weed control costs go down when you spray with *Pittsburgh* 2,4-D. This dependable weed killer gives you better weed killing performance because it's Quality-Controlled at every step of production. If you need a low volatile formulation, ask for *Pittsburgh* D-4. Buy the *Pittsburgh* 2,4-D formulation you need at your Dealer's today!




Standard for Quality

Made by the Pittsburgh Agricultural Chemical Co., New York, N. Y., a Division of
Pittsburgh Coke & Chemical Co., Pittsburgh, Pa.




the precision nozzle for effective spraying


Supplied in a full range of interchangeable orifice tip and strainer sizes to meet every capacity requirement, TeeJet Spray Nozzles for Weed Control by spraying make it possible to take maximum advantage of the chemical and sprayer unit. TeeJet nozzles are precision built and provide a flat spray with uniform distribution. Atomization is properly controlled to give coverage with an absolute minimum of driftage. Patented tip design, with set-back orifice opening protects precision orifice from accidental damage. TeeJet spray nozzles are built for use on spray booms and portable sprayers.



TEEJET SPRAY NOZZLE male pipe connection



TEEJET SPRAY NOZZLE female pipe connection



INTER-CHANGE-ABLE ORIFICE TIPS flat and cone spray types

OFF-CENTER SPRAY NOZZLES

Spraying Systems Spray Nozzles with TeeJet tips are supplied in a variety of special body types to meet any unusual spraying requirement. For example, one type of off-center spray nozzle with swivel body provides a flat spray up to 35 feet wide for spraying areas with a single nozzle, that are not accessible with a boom.

SUPPLEMENTARY EQUIPMENT

Complete accessories relating to nozzle use are supplied. These include strainers, special nozzle fittings, and hand valve equipment.


TeeJet Spray Nozzles are supplied for Weed Control... as well as all other types of agricultural spraying. For complete information and reference data write for Bulletin 58.

SPRAYING SYSTEMS CO.
Engineers and Manufacturers

3275 RANDOLPH STREET

BELLWOOD, ILLINOIS

TIME - brings changes



No one knows so well as the man of science how things are changing about us. In the field of herbicides, it takes up-to-the-minute facilities and know-how to keep abreast of developments. Our long years in the business have afforded us both these qualities. When you recommend Thompson-Hayward herbicides, you can be assured they are modern, honestly formulated, and that they will perform exactly as the label represents. What else can a herbicide be?



THOMPSON-HAYWARD CHEMICAL CO.

KANSAS CITY • NEW ORLEANS • DENVER • OMAHA • CHICAGO • MEMPHIS
DAVENPORT • WICHITA • DALLAS • HOUSTON • ST. LOUIS • DES MOINES • SAN ANTONIO
N. LITTLE ROCK • OKLAHOMA CITY • MINNEAPOLIS • TULSA • LUBBOCK

WEEDONE®

*Constantly
Searching-----*



We maintain a permanent department whose field research is ever seeking new and improved chemicals and methods for weed and brush control.



AMERICAN CHEMICAL PAINT COMPANY

Agricultural Chemicals Division

AMBLER, PA.

Originators of 2,4-D and 2,4,5-T Weedkillers

