

Go Mobile

CJO Mobile (CJOM) is a streamlined Cambridge Journals Online (CJO) for smartphones and other small mobile devices



- Use CJOM to access all journal content including *FirstView* articles which are published online ahead of print
- Access quickly and easily thanks to simplified design and low resolution images
- Register for content alerts or save searches and articles – they will be available on both CJO and CJOM
- Your device will be detected and automatically directed to CJOM via: journals.cambridge.org



CAMBRIDGE
UNIVERSITY PRESS

THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

TERMS OF MEMBERSHIP FOR 2014

Annual members, receiving the Journal – online only, per annum	£55.00*
Annual members, receiving the Journal – print only, per annum	£95.00*
Annual members, receiving the Journal – print and online, per annum	£115.00*
Annual members, without the Journal, per annum	£35.00*
Corporate members, receiving the Journal – online only, per annum	£360.00
Corporate members, receiving the Journal – print and online, per annum	£425.00
Student members, with the Journal – online only, per annum (non-voting)	£30.00
Student members, with the Journal – print only, per annum (non-voting)	£45.00
Student members, without the Journal, per annum (non-voting)	£20.00

The Association is a registered charity and was founded in 1884 to promote accurate researches leading to the advancement of zoological and botanical science and to increase our knowledge of the food, life, conditions and habits of British fish. The work of the Association is controlled by the Council elected annually by its subscribing members.

The Marine Biological Association, under the direction of its Council, has undertaken research in all branches of marine science and many of the results have been published in this Journal. An account of the history of the first hundred years of the Association and Journal may be found in Volume 67 (pp. 463 and 465). Summaries of the activities and research of the Association are given annually in the Report of the Council, sent to members in April, and to other subscribers with a later issue of the *JMBA*.

Since its foundation the Association has been supported by grants from Research Councils and by subscriptions and donations from private members, universities, learned societies, the Fishmongers' Company and other public bodies.

The Plymouth Laboratory was opened in June 1888 and, since that date, considerable additions have been made to the buildings, including a library, resource centre, extensive laboratory accommodation and seawater facilities.

In 1988 an agreement was reached between the MBA Council and the Natural Environment Research Council (NERC) to merge a large part of the Plymouth Laboratory with the NERC's Institute for Marine Science which had been in Plymouth since 1971. This new institute was called the Plymouth Marine Laboratory (PML) based at both Citadel Hill and West Hoe sites. In 2001 the MBA and PML re-established separate identities funded by Grants-in-aid from NERC. The Association and the research programme are

based entirely at the Citadel Hill Laboratory. The building is shared with SAHFOS (Sir Alister Hardy Foundation for Ocean Science).

The Marine Biological Association retains the lease of the building on Citadel Hill and continues as a very active scientific learned society with a large international membership. The MBA manages a research programme carried out by research fellows (partly funded by NERC) together with scientific visitors, publishes an International Journal, Annual Report, Newsletters and organizes scientific meetings.

Subscriptions can be paid by cash/cheque, direct debit from a UK bank account or credit card. *Subscriptions are reduced by £5 per annum if paying by direct debit.

Members of the Association have the following rights and privileges: they elect the Officers and Council annually; they are entitled to receive the Journal of the Association at the members' rate; they receive the biannual Newsletter; they have the option to apply to the Director for research facilities at the laboratory; and they have access to the resources in the library at Plymouth during working hours. Corporate members have significant additional rights and privileges, details of which can be supplied on request. Student members do not have voting rights. The Commissioners of Inland Revenue have approved the Association for the purposes of Section 16, Finance Act, 1958, and that the whole of the annual subscriptions paid by a member who qualifies for relief under the section will be allowable as a deduction from his emoluments assessable to income tax.

All correspondence should be addressed to: The Membership Secretary, Marine Biological Association, The Laboratory, Citadel Hill, Plymouth, PL1 2PB, UK (Tel: +44 (0) 1752 633207; Fax: +44 (0) 1752 633102; e-mail: membership@mba.ac.uk).

PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge, CB2 1RP, United Kingdom

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

CAMBRIDGE UNIVERSITY PRESS
The Edinburgh Building, Cambridge, CB2 2RU, United Kingdom
32 Avenue of the Americas, New York, NY 10013-2473, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
C/ Orense, 4, planta 13, 28020, Madrid, Spain
Dock House, The Waterfront, Cape Town 8001, South Africa

CONTENTS

Hernández-Almaraz, P., Méndez-Rodríguez, L., Zenteno-Savín, T., García-Domínguez, F., Vázquez-Botello, A. & Serviere-Zaragoza, E.	
Metal mobility and bioaccumulation differences at lower trophic levels in marine ecosystems dominated by <i>Sargassum</i> species	435
Gómez, F. & Artigas, L.F. High diversity of dinoflagellates in the intertidal sandy sediments of Wimereux (north-east English Channel, France)	443
Guo, P.Y., Shen, H.T. & Wang, J.H. Species diversity, community structure and distribution of phytoplankton in the Changjiang estuary during dry and flood periods	459
Dixon, A.K., Needham, D., Al-Horani, F.A. & Chadwick, N.E. Microhabitat use and photoacclimation in the clownfish sea anemone <i>Entacmaea quadricolor</i>	473
Paula, A.F. de, de Oliveira Pires, D. & Creed, J.C. Reproductive strategies of two invasive sun corals (<i>Tubastraea</i> spp.) in the south-western Atlantic	481
Breedy, O. & Guzman, H.M. A new species of alcyonacean octocoral from the Peruvian zoogeographic region	493
Rundell, R.J. & Leander, B.S. Molecular examination of kalyptorhynch diversity (Platyhelminthes: Rhabdocoela), including descriptions of five meiofaunal species from the north-eastern Pacific Ocean	499
Yu, T., Huang, Y. & Xu, K. Two new nematode species, <i>Linhystera breviapophysis</i> and <i>L. longiapophysis</i> (Xyalidae, Nematoda), from the East China Sea	515
Rajkumar, M., Sun, J., Jenkinson, I.R. & Rahman, M.M. Seasonal variations in the structure of copepod assemblages in tropical marine and estuarine waters, Coleroon, south-east India	521
Moon, S.E. & Soh, H.Y. A new species of <i>Boholina</i> (Copepoda, Calanoida, Boholinidae) from Ganghwa Island in western Korea	537
Koch, W., Boer, P., Witte, J.I., Van der Veer, H.W. & Thieltges, D.W. Inventory and comparison of abundance of parasitic copepods on fish hosts in the western Wadden Sea (North Sea) between 1968 and 2010	547
Ubaldo, J.P., Nanri, T., Takada, Y. & Saigusa, M. Prevalence and patterns of infection by the epicaridean parasite, <i>Gyge ovalis</i> and the emergence of intersex in the estuarine mud shrimp, <i>Upogebia major</i>	557
Morton, B., da Cunha, R.T. & de Frias Martins, A.M. Species richness, relative abundance and dwarfism in Azorean bivalves: consequences of latitude, isolation or productivity? Or all three?	567
Vasconcelos Silva, F. de, de Azevedo, V.M. & Matthews-Cascon, H. A new species of <i>Tritonia</i> (Opisthobranchia: Nudibranchia: Tritoniidae) from the tropical South Atlantic Ocean	579
Pola, M., Roldán, P. & Padilla, S. Molecular data on the genus <i>Okenia</i> (Nudibranchia: Goniodorididae) reveal a new cryptic species from New South Wales (Australia)	587
Rezzolla, D., Boldrocchi, G. & Storai, T. Evaluation of a low-cost, non-invasive survey technique to assess the relative abundance, diversity and behaviour of sharks on Sudanese reefs (southern Red Sea)	599
Ayyildiz, H., Ozen, O. & Altin, A. Growth, mortality and hatch-date distributions of striped sea bream <i>Lithognathus mormyrus</i> inhabiting the Çanakkale Strait, Turkey	607
Bessa, E., Santos, F.B., Pombo, M., Denadi, M., Fonseca, M. & Turra, A. Population ecology, life history and diet of the shorthead drum <i>Larimus breviceps</i> in a tropical bight in south-eastern Brazil	615
Vieira, A.R., Neves, A., Sequeira, V., Paiva, R.B. & Gordo, L.S. Age and growth of forkbeard, <i>Phycis phycis</i> , in Portuguese continental waters	623
Vitale, S., Ragonese, S., Cannizzaro, L., Fiorentino, F. & Mazzola, S. Evidence of trawling impact on <i>Hoplostethus mediterraneus</i> in the central-eastern Mediterranean Sea	631
Horak, R.E.A. & Montoya, J.P. Growth, nitrogen fixation, respiration, and anitrogen budget for cultures of a cosmopolitan diazotrophic endosymbiont (<i>Teredinibacter turnerae</i>) of shipworms — ERRATUM	641
