

Index of Subjects

- Adenovirus antibodies in normal children, 155
 Acetyleneimine in the production of inactivated foot-and-mouth disease vaccines, 337
 Aerosols, influenza virus, infectivity of, 331
 Airborne particles carrying micro-organisms, size distribution of, 385
 Antiseptic reagents, the effect of on the bacterial flora of small-pox lymph, 187
 Antiserum pools in the typing of enteroviruses in tissue culture, 479
 Autoradiographic detection of radioactive bacteria introduced into sea water and sewage, 307
- Bacterial respiration, measurement of on pig skin with micro-respirometers, 273
 Bantu school children, salmonellae and shigellae in, 257
 Buccal mucosa, absorption of diphtheria toxoid through, 425
- Cattle, adverse reactions in, after vaccination with lapinized rinderpest virus, 193
 Cells, primary monkey kidney, Hep 2 and HeLa. Their relative susceptibility to a variety of faecal viruses, 493
 Chrome typhoid vaccine, 43
Clostridium welchi α -antitoxin, incidence in Indian equines, 213
 Colds, experimentally induced. Variations in the clinical pattern, 231
 Common cold viruses. A survey in Royal Air Force recruits on arrival from civilian life, 471
 Complement-fixation titres against the species-specific trachoma antigen in sera of trachoma patients, 31
 Cross-infection in hospital by *Staphylococcus aureus* type 83A, 499
- Desiccation, the effect of on the viability of *Staphylococcus aureus*, 265
 Diphtheria toxoid absorbed through the buccal mucosa, 425
 DPN-ase activity, production of by *Salmonella typhi* grown *in vivo* and *in vitro*, 1
- Egg, unpasteurized liquid, associated with an outbreak of human infection due to *Salmonella typhi-murium*, phage type 4, 323
 Electron microscopy of neurotropic African horse-sickness virus, 149
 Enteric infections, intradermal TAB immunization against, 365
 Enterovirus typing in tissue culture by neutralization with composite antiserum pools, 479
 Extracts from normal and infected organs. Their effect on the bactericidal serum action on strains of *Salmonella typhi* grown *in vivo* and *in vitro*, 21
- Faecal viruses, the relative susceptibility of primary monkey kidney cells, Hep 2 cells and HeLa cells to a variety of, 493
 Floors, cleaning of with oiled mops, 393
 Food poisoning. A milk-borne outbreak due to *Salmonella heidelberg*, 175
 Food poisoning. An outbreak caused by *Salmonella typhi-murium*, phage type 12, probably spread by infected meat, 419
 Foot-and mouth disease vaccines, the use of acetyleneimine in the production of, 337
 Foot-and-mouth disease vaccines, *in vitro* measurement of the potency of, 345
 Foot-and-mouth disease virus of type SAT 1. Antigenic differences between strains, 217
- Gamma globulin. Its influence on the clinical reaction of Nigerian children to measles vaccine, 135
 Gamma radiation for the elimination of salmonellae from various foods, 515
 Germicidal activity on skin, estimated by a respirometer technique, 283
- Haemophilus influenzae* type B, naso-pharyngeal carriage of, 247
 Hexachlorophene soap, used intermittently, 443
- Immunizing potencies of acetone-killed vaccines prepared from *Salmonella typhi* grown *in vivo* and *in vitro*, 353

- Inclusion blennorrhoea and trachoma viruses grown in embryonate eggs, 67
 Indian equines, incidence of natural *Clostridium* α -antitoxin in, 213
 Infection of wounds in a provincial general hospital, 95
 Infection-promoting substances, production of by *Salmonella typhi* grown *in vivo* and *in vitro*, 1
 Influenza virus aerosols, infectivity of, 331
 Intradermal TAB immunization against enteric infections, 365
- Liberation of organisms from contaminated textiles, 507
- Measles in Nigerian children, 115
 Measles vaccine, efficacy of, 143
 Measles vaccine with and without gamma globulin, the clinical reaction of Nigerian children to, 135
 Median effective dose in bioassay, estimation of by optimum moving averages, 401
 Mice infesting a food store. Combined use of rodenticidal dust and poison solution against them, 169
 Micro-respirometers for the measurement of bacterial respiration on pig skin, 273
 Milk-borne outbreak of food poisoning due to *Salmonella heidelberg*, 175
 Myxomatosis studied by the Ouchterlony gel diffusion technique, 373
 Myxoma virus, two attenuated strains isolated in Great Britain, 161
- Naso-pharyngeal carriage of *Haemophilus influenzae* type B, 247
 Nigerian children, measles in, 115
- Oiled mops for cleaning hospital floors, 393
 Optimum moving averages for the estimation of median effective dose in bioassay, 401
 Ouchterlony gel diffusion technique in the study of myxomatosis, 373
- Para-influenza 2 virus infections in adult volunteers, 407
 pH-stability of rinderpest virus, studied in tissue culture, 205
 Post-operative wound infection in a provincial general hospital, 95
Pseudomonas aeruginosa, its growth, toxigenicity and virulence, 485
 Pyocines, the production and inactivation of, 431
- Respirometer technique for estimating germicidal activity on skin, 283
 Rift Valley fever virus, a slowly sedimenting infectious component of, 451
 Rinderpest virus, lapinized. Adverse reactions in cattle after vaccination, 193
 Rinderpest virus, studies in tissue culture on the pH-stability, 205
 Ringworm flora of Birmingham. A seventeen-year survey, 291
 Rodenticidal dust and poison solution; combined use against house-mice infesting a foodstore, 169
- Salmonellae, elimination from foods by gamma radiation, 515
 Salmonellae and shigellae in a group of periurban South African Bantu school children, 257
Salmonella heidelberg causing a milk-borne outbreak of food poisoning, 175
Salmonella typhi grown *in vivo* and *in vitro*, comparative studies on, 1, 21, 353
Salmonella typhi-murium, probably spread by infected meat, 419
Salmonella typhi-murium, phage type 4 infections, associated with the use of unpasteurized liquid egg, 323
 Sea water, and sewage, autoradiographic detection of radioactive bacteria in, 307
Shigella sonnei, effect of various treatments after ultraviolet irradiation, 77
 Shigellae, and salmonellae, in Bantu school children, 257
 Size distribution of airborne particles carrying micro-organisms, 385
 Skin, measurement of bacterial respiration on, 273
 Skin, measurement of germicidal activity on, 283
 Smallpox lymph, the effect of some antiseptic reagents on the bacterial flora of, 187
 Staphylococcal infection, sources of in surgical wound sepsis, 83
Staphylococcus aureus, the effect of desiccation on the viability of, 265
Staphylococcus aureus type 83 A as a cause of hospital cross infection, 499

Textiles, liberation of organisms from, after contamination, 507

Toxoplasma gondii antibodies, 53

Toxoplasmosis, epidemiology of, 61

Toxicity of *Salmonella typhi* grown *in vivo* and *in vitro*, 1

Trachoma antigen, complement fixation titres against, in sera of trachoma patients, 31

Trachoma and inclusion blennorrhoea viruses, growth in embryonate eggs, 67

Typhoid vaccine, chrome, 43

Typing of enteroviruses in tissue culture by neutralization with composite antiserum pools, 479

Ultraviolet irradiated *Shigella sonnei*, effect of various post-irradiation treatments on, 77

Virulence of *Salmonella typhi* grown *in vivo* and *in vitro*, 1

Viruses: African horse-sickness, 149; Adeno, 155; Common cold, 471; Enterovirus, 479, 493; Foot-and-mouth disease, 217, 345; Inclusion blennorrhoea, 67; Influenza, 331; Myxoma, 161, 373; Para-influenza, 407; Rift Valley fever, 451; Rinderpest, 193, 205; Trachoma, 31, 67.

Woolsorter's disease, Simian. Recognition and therapy of, 317

Wound sepsis, sources of staphylococcal infection in, 83