


VOL. 108. No. 457.

NOVEMBER, 1962

THE JOURNAL OF MENTAL SCIENCE

(THE BRITISH JOURNAL OF PSYCHIATRY)



BY AUTHORITY OF
THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION

London

H. K. LEWIS & CO. LTD

PUBLISHED SIX TIMES A YEAR

SINGLE COPIES £1 NET

ANNUAL SUBSCRIPTION £6 POST FREE

JOURNAL OF MENTAL SCIENCE

(THE BRITISH JOURNAL OF PSYCHIATRY)

EDITOR-IN-CHIEF

Eliot Slater

CO-EDITOR

Alexander Walk

BOARD OF ASSESSORS

E. W. Anderson	E. H. Hare	John Pollitt
A. A. Baker	G. R. Hargreaves	D. A. Pond
R. F. Barbour	*Denis Hill	Felix Post
John Bowlby	J. Hoenig	K. Rawnsley
G. M. Carstairs	W. W. Kay	*W. Linford Rees
*L. C. Cook	L. G. Kiloh	*B. W. Richards
A. J. Coppen	B. H. Kirman	Derek Richter
Valerie Cowie	Denis Leigh	J. A. Fraser Roberts
L. Crome	*T. F. Main	J. T. Robinson
*Desmond Curran	Paul Mallinson	T. Ferguson Rodger
Peter Daniel	V. Meyer	*Martin Roth
D. Russell Davis	*W. M. Millar	Peter Sainsbury
H. V. Dicks	Louis Minski	William Sargant
Peter Dally	*A. B. Monro	P. D. Scott
M. A. Falconer	W. L. Neustatter	Patrick Slater
*Richard Fox	Ian Oswald	E. Stengel
Graham A. Foulds	G. Pampiglione	R. Ström-Olsen
R. K. Freudenberg	C. M. B. Pare	J. M. Tanner
J. M. Frisch	*M. Partridge	F. Kräupl Taylor
Gerald Garmany	A. Spencer Paterson	R. F. Tredgold
T. C. N. Gibbens	Malcolm Piercy	W. H. Trethowan
J. G. Gibson	F. E. Pilkington	*W. Warren
A. M. Halliday	John Pippard	J. K. Wing
Max Hamilton		

*Also members of Journal Committee

in depression restore the premorbid personality



Promptly but smoothly, 'Parnate' restores the depressive patient's normal personality. The action of 'Parnate' is clear cut and specific—it relieves the symptoms of depression. The onset of recovery is prompt because 'Parnate' acts within the first few days of treatment. The course of recovery is smooth because 'Parnate' causes no overstimulation or euphoria.

'Parnate' is indicated in reactive and other psychoneurotic depressions, endogenous depressions (including the depressive phase of manic-depressive psychosis and other depressive states associated with psychoses), and involuntal melancholia.

Parnate

a true antidepressant effect,
more quickly achieved

Each 'Parnate' tablet contains 10 mg. tranylcypromine as the sulphate.
Issued in containers of 50 and 500.

SK & F Smith Kline & French Laboratories Ltd
Welwyn Garden City, Herts


* 'Parnate' (brand of tranylcypromine) is a trade mark

PT:PA92

DISIPAL

(Regd.)

ORPHENADRINE HYDROCHLORIDE



1. Correction of Drug Induced Extra Pyramidal Symptoms
2. Parkinsonism
3. Senile and Presenile Depressions
4. Vertiginous and Post-Traumatic Dizziness

MANUFACTURED AND DISTRIBUTED IN THE U.K. BY

CAMDEN CHEMICAL CO. LTD
LONDON · WC1

For N.V. KONINKLIJKE PHARMACEUTISCHE FABRIEKEN V H BROCADES · STHEEMAN AND PHARMACIA · AMSTERDAM · HOLLAND
U.K. Patent Nos. 607258 and 743495

Fentazin

PERPHENAZINE

COMPRESSES MENTAL HEALTH PRESCRIPTION COSTS
2-4 mg. THREE TIMES DAILY

CALMS PLACATES CONTROLS RELIEVES

anxiety and tension senile agitation nausea and vomiting

psychosomatic dermatoses

Tablets of 2 or 4 mg. perphenazine in containers of 50 and 500



ALLEN & HANBURY'S LTD BETHNAL GREEN LONDON E2



FENTAZIN 2mg. t.i.d.
A WEEK'S TREATMENT COSTS 1/5

Fentazin[®] is a trade mark

AH244

STELAZINE
sends
patients out
—keeps
patients out



The 'hard core' of patients refractory to every known therapy is a major problem in the mental hospital. These patients need the most diligent nursing, and their presence for many years is harmful to the morale of their fellow-patients and of the hospital staff.

'Stelazine' lessens this burden on the hospital. It enables more patients to be discharged, and prevents others from ever being admitted, thus freeing beds for those who particularly need constant supervision.

New once-daily therapy

'Stelazine' is now available in 'Spansule' sustained-release capsules, each containing 15 mg. trifluoperazine. This new presentation is particularly convenient for out-patients, many of whom are maintained on 10 mg. 'Stelazine' in the morning and 5 mg. in the evening. Out-patients often forget the second dose, or deliberately omit it if they are in public. One 15 mg. 'Stelazine Spansule' capsule, taken at breakfast, ensures a full day's medication for these patients.

CHRONIC SCHIZOPHRENIA

'Stelazine' restores awareness and insight to patients with a long history of schizophrenia. It is often effective where other treatment, including tranquillizers, ECT and ICT, has failed. 'Stelazine' calms the patient without impairing his alertness, thus facilitating psychotherapy.

ACUTE SCHIZOPHRENIA

'Stelazine' has been used with great success in acute schizophrenia. It is often possible to discharge patients within a few weeks.

The drug can also be given by injection, to control violent and disturbed behaviour or severe agitation. An outstanding effect of 'Stelazine' is its power to eliminate or lessen delusions and hallucinations in hebephrenic and catatonic schizophrenia. In some patients this effect is often seen 24 hours or a few days after the start of therapy. In most chronic cases symptoms abate within a week or two.



More than 250 published papers testify to the outstanding effectiveness of 'Stelazine' in mental illness and, in low dosage, in the control of nausea and vomiting.

'Stelazine' is available as: Tablets of 5 mg. and 'Spansule' sustained-release capsules of 15 mg. Ampoules of 1 mg. Concentrate (containing 10 mg./ml.) Also tablets of 1 mg. and 'Spansule' sustained-release capsules of 2 mg.

Literature containing prescribing information is available on request.

**Smith Kline & French
Laboratories Ltd**
Welwyn Garden City, Herts

'Stelazine' (brand of trifluoperazine) and 'Spansule' (brand of sustained-release capsule) are trade marks
Brit. Pat. Nos. 742007, 813861, 857547
SZ:PA152 (Col.)

IN ANXIETY NEUROSES AND DEPRESSED STATES

DRAZINE

Drazine (phenoxypropazine) has been found effective in all recognised forms of mental depression. Again and again it has helped patients with widely differing symptoms who have had no relief from earlier forms of treatment, including other MAO inhibitors and even ECT.

Drazine is indicated in both reactive and endogenous depressions, either moderate or severe. It has been equally successful in anxiety states and neurasthenia in which 'a return of energy, activity and drive'* has been noted. Drazine produces a remarkably high degree of mental stability as well as elevation of mood.


Basic N.H.S. cost: 100 5 mg. tablets 11/7d. (dispensing). Subject to P.T.

**Brit. med. J.*, 1961, 2, 1353

**Rapid effect · Negligible side effects · Stable response
Simple standard dosage · Wide clinical spectrum**



Smith & Nephew Pharmaceuticals Limited
WELWYN GARDEN CITY · HERTFORDSHIRE · ENGLAND



Control drug-induced parkinsonism and paralysis agitans with 'KEMADRIN'^{brand}

PROCYCLIDINE HYDROCHLORIDE, B.P.

Permits continued ataractic therapy without interruption due to incapacitating side-effects.

Permits the patient to live a more normal life.

Clinical appraisals

"Kemadrin has a definite place in the control and management of drug-induced Parkinsonism." Konchegul, L. (1958). *M. Ann. D.C.*, 27, 405.

"This appears to be (the) drug of choice in combating the akathisia syndrome: 75% responded favourably and lost practically all the unpleasant symptoms that characterise this condition." Kruse, W. (1960). *Dis. nerv. System.*, 21, 79.

"...it proved a worthy addition to the therapy of Parkinsonism because it afforded relief to many patients who had failed to respond to other drugs." Zier, A. and Doshay, L. J. (1957). *Neurology*, 7, 485.



Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) **London**

When your
patients
with anxiety
states
over-react to
the stresses of
everyday living,
Moditen will
help them to
regain their
poise



SQUIBB

MODITEN

SQUIBB FLUPHENAZINE DIHYDROCHLORIDE

Moditen is a Trademark

DAY-LONG CONTROL WITH A SINGLE DOSE

for mild
sedation with
nutritional support


The debilitated patient, often needing mild sedation, is greatly benefited by nutritionally generous supplements of vitamins of the B complex and C.

Tropenal tablets supply an average dose of phenobarbitone (32 mg.) with a combination of the necessary vitamins.

Available in packs of 100 and 500 tablets, 10/- and 32/6 basic N.H.S.

VITAMINS LIMITED 

UPPER MALL · LONDON · W6



Tropenal



"Remaining behind the curtain unseen
like the ingenious
manager of Punch..."

Scott (1818) *Bride of Lammermoor*

Melleril

BY SANDOZ

facilitates rehabilitation

**... controls without excitation
or undue
sedation**

"Its ability to control or modify
major emotional disorders
with little or no clouding
of consciousness or extrapyramidal
stimulation is its greatest forte
in comparing it
with other phenothiazines."

Amer. J. Psychiat. (1961) **118**, 452

Tablets:
Thioridazine hydrochloride
10 mg. 25 mg. 50 mg. 100 mg.

Syrup:
25 mg. thioridazine base in 4 ml.

in depression (when they just go through the motions of living)



Niamid[†] helps make life real and purposeful

brand of nialamide

[†]Trade Mark


elevates the mood
enhances well-being
increases physical activity

Niamid is marketed in the United Kingdom by
HARVEY PHARMACEUTICALS
a department of Pfizer Ltd · Sandwich · Kent

HM 247/11659

'ECTONUSTIM'**E.C.T. APPARATUS and
CEREBRAL STIMULATOR**

(A.C. or D.C. Mains)



For a new improved E.C.T. technique which eliminates the need for muscle relaxants and anaesthetics.

Also:

' ECTONUS'

—E.C.T. apparatus

' ECTRON'

—E.C.T. apparatus

' ECTRON'

—Rubber Mouth Gag

' ECTRONOLYTE'

—Electrolyte Powder

Write for full details to:

ECTRON LTD

39 NORTON ROAD, LETCHWORTH, HERTS, ENGLAND

Telephone: LETCHWORTH 2124



La Métairie

NYON (Switzerland)


Lake of Geneva

Private Nursing Home, Founded in 1857. Several villas in a large park

All types of modern Treatment for Mental & Nervous Diseases

Rest Cures - Psychotherapy
Biological Treatments - Chemotherapy

For further information: Apply to Dr. W. SEMADENI, Chief Doctor
Telephone 9.65.91



*Choice
of Length
and Depth*

with *Lilly* BARBITURATES

- 'SECONAL SODIUM'* — Short onset and duration
Brand Quinalbarbitone Sodium
- 'TUINAL'* — Short onset, medium duration
Brand Quinalbarbitone Sodium
and Sodium Amylobarbitone
- 'SODIUM AMYTAL'* — Fairly short onset, medium duration
Brand Sodium Amylobarbitone
- 'AMYTAL'* — Medium onset, longer duration
Brand Amylobarbitone

* Trade Mark

ELI LILLY AND COMPANY LIMITED · BASINGSTOKE · ENGLAND

GRUNE & STRATTON PUBLICATIONS**CURRENT PSYCHIATRIC THERAPIES. VOL. II.**

Edited by JULES H. MASSERMANN, M.D.

289 pages

62s. net

PSYCHOANALYSIS OF BEHAVIOR

By SANDOR RADO, M.D., D.Pol.Sc.,

Professor of Psychiatry and Dean, The New York School of Psychiatry.

196 pages

46s. net

NATURE OF PSYCHOTHERAPY

By WALTER BROMBERG, B.S., M.D.

Training Consultant, Department of Mental Hygiene, State of California.

108 pages

32s. net.

DEVELOPMENTS IN PSYCHOANALYSIS

By LEON SALZMAN, M.D.

302 pages

55s. net

PSYCHO ANALYSIS IN GROUPS

By ALEXANDER WOLF & EMANUEL K. SCHWARTZ

326 pages

56s. net

23 BEDFORD SQUARE, LONDON, W.C.1**NORTHUMBERLAND HOUSE**

A Psychiatric Nursing Home for informal patients and those admitted under the Mental Health Act. Situated in pleasant grounds at 237-9 Ballards Lane, N.3. Tel. FINchley 5283. Resident Medical Director, Dr. Robert M. Riggall, Memb. Brit. Psycho-Analytical Socy., with Assistant Psychiatrist. All modern treatments including psychotherapy. Central heating and running water in all rooms.

CHISWICK HOUSE, MOSS LANE, PINNER, MIDDLESEX*Telephone Pinner 0234*

Private Nursing Home for Nervous and Psychological Troubles, including Alcoholism and a certain number of long-term elderly cases.

All modern treatments. Forty patients of both sexes. Country house in six acres of grounds. Twelve miles north-west of London. Easily accessible from Baker Street to Pinner—22 minutes. Ten minutes walk from Pinner Station.

Medical Director, Douglas Macaulay, M.D., D.P.M.

HITCHAM PLACE, BURNHAM, BUCKS.*(late Fenstanton, Christchurch Road, S.W.2)*

A Private Home for the Care and Treatment of a limited number of Ladies with Mental and Nervous Disorders. Large Country Mansion with twenty acres of grounds in Green Belt. Home-like surroundings.

Apply: Dr. Madeline R. Lockwood, Resident Physician. *Telephone: Burnham 624*

BARNWOOD HOUSE

GLOUCESTER

A PRIVATE HOSPITAL (outside the National Health Service), for the CARE and TREATMENT of NERVOUS and MENTAL DISORDERS. Just outside the city of Gloucester on the A417 between Gloucester and Cirencester it is well served by public transport and easily accessible by road from all parts of the South West and from Birmingham (1 hour - M 5). Fees from 12 to 25 guineas.

HUME TOWERS

27 BRANKSOME WOOD ROAD, BOURNEMOUTH

TELEPHONE: WESTBOURNE 64384

has been opened as a nursing home for all kinds of borderline mental and nervous breakdown, with special accommodation for geriatric cases in a separate villa. Applications for admissions should be made to the Resident Medical Officer, Hume Towers.

For information apply to

Physician Superintendent

TELEPHONE: No. 66207 GLOUCESTER

An experienced & reliable

PRINTING SERVICE

for medical books, journals & reports

Combining the economic advantages of a works in the country with an office in London, *The Invicta Press* offers an experienced staff equipped with the most up-to-date machinery for all classes of printed matter. Medical and technical journals and books, requiring the highest standards of accuracy and illustration, are produced, and special attention is given to careful proof reading and press-work. Inquiries are welcomed and representatives will be pleased to discuss details.

HEADLEY BROTHERS LTD

The Invicta Press ASHFORD Kent

London Office : 109 Kingsway W.C.2.

Telephones : Ashford Kent 500, HOLborn 3309

WYKE HOUSE, ISLEWORTH

Tel. ISLeworth 7000

A Private Home for the individual treatment and care of Nervous and Mental Illness and Alcoholism.

The number of patients is limited to twenty-five and all modern treatments are available. This well-known Home for Men and Women and the Aged stands in its own grounds of 15 acres, seven miles from Marble Arch.

Further particulars from the Resident Physician

H. Pullar-Strecker,
M.D.

INDEX TO ADVERTISERS

Allen & Hanbury Ltd.	iii
Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.)	vii
Camden Chemical Co. Ltd.	ii
Ectron Ltd	xii
Harvey Pharmaceuticals	xi
Grune & Stratton Publications	xiv
Eli Lilly & Co. Ltd.	xiii
Merke Sharp & Dohme Ltd.	xx
Sandoz Products Ltd.	x
G. D. Searle & Co. Ltd.	xxii
Smith Kline & French Laboratories Ltd.	i, iv, v, xviii
Smith & Nephew Pharmaceuticals Ltd.	vi
E. R. Squibb & Sons Ltd.	viii
Vitamins Ltd.	ix

Nursing Homes:

Barnwood House, Gloucester	xv
Chiswick House, Pinner	xiv
Hitcham Place, Burnham	xiv
Hume Towers, Bournemouth	xv
La Métairie	xii
Northumberland House	xiv
Wyke House, Isleworth	xvii



Life in a New Town or a housing estate does not always come up to expectations. Distance lends enchantment to old haunts and familiar faces; the established way of life is often badly missed.

A survey¹ has shown that the incidence of neurosis or acute anxiety in some new communities is considerably higher than the national average.

Typical cases have been treated with 'Amylozine',² a combination of trifluoperazine

('Stelazine') and amylobarbitone.

'Amylozine Spansule' sustained-release capsules were given to 100 patients suffering from anxiety states and depression; in 68, symptoms disappeared completely or there was a decided improvement. No side effects were seen.

1. *New Communities in Britain*. The National Council of Social Service, 1961.

2. *Med. Wld (Lond.)* (1961) **94**, 520-3.

AMYLOZINE for rapid response in psychoneurotic states marked by agitation and insomnia



Smith Kline & French Laboratories Ltd Welwyn Garden City, Herts

'Amylozine', 'Stelazine' and 'Spansule' are trade marks.

Brit. Pat. Nos. 742007, 813861, 857547

SAM: PA122

THE JOURNAL OF MENTAL SCIENCE

(THE BRITISH JOURNAL OF PSYCHIATRY)

Communications on general editorial matters, including MSS. for publication, printed matter, and books for review should be sent to **The Editor-in-Chief, c/o R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.**

Communications and enquiries regarding sales should be addressed to the Publishers, **Messrs. H. K. LEWIS & Co. Ltd., 136 Gower Street, W.C.1;** and those regarding Advertisements to **ALDRIDGE PRESS LTD., 27 Chancery Lane, London, W.C.2.**

Orders and communications to do with reprints of articles should be sent direct to the printers, **Headley Brothers Ltd., The Invicta Press, Ashford, Kent.**

Details of membership of the Royal Medico-Psychological Association are obtainable from the **Secretary, R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.**

THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION PUBLICATIONS

FROM MESSRS. H. K. LEWIS & CO. LTD.,
136 Gower Street, W.C.1

“The Journal of Mental Science” (The British Journal of Psychiatry). Published six times a year. Price 20/-. Postage extra.

FROM MESSRS. J. & A. CHURCHILL, LTD.,
104 Gloucester Place, W.1

“Recent Progress in Psychiatry.” Vol. 2, 1950. Pp. 711. Price 50/-.
Vol. 3, 1959. Pp. 404. Price 50/-.


FROM MESSRS. BAILLIÈRE, TINDALL & COX,
8 Henrietta Street, W.C.2

“Handbook for Mental Nurses.” 8th edn. 1954. Price 21/-.

FROM THE SECRETARY, 11 Chandos Street, W.1

The Charter and By-Laws of the Association. Price 2/-. Postage 2½d.

“Recent Progress in Psychiatry.” Vol. 2, 1950 } (at special price to members of R.M.P.A.)
Vol. 3, 1959 }



two facets to this antidepressant

- ▶ **Effective treatment of depression**
- ▶ **Prompt relief of associated anxiety and tension**

TRYPTIZOL is effective in all forms of depression. It is particularly useful when depression is accompanied or even masked by anxiety and tension.

TRYPTIZOL is well tolerated and has a wide margin of safety. It is not a monoamine oxidase inhibitor and neither jaundice, parkinsonism nor blood dyscrasias have been recorded following its use.

TRYPTIZOL is available as 25 mg. and 10 mg. tablets and as an injection.

Before using TRYPTIZOL, the physician should consult the detailed information in the package leaflet or in descriptive literature available on request.

TRYPTIZOL

AMITRIPTYLINE HYDROCHLORIDE

Regd

TRYPTIZOL is made in England by

MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS



INSTRUCTIONS TO AUTHORS

1. **Articles** must be typed with double spacing on quarto paper leaving generous margins.

2. The **title** should be brief and to the point, so as to give a clear idea of the nature of the work when quoted by others.

3. Names of **authors** only appear under the title of the paper. Names, qualifications, present appointments and postal addresses should be given in full at the **end** of the article.

4. **Past studies** need not be discussed where this has been done adequately elsewhere.

5. **Case histories** cannot be published unless they are of exceptional interest, and then must be short and confined to essentials.

6. **Tables** may be typed in the ordinary way.

Diagrams, drawings and graphs for reproduction must be drawn in black ink on white paper with proper lettering; it is preferable to draw diagrams $1\frac{1}{2}$ times larger than they are to be printed and on sheets not larger than quarto. If they have to be redrawn by the printer the cost, which may amount to several pounds, will be charged to the author. After printing, blocks are returned by the printers to the senior author.

7. **References** should be listed alphabetically at the end of the paper, the titles of journals being abbreviated as in the *World List of Scientific Publications*. Book titles are to be given with place of publication; as a rule titles of articles should not be quoted. For example:

1. ABEL-SMITH, B., and TITMUS, R. M. (1956). *The Cost of the National Health Service in England and Wales*. Cambridge.
2. ABERCROMBIE, P. K. (1960). *Brit. med. J.*, **2**, 139.

If the number of references is small, and the author considers the titles of articles referred to are of interest, they may be quoted in the list of references. In this case all references to articles should be treated in the same way, and the titles of articles should be given without capitals, capitals being reserved for book titles.

In the body of the paper references should be by author and date; "Abercrombie (1960)". However in the case of review articles, with a large list of references and frequent quotation in the text, at the author's discretion the alternative method of reference by index number may be used.

Authors are expected to check the accuracy of all references in the MS. before submission. Corrections at a later stage are expensive and should be limited to printer's errors. A scrupulous re-check of the references should be made in the galley proof.

8. Passages intended for printing in small type should be so marked.

9. It is the author's duty to make himself clearly intelligible to the reader. In the assessment of papers great importance is attached to clarity of writing. It is usually wise to get the opinion of a colleague on writing and presentation before offering the paper for publication. Even experienced authors have blind spots for ambiguous or obscure passages. Great discretion is needed in the use of technicalities not generally understood among psychiatrists. Exponents of cybernetics, for example, must recall that the readers include those whose special training is in such a different field as psychotherapy; and *vice versa*.

10. Twenty reprints of each article are supplied free of charge; delivery instructions must be sent to the printers, Headley Brothers, Ashford, Kent. If authors require extra copies the orders must be sent direct to the printers at the time of passing the galley proofs.

"The rapid action of haloperidol and its effectiveness enable us to consider it as a major neuroleptic, the introduction of which marks a very important step in the chemotherapy of psychoses."
Presse Med., 68, 1353. (1960)

Serenace brand of haloperidol

controls the turbulence of psychotic illness

sets a new standard Serenace is the first major advance in the treatment of psychotic illness since the introduction of the phenothiazines. A member of an entirely new class of compounds known as the butyrophenones, Serenace is chemically unrelated to any previous drug in this field. While proving more potent in the control of psychotic symptoms it has produced no known toxic effects on liver or bone marrow.

potent antipsychotic agent Controlled studies and routine clinical use have shown that Serenace is remarkably effective in the management of mania and agitation in schizophrenia controlling also other major symptoms of mental illness. Chronic psychotic patients who have failed to respond to other therapy often show striking improvement when Serenace is administered. They frequently become accessible to psychotherapy for the first time since the onset of their illness.

A Physicians' Reference Manual is available with full information on dosage and administration and a complete list of the literature that now numbers more than 100 publications.

'Serenace' is a Registered Trade Mark **G. D. Searle & Co. Ltd.** High Wycombe, Bucks

SR90/SR12