Tranquillisers

Social, psychological, and clinical perspectives Edited by JONATHAN GAR

Edited by JONATHAN GABE, and PAUL WILLIAMS

There is a large literature on tranquilliser use but much of it is exclusively concerned with pharmacological issues. The exploration of social aspects has been relatively neglected. In recognition of the pressing need to examine tranquilliser use in a much broader perspective, this volume brings together social, psychological, and clinical viewpoints.

366 pages Hardback 0 422 79930 0 £25.00



Mental Health Practices in Primary Care Settings

An annotated bibliography **Edited by GREG WILKINSON**

This unique annotated bibliography deals with selected English and foreign language publications between 1977 and 1985. The book examines the doctor – or primary care physician – in his influential position as 'gate-keeper' between patient and the formal psychiatric community. It will prove an essential reference and research source to anyone concerned with mental health policy and practice.

448 pages Hardback 0 422 60180 2 £27.50

NOTES FOR CONTRIBUTORS

PAPERS Papers for publication should be addressed to the Editor, Professor Michael Shepherd, Institute of Psychiatry, De Crespigny Park, Denmark Hill, London SE5 8AF. Contributors should send at least three copies of the text, tables, and figures. Copies other than the first may be xeroxed. The S.I. system should be adopted for text and figures. A short synopsis of about 50 words should be provided at the beginning of each article. Foreign quotations and phrases should be followed by a translation. If necessary, guidelines for statistical presentation may be found in: Altman, D. G., Gore, S. M., Gardner, M. J. & Pocock, S. J. (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* 286, 1489–1493.

Submission of a paper will be held to imply that it contains original work that has not been previously published and that it is not being submitted for publication elsewhere.

In addition to longer articles, the Editor is prepared to accept preliminary and brief communications of between 1500 and 2500 words.

Manuscripts must be typewritten on one side of the paper in double-spacing with wide margins. The following information must be given on a single separate sheet: (1) title and short title for running head (not more than 100 characters); (2) authors' names, and (3) department in which work was done. Footnotes on the same sheet should list: (i) the authors' present addresses if different from departments in which work was done; (ii) name and address of the author to whom correspondence should be addressed; (iii) receipt of grants. Authors who would like a reprint address to be printed should include this on their manuscript.

REFERENCES (1) In the text these should follow the Harvard system – that is, name followed by date: Brown (1970). If there are more than two authors the first author's name followed by et al. should be used, even the first time that the reference appears. (2) The list of references should be typed in alphabetical order on a separate sheet and should appear as follows: Brown, J., Williams, E. & Wright, H. (1970). Treatment of heroin addiction. Psychological Medicine 1, 134–136. Journal titles should be given in full.

Books should be cited as follows: Brown, J. (1970). Psychiatric Research. Smith: Glasgow.

ILLUSTRATIONS Only essential figures and tables should be included. *Photographs* Unmounted photographs on glossy paper should be provided. Magnification scales, if necessary, should be lettered on these. Where possible, prints should be trimmed to column width (i.e. 70 mm). *Diagrams* These will usually be reduced to 70 mm wide. Lettering should be in either Letraset or stencil, and care should be taken that lettering and symbols are of comparable size. Illustrations should not be inserted in the text, they should be marked on the back with figure numbers, title of paper, and name of author. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in the text in Arabic numerals. The legends for illustrations should be typed on a separate sheet. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet.

PROOFS AND OFFPRINTS Page proofs will be sent to the senior author. Corrections other than printer's errors may be charged to the author. Fifty offprints of each paper are supplied free; additional offprints are available according to a scale of charges if they are ordered when the proof is returned.

Psychological Medicine

Volume 16 Number 3 August 1986

CONTENTS

EDITORIALS Tardive dyskinesia: natural history		MUNK-JØRGENSEN, P. General practitioners' selection of	611
studies assist the pursuit of preventive		patients for treatment in	
	491	community psychiatric	
Chromosomes and mental	771	services	
retardation M. BARAITSER	495	NASSER, M. Comparative study of the	621
Psychiatric community care: a	473	prevalence of abnormal eating	021
Maharashtrian example v.		attitudes among Arab female students	
SKULTANS	499	of both London and Cairo	
PORTER, R. The diary of a madman,	503	Universities	
seventeenth-century style: Goodwin		BEISER, M. AND FLEMING, J. A. E.	627
Wharton, MP and communer with		Measuring psychiatric disorder	-
the fairy world		among Southeast Asian refugees	
NEGRETE, J. C., KNAPP. W. P.,	515	HARRIS, T., BROWN, G. W. AND	641
DOUGLAS, D. E. AND SMITH, W. B.		BIFULCO, A. Loss of parent in	
Cannabis affects the severity of		childhood and adult psychiatric	
schizophrenic symptoms: results of a		disorder: the role of lack of adequate	
clinical survey		parental care	
DICKSON, W. E. AND KENDELL, R. E.	521	MODESTIN, J. AND EMMENEGGER,	661
Does maintenance lithium therapy		PA. Completed suicide and	
prevent recurrences of mania under		criminality: lack of a direct	
ordinary clinical conditions?		relationship	
JOYCE, P. R., DONALD, R. A.,	531	FAIRLEY. M., LANGELUDDECKE, P.	671
NICHOLLS, M. G., LIVESEY, J. H.		AND TENNANT, C. Psychological	
AND ABBOTT, R. N. Endocrine and		and physical morbidity in the	
behavioural responses to		aftermath of a cyclone	
methylphenidate in depression		WOLFF, S. AND CULL, A. 'Schizoid'	677
ROY, A., PICKAR, D., DOUILLET, P.,	541	personality and antisocial conduct: a	
KAROUM, F. AND LINNOILA, M.		retrospective case note study	
Urinary monoamines and		RODGERS, B. AND MANN, S. A. The	689
monoamine metabolites in subtypes		reliability and validity of PSE	
of unipolar depressive disorder and		assessments by lay interviewers: a	
normal controls		national population survey	
JACOBSON, R. The contributions of	547	BOLLINI, P., MUSCETTOLA, G.,	701
sex and drinking history to the CT		PIAZZA, A., PUCA, M. AND	
brain scan changes in alcoholics		TOGNONI, G. Mental health care in	
BROSAN, L., BROADBENT, D.,	561	Southern Italy: application of	
NUTT, D. AND BROADBENT, M.		case-control methodology for the	
Performance effects of diazepam		evaluation of the impact of the 1978	
during and after prolonged		psychiatric reform	
administration		BOOK REVIEWS	
DUNN, G. Patterns of psychiatric	573	The Anatomy of Madness R. SMITH	709
diagnosis in general practice: the		Psychological Androgyny M. BRISCOE	711
Second National Morbidity Survey		Therapeutic Factors in Group	
STURT, E. Application of survival	583	Psychotherapy F. KRÄUPL TAYLOR	712
analysis to the inception of dementia		Beyond IQ M. W. EYSENCK	713
SWARTZ, M., BLAZER, D., WOODBURY,	595	Unemployment 1. MILES	715
M., GEORGE, L. AND LANDERMAN,		Short reviews	716
R. Somatization disorder in a US		PSYCHIATRY IN THE 1880s	727
Southern community: use of a new			
procedure for analysis of medical			
classification			

Indexed in Current Contents

© Cambridge University Press 1986

CAMBRIDGE UNIVERSITY PRESS

The Pitt Building, Trumpington Street, Cambridge CB2 1RP

32 East 57th Street, New York, NY 10022, USA

10 Stamford Road, Oakleigh, Melbourne 3166, Australia

https://doi.org/1P11n7&493231201P321Ap1B724Ap1b9ether/Wheversityidpressityid