

Volume 88 S7–S59

December 1998

ISSN 0007–4853


Supplement 1

BULLETIN *of* ENTOMOLOGICAL RESEARCH

Responses of tsetse flies (Diptera: Glossinidae) to
vegetation in Zimbabwe: implications for population
distribution and bait siting

G.A. Vale

RTTCP



INTERNATIONAL INSTITUTE OF ENTOMOLOGY

An Institute of CAB INTERNATIONAL

BULLETIN
of
ENTOMOLOGICAL
RESEARCH

Aims and Scope

The *Bulletin of Entomological Research* publishes original research papers, review articles and short communications concerning insects, mites, ticks or other arthropods of economic importance in agriculture, forestry, stored products, biological control, medicine, animal health and natural resource management. The geographical scope of the *Bulletin* is worldwide. Taxonomic papers are accepted if relevant.

The *Bulletin of Entomological Research* is published bimonthly by CAB INTERNATIONAL.

Editor-in-Chief

Dr Mark Tatchell

Entomological Sciences Department, Horticulture Research International, Wellesbourne CV35 9EF, UK
Email: BER@cabi.org

Executive Editor

John Badmin

International Institute of Entomology, 56 Queen's Gate, London SW7 5JR, UK
Tel: +44 (0) 171 584 0067/8 Fax: +44 (0) 171 581 1676 Email: BER@cabi.org

Editorial Board

- | | |
|--|--|
| Professor T.N. Ananthkrishnan, <i>Entomology Research Institute, Loyola College, Madras, India</i> | Dr A.R. McCaffery, <i>University of Reading, Reading, UK</i> |
| Dr R. Blackman, <i>The Natural History Museum, London, UK</i> | Dr N.J. Mills, <i>University of California, Berkeley, USA</i> |
| Professor V.K. Brown, <i>International Institute of Entomology, London, UK</i> | Dr O. Mochida, <i>National Agricultural Research Centre, Kan'Nondai, Japan</i> |
| Dr A.G. Cook, <i>Natural Resources Institute, Kent, UK</i> | Dr B. Napompeth, <i>National Biological Control Research Centre, Kasetsart University, Bangkok, Thailand</i> |
| Professor H. Dingle, <i>University of California, Davis, USA</i> | Dr I.D. Oka, <i>Institute for Food Crops, Bogor, Indonesia</i> |
| Dr R. Gámez, <i>Instituto Nacional de Biodiversidad, Santo Domingo de Heredia, Costa Rica</i> | Dr G.H.L. Rothschild, <i>International Rice Research Institute, Manila, Philippines</i> |
| Dr M.J.R. Hall, <i>The Natural History Museum, London, UK</i> | Professor S. Tanaka, <i>National Institute of Sericultural & Entomological Science, Tsukuba, Japan</i> |
| Professor R. Karban, <i>University of California, Davis, USA</i> | Professor H. Townson, <i>Liverpool School of Tropical Medicine, Liverpool, UK</i> |
| Dr R.P. Lane, <i>The Wellcome Trust, London, UK</i> | Dr L.E.M. Vet, <i>Wageningen Agricultural University, Wageningen, The Netherlands</i> |
| Dr S.R. Leather, <i>Imperial College, Ascot, UK</i> | Dr I.P. Woiod, <i>IACR-Rothamsted, Harpenden, UK</i> |

© CAB INTERNATIONAL 1998. All rights reserved.

Published by CAB INTERNATIONAL, Wallingford, UK: New York, USA

**Responses of tsetse flies (Diptera:
Glossinidae) to vegetation in
Zimbabwe: implications for
population distribution and bait
siting**

G.A. Vale

*Regional Tsetse and Trypanosomosis Control Programme for Malawi,
Mozambique, Zambia and Zimbabwe, Box A560, Avondale, Harare, Zimbabwe*

CABI Publishing

This Supplement accepted 30 June 1998

CABI *Publishing* – a division of CAB INTERNATIONAL

CABI *Publishing*
Wallingford
Oxon OX10 8DE
UK

Tel: +44 (0)1491 832111
Fax: +44 (0)1491 833508
Email: cabi@cabi.org

CABI *Publishing*
10 E 40th Street, Suite 3203
New York, NY 10016
USA

Tel: +1 212 481 7018
Fax: +1 212 686 7993
Email: cabi-nao@cabi.org

© CAB INTERNATIONAL 1998. All rights reserved. No part of this publication may be reproduced in any form or by any means, electronically, mechanically, by photocopying, recording or otherwise, without the prior permission of the copyright owners.

Typeset in 9/10 pt Palatino by Columns Design Ltd, Reading
Printed and bound in the UK at the University Press, Cambridge

Bulletin of Entomological Research

Acknowledgements	S7
Abstract	S9
1. Introduction	S11
Interpreting catches	S11
Research tools and tactics	S11
Site selection and management	S12
2. Study area and general methods	S13
Study area	S13
General methods	S13
3. Preliminary studies	S14
Examples of site effects	S14
<i>Site × day interactions</i>	S15
Circumstantial evidence	S15
Selection of specific circumstances	S16
<i>Features at or near sites</i>	S16
<i>Shade from distant trees</i>	S16
4. Empirical studies	S18
Design of artificial features	S18
<i>Artificial bushes</i>	S18
<i>Hedge and canopy</i>	S18
<i>Shape of clearings</i>	S18
<i>Odour from cut branches</i>	S18
<i>Hedges of netting</i>	S19
<i>Artificial fallen trees</i>	S19
<i>Bole effects</i>	S19
<i>Hedge-like form</i>	S20
Various artificial hedges and canopies	S20
<i>Canopies</i>	S20
<i>Hedges</i>	S20
<i>Hedge height</i>	S20
<i>Raised hedges</i>	S20
<i>Radius and perimeter of clearings</i>	S21
<i>Amount of gap</i>	S22
<i>Gap distribution</i>	S22
<i>Orientation</i>	S22
Removal of natural features	S23
<i>Catching-out</i>	S23
<i>Good and bad sites</i>	S23
<i>Identification of good and bad sites</i>	S23
<i>Interconversion of good and bad sites</i>	S24
<i>Improvement of good sites</i>	S24

Contents

5. Analytical studies	S26
Explanation for effects of hedges and canopies	S26
<i>Responses in presence of hedges and canopies</i>	S26
<i>Responses to traps</i>	S26
<i>Responses to targets</i>	S27
<i>Stimuli associated with canopies</i>	S28
<i>Visual stimuli from canopies</i>	S28
<i>Light intensity under canopies</i>	S28
Effects of hedges on numbers of arriving flies	S29
Ginnel	S29
Hedges and wind direction	S29
Wind to west	S30
Wind to east	S31
Indices of response to attractants	S31
Net dimensions	S31
Catch size	S31
Catch distribution	S31
Gap width	S32
Attraction to site	S32
Entry indices	S33
Obstacles at gaps	S33
Persistence near hedges	S34
Circumnavigation of hedges	S34
6. Theoretical studies	S35
Model of movement	S35
Map and cells	S35
Movement in absence of baits	S35
Movement in presence of baits	S35
Visual stimuli	S35
Olfactory stimuli	S36
Application of the model	S36
Dispersal	S36
Duration of interval	S37
Distribution in absence of baits	S37
Rates of transfer between vegetation types	S38
Arrival at baits in open landscapes	S39
Visual baits	S39
Odours	S39
Arrivals at baits in bushed landscapes	S39
Bushes near baits	S39
Baits in various vegetation types	S40
Reduced duration of intervals	S41
Speed of response	S41
Sampled area	S42
Persistence	S42
Catching-out	S42
Concentration of activity	S43
Interpretation of catches at Sites 1–6	S44
Short-term changes	S44
Long-term changes	S44
Vegetation and arrivals	S44
Catches and abundance	S44
Rates of removal	S46

Contents

7. Discussion	S48
Validity of the model	S48
Practical implications for bait siting	S48
<i>Site selection</i>	S48
<i>Stimulus</i>	S48
<i>Access</i>	S48
<i>Capture efficiency</i>	S48
<i>Trimming</i>	S48
<i>Teaching</i>	S48
<i>Site management</i>	S49
<i>Continued use</i>	S49
<i>Upkeep</i>	S49
<i>Spacing</i>	S49
Theoretical implications	S49
<i>Interpretation of catches</i>	S49
<i>Distribution and seasonal abundance</i>	S50
<i>Compensate for bias</i>	S50
<i>Avoid bias</i>	S50
<i>New tools</i>	S50
References	S52
Appendix A. Natural features near traps	S55
Appendix B. Model of movement	S56
Appendix C. Rules for optimal siting	S58
Appendix D. Insects other than tsetse	S59