

GENERAL NOTES

OLD ILLUSTRATION BLOCKS

It is our custom to destroy blocks after three years. It may be that some authors would like to have their blocks for possible future use. In such case would they write Headley Brothers, Ashford, Kent, as soon as possible, and in any case within three years of their first being used.

THE INSTITUTE OF LARYNGOLOGY AND OTOTOLOGY (UNIVERSITY OF LONDON)

330-332 GRAY'S INN ROAD, LONDON, W.C.1.

COMPLETE CLINICAL COURSE (whole-time) especially suitable for D.L.O. Part II students: June 20th to November 25th, 1955. Fee £31 10s.

PRACTICAL REVISION COURSE for Part II, D.L.O. students (whole-time) June 1st to 14th and November 14th to 26th, 1955. Fee £5 5s.

BASIC SCIENCES CLASS (whole-time) for Part I, D.L.O. students, with facilities for dissection : August 29th to November 25th, 1955. Fee £21.

ADVANCED REVISION COURSE for Final F.R.C.S. students : August 8th to October 22nd, 1955. Arranged as part-time course (mostly evenings) to meet circumstances of students holding appointments. Fee £21.

Detailed syllabus obtainable from the Dean.

THE attention of members is drawn to the *EXCERPTA MEDICA* Section XI which is a most valuable international abstracting service as it gives each month abstracts of all the important papers in Oto-Rhino-Laryngology. The subscription is £4 8s. od. a year and the agents for Great Britain, the Dominions and the Commonwealth (excluding Canada) are E. and S. Livingstone Ltd., 16 and 17 Teviot Place, Edinburgh. We regret that in previous issues the price was incorrectly stated as five dollars or the equivalent.

General Notes

BRITISH ASSOCIATION OF OTOLARYNGOLOGISTS

ANTERIOR POLIOMYELITIS AND EAR, NOSE AND THROAT OPERATIONS

THE attention of members is drawn to the Medical Memorandum on Poliomyelitis, No. 93222/7/63, dated July, 1954, issued by the Ministry of Health and Department of Health for Scotland. The relevant passages in this report, which are of interest to Otolaryngologists, are as follows :

I. EPIDEMIOLOGY.

(a) The present evidence suggests that the portal of entry is usually the mouth and that the primary site of infection is in the mucosa of the oropharynx or the small intestine.

(b) In bulbar poliomyelitis following tonsillectomy it seems that the virus most probably travels to the medulla along the cranial nerves supplying the pharynx.

(c) It is fairly generally accepted that specific trauma, especially tonsillectomy, may precipitate paralysis.

2. CONTROL MEASURES : AVOIDANCE OF CERTAIN TRAUMA.

(a) *Tonsillectomy.* The postponement of tonsillectomy when poliomyelitis reaches unusual proportions in a locality is strongly advised, particularly because when poliomyelitis follows recent tonsillectomy, serious illness, with bulbar involvement, appears to be more frequent. The Medical Officer of Health can assist by informing local hospital authorities when and where the incidence of the disease is unusually high, so that the surgeon may then take this hazard into account before deciding to operate.

(b) *Tooth Extractions.* There is very little evidence that tooth extractions may predispose to bulbar poliomyelitis. Nevertheless as with ear, nose and throat surgery the possibility should be kept in mind by dentists undertaking non-urgent extractions in areas of epidemic prevalence.

POST-TONSILLECTOMY COMFORT

Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing—it brings pain-relieving acetylsalicylic acid into *intimate* and *prolonged* contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides $3\frac{1}{2}$ grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.

Aspergum

for more than two decades a dependable
and welcome aid to patient-comfort

Ethically promoted. Prescription bottles of 36 tablets, dispensing bottles of 250.

WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

THE LARYNGOSCOPE

A Monthly Journal
devoted to the Diseases of the
EAR, NOSE AND THROAT

*Official organ for the American Laryngological,
Rhinological and Otological Society*

Price \$14.00 per year

Canada \$13.00 per year

MAX A. GOLDSTEIN, M.D.
FOUNDER


THEODORE E. WALSH, M.D.
EDITOR

640 SOUTH KINGSHIGHWAY
SAINT LOUIS 10, MO.

Please mention *The Journal of Laryngology* when replying to advertisements

KING'S COLLEGE HOSPITAL PATTERN
TRACHEOSTOMY TUBE

The cannula is expanded at its outer end, allowing the respiratory valve to be recessed without any diminution of lumen.



As used by
V. E. NEGUS, M.S.

Down Bros.
and

Mayer & Phelps

MANUFACTURERS
of Surgical Instruments
and Aseptic Hospital
Furniture

Established over
Eighty Years

CHIRON HOUSE
32-34 New Cavendish Street
London, W.1