

JOURNAL OF GLACIOLOGY

INDEX Vol. 49 No. 164–167, 2003

- Abdalati, W., see Thomas, R. H. and others
- Adams, E. E and D. A. Miller, (paper: Ice crystals grown from vapor onto an orientated substrate: application to snow depth-hoar development and gas inclusions in lake ice) 8–12
- Alaska:
- Interannual variations of snowmelt and refreeze timing in southeast-Alaskan icefields, U.S.A., 102–116
 - Short-term variations in calving of a tidewater glacier: LeConte Glacier, Alaska, U.S.A., 587–598
 - Subglacial environment inferred from bedrock-coating siltskins, Mendenhall Glacier, Alaska, U.S.A., 568–576
 - Taku Glacier (Alaska, U.S.A.) on the move again: active deformation of proglacial sediments, 50–58
 - The snow cover on lakes of the Arctic Coastal Plain of Alaska, U.S.A., 370–380
- Albedo:
- Satellite retrieval of mass balance: comparing SAR images with albedo images and in situ mass-balance observations, 437–448
 - Spatial and temporal variations in albedo on Storglaciären, Sweden, 59–68
 - Temporal and spatial variation of the surface albedo of Morteratschgletscher, Switzerland, as derived from 12 Landsat images, 491–502
- Anderson, B.:
- Correspondence. Supraglacial routing of subglacial water at Franz Josef Glacier, South Westland, New Zealand by B. Goodsell, B. Anderson and W. Lawson, 469–470
- Anderson, J. B., see Lowe, A. L. and J. B. Anderson
- Antarctica:
- Bed topography and lubrication inferred from surface measurements on fast-flowing ice streams, 481–490
 - Evidence for abundant subglacial meltwater beneath the paleo-ice sheet in Pine Island Bay, Antarctica, 125–138
 - Ice-shelf elevation changes due to atmospheric pressure variations, 521–526
 - Laser profiling over Antarctic ice streams: methods and accuracy, 315–322
 - New velocity map and mass-balance estimate of Mertz Glacier, East Antarctica, derived from Landsat sequential imagery, 503–511
 - Temporal and spatial variability of the surface mass balance in Dronning Maud Land, Antarctica, as derived from automatic weather stations, 512–520
 - The nature of complex ice flow in Shirase Glacier catchment, East Antarctica, 429–436
 - Thickness changes on Whillans Ice Stream and Ice Stream C, West Antarctica, derived from laser altimeter measurements, 223–230
 - Velocity of radio-wave propagation in ice at Vostok station, Antarctica, 179–183
- Arctic:
- Energy exchange processes in the marginal ice zone of the Barents Sea, Arctic Ocean, during spring 1999, 415–419
 - Ice cores from Arctic sub-polar glaciers: chronology and post-depositional processes deduced from radioactivity measurements, 149–158
 - Meltwater circulation and permeability of Arctic sea ice, 349–358
 - The distribution of basal motion beneath a High Arctic polythermal glacier, 407–414
 - The snow cover on lakes of the Arctic Coastal Plain of Alaska, U.S.A., 370–380
- Arnold, N. S. and W. G. Rees, (paper: Self-similarity in glacier surface characteristics) 547–554
- Atmospheric pressure variations:
- Ice-shelf elevation changes due to atmospheric pressure variations, 521–526
- Atomic force microscopy:
- Correspondence. Imaging of suspended macromolecules and colloids in glacial and alpine streams by atomic force microscopy, 607–609
- Austre Okstindbreen (Norway):
- Oxygen isotopes in glacier-river water, Austre Okstindbreen, Okstindan, Norway, 282–292
- Avalanches:
- A laboratory study of the retarding effects of braking mounds on snow avalanches, 191–200
- Baker, I. and D. Cullen, (paper: SEM/EDS observations of impurities in polar ice: artifacts or not?) 184–190
- Baltic Sea:
- Development, structure and composition of land-fast sea ice in the northern Baltic Sea, 139–148
- Barents Sea (Arctic Ocean):
- Energy exchange processes in the marginal ice zone of the Barents Sea, Arctic Ocean, during spring 1999, 415–419
- Barr, S., see Pritchard, H. and others
- Bartelt, P., see Scapozza, C. and P. Bartelt
- Bartelt, P., see Von Moos, M. and others
- Benham, T. J. and J. A. Dowdeswell, (instruments and methods: A simple visualization method for distinguishing subglacial-bed and side-wall returns in radio-echo records from outlet and valley glaciers) 463–468
- Berthier, E., B. Raup and E. Scambos, (paper: New velocity map and mass-balance estimate of Mertz Glacier, East Antarctica, derived from Landsat sequential imagery) 503–511
- Bindschadler, R. A., see Thorsteinsson, T. and others
- Bingham, R. G., see Copland, L. and others
- Björnsson, H., see Flowers, G. E. and others
- Björnsson, H., see Ng, F. and H. Björnsson
- Bleiker, E., see Von Moos, M. and others
- Bouisset, P., see Pinglot, J. F. and others
- Braking mounds:
- A laboratory study of the retarding effects of braking mounds on snow avalanches, 191–200
- Calving:
- Buckling rate and overhang development at a calving face, 577–586
 - Short-term variations in calving of a tidewater glacier: LeConte Glacier, Alaska, U.S.A., 587–598
- Canada:
- Links between short-term velocity variations and the subglacial hydrology of a predominantly cold polythermal glacier, 337–348
 - The distribution of basal motion beneath a High Arctic polythermal glacier, 407–414
- Canals, M., see Clark, C. D. and others

- Carter, C. L., D. P. Dethier and R. L. Newton, (paper: Subglacial environment inferred from bedrock-coating siltskins, Mendenhall Glacier, Alaska, U.S.A.) 568–576
- Chen Rensheng, see Yang Jianping and others
- China:
Correspondence. What is the major reason for glacier retreat on Yulong mountain, China? by He Yuanqing, Gu Juan and Zhang Dian, 325–326
Glacier changes since the Little Ice Age maximum in the western Qilian Shan, northwest China, and consequences of glacier runoff for water supply, 117–124
- Chueca, J., A. Julián and I. López, (paper: Variations of Glaciar Coronas, Pyrenees, Spain, during the 20th century) 449–455
- Clague–Mathews relation:
On the Clague–Mathews relation for jökulhlaups, 161–172
- Clark, C. D., S. M. Tulaczyk, C. R. Stokes and M. Canals, (paper: A groove-ploughing theory for the production of mega-scale glacial lineations, and implications for ice-stream mechanics) 240–256
- Clark, R. A. see Woodward, J. and others
- Clarke, G. K. C., (paper: Hydraulics of subglacial outburst floods: new insights from the Spring–Hutter formulation) 299–313
- Climate change:
Responses of various-sized alpine glaciers and runoff to climatic change, 1–7
- Coleman, R., see Padman, L. and others
- Conway, H. B., see Rasmussen, L. A. and H. B. Conway
- Cooper, J. D., see Morris, E. M. and J. D. Cooper
- Copland, L., M. J. Sharp and P. Nienow, (paper: Links between short-term velocity variations and the subglacial hydrology of a predominantly cold polythermal glacier) 337–348
- Copland, L., M. J. Sharp, P. W. Nienow and R. G. Bingham, (paper: The distribution of basal motion beneath a High Arctic polythermal glacier) 407–414
- Cordillera Blanca (Peru):
Tropical glacier meltwater contribution to stream discharge: a case study in the Cordillera Blanca, Peru, 271–281
- Corr, H., see Padman, L. and others
- Correspondence:
Bowling mermaids; or, How do beach ice balls form? 605–606
Imaging of suspended macromolecules and colloids in glacial and alpine streams by atomic force microscopy, 607–609
Supraglacial routing of subglacial water at Franz Josef Glacier, South Westland, New Zealand, 469–470
What is the major reason for glacier retreat on Yulong mountain, China? by He Yuanqing, Gu Juan and Zhang Dian, 325–326
- Csathó, B. M., see Spikes, V. B. and others
- Cullen, D., see Baker, I. and D. Cullen
- de Ruyter de Wildt, M. S. and J. Oerlemans, (paper: Satellite retrieval of mass balance: comparing SAR images with albedo images and in situ mass-balance observations) 437–448
- Dethier, D. P., see Carter, C. L. and others
- Ding Yongjian, see Yang Jianping and others
- Ding Yongjian, see Ye Baisheng and others
- Dowdeswell, J. A., see Benham, T. J. and J. A. Dowdeswell
- Dowdeswell, J. and M. Hambrey:
Review. Dowdeswell, J. and M. Hambrey. 2002. Islands of the Arctic, 324
- Dronning Maud Land (Antarctica):
Temporal and spatial variability of the surface mass balance in Dronning Maud Land, Antarctica, as derived from automatic weather stations, 512–520
- Dugmore, A. J., see Kirkbride, M. P. and A. J. Dugmore
- Echelmeyer, K. A., see Harrison, W. D. and others
- Echelmeyer, K. A., see Motyka, R. J. and others
- Echelmeyer, K. A., see O’Neel, S. and others
- Eicken, H., see Freitag, J. and H. Eicken
- Eisen, O.:
Correspondence. Bowling mermaids; or, How do beach ice balls form? by O. Eisen, J. Freitag, C. Haas, W. Rack, G. Rotschky and J. Schmitt, 605–606
- Ellesmere Island (Canada):
Links between short-term velocity variations and the subglacial hydrology of a predominantly cold polythermal glacier, 337–348
- Energy exchange:
Energy exchange processes in the marginal ice zone of the Barents Sea, Arctic Ocean, during spring 1999, 415–419
- Fahnestock, M. A., see MacAyeal, D. R. and others
- Fischer, U. H., see Mair, D. and others
- Flowers, G. E., H. Björnsson and F. Pálsson, (paper: New insights into the subglacial and periglacial hydrology of Vatnajökull, Iceland, from a distributed physical model) 257–170
- Fountain, A. C., see Leonard, K. C. and A. C. Fountain
- Fournier, M., see Pinglot, J. F. and others
- France:
A two-dimensional shallow ice-flow model of Glacier de Saint-Sorlin, France, 527–538
- Franz Josef Glacier (New Zealand):
Correspondence. Supraglacial routing of subglacial water at Franz Josef Glacier, South Westland, New Zealand, 469–470
- Frederick, E., see Thomas, R. H. and others
- Freitag, J. and H. Eicken, (paper: Meltwater circulation and permeability of Arctic sea ice) 349–358
- Freitag, J.:
Correspondence. Bowling mermaids; or, How do beach ice balls form? by O. Eisen, J. Freitag, C. Haas, W. Rack, G. Rotschky and J. Schmitt, 605–606
- Friction:
On friction and surface cracking during sliding of ice on ice, 391–396
- Fritzsche, D., see Pinglot, J. F. and others
- Frost heave:
A mechanism for differential frost heave and its implications for patterned-ground formation, 69–80
- Gas inclusions:
Ice crystals grown from vapor onto an orientated substrate: application to snow depth-hoar development and gas inclusions in lake ice, 8–12
- Gerland, S., see Ivanov, B. V. and others
- Germany:
Correspondence. Bowling mermaids; or, How do beach ice balls form? 605–606
- Glaciar Coronas (Spain):
Variations of Glaciar Coronas, Pyrenees, Spain, during the 20th century, 449–455

- Glacier de Saint-Sorlin (France):
A two-dimensional shallow ice-flow model of Glacier de Saint-Sorlin, France, 527–538
- Glacier dynamics:
A groove-ploughing theory for the production of mega-scale glacial lineations, and implications for ice-stream mechanics, 240–256
A macroscopic approach to glacier dynamics, 13–21
A two-dimensional shallow ice-flow model of Glacier de Saint-Sorlin, France, 527–538
Glacier surge mechanisms inferred from ground-penetrating radar: Kongsvegen, Svalbard, 473–480
Hydrological controls on patterns of surface, internal and basal motion during three “spring events”: Haut Glacier d’Arolla, Switzerland, 555–567
Initial investigations of dynamics of the maritime Koryto glacier, Kamchatka, Russia, 173–178
Investigation of surface melting and dynamic thinning on Jakobshavn Isbræ, Greenland, 231–239
The distribution of basal motion beneath a High Arctic polythermal glacier, 407–414
- Glacier variation:
Causes of glacier change in the source regions of the Yangtze and Yellow rivers on the Tibetan Plateau, 539–546
Glacier changes since the Little Ice Age maximum in the western Qilian Shan, northwest China, and consequences of glacier runoff for water supply, 117–124
Investigation of surface melting and dynamic thinning on Jakobshavn Isbræ, Greenland, 231–239
Variations of Glacier Coronas, Pyrenees, Spain, during the 20th century, 449–455
- Glaciers:
Accuracy of three-dimensional glacier surface velocities derived from radar interferometry and ice-sounding radar measurements, 210–222
A groove-ploughing theory for the production of mega-scale glacial lineations, and implications for ice-stream mechanics, 240–256
A simple visualization method for distinguishing subglacial-bed and side-wall returns in radio-echo records from outlet and valley glaciers, 463–468
A two-dimensional shallow ice-flow model of Glacier de Saint-Sorlin, France, 527–538
Causes of glacier change in the source regions of the Yangtze and Yellow rivers on the Tibetan Plateau, 539–546
Correspondence. Supraglacial routing of subglacial water at Franz Josef Glacier, South Westland, New Zealand, 469–470
Correspondence. What is the major reason for glacier retreat on Yulong mountain, China? by He Yuanqing, Gu Juan and Zhang Dian, 325–326
Glacier changes since the Little Ice Age maximum in the western Qilian Shan, northwest China, and consequences of glacier runoff for water supply, 117–124
Glacier surge mechanisms inferred from ground-penetrating radar: Kongsvegen, Svalbard, 473–480
Links between short-term velocity variations and the subglacial hydrology of a predominantly cold polythermal glacier, 337–348
Map-based methods for estimating glacier equilibrium-line altitudes, 329–336
New insights into the subglacial and periglacial hydrology of Vatnajökull, Iceland, from a distributed physical model, 257–170
New velocity map and mass-balance estimate of Mertz Glacier, East Antarctica, derived from Landsat sequential imagery, 503–511
Oxygen isotopes in glacier-river water, Austre Okstindbreen, Okstindan, Norway, 282–292
Responses of various-sized alpine glaciers and runoff to climatic change, 1–7
Self-similarity in glacier surface characteristics, 547–554
Subglacial environment inferred from bedrock-coating siltskins, Mendenhall Glacier, Alaska, U.S.A., 568–576
Surge-related topographic change of the glacier Sortebrae, East Greenland, derived from synthetic aperture radar interferometry, 381–390
Temporal and spatial variation of the surface albedo of Morteratschgletscher, Switzerland, as derived from 12 Landsat images, 491–502
The distribution of basal motion beneath a High Arctic polythermal glacier, 407–414
Three-dimensional surface velocities of Storstrømmen glacier, Greenland, derived from radar interferometry and ice-sounding radar measurements, 201–209
Tropical glacier meltwater contribution to stream discharge: a case study in the Cordillera Blanca, Peru, 271–281
Variations of Glacier Coronas, Pyrenees, Spain, during the 20th century, 449–455
- Goodsell, B.:
Correspondence. Supraglacial routing of subglacial water at Franz Josef Glacier, South Westland, New Zealand by B. Goodsell, B. Anderson and W. Lawson, 469–470
- Goodwin, H., see Ivanov, B. V. and others
- Goring, D., see Padman, L. and others
- Granskog, M. A., T. A. Martma and R. A. Vaikmäe, (paper: Development, structure and composition of land-fast sea ice in the northern Baltic Sea) 139–148
- Greenland:
Investigation of surface melting and dynamic thinning on Jakobshavn Isbræ, Greenland, 231–239
Three-dimensional surface velocities of Storstrømmen glacier, Greenland, derived from radar interferometry and ice-sounding radar measurements, 201–209
- Greuell, W., see Klok, E. J. and others
- Ground-penetrating radar:
A simple visualization method for distinguishing subglacial-bed and side-wall returns in radio-echo records from outlet and valley glaciers, 463–468
Accuracy of three-dimensional glacier surface velocities derived from radar interferometry and ice-sounding radar measurements, 210–222
Glacier surge mechanisms inferred from ground-penetrating radar: Kongsvegen, Svalbard, 473–480
Three-dimensional surface velocities of Storstrømmen glacier, Greenland, derived from radar interferometry and ice-sounding radar measurements, 201–209
- Gu Juan:
Correspondence. What is the major reason for glacier retreat on Yulong mountain, China? by He Yuanqing, Gu Juan and Zhang Dian, 325–326
- Gudmundsson, G. H., see Thorsteinsson, T. and others
- Gundestrup, N. S., see Reeh, N. and others
- Haas, C.:
Correspondence. Bowling mermaids; or, How do beach ice balls form? by O. Eisen, J. Freitag, C. Haas, W. Rack, G. Rotschky and J. Schmitt, 605–606
- Hákonardóttir, K. M., A. J. Hogg, T. Jóhannesson and G. G. Tómasson, (paper: A laboratory study of the retarding effects of braking mounds on snow avalanches) 191–200
- Hamilton, G. S., see Spikes, V. B. and others
- Hannah, D. M.:
Correspondence. Imaging of suspended macromolecules and colloids in glacial and alpine streams by atomic force microscopy by D. M. Hannah, D. Muirhead and J. R. Lead, 607–609
- Hanson, B. and R. LeB. Hooke, (paper: Buckling rate and overhang development at a calving face) 577–586
- Harrison, W. D., C. F. Raymond, K. A. Echelmeyer and R. M. Krimmel, (paper: A macroscopic approach to glacier dynamics) 13–21
- Haut Glacier d’Arolla (Switzerland):
Hydrological controls on patterns of surface, internal and basal motion during three “spring events”: Haut Glacier d’Arolla, Switzerland, 555–567

- He Yuanqing:
Correspondence. What is the major reason for glacier retreat on Yulong mountain, China? by He Yuanqing, Gu Juan and Zhang Dian, 325–326
- Hekla (Iceland):
Glaciological response to distal tephra fallout from the 1947 eruption of Hekla, south Iceland, 420–428
- Henderson, L., see Pinglot, J. F. and others
- Hock, R., see Jonsell, U. and others
- Hogg, A. J., see Hákonardóttir, K. M. and others
- Holmgren, B., see Jonsell, U. and others
- Hooke, R. LeB., see Hanson, B. and R. LeB. Hooke
- Hubbard, A., see Mair, D. and others
- Hubbard, B., see Mair, D. and others
- Hulbe, C. L., see MacAyeal, D. R. and others
- Hydrology:
Correspondence. Supraglacial routing of subglacial water at Franz Josef Glacier, South Westland, New Zealand, 469–470
Hydraulics of subglacial outburst floods: new insights from the Spring–Hutter formulation, 299–313
Hydrological controls on patterns of surface, internal and basal motion during three “spring events”: Haut Glacier d’Arolla, Switzerland, 555–567
Links between short-term velocity variations and the subglacial hydrology of a predominantly cold polythermal glacier, 337–348
New insights into the subglacial and periglacial hydrology of Vatnajökull, Iceland, from a distributed physical model, 257–170
Tropical glacier meltwater contribution to stream discharge: a case study in the Cordillera Blanca, Peru, 271–281
- Ice balls:
Correspondence. Bowling mermaids; or, How do beach ice balls form? 605–606
- Ice cores:
Density measurements in ice boreholes using neutron scattering, 599–604
Ice cores from Arctic sub-polar glaciers: chronology and post-depositional processes deduced from radioactivity measurements, 149–158
- Ice crystals:
Ice crystals grown from vapor onto an orientated substrate: application to snow depth-hoar development and gas inclusions in lake ice, 8–12
Isotopic diffusion in polycrystalline ice, 397–406
- Ice deformation:
Statistical behaviour of the deformation for first loading of polycrystalline ice, 37–49
- Ice flow:
A two-dimensional shallow ice-flow model of Glacier de Saint-Sorlin, France, 527–538
Ice flow at low deviatoric stress, 359–369
The nature of complex ice flow in Shirase Glacier catchment, East Antarctica, 429–436
- Ice shelves:
Catastrophic ice-shelf break-up by an ice-shelf-fragment-capsize mechanism, 22–36
Ice-shelf elevation changes due to atmospheric pressure variations, 521–526
- Ice Stream C (Antarctica):
Thickness changes on Whillans Ice Stream and Ice Stream C, West Antarctica, derived from laser altimeter measurements, 223–230
- Ice Stream E (Antarctica):
Bed topography and lubrication inferred from surface measurements on fast-flowing ice streams, 481–490
- Ice streams:
Bed topography and lubrication inferred from surface measurements on fast-flowing ice streams, 481–490
A groove-ploughing theory for the production of mega-scale glacial lineations, and implications for ice-stream mechanics, 240–256
Laser profiling over Antarctic ice streams: methods and accuracy, 315–322
Thickness changes on Whillans Ice Stream and Ice Stream C, West Antarctica, derived from laser altimeter measurements, 223–230
- Ice:
Isotopic diffusion in polycrystalline ice, 397–406
On friction and surface cracking during sliding of ice on ice, 391–396
SEM/EDS observations of impurities in polar ice: artifacts or not?, 184–190
Velocity of radio-wave propagation in ice at Vostok station, Antarctica, 179–183
- Iceland:
Glaciological response to distal tephra fallout from the 1947 eruption of Hekla, south Iceland, 420–428
New insights into the subglacial and periglacial hydrology of Vatnajökull, Iceland, from a distributed physical model, 257–170
Satellite retrieval of mass balance: comparing SAR images with albedo images and in situ mass-balance observations, 437–448
- Igarashi, M., see Pinglot, J. F. and others
- Instruments:
A simple visualization method for distinguishing subglacial-bed and side-wall returns in radio-echo records from outlet and valley glaciers, 463–468
Density measurements in ice boreholes using neutron scattering, 599–604
Laser profiling over Antarctic ice streams: methods and accuracy, 315–322
- Isacks, B. L., see Ramage, J. M. and B. L. Isacks
- Isaksson, E., see Pinglot, J. F. and others
- Isotopic diffusion:
Isotopic diffusion in polycrystalline ice, 397–406
- Ivanov, B. V., S. Gerland, J.-G. Winther and H. Goodwin, (paper: Energy exchange processes in the marginal ice zone of the Barents Sea, Arctic Ocean, during spring 1999) 415–419
- Jakobshavn Isbræ (Greenland):
Investigation of surface melting and dynamic thinning on Jakobshavn Isbræ, Greenland, 231–239
- Jóhannesson, T., see Hákonardóttir, K. M. and others
- John Evans Glacier (Canada):
Links between short-term velocity variations and the subglacial hydrology of a predominantly cold polythermal glacier, 337–348
The distribution of basal motion beneath a High Arctic polythermal glacier, 407–414
- Jökulhlaups:
On the Clague–Mathews relation for jökulhlaups, 161–172
- Jonsell, U., R. Hock and B. Holmgren, (paper: Spatial and temporal variations in albedo on Storglaciären, Sweden) 59–68
- Joughin, I., see Thorsteinsson, T. and others
- Julián, A., see Chueca, J. and others
- Kamchatka (Russia):
Initial investigations of dynamics of the maritime Koryto glacier, Kamchatka, Russia, 173–178
- Kamiyama, K., see Pinglot, J. F. and others
- Kaser, G. and H. Osmaston:
Review. Kaser, G. and H. Osmaston. 2002. Tropical glaciers, 323
- King, M., see Padman, L. and others

- Kirkbride, M. P. and A. J. Dugmore, (paper: Glaciological response to distal tephra fallout from the 1947 eruption of Hekla, south Iceland) 420–428
- Klok, E. J., W. Greuell and J. Oerlemans, (paper: Temporal and spatial variation of the surface albedo of Morteratschgletscher, Switzerland, as derived from 12 Landsat images) 491–502
- Koerner, R. M., (review: Dowdeswell, J. and M. Hambrey. 2002. Islands of the Arctic) 324
- Koerner, R., see Pinglot, J. F. and others
- Kongsvegen (Svalbard):
Glacier surge mechanisms inferred from ground-penetrating radar: Kongsvegen, Svalbard, 473–480
- Koryto glacier (Russia):
Initial investigations of dynamics of the maritime Koryto glacier, Kamchatka, Russia, 173–178
- Krabill, W. B., see Thomas, R. H. and others
- Krantz, W. B., see R. A. Peterson and W. B. Krantz
- Krimmel, R. M., see Harrison, W. D. and others
- L. W. Gold, (paper: Statistical behaviour of the deformation for first loading of polycrystalline ice) 37–49
- Lakes:
The snow cover on lakes of the Arctic Coastal Plain of Alaska, U.S.A., 370–380
- Landsat images:
New velocity map and mass-balance estimate of Mertz Glacier, East Antarctica, derived from Landsat sequential imagery, 503–511
Temporal and spatial variation of the surface albedo of Morteratschgletscher, Switzerland, as derived from 12 Landsat images, 491–502
- Lasers:
Laser profiling over Antarctic ice streams: methods and accuracy, 315–322
Thickness changes on Whillans Ice Stream and Ice Stream C, West Antarctica, derived from laser altimeter measurements, 223–230
- Lawson, W.:
Correspondence. Supraglacial routing of subglacial water at Franz Josef Glacier, South Westland, New Zealand by B. Goodsell, B. Anderson and W. Lawson, 469–470
- Le Meur, E. and C. Vincent, (paper: A two-dimensional shallow ice-flow model of Glacier de Saint-Sorlin, France) 527–538
- Lead, J. R.:
Correspondence. Imaging of suspended macromolecules and colloids in glacial and alpine streams by atomic force microscopy by D. M. Hannah, D. Muirhead and J. R. Lead, 607–609
- LeConte Glacier, Alaska (U.S.A.):
Short-term variations in calving of a tidewater glacier: LeConte Glacier, Alaska, U.S.A., 587–598
- Leonard, K. C. and A. C. Fountain, (paper: Map-based methods for estimating glacier equilibrium-line altitudes) 329–336
- Li Gang, see Liu Shiyin, Sun Wenxin, Shen Yongping and Li Gang
- Liston, G. E., see Sturm, M. and G. E. Liston
- Liu Caohai, see Ye Baisheng and others
- Liu Fengjing, see Ye Baisheng and others
- Liu Shiyin, see Yang Jianping and others
- Liu Shiyin, Sun Wenxin, Shen Yongping and Li Gang, (paper: Glacier changes since the Little Ice Age maximum in the western Qilian Shan, northwest China, and consequences of glacier runoff for water supply) 117–124
- López, I., see Chueca, J. and others
- Lowe, A. L. and J. B. Anderson, (paper: Evidence for abundant subglacial meltwater beneath the paleo-ice sheet in Pine Island Bay, Antarctica) 125–138
- Lu Anxin, see Yang Jianping and others
- Luchininov, V. S., see Popov, S. V. and others
- Luckman, A., see Pritchard, H. and others
- Lukin, V. V., see Popov, S. V. and others
- MacAyeal, D. R., E. A. Scambos, C. L. Hulbe and M. A. Fahnestock, (paper: Catastrophic ice-shelf break-up by an ice-shelf-fragment-cap-size mechanism) 22–36
- Madsen, S. N., see Mohr, J. J. and others
- Madsen, S. N., see Reeh, N. and others
- Mair, D., I. Willis, U. H. Fischer, B. Hubbard, P. Nienow and A. Hubbard, (paper: Hydrological controls on patterns of surface, internal and basal motion during three “spring events”: Haut Glacier d’Arolla, Switzerland) 555–567
- Manizade, S., see Thomas, R. H. and others
- Mark, B. G. and G. O. Seltzer, (paper: Tropical glacier meltwater contribution to stream discharge: a case study in the Cordillera Blanca, Peru) 271–281
- Martma, T. A., see Granskog, M. A. and others
- Masolov, V. N., see Popov, S. V. and others
- Mass balance:
New velocity map and mass-balance estimate of Mertz Glacier, East Antarctica, derived from Landsat sequential imagery, 503–511
Satellite retrieval of mass balance: comparing SAR images with albedo images and in situ mass-balance observations, 437–448
Temporal and spatial variability of the surface mass balance in Dronning Maud Land, Antarctica, as derived from automatic weather stations, 512–520
- Matsumoto, T., see Yamaguchi, S. and others
- Meijer, H. A. J., see Pinglot, J. F. and others
- Meltwater:
Evidence for abundant subglacial meltwater beneath the paleo-ice sheet in Pine Island Bay, Antarctica, 125–138
Meltwater circulation and permeability of Arctic sea ice, 349–358
Tropical glacier meltwater contribution to stream discharge: a case study in the Cordillera Blanca, Peru, 271–281
- Mendenhall Glacier, Alaska (U.S.A.):
Subglacial environment inferred from bedrock-coating siltskins, Mendenhall Glacier, Alaska, U.S.A., 568–576
- Mertz Glacier (Antarctica):
New velocity map and mass-balance estimate of Mertz Glacier, East Antarctica, derived from Landsat sequential imagery, 503–511
- Miller, D. A., see Adams E. E. and D. A. Miller
- Mohr, J. J., N. Reeh and S. N. Madsen, (paper: Accuracy of three-dimensional glacier surface velocities derived from radar interferometry and ice-sounding radar measurements) 210–222
- Mohr, J. J., see Reeh, N. and others
- Montagnat, M. and E. M. Schulson, (paper: On friction and surface cracking during sliding of ice on ice) 391–396
- Morris, E. M. and J. D. Cooper, (instruments and methods. Density measurements in ice boreholes using neutron scattering) 599–604

- Morterschgletscher (Switzerland):
Temporal and spatial variation of the surface albedo of Morterschgletscher, Switzerland, as derived from 12 Landsat images, 491–502
- Motyka, R. J. and K. A. Echelmeyer, (paper: Taku Glacier (Alaska, U.S.A.) on the move again: active deformation of proglacial sediments) 50–58
- Motyka, R. J., see O'Neel and others
- Muirhead, D.:
Correspondence. Imaging of suspended macromolecules and colloids in glacial and alpine streams by atomic force microscopy by D. M. Hannah, D. Muirhead and J. R. Lead, 607–609
- Murav'yev, Y. D., see Yamaguchi, S. and others
- Murray, T., see Pritchard, H. and others
- Murray, T., see Woodward, J. and others
- Naruse, R., see Pattyn, F. and R. Naruse
- Naruse, R., see Yamaguchi, S. and others
- Neutron scattering:
Density measurements in ice boreholes using neutron scattering, 599–604
- New Zealand:
Correspondence. Supraglacial routing of subglacial water at Franz Josef Glacier, South Westland, New Zealand, 469–470
- Newton, R. L., see Carter, C. L. and others
- Ng, F. and H. Björnsson, (paper: On the Clague–Mathews relation for jökulhlaups) 161–172
- Nienow, P. W., see Copland, L. and others
- Nienow, P., see Copland, L. and others
- Nienow, P., see Mair, D. and others
- North Sea (Germany):
Correspondence. Bowling mermaids; or, How do beach ice balls form? 605–606
- Norway:
Oxygen isotopes in glacier-river water, Austre Okstindbreen, Okstindan, Norway, 282–292
- O'Neel, S., K. A. Echelmeyer and R. J. Motyka, (paper: Short-term variations in calving of a tidewater glacier: LeConte Glacier, Alaska, U.S.A.) 587–598
- Oerlemans, J., see de Ruyter de Wildt, M. S. and J. Oerlemans
- Oerlemans, J., see Klok, E. J. and others
- Oerter, H., see Reeh, N. and others
- Oilan Shan:
Glacier changes since the Little Ice Age maximum in the western Qilian Shan, northwest China, and consequences of glacier runoff for water supply, 117–124
- Okstindan (Norway):
Oxygen isotopes in glacier-river water, Austre Okstindbreen, Okstindan, Norway, 282–292
- Padman, L., M. King, D. Goring, H. Corr and R. Coleman, (paper: Ice-shelf elevation changes due to atmospheric pressure variations) 521–526
- Pálsson, F., see Flowers, G. E. and others
- Patterned-ground formation:
A mechanism for differential frost heave and its implications for patterned-ground formation, 69–80
- Pattyn, F. and R. Naruse, (paper: The nature of complex ice flow in Shirase Glacier catchment, East Antarctica) 429–436
- Peru:
Tropical glacier meltwater contribution to stream discharge: a case study in the Cordillera Blanca, Peru, 271–281
- Pettit, E. C. and E. D. Waddington, (paper: Ice flow at low deviatoric stress) 359–369
- Pine Island Bay:
Evidence for abundant subglacial meltwater beneath the paleo-ice sheet in Pine Island Bay, Antarctica, 125–138
- Pinglot, J. F., R. A. Vaikmäe, K. Kamiyama, M. Igarashi, D. Fritzsche, F. Wilhelms, R. Koerner, L. Henderson, E. Isaksson, J.-G. Winther, R. S. W. van de Wal, M. Fournier, P. Bouisset and H. A. J. Meijer, (paper: Ice cores from Arctic sub-polar glaciers: chronology and post-depositional processes deduced from radioactivity measurements) 149–158
- Polythermal glaciers:
Links between short-term velocity variations and the subglacial hydrology of a predominantly cold polythermal glacier, 337–348
The distribution of basal motion beneath a High Arctic polythermal glacier, 407–414
- Popov, S. V., A. N. Sheremet'yev, V. N. Masolov, V. V. Lukin, A. V. M. and V. S. Luchininov, (paper: Velocity of radio-wave propagation in ice at Vostok station, Antarctica) 179–183
- Pritchard, H., T. Murray, T. Strozzì, S. Barr and A. Luckman, (paper: Surge-related topographic change of the glacier Sortebrae, East Greenland, derived from synthetic aperture radar interferometry) 381–390
- Proglacial sediments:
Taku Glacier (Alaska, U.S.A.) on the move again: active deformation of proglacial sediments, 50–58
- R. A. Peterson and W. B. Krantz, (paper: A mechanism for differential frost heave and its implications for patterned-ground formation) 69–80
- Rack, W.:
Correspondence. Bowling mermaids; or, How do beach ice balls form? by O. Eisen, J. Freitag, C. Haas, W. Rack, G. Rotschky and J. Schmitt, 605–606
- Radar:
Accuracy of three-dimensional glacier surface velocities derived from radar interferometry and ice-sounding radar measurements, 210–222
Glacier surge mechanisms inferred from ground-penetrating radar: Kongsvegen, Svalbard, 473–480
Satellite retrieval of mass balance: comparing SAR images with albedo images and in situ mass-balance observations, 437–448
Surge-related topographic change of the glacier Sortebrae, East Greenland, derived from synthetic aperture radar interferometry, 381–390
Three-dimensional surface velocities of Storstrømmen glacier, Greenland, derived from radar interferometry and ice-sounding radar measurements, 201–209
- Radioactivity:
Ice cores from Arctic sub-polar glaciers: chronology and post-depositional processes deduced from radioactivity measurements, 149–158
- Radio-echo sounding, *see* Ground-penetrating radar (GPR)
- Radio-waves:
Velocity of radio-wave propagation in ice at Vostok station, Antarctica, 179–183
- Ramage, J. M. and B. L. Isacks, (paper: Interannual variations of snowmelt and refreeze timing in southeast-Alaskan icefields, U.S.A.) 102–116
- Rasmussen, L. A. and H. B. Conway, (paper: Using upper-air conditions to estimate South Cascade Glacier (Washington, U.S.A.) summer balance) 456–462
- Raup, B., see Berthier, E. and others
- Raymond, C. F., see Thorsteinsson, T. and others
- Raymond, K. A., see Harrison, W. D. and others

- Reeh, N., J. J. Mohr, S. Nørvang Madsen, H. Oerter and N. S. Gundestrup, (paper: Three-dimensional surface velocities of Storstrømmen glacier, Greenland, derived from radar interferometry and ice-sounding radar measurements) 201–209
- Reeh, N., see Mohr, J. J. and others
- Rees, W. G., see Arnold, N. S. and W. G. Rees
- Reijmer, C. H. and M. R. van den Broeke, (paper: Temporal and spatial variability of the surface mass balance in Dronning Maud Land, Antarctica, as derived from automatic weather stations) 512–520
- Remote sensing:
 New velocity map and mass-balance estimate of Mertz Glacier, East Antarctica, derived from Landsat sequential imagery, 503–511
 Satellite retrieval of mass balance: comparing SAR images with albedo images and in situ mass-balance observations, 437–448
 Temporal and spatial variation of the surface albedo of Morteratschgletscher, Switzerland, as derived from 12 Landsat images, 491–502
- Rempel, A. W. and J. S. Wettlaufer, (paper: Isotopic diffusion in polycrystalline ice) 397–406
- Reviews:
 Dowdeswell, J. and M. Hambrey. 2002. Islands of the Arctic, 324
 Kaser, G. and H. Osmaston. 2002. Tropical glaciers, 323
- Rotschky, G.:
 Correspondence. Bowling mermaids; or, How do beach ice balls form? by O. Eisen, J. Freitag, C. Haas, W. Rack, G. Rotschky and J. Schmitt, 605–606
- Russia:
 Initial investigations of dynamics of the maritime Koryto glacier, Kamchatka, Russia, 173–178
- Scambos, C. L., see MacAyeal, D. R. and others
- Scambos, E. see Berthier, E. and others
- Scapozza, C. and P. Bartelt, (paper: Triaxial tests on snow at low strain rate. Part II. Constitutive behaviour) 91–101
- Schmitt, J.:
 Correspondence. Bowling mermaids; or, How do beach ice balls form? by O. Eisen, J. Freitag, C. Haas, W. Rack, G. Rotschky and J. Schmitt, 605–606
- Schulson, E. M., see Montagnat, M. and E. M. Schulson
- Sea ice:
 Development, structure and composition of land-fast sea ice in the northern Baltic Sea, 139–148
 Energy exchange processes in the marginal ice zone of the Barents Sea, Arctic Ocean, during spring 1999, 415–419
 Meltwater circulation and permeability of Arctic sea ice, 349–358
- Sediment:
 Correspondence. Imaging of suspended macromolecules and colloids in glacial and alpine streams by atomic force microscopy, 607–609
- Seltzer, G. O., see Mark, B. G. and G. O. Seltzer
- SEM/EDS:
 SEM/EDS observations of impurities in polar ice: artifacts or not?, 184–190
- Sharp, M. J., see Copland, L. and others
- Shen Yongping, see Liu Shiyin, Sun Wenxin, Shen Yongping and Li Gang
- Sheremet'yev, A. N., see Popov, S. V. and others
- Shirase Glacier (Antarctica):
 The nature of complex ice flow in Shirase Glacier catchment, East Antarctica, 429–436
- Snow:
 Ice crystals grown from vapor onto an orientated substrate: application to snow depth-hoar development and gas inclusions in lake ice, 8–12
- The snow cover on lakes of the Arctic Coastal Plain of Alaska, U.S.A., 370–380
- Triaxial tests on snow at low strain rate. Part I. Experimental device, 81–90
- Triaxial tests on snow at low strain rate. Part II. Constitutive behaviour, 91–101
- Snowmelt:
 Interannual variations of snowmelt and refreeze timing in southeast-Alaskan icefields, U.S.A., 102–116
- Sortebrae (Greenland):
 Surge-related topographic change of the glacier Sortebrae, East Greenland, derived from synthetic aperture radar interferometry, 381–390
- South Cascade Glacier (U.S.A.):
 Using upper-air conditions to estimate South Cascade Glacier (Washington, U.S.A.) summer balance, 456–462
- Spain:
 Variations of Glacier Coronas, Pyrenees, Spain, during the 20th century, 449–455
- Spikes, V. B., B. M. Csathó and I. M. Whillans, (paper: Laser profiling over Antarctic ice streams: methods and accuracy) 315–322
- Spikes, V. B., B. M. Csathó, G. S. Hamilton and I. M. Whillans, (paper: Thickness changes on Whillans Ice Stream and Ice Stream C, West Antarctica, derived from laser altimeter measurements) 223–230
- Spring–Hutter formulation:
 Hydraulics of subglacial outburst floods: new insights from the Spring–Hutter formulation, 299–313
- Steffen, K., see Thomas, R. H. and others
- Stokes, C. R., see Clark, C. D. and others
- Storglaciären:
 Spatial and temporal variations in albedo on Storglaciären, Sweden, 59–68
- Storstrømmen glacier (Greenland):
 Three-dimensional surface velocities of Storstrømmen glacier, Greenland, derived from radar interferometry and ice-sounding radar measurements, 201–209
- Strozzi, T., see Pritchard, H. and others
- Stuart, G. W., see Woodward, J. and others
- Sturm, M. and G. E. Liston, (paper: The snow cover on lakes of the Arctic Coastal Plain of Alaska, U.S.A.) 370–380
- Subglacial environment:
 Subglacial environment inferred from bedrock-coating siltskins, Mendenhall Glacier, Alaska, U.S.A., 568–576
- Subglacial meltwater:
 Correspondence. Supraglacial routing of subglacial water at Franz Josef Glacier, South Westland, New Zealand, 469–470
 Evidence for abundant subglacial meltwater beneath the paleo-ice sheet in Pine Island Bay, Antarctica, 125–138
- Subglacial outburst floods:
 Hydraulics of subglacial outburst floods: new insights from the Spring–Hutter formulation, 299–313
- Sugiyama, S., see Yamaguchi, S. and others
- Summer balance:
 Using upper-air conditions to estimate South Cascade Glacier (Washington, U.S.A.) summer balance, 456–462
- Sun Wenxin, see Liu Shiyin, Sun Wenxin, Shen Yongping and Li Gang
- Surface albedo:
 Temporal and spatial variation of the surface albedo of Morteratschgletscher, Switzerland, as derived from 12 Landsat images, 491–502

- Surface cracking:
On friction and surface cracking during sliding of ice on ice, 391–396
- Svalbard:
Glacier surge mechanisms inferred from ground-penetrating radar: Kongsvegen, Svalbard, 473–480
- Sweden:
Spatial and temporal variations in albedo on Storglaciären, Sweden, 59–68
- Switzerland:
Hydrological controls on patterns of surface, internal and basal motion during three “spring events”: Haut Glacier d’Arolla, Switzerland, 555–567
Temporal and spatial variation of the surface albedo of Morteratschgletscher, Switzerland, as derived from 12 Landsat images, 491–502
- Taku Glacier:
Taku Glacier (Alaska, U.S.A.) on the move again: active deformation of proglacial sediments, 50–58
- Tephra:
Glaciological response to distal tephra fallout from the 1947 eruption of Hekla, south Iceland, 420–428
- Theakstone, W. H., (paper: Oxygen isotopes in glacier-river water, Austre Okstindbreen, Okstindan, Norway) 282–292
- Thomas, R. H., W. Abdalati, E. Frederick, W. B. Krabill, S. Manizade and K. Steffen, (paper: Investigation of surface melting and dynamic thinning on Jakobshavn Isbræ, Greenland) 231–239
- Thorsteinsson, T., C. F. Raymond, G. H. Gudmundsson, R. A. Bind-schadler, P. Vornberger and I. Joughin, (paper: Bed topography and lubrication inferred from surface measurements on fast-flowing ice streams) 481–490
- Tibetan Plateau:
Causes of glacier change in the source regions of the Yangtze and Yellow rivers on the Tibetan Plateau, 539–546
- Tómasson, G. G., see Hákonardóttir, K. M. and others
- Triaxial tests:
Triaxial tests on snow at low strain rate. Part I. Experimental device, 81–90
Triaxial tests on snow at low strain rate. Part II. Constitutive behaviour, 91–101
- Tulaczyk, S. M., see Clark, C. D. and others
- United States:
Interannual variations of snowmelt and refreeze timing in southeast-Alaskan icefields, U.S.A., 102–116
The snow cover on lakes of the Arctic Coastal Plain of Alaska, U.S.A., 370–380
Short-term variations in calving of a tidewater glacier: LeConte Glacier, Alaska, U.S.A., 587–598
Subglacial environment inferred from bedrock-coating siltskins, Mendenhall Glacier, Alaska, U.S.A., 568–576
Taku Glacier (Alaska, U.S.A.) on the move again: active deformation of proglacial sediments, 50–58
Using upper-air conditions to estimate South Cascade Glacier (Washington, U.S.A.) summer balance, 456–462
- Upper-air conditions:
Using upper-air conditions to estimate South Cascade Glacier (Washington, U.S.A.) summer balance, 456–462
- Vaikmäe, R. A., see Granskog, M. A. and others
- Vaikmäe, R. A., see Pinglot, J. F. and others
- van de Wal, R. S. W., see Pinglot, J. F. and others
- van den Broeke, M. R., see Reijmer, C. H. and M. R. van den Broeke
- Vatnajökull (Iceland):
New insights into the subglacial and periglacial hydrology of Vatnajökull, Iceland, from a distributed physical model, 257–170
Satellite retrieval of mass balance: comparing SAR images with albedo images and in situ mass-balance observations, 437–448
- Vaughan, D. G., (review: Kaser, G. and H. Osmaston. 2002. Tropical glaciers) 323
- Vincent, C., see Le Meur, E. and C. Vincent
- Von Moos, M., P. Bartelt, A. Zweidler and E. Bleiker, (paper: Triaxial tests on snow at low strain rate. Part I. Experimental device) 81–90
- Vornberger, P., see Thorsteinsson, T. and others
- Vostok Station (Antarctica):
Velocity of radio-wave propagation in ice at Vostok station, Antarctica, 179–183
- Waddington, E. D., see Pettit, E. C. and E. D. Waddington
- Wetlauffer, J. S., see Rempel, A. W. and J. S. Wetlauffer
- Whillans Ice Stream (Antarctica):
Thickness changes on Whillans Ice Stream and Ice Stream C, West Antarctica, derived from laser altimeter measurements, 223–230
- Whillans, I. M., see Spikes, V. B. and others
- Wilhelms, F., see Pinglot, J. F. and others
- Willis, I., see Mair, D. and others
- Winther, J.-G., see Ivanov, B. V. and others
- Winther, J.-G., see Pinglot, J. F. and others
- Woodward, J., T. Murray, R. A. Clark and G. W. Stuart, (paper: Glacier surge mechanisms inferred from ground-penetrating radar: Kongsvegen, Svalbard) 473–480
- Yamaguchi, S., R. Naruse, S. Sugiyama, T. Matsumoto and Y. D. Muravyev, (paper: Initial investigations of dynamics of the maritime Koryto glacier, Kamchatka, Russia) 173–178
- Yang Jianping, Ding Yongjian, Chen Rensheng, Liu Shiyin and Lu Anxin, (paper: Causes of glacier change in the source regions of the Yangtze and Yellow rivers on the Tibetan Plateau) 539–546
- Ye Baisheng, Ding Yongjian, Liu Fengjing and Liu Caohai, (paper: Responses of various-sized alpine glaciers and runoff to climatic change) 1–7
- Yulong mountain (China):
Correspondence. What is the major reason for glacier retreat on Yulong mountain, China? by He Yuanqing, Gu Juan and Zhang Dian, 325–326
- Zhang Dian:
Correspondence. What is the major reason for glacier retreat on Yulong mountain, China? by He Yuanqing, Gu Juan and Zhang Dian, 325–326
- Zweidler, A., see Von Moos, M. and others