

INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, <http://www.editorialmanager.com/psm/>. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

1. S.I. units should be used throughout in text, figures and tables.
2. Authors should spell out in full any abbreviations used in their manuscripts.
3. Foreign quotations and phrases should be followed by a translation.
4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* **32**, 173–179.

Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq_tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour halftone artwork:** Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. **Tables** Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

REVIEW ARTICLES

A systematic review and meta-analysis of the incidence of psychotic disorders: the distribution of rates and the influence of gender, urbanicity, immigration and socio-economic level

Castillejos MC, Martín-Pérez C & Moreno-Küstner B 2101

The empirical support for mindfulness-based interventions for common psychiatric disorders: a systematic review and meta-analysis

Hedman-Lagerlöf M, Hedman-Lagerlöf E & Öst L-G 2116

Living well with dementia: a systematic review and correlational meta-analysis of factors associated with quality of life, well-being and life satisfaction in people with dementia

Martyr A, Nelis SM, Quinn C, Wu Y-T, Lamont RA, Henderson C, Clarke R, Hindle JV, Thom JM, Jones IR, Morris RG, Rusted JM, Victor CR & Clare L 2130

ORIGINAL ARTICLES

The effects of psychotherapy for depression on anxiety symptoms: a meta-analysis

Weitz E, Kleiboer A, van Straten A & Cuijpers P 2140

The impact of schizophrenia and mood disorder risk alleles on emotional problems: investigating change from childhood to middle age

Riglin L, Collishaw S, Richards A, Thapar AK, Rice F, Maughan B, O'Donovan MC & Thapar A 2153

Preschool psychiatric disorders: homotypic and heterotypic continuity through middle childhood and early adolescence

Finsaas MC, Bufferd SJ, Dougherty LR, Carlson GA & Klein DN 2159

Developmental sensitivity to cannabis use patterns and risk for major depressive disorder in mid-life: findings from 40 years of follow-up

Schoeler T, Theobald D, Pingault J-B, Farrington DP, Coid JW & Bhattacharyya S 2169

Attention bias modification augments cognitive-behavioral group therapy for social anxiety disorder: a randomized controlled trial

Lazarov A, Marom S, Yahalom N, Pine DS, Hermesh H & Bar-Haim Y 2177

Childhood adversity and cognitive function in schizophrenia spectrum disorders and healthy controls: evidence for an association between neglect and social cognition

Kilian S, Asmal L, Chiliza B, Olivier MR, Phahladira L, Scheffler F, Seedat S, Marder SR, Green MF & Emsley R 2186

Low resting heart rate, sensation seeking and the course of antisocial behaviour across adolescence and young adulthood

Hammerton G, Heron J, Mahedy L, Maughan B, Hickman M & Murray J 2194

Post-deployment family violence among UK military personnel

Kwan J, Jones M, Somaini G, Hull L, Wessely S, Fear NT & MacManus D 2202

Chronic obsessive-compulsive disorder: prognostic factors

van Oudheusden LJB, Eikelenboom M, van Megen HJGM, Visser HAD, Schruers K, Hendriks G-J, van der Wee N, Hoogendoorn AW, van Oppen P & van Balkom AJLM 2213

Generalisation of fear in PTSD related to prolonged childhood maltreatment: an experimental study

Thome J, Hauschild S, Koppe G, Liebke L, Rausch S, Herzog JI, Müller-Engelmann M, Steil R, Priebe K, Hermans D, Schmahl C, Bohus M & Lis S 2223

The association between psychotic experiences and traumatic life events: the role of the intention to harm

Moriyama TS, Drukker M, Gadelha A, Pan PM, Salum GA, Manfro GG, de Jesus Mari J, Miguel EC, Rohde LA, Polanczyk GV, van Os J & Bressan RA 2235

Is cognitive impairment associated with antipsychotic dose and anticholinergic equivalent loads in first-episode psychosis?

Ballesteros A, Sánchez-Torres AM, López-Ilundain JM, Cabrera B, Lobo A, González-Pinto AM, Díaz-Caneja C, Corripio I, Vieta E, de la Serna E, Bobes J, Usall J, Contreras F, Lorente-Omeñaca R, Mezquida G, Bernardo M, Cuesta MJ & PEPs Group 2247

The impact of parental mental illness across the full diagnostic spectrum on externalising and internalising vulnerabilities in young offspring

Dean K, Green MJ, Laurens KR, Kariuki M, Tzoumakis S, Sprague T, Lenroot R & Carr VJ 2257

Functioning before and after a major depressive episode: pre-existing vulnerability or scar? A prospective three-wave population-based study

Bos EH, ten Have M, van Dorsselaer S, Jeronimus BF, de Graaf R & de Jonge P 2264

Correspondence

2273