




**jmr** Journal of  
MATERIALS RESEARCH



VOLUME 32 • NO 12  
JUNE 28, 2017

A publication of the

**MRS** MATERIALS RESEARCH SOCIETY®  
*Advancing materials. Improving the quality of life.*

CAMBRIDGE  
UNIVERSITY PRESS

# Journal of MATERIALS RESEARCH

**JOURNAL OF MATERIALS RESEARCH (JMR)** is an interdisciplinary journal serving the materials research community through publication of original research articles and invited reviews encompassing the synthesis, processing, characterization, properties, and theoretical description of materials.

**JMR** publishes new research that demonstrates a significant impact or advance of scientific understanding of interest to the materials research community. Engineering studies and applications to commercial products are beyond the scope of *JMR* and should be submitted elsewhere. Manuscripts that report data without giving an analysis, interpretation, or discussion are only acceptable if the data are sufficiently important that publication is expected to lead to significant new studies or advancements in science or technology.

**Manuscripts** must be submitted to the *Journal of Materials Research* electronically via ScholarOne manuscripts, at the following website address: <http://mc.manuscriptcentral.com/jmr>. Electronic submission expedites the review process and also allows authors to track the status of their manuscripts at any time. Complete instructions are available on the ScholarOne site and authors will be prompted to provide all necessary information.

Manuscripts must be prepared in English, using a word processing program, formatted to fit 8½ x 11 in. paper, and saved as .doc, .pdf, .rtf, or .ps files. Separate graphics files (.eps and .tif) must be uploaded for each figure. Authors may also upload .xls or .ppt supplemental files as part of the manuscript submission process. All of these files will be converted to .pdf format. Detailed instructions are available on the submission web site. During submission, authors must enter all coauthor names and e-mail addresses. Manuscripts will not be considered for peer review until this information is provided. Authors must also enter manuscript keywords using the *JMR* keyword list (located on the submission web site). Authors who are not fluent in English must have their manuscript edited for correct English grammar and sentence structure before submission.

Authors are expected to follow the conventional writing, notation, and illustration style prescribed in *Scientific Style and Format: the CSE Manual for Authors, Editors and Publishers, 7th edition, 2006*. Authors should also study the form and style of printed material in this journal. SI units should be used. Authors should use an identical format for their names in all publications to facilitate use of citations and author indexes.

Manuscripts are accepted with the understanding that they represent original research, except for review articles, and that they have not been copyrighted, published, or submitted for publication elsewhere. Authors submitting manuscripts to *JMR* who have related material under consideration or in press elsewhere should send a copy of the related material to *JMR* at the time of submission. While their manuscripts are under consideration at *JMR*, authors must disclose any such related material. To expedite the review process, authors may provide names and contact information for up to four possible reviewers.

**Articles** are original research reports that include complete, detailed, self-contained descriptions of research efforts. All articles must contain an abstract and section headings.

**Commentaries and Reviews:** *Journal of Materials Research* occasionally publishes commentaries on topics of current interest or reviews of the literature in a given area. If an author proposes a review, the title, abstract, and a brief outline should be submitted to the Editorial Office via e-mail for prior consultation on the appropriateness of the topic.

**Color policy:** It is not necessary for authors to indicate that a figure should be displayed in color online. *JMR* will assume that any author who submits figures in color wants and agrees to their being produced in color online. Figures may be printed in color at the author's request for an additional charge. Color figures must be submitted before the paper is accepted for publication, and cannot be received later in the process. Authors cannot submit two versions of the same figure, one for color and one for black and white; only one version can be submitted. Authors need to carefully consider the following when submitting figures in color that will

be published in color online only: 1) The colors chosen must reproduce effectively and the colors should be distinguishable when printed in black and white; 2) The descriptions of figures in text and captions must be sufficiently clear for both online and print copy. When submitting figures to be in color online only, authors should include the phrase <<color online>> in the figure captions. This is the author's responsibility. Authors will see these color figures when viewing their author page proofs on screen. Authors should always print their page proofs in black and white to see how they will appear in print. Authors will NOT be allowed to submit color figures to replace black and white figures in the page proof stage. To maximize the probability that figures will be published in color online and also print as good quality black and white or grayscale graphics, authors are encouraged to follow these figure submission guidelines: 1) Submit a color graphic in Tagged Image File Format (.tif); 2) Submit color graphics with a resolution of at least 300 dpi (600 dpi if there is text or line art in the figure); 3) Submit color graphics in CMYK format; 4) Submit figures sized to fit the actual column or page width of the journal so that reduction or enlargement is not necessary; 5) Submit multipart figures in one single electronic file.

**Copyright © 2017**, Materials Research Society. All rights reserved. No part of this publication may be reproduced, in any form or by any means, electronic, photocopying, or otherwise, without permission in writing from Cambridge University Press. Policies, request forms and contacts are available at: <http://www.cambridge.org/rights/permissions/permission.htm>. Permission to copy (for users in the USA) is available from Copyright Clearance Center at: <http://www.copyright.com>, email: [info@copyright.com](mailto:info@copyright.com).

---

## Journal of Materials Research Subscription Prices (2017)

[includes on-line web access]

	USA and Poss.	Non-US	Online Only
MRS Regular and Student Members	\$273.00	\$334.00	\$105.00
Institutions	\$2053.00	\$2053.00	\$1852.00

---

*Journal of Materials Research* (ISSN: 0884-2914) is published twenty-four times a year by Cambridge University Press, One Liberty Plaza, 20th Floor, New York, NY 10006 for the Materials Research Society. Periodical Postage Paid in New York, NY and additional mailing offices. **POSTMASTER:** Send address changes to *Journal of Materials Research*, c/o Journals Dept., Cambridge University Press, One Liberty Plaza, 20th Floor, New York, NY 10006, USA.

**Subscriptions, renewals, address changes, and single-copy orders** should be addressed to Subscription Fulfillment, *Journal of Materials Research*, Cambridge University Press, One Liberty Plaza, 20th Floor, New York, NY 10006, USA (for USA, Canada, and Mexico); or Cambridge University Press, University Printing House, Shaftesbury Road, Cambridge, CB2 8BS, England (for UK and elsewhere). Allow at least six weeks advance notice. For address changes, please send both old and new addresses and, if possible, include a mailing label from a recent issue. Requests from subscribers for missing journal issues will be honored without charge only if received within six months of the issue's actual date of publication; otherwise, the issue may be purchased at the single-copy price.

**Reprints** of individual articles in *Journal of Materials Research* may be ordered. For information on reprints, please contact Cambridge University Press. Reprints of complete back issues older than the prior volume year may be ordered on an individual basis via the Cambridge Journals Online website. To determine availability, visit the appropriate page for the *JMR* back issue desired ([cambridge.org/journal-of-materials-research](http://cambridge.org/journal-of-materials-research)).

**Individual member subscriptions are for personal use only.**

# Journal of MATERIALS RESEARCH

**Editor-in-Chief:** Gary L. Messing, *Ceramic materials, The Pennsylvania State University, USA*

**Associate Editor,** Susmita Bose, *Biomaterials, Washington State University, USA*

**Associate Editor,** Jürgen Eckert, *Metallic materials, Montanuniversität Leoben, Austria*

**Associate Editor,** Linda S. Schadler, *Polymeric materials, Rensselaer Polytechnic Institute, USA*

## 2017 Principal Editors:

Amit Bandyopadhyay, *Hard biomaterials, Additive manufacturing, Washington State University, USA*

Jinju Chen, *Soft materials/thin films, Nanoindentation, Newcastle University, United Kingdom*

Xiaobo Chen, *Photocatalysis and batteries, University of Missouri-Kansas City, USA*

Yang-T. Cheng, *Mechanical behavior, Electrochemical energy storage, University of Kentucky, USA*

Sung-Yoon Chung, *Energy, Electron microscopy, Interface science, KAIST, Korea*

Paolo Colombo, *Pre-ceramic polymers, Porous ceramics, University of Padova, Italy; The Pennsylvania State University, USA*

Franz Faupel, *Functional nanomaterials, VPD, Metallic glasses, University of Kiel, Germany*

Mathias Göken, *Superalloys, Nanomaterials, Nanomechanics, Friedrich-Alexander-Universität Erlangen-Nürnberg, Germany*

Amit Goyal, *Superconductors, Photovoltaics, 2D materials, Self-assembly, State University of New York at Buffalo, USA*

Erik G. Herbert, *Nanoindentation, Small-scale mechanical behavior, Michigan Technological University, USA*

Himanshu Jain, *Inorganic glass, Optical, Electrical properties, Lehigh University, USA*

C. Robert Kao, *Metallic materials, Diffusion and joining, National Taiwan University, Taiwan*

Edson Roberto Leite, *Materials chemistry, Nanocrystals, Synthesis, Universidade Federal de São Carlos, Brazil*

Jörg Löffler, *Metallic materials/synthesis and properties, ETH Zurich, Switzerland*

Michele Manuel, *Phase transformations, Materials design, University of Florida, USA*

Michael E. McHenry, *Magnetic materials, Carnegie Mellon University, USA*

Scott T. Misture, *In-situ diffraction, Electrochemically active ceramics, Alfred University, USA*

Sarah E. Morgan, *Polymer surfaces and interfaces, The University of Southern Mississippi, USA*

Paul Muralt, *Thin films, Piezoelectric and ferroelectric materials, Ecole Polytechnique Federale de Lausanne, Switzerland*

Lakshmi S. Nair, *Biomaterials, Tissue regeneration, Drug delivery, University of Connecticut, USA*

Akira Nakajima, *Photocatalysis, Surface wettability, Ceramic processing, Tokyo Institute of Technology, Japan*

Cewen Nan, *Ferroelectric, Multiferroic materials, Tsinghua University, China*

George M. Pharr, *Mechanical behavior, Nanoindentation, Texas A&M University, USA*

Ian M. Reaney, *Electroceramics, TEM, Thin films, The University of Sheffield, United Kingdom*

Edward M. Sabolsky, *Electroceramics, Electrochemistry, Processing, West Virginia University, USA*

Winston Schoenfeld, *Optical materials, University of Central Florida, USA*

Don W. Shaw, *Epitaxy, Vapor deposition, Semiconductors, The University of Texas at Dallas, USA*

Susan B. Sinnott, *Computational materials science, The Pennsylvania State University, USA*

Terry M. Tritt, *Thermoelectrics, Clemson University, USA*

Chongmin Wang, *Energy storage, Microscopy, In-situ/operando technique, Pacific Northwest National Laboratory, USA*

William J. Weber, *Radiation effects, Nuclear ceramics, University of Tennessee; Oak Ridge National Laboratory, USA*

Sam Zhang, *Thin films/coatings, Nanyang Technological University, Singapore*

Yanchun Zhou, *Structural ceramics, Electronic structure, Aerospace Research Institute of Materials and Processing Technology, China*

**Editorial Office:** Ellen W. Kracht, *Publications Manager, Materials Research Society, Warrendale, PA*  
Linda A. Baker, *JMR Editorial Assistant, Materials Research Society, Warrendale, PA*  
Kirby L. Morris, *JMR Production Assistant, Materials Research Society, Warrendale, PA*  
Eileen M. Kiley, *Director of Communications, Materials Research Society, Warrendale, PA*

Cover: SEM micrographs of failure samples in impact condition. [Z. Zhou, L. Duan, F. Wu: Investigation of Charpy impact behavior of porous twisted wire material. p. 2276].

# Journal of MATERIALS RESEARCH

Volume 32, Number 12, June 28, 2017

## INVITED PAPER

- 2219–2229 **Toward high volume solution based roll-to-roll processing of OLEDs**  
Robert Abbel, Ike de Vries, Arjan Langen, Gerwin Kirchner, Hero t'Mannetje, Harrie Gorter, Joanne Wilson, Pim Groen

## ARTICLES

- 2230–2240 **A new approach of the Oliver and Pharr model to fit the unloading curve from instrumented indentation testing**  
Stephania Kossman, Thierry Coorevits, Alain Iost, Didier Chicot
- 2241–2248 **Characterization and investigation of size effect in nano-impact indentations performed using cube-corner indenter tip**  
Abhi Ghosh, Sumin Jin, Javier Arreguin-Zavala, Mathieu Brochu
- 2249–2257 **Development and properties evaluation of Mg–6% Zn/Al multilayered composites processed by accumulative roll bonding**  
Gajanan Anne, Motagondanahalli Rangarasaiah Ramesh, Hanumanthappa Shivananda Nayaka, Shashi Bhushan Arya, Sandeep Sahu
- 2258–2265 **Drop-weight impact test on an integrated composite sandwich panel of aluminum honeycomb and epoxy resin**  
Shuliang Cheng, Bo Xiao, Xuya Zhao, Yajun Xin, Huijian Li
- 2266–2275 **Quasi-continuum study of the buckling behavior of single-walled carbon nanocones subjected to bending under thermal loading**  
Xiangyang Wang, Huibo Qi, Zhongyu Sun, Xiaojing Wang, Xiushu Song, Jinbao Wang, Xu Guo
- 2276–2285 **Investigation of Charpy impact behavior of porous twisted wire material**  
Zhaoyao Zhou, Liuyang Duan, Fei Wu
- 2286–2296 **Theoretical and experimental analysis of indentation relaxation test**  
Paul Baral, Gaylord Guillonneau, Guillaume Kermouche, Jean-Michel Bergheau, Jean-Luc Loubet
- 2297–2306 **Processing optimization and comprehensive performance on resistance plug welding of dissimilar steel joints**  
Yaodong Cen, Furong Chen, Congzeng Li
- 2307–2314 **Effect of precipitates on grain growth in non-oriented silicon steel**  
Fangjie Li, Huigai Li, Yuan Wu, Dan Zhao, Bowen Peng, Hefei Huang, Shaobo Zheng, Jinglin You
- 2315–2324 **Microstructures and mechanical properties of as-ECAPed Mg–8Sn alloys with the combined addition of Zn and Al**  
Wei-li Cheng, Liang Tian, Yang Bai, Shi-chao Ma, Hong-xia Wang
- 2325–2334 **Interactive formation of Cu-rich precipitate, reverted austenite, and alloyed carbide during partial austenite reversion treatment for high-strength low-alloy steel**  
Qingdong Liu, Chuanwei Li, Jianfeng Gu

(Continued)

- 2335–2342 **Inhibition effect of longitudinal alternating current during annealing on growth of interfacial layers of copper cladding aluminum composite** Yongfu Wu, Xinhua Liu, Yanbin Jiang, Jianxin Xie
- 2343–2351 **The inverse parameter identification of Hill'48 yield function for small-sized tube combining response surface methodology and three-point bending** Honglie Zhang, Yuli Liu
- 2352–2360 **Fabrication of TiB<sub>2</sub>/Al composite by melt-SHS process with different content of titanium powder** He Li, Lihua Chai, Haijing Wang, Ziyong Chen, Guodong Shi, Zhilei Xiang, Tounan Jin
- 2361–2372 **Mechanical and tribological properties of NiAl–NbC–Ag composites prepared by hot-pressing sintering** Xiaochun Feng, Junhong Jia, Wenzhen Wang, Yu Shan
- 2373–2380 **Understanding phase equilibria and segregation in Bridgman growth of Cs<sub>2</sub>LiYCl<sub>6</sub> scintillator** Francesco L. Ruta, Stacy Swider, Stephanie Lam, Robert S. Feigelson
- 2381–2388 **Investigation of erosion properties of directionally solidified Fe–B alloy in various velocities liquid zinc** Guangzhu Liu, Jiandong Xing, Shengqiang Ma, Yong Wang, Wenqian Guan
- 2389–2396 **Investigation of recrystallization behavior of large sized Nb–V microalloyed steel rod during thermomechanical controlled processing** Wenfei Shen, Chi Zhang, Liwen Zhang, Qianhong Xu, Yifeng Xu, Lifang Bie
- 2397–2404 **Physical properties and lattice dynamics of bixbyite-type V<sub>2</sub>O<sub>3</sub>** Dominik A. Weber, Christian Schwickert, Anatoliy Senyshyn, Martin Lerch, Rainer Pöttgen
- 2405–2413 **Electronic structure, lattice dynamics, and thermoelectric properties of bismuth nanowire from first-principles calculation** Peng-Xian Lu, Meng Zhang, Wen-Jun Zou, Chun Kong
- 2414–2422 **Dispersion of antimony doped tin oxide nanopowders for preparing transparent thermal insulation water-based coatings** Hao Sun, Bingshan Liu, Xu Liu, Zuodong Yin
- 2423–2430 **Atomic mapping of structural distortions in 109° domain patterned BiFeO<sub>3</sub> thin films** Wen-Yuan Wang, Yin-Lian Zhu, Yun-Long Tang, Meng-Jiao Han, Yu-Jia Wang, Xiu-Liang Ma
- 2431–2437 **Role of Cr-*d* states in the electronic and optical properties of the CdCr<sub>2</sub>X<sub>4</sub> (X = S, Se) normal ferromagnetic spinels using PBE+U and TB-mBJ potentials** Saurabh Samanta, Sapan Mohan Saini
- 2438–2445 **Rare earth ions (La, Nd, Sm, Gd, and Tm) regulate the catalytic performance of CeO<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub> for NH<sub>3</sub>-SCR of NO** Qijie Jin, Yuesong Shen, Shemin Zhu, Huiyuan Li, Yanbao Li

**CORRIGENDUM**

- 2446 **Electronic structure, lattice dynamics, and thermoelectric properties of bismuth nanowire from first-principles calculation – CORRIGENDUM** Peng-Xian Lu, Meng Zhang, Wen-Jun Zou, Chun Kong

**ERRATA**