

Available online at

ScienceDirect www.sciencedirect.com Elsevier Masson France



EM consulte www.em-consulte.com/en

25th European Congress of Psychiatry

ePoster Viewing part 6

e-Poster Viewing: Personality and personality disorders

EV0936

Personality traits and specialty choice among Oman medical specialty board residents

M. Al Alawi^{1,*}, H. Al Sinawi¹, S. Al Huseini²

¹ Sultan Qaboos University Hospital, Behavioral Medicine, Muscat, Oman

² Oman Medical Specialty Board, Psychiatry, Muscat, Oman

* Corresponding author.

Introduction Understanding factors that determine the choice of a specialty among junior doctors are crucial for career counseling and candidates selection. Most studies focused on working hours, income and other lifestyle factors. However, few studies have explored the role of personality traits of the doctors in influencing specialty choice.

Aims To examine the relation between personality traits and specialty choice among residents at Oman Medical Specialty Board (OMSB).

Methodology Residents from different specialties were invited to participate in this study by completing Eysenck Personality Questionnaire – Revised (EPQ-R) and Behavioral Inhibition System (BIS) & Behavioral Activation System (BAS) scale.

Results A total of 255 residents participated in the study (M = 40%, F = 60%). Surgical residents scored significantly higher on the Psychoticism sub-scale (*P*-value, 0.002) and the Behavioral Activation System (BAS) scale compared to nonsurgical residents (*P*-value, 0.05). On the other hand, medical residents scored higher in Behavioral Inhibition System sub-scale suggesting a tendency towards avoidance of anxiety-provoking situation (P=0.023). Concerning neuroticism trait, psychiatrists had the lowest score indicating more emotional stability. Residents from diagnostic specialties score the highest in BAS–Fun seeking with a difference reaching the level of statistical significance.

Conclusion The findings of this study suggest a possible correlation between career choice and personality traits. Therefore, adapting a well-constructed, efficient and standardized selection approach is of great importance. A reasonable framework for conceptualizing specialty choice would be recognizing one's own personality traits along with exploring social and technical factors related to a particular specialty. *Disclosure of interest* The authors have not supplied their declaration of competing interest.

http://dx.doi.org/10.1016/j.eurpsy.2017.01.1266

EV0937

Portuguese validation of the Psychological Entitlement Scale

A.I. Araújo^{1,*}, A.T. Pereira², C. Cabaços³, M.J. Brito³, L. Mendonça³, A. Macedo²

 ¹ Faculty of Medicine, University of Coimbra, Department of Psychological Medicine, Macieira de Cambra, Portugal
² Department of Psychological Medicine, Faculty of Medicine, University of Coimbra, Coimbra, Portugal
³ Faculty of Medicine, University of Coimbra, Faculty of Medicine,

University of Coimbra, Coimbra, Portugal

* Corresponding author.

Introduction Psychological entitlement can be conceived as a disposition to believe that one deserves or is entitled to more than others. This pervasive sense has a wide impact on social behaviour, namely undesirable social outcomes. Given these theoretical implications on self-concept and interpersonal functioning, Campbell and Bonacci developed a shorter questionnaire of the Psychological Entitlement Scale (PES) to evaluate this construct by reducing from the original version from 57 to 9 items.

Objective To investigate the psychometric properties of Psychological Entitlement Portuguese version.

Methods A community sample composed of 286 university students (69.2% females; mean age= 21.09 ± 2.133 ; range: 17–33) answered the Portuguese preliminary versions of the PES, of the Dirty Dozen and of the honesty-humility dimension from the HEXACO-100.

Results The PES Cronbach alpha was "very good" (a = 0.75). Following Kaiser and Cattel Scree Plot criteria, only one factor was extracted (explained variance = 35.46%), meaning that the scale is unidimensional. Pearson correlation coefficient of between PES and narcissism (r = 0.36), psychopathy (r = 0.21) and Machiavelism (r = 0.24) were positive, moderate and significant (P < 0.01). Pearson correlation between PES and honesty-humility was negative, moderate and significant (r = 0.43 P < 0.05).

Conclusions The Portuguese version of PES present good internal consistency and convergent-divergent validity. Because we consider that psychological entitlement reflects a stable disposition, it is our intent to analyze PES temporal stability within the ongoing research project on the relationship between perfectionism and

0924-9338/

other personality traits. PES could be very useful both in clinical and research contexts.

Disclosure of interest The authors have not supplied their declaration of competing interest.

http://dx.doi.org/10.1016/j.eurpsy.2017.01.1267

EV0938

Personality dark triad: Portuguese validation of the dirty dozen

A. Macedo¹, A.I. Araújo^{2,*}, C. Cabaços³, M.J. Brito³,

L. Mendonça³, A.T. Pereira¹

¹ Faculty of Medicine, University of Coimbra, Department of

Psychological Medicine. Coimbra. Portugal

² Faculty of Medicine, University of Coimbra, Department of

Psychological Medicine, Macieira de Cambra, Portugal

³ Faculty of Medicine, University of Coimbra, Faculty of Medicine,

University of Coimbra, Coimbra, Portugal

* Corresponding author.

The Dark Triad is a term used to describe a constel-Introduction lation of three socially undesirable personality traits: narcissism, psychopathy, and Machiavellianism. Contrary to Altruism (the desire to help others with no personal reward or gain), these traits are harmful to others. Given the increased scientific interest on the dark triad, Jonason and Webster developed a shorter questionnaire to evaluate these three independent-yet-related constructs with only 12 items - Dirty Dozen (D12).

To investigate the psychometric properties of the Por-Obiective tuguese version of the Dirty Dozen.

Methods A community sample composed of 286 university students (69.2% females; mean age = 21.09 ± 2.133 ; range: 17–33) answered the Portuguese preliminary versions of the Dirty Dozen and of the Altruism dimension from HEXACO-100. To study the temporal stability, 30 participants (66.7% females) answered the D12 again after six weeks.

The EA Cronbach alpha was "very good" (a = 0.72). Follow-Results ing Kaiser and Cattel Scree Plot criteria, three meaningful factors were extracted which explained variance (EV) was of 54.64%: F1 Machiavellianism (EV 32.07%; a=0.73), F2 Narcissism (13.665%; a = 0.74), F3 Psychopathy (8.90%; a = 0.64). The test-retest correlation coefficients were high, positive and significant for the total D12 and its dimensions (r > 0.70; P < 0.001). Pearson correlations of D12 total and dimensional scores and Altruism were negative, moderate and significant (r@-0.30).

The Portuguese version of Dirty Dozen has good reli-Conclusions ability and validity. It could be very useful both in clinical and research contexts, namely in an ongoing project on the relationship between dark triad and perfectionism traits.

Disclosure of interest The authors have not supplied their declaration of competing interest.

http://dx.doi.org/10.1016/j.eurpsy.2017.01.1268

EV0939

Suffering of the spouses of narcissistic perverts: About two cases

S. Ben Saadi*, O. Moula, O. Zerriaa, S. Chebli, R. Ghachem Razi Hospital, Department B, Mannouba, Tunisia * Corresponding author.

Introduction The narcissistic perversion is a psychoanalytical term resulting from the association of 2 Freudian notions: perversion and narcissism. The concept of narcissistic pervert has no clinical validity. The companions of the narcissistic perverts undergo moral suffering, often unknown by their entourage.

We suggest studying the trajectory of life of two wives Obiectives of narcissistic perverts.

Aims Emphasize the peculiarities of the narcissistic perverse personality.

We are going to postpone 2 clinical cases of spouses of Methods narcissistic perverts.

Case 1: Mrs. A., 60-year-old, divorced once. Mother of a Results girl. She met her current husband during the marriage of her daughter. At the beginning of their common life, Mr. M. was loving and in the small care with his wife. After three months of the marriage, Mrs. A. reported the change of character of her husband who became aggressive, decreasing her and taking her away from her family. He seized all her goods. She is actually getting a divorce.

Case 2: Mrs. R., 27-year-old, married Mr. C. after 9 months of knowledge. At the beginning of their marriage, they had a good agreement. Forced to stay at home to take care only of domestic spots, she reported a real-life experience of neglect and emotional carelessness, she felt belittled and isolated. At present engaged in a divorce procedure after been physically assaulted threatened with death.

Both women consulted for depression.

Conclusion The narcissistic perversion is a personality problem which affects as well the person involved but especially his entourage. When you are in connection with a narcissistic pervert, even after leaving him, you never recover from it.

Disclosure of interest The authors have not supplied their declaration of competing interest.

http://dx.doi.org/10.1016/j.eurpsy.2017.01.1269

EV0940

Low compliance to pharmacological treatment of severe chronic illness: Passive suicide ideation in borderline personality disorder? M. Bonea*, I. Miclutia

University of Medicine and Pharmacy, Psychiatry, Cluj-Napoca, Romania

* Corresponding author.

The core features of Borderline Personality Disorder Introduction (BPD), such as deliberate self-harm, suicide attempts and demandingness in interpersonal relationships persist with age, even though impulsivity decreases. Impairing progressive disease combined with affective instability and chronic feelings of emptiness can lead to a desire for death.

Objectives To present a case of BPD with severe chronic endocrine pathology and liver cirrhosis who refused to take his treatment as prescribed.

Methods A case report is presented and discussed.

We report the case of a 61-year-old man with BPD and Results liver cirrhosis, complex endocrine pathology (pituitary adenoma, diabetes insipidus and primary hypothyroidism), type 2 diabetes mellitus with insulin therapy, essential hypertension and alcohol use disorder. He had a history of 5 suicide attempts caused by marked feelings of rejection and emptiness and a pattern of unstable relationships and lack of commitment, thus his marriage lasted only 2 years. He idealized and was extremely familiar with his clinician and displayed marked affective instability (dysphoria, periods of anger and despair, affective ambivalence towards his parents and recurrent depressive symptoms). Because of his liver disease, the psychotropic medication was ceased by his physician. The patient refused to follow the rest of his treatment plan and diet as prescribed, resulting in the deterioration of his somatic status. The patient denied an active suicidal ideation, but did not explain his non-compliance.

Conclusion The impairment from BPD and the risk of suicide persist even in older age affecting the outcome of co-morbid somatic conditions.

Disclosure of interest The authors have not supplied their declaration of competing interest.

http://dx.doi.org/10.1016/j.eurpsy.2017.01.1270