




# The Mathematical Gazette



R. S. Ball's *Mechanics*: bringing Newton to the masses?

Volume 101  
Number 551  
July 2017



THE MATHEMATICAL ASSOCIATION

£33.00

## CONTENTS

### Articles

Lyness cycles	<i>Stan Dolan</i>	193
Generalisation of a quadrilateral duality theorem	<i>Martin Josefsson</i>	208
Properties of bisect-diagonal quadrilaterals	<i>Martin Josefsson</i>	214
Finding sums of powers using physical arguments	<i>David Treeby</i>	227
Expressing harmonic sums as fractions	<i>G. J. O. Jameson</i>	236
Brilliance or steadiness?	<i>Jeehoon Kang</i>	250
Integration based on the parametrisation of conics	<i>Jonathan Hoseana</i>	261
Some alternative derivations of Craig's formula	<i>Seán M. Stewart</i>	268
R. S. Ball's <i>Mechanics</i> : bringing Newton to the masses?	<i>Christopher D. Hollings</i>	280
<b>Notes 101.15 to 101.25</b>		
An elementary proof that not all principal ideal domains are Euclidean domains	<i>Robert A. Wilson</i>	289
When does $n!$ have $n$ digits?	<i>Nick Lord</i>	293
Goats and birds	<i>Graham Jameson and Nicholas Jameson</i>	296

Typeset by Bill Richardson

**CAMBRIDGE**  
**UNIVERSITY PRESS**



**MIX**  
Paper from  
responsible sources  
**FSC™ C007785**

Printed in the UK by Bell & Bain Ltd.

ISSN 0025-5572

## CONTENTS (continued)

### Notes 101.15 to 101.25 (continued)

Proof without words: relationship between inverse cotangents	<i>Paul Stephenson</i>	300
Approximate quadrature of the circle using a set square	<i>Mieczysław Szyszkowicz</i>	301
A natural occurrence of the Golden Ratio	<i>John Molokach</i>	303
A homothetic property of orthic triangles	<i>Grégoire Nicollier</i>	303
The hyperbolic version of the Steiner-Lehmus theorem	<i>Mowaffaq Hajja</i>	306
One more note on the extremal properties of the incentre and the excetres of a triangle	<i>Mowaffaq Hajja</i>	308
Generalisation and sharpening of Problem 100.C	<i>Zoltan Retkes</i>	310
A note on tilings and associated linear recurrences	<i>Martin Griffiths</i>	314
<b>Teaching Notes</b>		
Studying $\frac{A}{x+B} + \frac{C}{x+D}$ without derivatives	<i>Martin Celli</i>	319
Pappus in two dimensions, Mamikon in three	<i>Paul Stephenson</i>	322
An area conundrum	<i>Nick Lord</i>	325
Trigonometric identities from regular polygons	<i>Paul Stephenson</i>	327
<b>Correspondence</b>		335
<b>Feedback</b>		337
<b>Problem Corner</b>	<i>Nick Lord</i>	339
<b>Student Problems</b>	<i>Stan Dolan</i>	344
<b>Reviews</b>		348