

THE JOURNAL OF ANIMAL ECOLOGY

EDITORS: L. R. Taylor and J. M. Elliott

CONTENTS

Volume 45 Number 3 October 1976

- J. A. Bishop and D. J. Hartley.** The size and age structure of rural populations of *Rattus norvegicus* containing individuals resistant to the anticoagulant poison Warfarin
- Peter L. Meserve.** Habitat and resource utilization by rodents of a California coastal sage scrub community
- J. Parsons, G. Chabrzyk and N. Duncan.** Effects of hatching date on post-fledging survival in herring gulls
- William Z. Lidicker Jr.** Social behaviour and density regulation in house mice living in large enclosures
- J. W. Moore and I. C. Potter.** Aspects of feeding and lipid deposition and utilization in the lampreys, *Lampetra fluviatilis* (L.) and *Lampetra planeri* (Bloch)
- Francis L. Rose and D. Armentrout.** Adaptive strategies of *Ambystoma tigrinum* Green inhabiting the Llano Estacado of West Texas
- J. A. Kitching, F. J. Ebling, J. C. Gamble, R. Hoare, A. A. Q. R. McLeod and T. A. Norton.** The ecology of Lough Ine. XIX. Seasonal changes in the Western Trough
- Colin R. Townsend and Alan G. Hildrew.** Field experiments on the drifting, colonization and continuous redistribution of stream benthos
- H. F. Evans.** The population dynamics of *Anthocoris confusus* in a laboratory cage ecosystem
- J. R. Beddington, C. A. Free and J. H. Lawton.** Concepts of stability and resilience in predator-prey models
- A. F. G. Dixon.** Reproductive strategies of the alate morphs of the bird cherry-oat aphid *Rhopalosiphum padi* L.
- I. Newton.** Breeding of sparrowhawks (*Accipiter nisus*) in different environments
- L. M. Cook, Eleanor W. Thomason and Allen M. Young.** Population structure, dynamics and dispersal of the tropical butterfly *Heliconius charitonius*
- John F. Boyer.** The effects of prior environments on *Tribolium castaneum*
- Phillip Williamson.** Size-weight relationships and field growth rates of the landsnail *Cepaea nemoralis* L.
- Paul J. Greenwood and Paul H. Harvey.** The adaptive significance of variation in breeding area fidelity of the blackbird (*Turdus merula* L.)
- J. C. Pernetta.** Diets of the shrews *Sorex araneus* L. and *Sorex minutus* L. in Wytham grassland
- T. T. Macan.** A twenty-one-year study of the water-bugs in a moorland fishpond
- J. M. Elliott.** The energetics of feeding, metabolism and growth of brown trout (*Salmo trutta* L.) in relation to body weight, water temperature and ration size
- T. R. E. Southwood and H. N. Comins.** A synoptic population model
- Reviews

The journal is published three times a year. The subscription price to non-members of the British Ecological Society is £30.00 (U.S.A. and Canada £105.00) per volume. All back numbers are available. Enquiries and orders should be sent to the publishers

BLACKWELL SCIENTIFIC PUBLICATIONS LTD

OSNEY MEAD, OXFORD OX2 0EL

THE JOURNAL OF ECOLOGY

EDITORS: P. S. Grubb, C. H. Gimingham and J. H. Tallis

CONTENTS

Volume 64 Number 3 November 1976

- Bruce E. Mahall and Roderic B. Park.** The ecotone between *Spartina foliosa* Trin. and *Salicornia virginica* L. in salt marshes of northern San Francisco Bay. II. Soil water and salinity
- Bruce E. Mahall and Roderic B. Park.** The ecotone between *Spartina foliosa* Trin. and *Salicornia virginica* L. in salt marshes of northern San Francisco Bay. III. Soil aeration and tidal immersion
- Frédéric J.-P. Briand.** Seasonal variations and associations of southern Californian nearshore phytoplankton
- H. van Groenewoud.** Theoretical considerations on the covariation of plant species along ecological gradients with regard to multivariate analysis
- John Miles.** The growth of *Nartheceum ossifragum* in some southern English mires
- Anne P. Bonny.** Recruitment of pollen to the seston and sediment of some Lake District lakes
- Douglas G. Sprugel.** Dynamic structure of wave-generated *Abies balsamea* forests in the north-eastern United States
- J. B. Hall and M. D. Swaine.** Classification and ecology of closed-canopy forest in Ghana
- R. H. Marrs and John Proctor.** The response of serpentine and non-serpentine *Agrostis stolonifera* to magnesium and calcium
- J. Turner, D. W. Cole and S. P. Gessel.** Mineral nutrient accumulation and cycling in a stand of red alder (*Alnus rubra*)
- J. P. Grime and A. V. Curtis.** The interaction of drought and mineral nutrient stress in calcareous grassland
- Paul A. Colinvaux and Eileen K. Schofield.** Historical ecology in the Galápagos Islands. I. A holocene pollen record from El Junco Lake, Isla San Cristobal
- Paul A. Colinvaux and Eileen K. Schofield.** Historical ecology in the Galápagos Islands. II. A holocene spore record from El Junco Lake, Isla San Cristobal
- Joan M. Hett and Orie L. Loucks.** Age structure models of balsam fir and eastern hemlock
- John M. Bernard.** The life history and population dynamics of shoots of *Carex rostrata*
- Gordon W. Frankie, Paul A. Opler and Kamajit S. Bawa.** Foraging behaviour of solitary bees: implications for outcrossing of a neotropical forest tree species
- Phillip Williamson.** Above-ground primary production of chalk grassland allowing for leaf death
- BIOLOGICAL FLORA OF THE BRITISH ISLES**
- G. A. M. Scott and R. E. Randall.** *Crambe maritima* L.
- A. J. C. Malloch.** An annotated bibliography of the Burren
- Reviews

Published three times a year; annual subscription post free
£30.00 (U.S.A. and Canada \$105.00)

Enquiries and orders should be sent to the publishers

BLACKWELL SCIENTIFIC PUBLICATIONS LTD
OSNEY MEAD, OXFORD OX2 0EL

THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

THE ASSOCIATION was founded in 1884 to promote accurate researches leading to the advancement of zoological and botanical science and to an increase in our knowledge of the food, life, conditions and habits of British fishes. The work of the Association is controlled by a Council elected annually by its subscribing members.

Professor T. H. Huxley took the chair at the initial meeting held in the rooms of the Royal Society and was elected the first President. Among those present were Sir John Lubbock (afterwards Lord Avebury), Sir Joseph Hooker, Professor H. N. Moseley, Mr G. J. Romanes, and Sir E. Ray Lankester who, after Professor Huxley, was for many years president of the Association. It was decided to build a laboratory at Plymouth, where a rich and varied fauna is found.

The Plymouth Laboratory was opened in June 1888, and, since that date, considerable additions have been made to the buildings, including a library, lecture-hall, and extensive laboratory accommodation with up-to-date equipment. Additional sea-water reservoirs have also been built, and an aquarium, modernized in 1959, opened to the public.

Since its foundation the Association has been supported by subscriptions and donations from private members, universities, learned societies, the Fishmongers' Company and other public bodies. For some time past, however, the main financial support for the work of the Plymouth Laboratory has come from Government funds, and since 1965 the Laboratory has been grant-aided through the Natural Environment Research Council.

The Marine Biological Association, under the direction of its Council, undertakes research in all branches of marine science and the main results are published in this journal. Accounts of the laboratory and aquarium are to be found in Vol. 27 (p. 761), Vol. 39 (p. 391) and Vol. 43 (p. 281), and summaries of the activities and research of the Association are given annually in the Report of the Council in the November issue of the Journal.

The laboratory is open throughout the year and its work is carried out by a fully qualified research staff under the supervision of the Director. The names of the members of the staff will be found on the inner page of the front cover. Accommodation is available for British and foreign scientific workers who wish to carry out independent research in all branches of marine science. Arrangements are made for courses for advanced students, and marine animals and plants are supplied to educational institutions.

Work at sea is undertaken by three research vessels and by a motor boat, and these also collect the specimens required in the laboratory.

TERMS OF MEMBERSHIP

	<i>£</i>
Annual Members, receiving the Journal . . . per annum	10.00
Annual Members, without the Journal . . . per annum	2.00
Founders	100.00
Governors	500.00

Members of the Association have the following rights and privileges: they elect annually the Officers and Council; they are entitled to receive the Journal of the Association at a reduced rate; they are admitted to view the laboratory at Plymouth; they have the first claim to rent a place in the laboratory for research, with use of tanks, boats, etc; they have the privilege of occupying a table for one week in each year free of charge; and they have access to the books in the library at Plymouth during working hours.

The Commissioners of Inland Revenue have approved the Association for the purposes of Section 16, Finance Act, 1958, and that the whole of the annual subscription paid by a member who qualifies for relief under the section will be allowable as a deduction from his emoluments assessable to income tax under Schedule E.

All correspondence should be addressed to the Director, The Laboratory, Citadel Hill, Plymouth, PL1 2PB.

CONTENTS

	PAGE
LEADBEATER, B. S. C. Observations on the life-history and ultrastructure of the marine choanoflagellate <i>Choanoeca perplexa</i> Ellis	285
LEE, R. E. Saprophytic and phagocytic isolates of the colourless heterotrophic dinoflagellate <i>Gyrodinium lebouriae</i> Herdman	303
MADDOCK, L. and SWANN, C. L. A statistical analysis of some trends in sea temperature and climate in the Plymouth area in the last 70 years	317
PINGREE, R. D. and MADDOCK, L. Tidal residuals in the English Channel	339
BAYNE, B. L. and SCULLARD, C. Rates of nitrogen excretion by species of <i>Mytilus</i> (Bivalvia: Mollusca)	355
BAYNE, B. L. and SCULLARD, C. An apparent specific dynamic action in <i>Mytilus edulis</i> L.	371
BRYAN, G. W., POTTS, G. W. and FORSTER, G. R. Heavy metals in the gastropod mollusc <i>Haliotis tuberculata</i> (L.)	379
HOLME, N. A. and BARRETT, R. L. A sledge with television and photographic cameras for quantitative investigation of the epifauna on the Continental Shelf	391
WILSON, J. B., HOLME, N. A. and BARRETT, R. L. Population dispersal in the brittle-star <i>Ophiocomina nigra</i> (Abildgaard) (Echinodermata: Ophiuroidea)	405
SOUTHWARD, A. J. and SOUTHWARD, E. C. Distribution and ecology of the hermit crab <i>Clibanarius erythropus</i> in the western Channel	441
KNIGHT-JONES, P. & KNIGHT-JONES, E. W. Taxonomy and ecology of British Spirobridae (Polychaeta)	453
FREEMAN, R. F. H. and SHUTTLEWORTH, T. J. Distribution of water in <i>Arenicola marina</i> equilibrated to diluted sea water	501
CORNELIUS, P. F. S. On the nomenclature of the hydroid, <i>Candelabrum phrygium</i> (Fabricius, 1780) (= <i>Myriothele phrygia</i> , <i>Arum cocksii</i>)	521
SARGENT, J. R., GATTEN, R. R., CORNER, E. D. S. and KILVINGTON, C. C. On the nutrition and metabolism of zooplankton. XI. Lipids in <i>Calanus helgolandicus</i> grazing <i>Biddulphia sinensis</i>	525
RIDGE, R. M. A. P. Physiological responses of stretch receptors in the pectoral fin of the ray <i>Raja clavata</i>	535
BOXSHALL, G. A. The depth distributions and community organization of the planktonic cyclopoids (Crustacea: Copepoda) of the Cape Verde Islands	543
SHORT NOTE	569
ABSTRACTS OF MEMOIRS	571
BOOK NOTICES	573

© Copyright by the Marine Biological Association of the U.K. 1977

The subscription price of volume 57, 1977 of the Journal to non-members of the Association is £45.00 net a volume of four parts, post free, or US \$105.00 in U.S.A. and Canada, payable in advance. Single parts cost £13.00 (US \$30.00 in U.S.A. and Canada) plus postage. Subscriptions may be sent to any bookseller or to the London or New York office of Cambridge University Press.

CAMBRIDGE UNIVERSITY PRESS
BENTLEY HOUSE, 200 EUSTON ROAD, LONDON NW1 2DB
32 EAST 57TH STREET, NEW YORK, N.Y. 10022
Printed in Great Britain at the University Press, Cambridge