

Annals of Glaciology

Papers from the International Symposium on Arctic Glaciology, held
in Geilo, Norway, 23–27 August 2004

VOLUME 42

EDITORS

| | | |
|--------------------------|--|--|
| <i>Chief Editors</i> | Julian Dowdeswell | Ian C. Willis |
| <i>Associate Editors</i> | Dorthe Dahl Jensen Andrey Glazovskiy Will Harrison Elisabeth Isaksson | Jacek Jania Tavi Murray Johannes Oerlemans Niels Reeh |

INTERNATIONAL GLACIOLOGICAL SOCIETY

| | |
|--------------------------|---|
| <i>President</i> | Elizabeth Morris |
| <i>Vice-Presidents</i> | Richard Alley Eric Brun Atsumu Ohmura |
| <i>Treasurer</i> | John Heap |
| <i>Secretary General</i> | Magnús Már Magnússon |

IN-HOUSE PRODUCTION

| | |
|------------------------------|------------------|
| <i>Production Manager</i> | Christine Butler |
| <i>Production Assistant</i> | Craig Baxter |
| <i>Reference Editor</i> | Rowena Baxter |
| <i>House Editor</i> | Ken Moxham |
| <i>Publishing Assistant</i> | Ann Leeding |
| <i>Typesetter/Programmer</i> | Ali Woollatt |

Cover illustration A view across Breiðamerkurlón, Iceland.
Photo from Magnús Már Magnússon.

Annals of Glaciology

Papers from the International Symposium on Arctic Glaciology, held
in Geilo, Norway, 23–27 August 2004



Published by
the International Glaciological Society,
Cambridge, UK

The Annals of Glaciology contains peer-reviewed, edited papers from IGS-sponsored symposia. Papers in this publication are indexed in the Science Citation Index[®], Science Citation Index-Expanded (also known as Sci-Search[®]), and ISI[®] Alerting services.

The accuracy of references in the text and lists is the responsibility of the authors, to whom queries should be addressed.

The Annals of Glaciology is available online. Subscribers wishing to access the online journal should go to www.ingentaselect.com/register.htm and follow the online instructions. For subscription information contact igsoc@igsoc.com.

ISSN 0260-3055

ISSN 1727-5644 (Online)

ISBN 0-946417 36 9

© International Glaciological Society 2005

All rights reserved; no part of this publication may be reproduced, stored or retrieved in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise without the prior written permission of the International Glaciological Society (IGS), except as stated below.

The Annals of Glaciology is registered with the Publishers Licensing Society Limited. Consent is given for single copies of single articles to be made for private study or research, or for the personal or internal use of specific clients, provided the appropriate fee is paid to The Copyright Licensing Agency, 90 Tottenham Court Road, London, W1P 0LP (Fax: 020-7631-5555; e-mail: info@cla.co.uk). Illustrations and short extracts from the text of individual contributions may be made provided the source is acknowledged and permission is granted by the authors and the IGS. The IGS hereby gives permission for abstracts of articles in this issue to be reprinted by abstracting journals.

CONTENTS

| | | |
|--|--|-----|
| J. Oerlemans and F.M. Nick | A minimal model of a tidewater glacier | 1 |
| A. Kääb, B. Lefauconnier and K. Melvold | Flow field of Kronebreen, Svalbard, using repeated Landsat 7 and ASTER data | 7 |
| A.E. Nelson, I.C. Willis and C.Ó Cofaigh | Till genesis and glacier motion inferred from sedimentological evidence associated with the surge-type glacier, Brúarjökull, Iceland | 14 |
| G. Aðalgeirsdóttir, H. Björnsson, F. Pálsson and E. Magnússon | Analyses of a surging outlet glacier of Vatnajökull ice cap, Iceland | 23 |
| M. Jackson, I.A. Brown and H. Elvehøy | Velocity measurements on Engabreen, Norway | 29 |
| R.V. Engeset, T.V. Schuler and M. Jackson | Analysis of the first jökulhlaup at Blåmannsisen, northern Norway, and implications for future events | 35 |
| A. Hodson, J. Kohler and M. Brinkhaus | Multi-year water and surface energy budget of a high-latitude polythermal glacier: evidence for overwinter water storage in a dynamic subglacial reservoir | 42 |
| A. Miyamoto, H. Shoji, A. Hori, T. Hondoh, H.B. Clausen and O. Watanabe | Ice fabric evolution process understood from anisotropic distribution of <i>a</i> -axis orientation on the GRIP (Greenland) ice core | 47 |
| L.A. Stearns, G.S. Hamilton and N. Reeh | Multi-decadal record of ice dynamics on Daugaard Jensen Gletscher, East Greenland, from satellite imagery and terrestrial measurements | 53 |
| F. Paul and A. Kääb | Perspectives on the production of a glacier inventory from multispectral satellite data in Arctic Canada: Cumberland Peninsula, Baffin Island | 59 |
| D.M. Chandler, R.I. Waller and W.G. Adam | Basal ice motion and deformation at the ice-sheet margin, West Greenland | 67 |
| A-M Nuttall and R. Hodgkins | Temporal variations in flow velocity at Finsterwalderbreen, a Svalbard surge-type glacier | 71 |
| R. Thomas, E. Frederick, W. Krabill, S. Manizade, C. Martin and A. Mason | Elevation changes on the Greenland ice sheet from comparison of aircraft and ICESat laser-altimeter data | 77 |
| D. Yi, H.J. Zwally and X. Sun | ICESat measurement of Greenland ice sheet surface slope and roughness | 83 |
| J.E. Box | Greenland ice sheet surface mass-balance variability: 1991–2003 | 90 |
| A. Sood | Fresh-water discharge from Greenland using regional climate simulations | 95 |
| N. Reeh, D.A. Fisher, R.M. Koerner and H.B. Clausen | An empirical firn-densification model comprising ice lenses | 101 |
| W. Greuell and J. Oerlemans | Assessment of the surface mass balance along the K-transect (Greenland ice sheet) from satellite-derived albedos | 107 |
| G.H.K. Calluy, H. Björnsson, J.W. Greuell and J. Oerlemans | Estimating the mass balance of Vatnajökull, Iceland, from NOAA AVHRR imagery | 118 |
| J. Jania, Yu.Ya. Macheret, F.J. Navarro, A.F. Glazovsky, E.V. Vasilenko, J. Lapazaran, P. Glowacki, K. Migala, A. Balut and B.A. Piwowar | Temporal changes in the radiophysical properties of a polythermal glacier in Spitsbergen | 125 |
| H. De Angelis and J. Kleman | Palaeo-ice streams in the northern Keewatin sector of the Laurentide ice sheet | 135 |
| J.C. Yde, N.T. Knudsen, N.K. Larsen, C. Kronborg, O.B. Nielsen, J. Heinemeier and J. Olsen | The presence of thrust-block naled after a major surge event: Kuannersuit Glacier, West Greenland | 145 |
| G. Stuart, T. Murray, A. Brisbourne, P. Styles and S. Toon | Seismic emissions from a surging glacier: Bakaninbreen, Svalbard | 151 |
| F.J. Navarro, A.F. Glazovsky, Yu.Ya. Macheret, E.V. Vasilenko, M.I. Corcuera and M.L. Cuadrado | Ice-volume changes (1936–1990) and structure of Aldegondabreen, Spitsbergen | 158 |
| Y.M. Kononov, M.D. Ananicheva and I.C. Willis | High-resolution reconstruction of Polar Ural glacier mass balance for the last millennium | 163 |
| K.M. McKinzey, J.F. Orwin and T. Bradwell | A revised chronology of key Vatnajökull (Iceland) outlet glaciers during the Little Ice Age | 171 |
| K.A. Brugger, K.A. Refsnider and M.F. Whitehill | Variation in glacier length and ice volume of Rabots Glaciär, Sweden, in response to climate change, 1910–2003 | 180 |
| W. Ziaja | Response of the Nordenskiöld Land (Spitsbergen) glaciers Grumantbreen, Håbergbreen and Dryadbreen to the climate warming after the Little Ice Age | 189 |
| T. Geist, H. Elvehøy, M. Jackson and J. Stötter | Investigations on intra-annual elevation changes using multi-temporal airborne laser scanning data: case study Engabreen, Norway | 195 |
| J.L. Bamber, W. Krabill, V. Raper, J.A. Dowdeswell and J. Oerlemans | Elevation changes measured on Svalbard glaciers and ice caps from airborne laser data | 202 |
| I.A. Brown P. Klingbjer and A. Dean | Problems with the retrieval of glacier net surface balance from AR imagery | 209 |
| M. De Woul and R. Hock | Static mass-balance sensitivity of Arctic glaciers and ice caps using a degree-day approach | 217 |

| | | |
|---|--|-----|
| R.J. Braithwaite | Mass-balance characteristics of arctic glaciers | 225 |
| J. Oerlemans, R.P. Bassford, W. Chapman, J.A. Dowdeswell, A.F. Glazovsky, J.-O. Hagen, K. Melvold, M. de Ruyter de Wildt and R.S.W. van de Wal | Estimating the contribution of Arctic glaciers to sea-level change in the next 100 years | 230 |
| C. Jaedicke and P. Gauer | The influence of drifting snow on the location of glaciers on western Spitsbergen, Svalbard | 237 |
| R. Hodgkins, R. Cooper, J. Wadham and M. Tranter | Interannual variability in the spatial distribution of winter accumulation at a high-Arctic glacier (Finsterwalderbreen, Svalbard), and its relationship with topography | 243 |
| M.O. Leibman, S.M. Arkhipov, D.D. Perednya, A.S. Savvichev, B.G. Vanshtein and H.-W. Hubberten | Geochemical properties of the water–snow–ice complexes in the area of Shokalsky glacier, Novaya Zemlya, in relation to tabular ground-ice formation | 249 |
| J.O. Hagen, T. Eiken, J. Kohler and K. Melvold | Geometry changes on Svalbard glaciers: mass-balance or dynamic response? | 255 |
| T.V. Schuler, K. Melvold, J.O. Hagen and R. Hock | Assessing the future evolution of meltwater intrusions into a mine below Gruvefonna, Svalbard | 262 |
| M. Grabiec | An estimation of snow accumulation on Svalbard glaciers on the basis of standard weather-station observations | 269 |
| A. Wright, J. Wadham, M. Siegert, A. Luckman and J. Kohler | Modelling the impact of superimposed ice on the mass balance of an Arctic glacier under scenarios of future climate change | 277 |
| O. Brandt, H. Björnsson and Y. Gjessing | Mass-balance rates derived by mapping internal tephra layers in Mýrdalsjökull and Vatnajökull ice caps, Iceland | 284 |
| H. Björnsson, S. Gudmundsson and F. Pálsson | Glacier winds on Vatnajökull ice cap, Iceland, and their relation to temperatures of its lowland environs | 291 |
| C. Mayer and T.V. Schuler | Breaching of an ice dam at Qorlortossup tasia, south Greenland | 297 |
| P. Jansson and H. Linderholm | Assessment of combined glacier and tree-ring studies to constrain latitudinal climate forcing of Scandinavian glacier mass balances | 303 |
| R.S.W. van de Wal, W. Greuell, M.R. van den Broeke, C.H. Reijmer and J. Oerlemans | Surface mass-balance observations and automatic weather station data along a transect near Kangerlussuaq, West Greenland | 311 |
| L.M. Andreassen, H. Elvehøy, B. Kjøllmoen, R.V. Engeset and N. Haakensen | Glacier mass-balance and length variation in Norway | 317 |
| D. Steinhage, O. Eisen and H.B. Clausen | Regional and temporal variation of accumulation around NorthGRIP derived from ground-penetrating radar | 326 |
| F.Saito and A. Abe-Ouchi | Sensitivity of Greenland ice sheet simulation to the numerical procedure employed for ice-sheet dynamics | 331 |
| I.K. Seierstad, S.J. Johnsen, B.M. Vinther and J. Olsen | The duration of the Bølling–Allerød period (Greenland Interstadial 1) in the GRIP ice core | 337 |
| E. Isaksson, T. Kekonen, J. Moore and R. Mulvaney | The methanesulfonic acid (MSA) record in a Svalbard ice core | 345 |
| K. Rikiishi, H. Ohtake and Y. Katagiri | The role of atmospheric circulation in the growth of sea-ice extent in marginal seas around the Arctic Ocean | 352 |
| D. Fritzsche, R. Schütt, H. Meyer, H. Miller, F. Wilhelms, T. Opel and L.M. Savatyugin | A 275 year ice-core record from Akademii Nauk ice cap, evernaya Zemlya, Russian Arctic | 361 |
| C. Rolstad and J. Oerlemans | The residual method for determination of the turbulent exchange coefficient applied to automatic weather station data from Iceland, Switzerland and West Greenland | 367 |
| V. Raper, J. Bamber and W. Krabill | Interpretation of the anomalous growth of Austfonna, Svalbard, a large Arctic ice cap | 373 |
| K. Rikiishi and S. Takatsuji | On the growth of ice cover in the Sea of Okhotsk with special reference to its negative correlation with that in the Bering Sea | 380 |
| P. Holmlund, P. Jansson and R. Pettersson | A re-analysis of the 58 year mass-balance record of Storglaciären, Sweden | 389 |
| T.V. Schuler, R. Hock, M. Jackson, H. Elvehøy, M. Braun, I. Brown and J.-O. Hagen | Distributed mass-balance and climate sensitivity modelling of Engabreen, Norway | 395 |
| L.A. Rasmussen and H. Conway | Influence of upper-air conditions on glaciers in Scandinavia | 402 |
| M. Nolan, A. Arendt, B. Rabus and L. Hinzman | Volume change of McCall Glacier, Arctic Alaska, USA, 1956–2003 | 409 |
| R.M. Koerner | Mass balance of glaciers in the Queen Elizabeth Islands, Nunavut, Canada | 417 |
| R. Greve | Relation of measured basal temperatures and the spatial distribution of the geothermal heat flux for the Greenland ice sheet | 424 |
| T. Yamagishi, A. Abe-Ouchi, F. Saito, T. Segawa and T. Nishimura | Re-evaluation of paleo-accumulation parameterization over Northern Hemisphere ice sheets during the ice age examined with a high-resolution AGCM and a 3-D ice-sheet model | 433 |
| I. Baker, D. Iliescu, R. Obbard, H. Chang, B. Bostick and C.P. Daghljan | Microstructural characterization of ice cores | 441 |
| D. Rippin, I. Willis and N. Arnold | Seasonal patterns of velocity and strain across the tongue of the polythermal glacier midre Lovénbreen, Svalbard | 445 |
| Programme of sessions | | 455 |
| Index of authors | | 459 |