

INFECTION CONTROL AND HOSPITAL EPIDEMIOLOGY[®]

EDITORIAL

- Strategies for Disinfection and Sterilization of Endoscopes:
The Gap Between Basic Principles and Actual Practice 279
MARTIN S. FAVERO, PHD

ORIGINAL ARTICLES

- Disinfection Practices for Endoscopes and Other Semicritical Items 282
WILLIAM A. RUTALA, PHD, MPH; EVA P. CLONTZ, MED; DAVID J. WEBER, MD, MPH;
KAREN K. HOFFMANN, RN, MS

- Infection Control Practices in Gastrointestinal Endoscopy in the
United States: A National Survey 289
GEOFFREY J. GORSE, MD; ROBERTA L. MESSNER, RNC, PHD

- Investigations of Intrinsic *Pseudomonas cepacia* Contamination in
Commercially Manufactured Povidone-Iodine 297
ROGER L. ANDERSON, PHD; ROBERT W. VESS, BS; JANICE H. CARR, BS;
WALTER W. BOND, MS; ADELISA L. PANLILIO, MD; MARTIN S. FAVERO, PHD

- Epidemiology of Isolation Precautions 303
ANN PETTINGER, RN, MS; MARY D. NETTLEMAN, MD

PRODUCT COMMENTARY

- Emperor's Clothing for the Contemporary Healthcare Worker 308
SUE CROW, RN, MSN, CIC

TOPICS IN CLINICAL MICROBIOLOGY

- Listeria* 311
NATALIE C. KLEIN, MD, PHD; PAUL E. SCHOCH, PHD, BURKE A. CUNHA, MD

NOVEL APPLICATIONS FOR HOSPITAL EPIDEMIOLOGY

- Monitoring and Evaluation 315
MICHAEL D. DECKER, MD, MPH

SPECIAL REVIEW

- Epidemiologic Typing Systems for Coagulase-Negative Staphylococci 319
DAVID BIRNBAUM, MPH; MICHAEL KELLY, MD, PHD; ANTHONY W. CHOW, MD

LETTERS TO THE EDITOR

- Prior Publication of Data 274
DAVID K. HENDERSON, MD

- Methicillin-Resistant *Staphylococcus aureus* in Long-Term
Care Facilities (And Reply) 274
JOSEPH M. MYLOTTE, MD; CAROL A. KAUFFMAN, MD; SUZANNE F. BRADLEY, MD;
MARGARET S. TERPENNING, MD

- SHEA NEWSLETTER 327

CIDEX* is safe for scopes. Don't take our word for it.

Take theirs.


Circon ACMI

Circon ACMI

Pentax


Olympus

Fujinon



Major scope manufacturers have always recommended CIDEX* Activated Dialdehyde Solution. Research and more than 25 years of actual use **have shown**

Life in the fast food lane.



It can be a slow death if you're loading up on high-cholesterol, high-fat foods that may eventually choke your arteries and damage your heart. If you're a teenager, slow down on fast food that's high in fat. Chances are it'll catch up with you someday if you don't.



American Heart Association

WE'RE FIGHTING FOR YOUR LIFE

THE PATIENT BELIEVES IT'S STERILE

NOW.. . A sterile instrument for each patient procedure every time.

A single standard of practice standardized, documented sterile processing which is safe for your instruments.


A single standard of care . availability of sterilized instruments for each patient procedure.

STERIS SYSTEM 1™ permits you to safely sterilize instruments which you are currently disinfecting between patient procedures. Even heat sensitive rigid and flexible scopes, cameras, and microsurgical instruments can be safely sterilized and ready for use in under 30 minutes.

STERIS . guaranteed sterilization every time and Just In Time for each patient procedure.

Environmentally safe, and selected by hospitals across the U.S. as the preferred standard of practice.

STERIS



STERIS CORPORATION ■ 72 Corwin Drive ■ Painesville, Ohio 44077 ■ 216-354-2600
Sterile Processing and Infection Control Systems. Worldwide.

Karl Storz Your exclusive endoscopic representative for **STERIS SYSTEM 1™**
(800) 421-0837

INFECTION CONTROL AND HOSPITAL EPIDEMIOLOGY

CONTENTS

EDITORIAL

- Strategies for Disinfection and Sterilization of Endoscopes: The Gap Between
Basic Principles and Actual Practice 279

MARTIN S. FAVERO, PHD

ORIGINAL ARTICLES

- Disinfection Practices for Endoscopes and Other Semicritical Items 282

WILLIAM A. RUTALA, PHD, MPH; EVA P. CLONTZ, MED;
DAVID J. WEBER, MD, MPH; KAREN K. HOFFMANN, RN, MS

- Infection Control Practices in Gastrointestinal Endoscopy in the
United States: A National Survey 289

GEOFFREY J. GORSE, MD; ROBERT L. MESSNER, RNC, PHD

- Investigations of Intrinsic *Pseudomonas cepacia* Contamination
in Commercially Manufactured Povidone-Iodine 297

ROGER L. ANDERSON, PHD; ROBERT W. VESS, BS; JANICE H. CARR, BS;
WAITER W. BOND, MS; ADELISA L. PANLILIO, MD; MARTIN S. FAVERO, PHD

- Epidemiology of Isolation Precautions 303

ANN PEITINGER, RN, MS; MARY D. Nettleman, MD

PRODUCT COMMENTARY

- Emperor's Clothing for the Contemporary Healthcare Worker 308

SUE CROW, RN, MSN, CIC

TOPICS IN CLINICAL MICROBIOLOGY

- Listeria 311

NATALIE C. KLEIN, MD, PHD; PAUL E. SCHOCH, PHD; BURKE A. CUNHA, MD

NOVEL APPLICATIONS FOR HOSPITAL EPIDEMIOLOGY

- Monitoring and Evaluation 315

MICHAEL D. DECKER, MD, MPH

SPECIAL REVIEW

- Epidemiologic Typing Systems for Coagulase-Negative Staphylococci 319

DAVID BIRNBAUM, MPH; MICHAEL KELLY, MD, PHD; ANTHONY W. CHOW, MD

DEPARTMENTS

- Copyright and Republication Form 270

- Information for Authors 272

- Letters to the Editor 274

- SHEA Newsletter 327

- Calendar of Events 331

THE PUBLICATION OF ADVERTISING IN THE JOURNAL DOES NOT CONSTITUTE ANY GUARANTEE OR ENDORSEMENT BY THE SOCIETY FOR HOSPITAL EPIDEMIOLOGY OF AMERICA OR SLACK INCORPORATED OF THE ADVERTISED PRODUCT OR SERVICE OR OF CLAIMS MADE BY THE ADVERTISER. THE PUBLICATION OF ARTICLES AND OTHER EDITORIAL MATERIAL IN THE JOURNAL DOES NOT NECESSARILY REPRESENT THE POLICY RECOMMENDATIONS OR ENDORSEMENT BY THE SOCIETY.

PUBLISHER: Infection Control and Hospital Epidemiology (ISSN-0899-823X) is published exclusively by SLACK Incorporated 12 times a year. Address: 6900 Grove Rd., Thorofare, NJ 08086. Telephone: (609) 8481000.

COPYRIGHT 1991 by The Society for Hospital Epidemiology of America, Inc. and SLACK Incorporated. All rights reserved. No part of this publication may be reproduced without written permission from the publisher.

SUBSCRIPTIONS: Requests should be addressed to the publisher (except Japan). In Japan, contact Woodbell Incorporated, 4-22-11, Kitakasai, Edogawaku, Tokyo 134, Japan. Subscription rates in the United States and possessions: Individual: One year—\$70.00; Two years—\$105.00; Three years—\$135.00; Institutional: One year—\$80.00; Two years—\$120.00; Three years—\$160.00. Canada: \$18.00 additional each year; all other countries: \$36.00 additional each year. Single copies of current issues may be obtained for \$8.00, United States and possessions; \$16.00 all other countries.

REPRINTS: All requests to reprint or use material published herein should be addressed to Lester J. Robeson, SLACK Incorporated, 6900 Grove Rd., Thorofare, NJ 08086. For reprint orders and prices, contact Fran Micalletti at (609) 848-1000. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by SLACK Incorporated, provided that the base fee of \$1.00 per copy, plus \$1.15 per page is paid directly to Copyright Clearance Center, 27 Congress St., Salem, MA 01970. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotional purposes, or for creating new collective works.

CHANGE OF ADDRESS: Notice should be sent to the publisher six weeks in advance of effective date. Include old and new addresses with zip codes. The publisher cannot accept responsibility for undelivered copies. Second-class postage is paid at Thorofare, New Jersey 08086, and additional entry points. **POSTMASTER:** Send address changes to SLACK Incorporated, 6900 Grove Rd., Thorofare, NJ 08086.

As of Volume 1, Number 1, INFECTION CONTROL AND HOSPITAL EPIDEMIOLOGY is listed in Index Medicus, Current Contents—Clinical Practice, Hospital Literature Index, Cumulative Index to Nursing and Allied Health Literature, and Nursing Abstracts.

EDITORIAL OFFICES

Vanderbilt University School of Medicine
A-1131 Medical Center North
Nashville, TN 37232-2637
(615) 343-1095; (615) 343-1882 (FAX)
Email: iche@mcmail.vanderbilt.edu

EDITOR

Michael D. Decker, MD, MPH

MANAGING EDITOR

Susan Cantrell

STATISTICAL EDITOR

Beverly G. Mellen, PhD

SENIOR ASSOCIATE EDITORS

C. Glen Mayhall, MD

Gina Pugliese, RN, MS

William Schaffner, MD

ASSOCIATE EDITORS

Donald A. Goldmann, MD

Didier Pittet, MD, MS

Andreas Widmer, MD, MS

SECTION EDITORS

Beyond Infection Control:

The New Hospital Epidemiology

Bryan P. Simmons, MD

Stephen B. Kritchevsky, PhD

Memphis, Tennessee

Wing Hong Seto, MD

Hong Kong

Disinfection and Sterilization

William A. Rutala, PhD, MPH

Chapel Hill, North Carolina

Emerging Infectious Diseases

Larry J. Strausbaugh, MD

Portland, Oregon

Robert W. Pinner, MD

Atlanta, Georgia

From the Laboratory

Marcus Zervos, MD

Royal Oak, Michigan

Fred C. Tenover, PhD

Atlanta, Georgia

Information Management

John A. Sellick, DO

Buffalo, New York

The International Perspective

Mary D. Nettleman, MD, MS

Richmond, Virginia

Issues in Surgery

James T. Lee, MD, PhD

St. Paul, Minnesota

Medical News

Gina Pugliese, RN, MS

Chicago, Illinois

Martin S. Favero, PhD

Irvine, California

Practical Healthcare Epidemiology

Loreen A. Herwaldt, MD

Iowa City, Iowa

SHEA News

Murray D. Batt, MD

Clarksburg, West Virginia

Statistics for Hospital Epidemiology

David Birnbaum, PhD, MPH

Sidney, British Columbia, Canada

Topics in Long-Term Care

Philip W. Smith, MD

Omaha, Nebraska

Topics in Occupational Medicine

David Weber, MD, MPH

Chapel Hill, North Carolina

INFECTION CONTROL AND HOSPITAL EPIDEMIOLOGY[®]

EDITORIAL ADVISORY BOARD

- Jacques F. Acar, MD Paris, France
J. Wesley Alexander, MD Cincinnati, Ohio
Paul Arnow, MD Chicago, Illinois
Graham A.J. Ayliffe, MD Birmingham, United Kingdom
Neil L. Barg, MD Yakima, Washington
Elizabeth Ann Bolyard, RN, MPH, CIC Atlanta, Georgia
John M. Boyce, MD Providence, Rhode Island
Professor Dr. Ilja Braveny Munich, Federal Republic of Germany
Charles Bryan, MD Columbia, South Carolina
Christian Brun-Buisson, MD Creteil, France
Donald E. Craven, MD Boston, Massachusetts
Sue Crow, MSN, RN, CIC Shreveport, Louisiana
Franz Daschner, MD Freiburg, Federal Republic of Germany
Leigh G. Donowitz, MD Charlottesville, Virginia
Charles E. Edmiston, Jr., PhD Milwaukee, Wisconsin
Theodore C. Eickhoff, MD Denver, Colorado
Bruce Farber, MD Manhasset, New York
Victoria J. Fraser, MD St. Louis, Missouri
Peter C. Fuchs, MD, PhD Black Butte, Oregon
Richard A. Garibaldi, MD Farmington, Connecticut
Velvl Greene, PhD, MPH Beer Sheva, Israel
Robert Gaynes, MD Atlanta, Georgia
David W. Gregory, MD Nashville, Tennessee
David K. Henderson, MD Bethesda, Maryland
Peter N.R. Heseltine, MD Los Angeles, California
Karen Hoffmann, RN, CIC, MS Chapel Hill, North Carolina
Marguerite McMillan Jackson, RN, PhD San Diego, California
Janine Jagger, MPH, PhD Charlottesville, Virginia
William R. Jarvis, MD Atlanta, Georgia
Douglas S. Kernodle, MD Nashville, Tennessee
Robert H. Latham, MD Nashville, Tennessee
Lewis B. Lefkowitz, MD Nashville, Tennessee
Hsieh-Shong Leu, MD, MSc Taipei, Taiwan
Jack Levy, MD Brussels, Belgium
Victor Lorian, MD Bronx, New York
Dennis G. Maki, MD Madison, Wisconsin
Professor Dr. Walter Marget Munich, Federal Republic of Germany
William J. Martone, MD Bethesda, Maryland
Allison McGeer, MD Toronto, Ontario, Canada
John E. McGowan, Jr., MD Atlanta, Georgia
Jonathan L. Meakins, MD, DSc Montreal, Quebec, Canada
Raf Mertens, MD Brussels, Belgium
Robert R. Muder, MD Pittsburgh, Pennsylvania
Joseph M. Mylotte, MD, CIC Buffalo, New York
Lindsay Nicolle, MD Winnipeg, Manitoba, Canada
Juhani Ojajarvi, MD Helsinki, Finland
Michael T. Osterholm, PhD, MPH Minneapolis, Minnesota
Jan Evans Patterson, MD San Antonio, Texas
Sindy M. Paul, MD Trenton, New Jersey
Michael A. Pfaller, MD Iowa City, Iowa
Samuel Ponce de Leon, MD, MSc Mexico City, Mexico
Isaam Raad, MD Houston, Texas
Manfred L. Rotter, MD, DipBact Vienna, Austria
Theodore Sacks, MD Jerusalem, Israel
William E. Scheckler, MD Madison, Wisconsin
Kent Sepkowitz, MD New York City, New York
Denis Spelman, MD Prahran Victoria, Australia
Michael L. Tapper, MD New York, New York
Clyde Thornsberry, PhD Brentwood, Tennessee
Professor Leonid P. Titov Minsk, Republic of Belarus
Timothy R. Townsend, MD Millwood, Virginia
Antoni Trilla, MD, PhD Barcelona, Spain
Professor Wang Shu-Qun Beijing, People's Republic of China
J. John Weems, Jr., MD Greenville, South Carolina
Robert A. Weinstein, MD Chicago, Illinois
Professor Dr. W. Weuffen Greifswald, Federal Republic of Germany
Sergio B. Wey, MD São Paulo, Brazil
Rebecca Wurtz, MD Evanston, Illinois

SLACK Incorporated

6900 Grove Road
Thorofare, New Jersey 08086
(609) 848-1000

Vice President/Group Publisher

Richard N. Roash

Publisher

John C. Carter

Editorial Director

Jennifer Kilpatrick

Production Editor

Shirley P. Strunk, ELS

Assistant Editor

Eileen C. Anderer

Circulation Manager

Lester J. Robeson, CCCC

Production Director

Christine Malin

Production Coordinator

Joanne Patterson

Publishing Director/ Advertising

Wayne McCourt

Pharmaceutical Group Sales Director

Michael LoPresti


Advertising Sales Representative

Jennine Kane

Classified/Recruitment Sales Manager

Michele Burch

SPORICIDIN® MONITOR TEST KIT



PROOF FOR EFFECTIVE CONCENTRATIONS

The Sporicidin Monitor Test Kit is a color indicator which is used to determine effective concentrations of 1:8 and 1:16 dilutions of Sporicidin Cold Sterilizing Solution.

To order, or for additional information, call: (800) 424-3733



Sporicidin International, 12000 Old Georgetown Road, Rockville, MD 20852 . (301) 231-7700 . FAX (301) 231-8165

INFECTION CONTROL AND HOSPITAL EPIDEMIOLOGY

The Society for Hospital Epidemiology of America (SHEA) and SLACK Inc. Copyright and Republication Policy

The Society for Hospital Epidemiology of America (SHEA) and SLACK Inc. hold copyright on *Infection Control and Hospital Epidemiology*. We request that all authors of works transfer to SHEA and SLACK Inc. all rights, title, and interest to such works, including copyright. In accord with the Copyright Act of 1976, we must acquire every author's signature to effect the transfer. A written work cannot be considered for publication until the 'Assignment of Copyright' form is signed by the author or authors and is on file at the editorial offices. Please submit this signed form with your manuscript. In the event that a manuscript is not accepted for publication, this agreement will be returned to the authors.

Signed 'Assignment of Copyright' forms confirm that a work submitted has not previously been published, is not subject to copyright or other rights except those of the author to be transferred to SHEA and SLACK Inc., and is not under consideration for publication elsewhere, except under circumstances communicated to us in writing at the time the work is submitted.

Permission to reproduce any part of the works published by SHEA and SLACK Inc. in *Infection Control and Hospital Epidemiology* in any form or by any means, electronic or mechanical, is not permitted without written permission from SLACK Inc.

Assignment of Copyright

In consideration of SLACK Incorporated and The Society for Epidemiology of America (collectively called the 'Publisher') in publishing my (our) submitted manuscript, the undersigned hereby transfer(s), assign(s), and otherwise convey(s) all copyright in the manuscript to the Publisher. The undersigned declares that the manuscript is original and, to the best of the undersigned's knowledge, contains no matter that is libelous or unlawful or that infringed upon anyone else's rights of copyright.

In addition, we affirm that the work is the work of every author listed, and is not under consideration for publication elsewhere, except under circumstances communicated to us in writing at the time the work is submitted.

MANUSCRIPT NUMBER (if known) _____ DATE _____

AUTHORS _____

TITLE _____

ALL AUTHORS

Signature _____ Date _____

Signature _____ Date _____

Signature _____ Date _____

Signature _____ Date _____

Signature _____ Date _____

Signature _____ Date _____

Signature _____ Date _____

_____ This form may be photocopied. _____

OSHA VAPOR LIMIT

OSHA has set
0.2 ppm as the
permissible exposure limit
for glutaraldehyde.¹

Sporicidin offers important
advantages. When diluted for 100%
hospital level disinfection, it contains
0.13% glutaraldehyde. With good cross-
ventilation, this can avoid the need for special
ventilation equipment to stay within the **never-to-**
be exceeded ceiling of 0.2 ppm.

Greater ventilation and space areas are required
when using 2% glutaraldehyde solutions. It is
reported that a room volume of air 550 times greater
than that of the soaking container is needed for 2%
glutaraldehyde, while only 33 times greater is
needed for **Sporicidin**.²

It's reassuring to know that you can
lessen the risk of over-exposure to
glutaraldehyde, offer greater
protection to your staff
and reduce **your space
and ventilation
requirements as
well, by using
Sporicidin**.

**ANOTHER REASON
TO DISINFECT WITH
SPORICIDIN**

