



VOL. XXII.—1907.

THE  
JOURNAL OF LARYNGOLOGY

RHINOLOGY, AND OTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE, AND EAR.

---

PUBLISHED MONTHLY.

---

London:  
ADLARD AND SON,  
BARTHOLOMEW CLOSE.

---

ENTERED AT STATIONERS' HALL.



# THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOTOLOGY.

*Founded in 1887 by* **MORELL MACKENZIE** *and* **NORRIS WOLFENDEN.**

## EDITORS :

**JOHN MACINTYRE, M.B., M.Ch., F.R.S.E.**  
**DUNDAS GRANT, M.A., M.D., F.R.C.S.Eng.**  
**ARTHUR SANDFORD, M.D., M.Ch.R.U.I.**  
**W. MILLIGAN, M.D., M.Ch.**

## WITH THE CO-OPERATION OF

**DRS. LAUZUN-BROWN** (*London*), **PRICE-BROWN** (*Toronto*), **CARTAZ** (*Paris*),  
**BRYSON DELAVAN** (*New York*), **DODD** (*Chicago*), **DONELAN** (*London*),  
**CLAYTON FOX** (*London*), **GRAY** (*Glasgow*), **GRAZZI** (*Florence*), **HICGUET** (*Brussels*),  
**MIDDLEMASS HUNT** (*Liverpool*), **HUTCHISON** (*Brighton*), **JOAL** (*Paris*), **KELLY** (*Glasgow*),  
**LACQARRET** (*Toulouse*), **LICHTWITZ** (*Bordeaux*), **LIEVEN** (*Aix-la-Chapelle*),  
**DAN MCKENZIE** (*London*), **JOHN N. MACKENZIE** (*Baltimore*), **PROF. MASSEI** (*Naples*),  
**MCCALL** (*Bournemouth*), **MEYJES** (*Amsterdam*), **MYLES** (*New York*),  
**HOLGER MYGIND** (*Copenhagen*), **CHICHELE NOURSE** (*London*), **PORTER** (*St. Louis*),  
**KNOWLES RENSHAW** (*Manchester*), **SACHS** (*Hamburg*), **SAJOUS** (*Philadelphia*),  
**SENDZIAK** (*Warsaw*), **LINDLEY SEWELL** (*Manchester*), **SOTA** (*Seville*),  
**STCLAIR THOMSON** (*London*), **PURVES STEWART** (*London*), **HUNTER TOD** (*London*),  
**WOODS** (*Dublin*), **WYLIE** (*London*), **MACLEOD YEARSLEY** (*London*),  
**AND ZIEM** (*Dantzic*).

## LIST OF PLATES.

	TO FACE PAGE
PLATE. TO ILLUSTRATE A PAPER BY DR. W. G. PORTER ON A FOLD SOMETIMES TO BE FOUND IN FRONT OF THE NASAL POSTERIOR OPENING. . . . .	17
PLATES. TO ILLUSTRATE A PAPER BY DR. J. MACKENZIE BOOTH ON AN AID IN THE TEACHING OF EAR AND THROAT CLASSES . . . . .	95
PLATE. TO ILLUSTRATE MR. BETHAM ROBINSON'S CASE OF PAPILO- MATA OF THE LARYNX . . . . .	172
PLATES. TO ILLUSTRATE DR. JOBSON HORNE'S CASE OF LYMPHO- SARCOMA OF THE MEDIASTINUM . . . . .	218
PLATE. TO ILLUSTRATE DR. JOBSON HORNE'S COMMUNICATION TO THE LARYNGOLOGICAL SOCIETY OF LONDON (January 4, 1907, Vol. xiv, p. 32) . . . . .	245
PLATES. ILLUSTRATING MR. ARTHUR CHEATLE'S COMMUNICATION TO THE OTOLOGICAL SOCIETY OF THE UNITED KINGDOM (May 4, 1907: "Infantile Types of Mastoid") . . . . .	256
PLATES. TO ILLUSTRATE A PAPER BY DR. JOBSON HORNE ON THE CHANNELS OF INFECTION IN TUBERCULOSIS OF THE THROAT, ETC. . . . .	292, 294, 298
PLATE. TO ILLUSTRATE DR. MORITZ'S CASE OF EPITHELIOMA OF THE LARYNX . . . . .	244
PLATES. TO ILLUSTRATE DR. JOBSON HORNE'S CASES OF EPITHELIOMA OF THE LARYNX . . . . .	354
PLATE. TO ILLUSTRATE A PAPER ON DIRECT LARYNGOSCOPY BY DR. ANDREW WYLIE . . . . .	580
PLATES. TO ILLUSTRATE DR. CHEVALIER JACKSON'S PAPER ON DIRECT LARYNGOSCOPY . . . . .	616

## ILLUSTRATIONS IN TEXT.

	PAGE
A DIAGRAM OF THE INTERIOR OF THE LEFT HALF OF A LARYNX TO SHOW THE SITE REFERRED TO AS THE "VULNERABLE" SPOT, WHICH IS INDICATED BY A DOTTED LINE (Dr. Jobson Horne's case of Thoracic Lympho-sarcoma) . . . . .	220
DIAGRAM ILLUSTRATING DRAINAGE OF CEREBRAL ABSCESS . . . . .	244
PROFESSOR SCHRÖTTER'S NEW INSTRUMENT FOR DIRECT EXAMINA- TION OF THE CAVITIES OF THE BODY . . . . .	395
PATERSON'S FORCEPS . . . . .	354
CHEVALIER JACKSON'S DIAGRAMS . . . . .	614, 615

## CONTENTS.

Special Article—	PAGE	
On an Aid in the Teaching of Ear and Throat Classes (with 2 Plates).— J. MACKENZIE BOOTH ... ..	93	
<b>Societies' Proceedings—</b>		
<b>OTOLOGICAL SOCIETY OF THE UNITED KINGDOM—</b>		
Metallic Corrosion Casts of the Temporal Bone.—H. F. MOLE ...	95	
Notes of a Fatal Case of Otitic Septic Thrombosis.—J. STODDART BARR	96	
Fatal Case of Chronic Suppurative Otitis Media, with Eventual Mastoid Abscess, and Thrombosis of both Lateral Sinuses.—J. DONELAN ...	103	
Epithelioma of the Tympanic Mucosa, following Chronic Suppurative Otitis Media.—W. MILLIGAN ... ..	105	
A Case of Cerebellar Abscess.—A. L. WHITEHEAD ... ..	108	
Notes of a Fatal Case of Cerebellar Abscess (with Specimen).— CHICHELE NOURSE ... ..	110	
<b>LARYNGOLOGICAL SOCIETY OF LONDON. Communications by</b> WATSON WILLIAMS, STCLAIR THOMSON, C. A. B. HORSFORD, JOBSON HORNE, W. H. KELSON, P. DE SANTI, J. B. BALL, SCANES SPICER, G. C. CATHCART, HERBERT TILLEY, FURNISS POTTER, STUART LOW, WYATT WINGRAVE, BETHAM ROBINSON, P. H. ABERCROMBIE, DUNDAS GRANT, C. A. PARKER, HAROLD BARWELL ... ..		111
<b>SOCIETY OF LARYNGOLOGY, OTOLOGY, AND RHINOLOGY OF PARIS.—Com-</b> <b>munications by</b> PAUL LAURENS, LUC, PASQUIER ... ..		135
<b>Abstracts—</b>		
<b>MOUTH.</b> —Throat Symptoms caused by Disease of the Glands of the Floor of the Mouth ... ..	137	
<b>FAUCES.</b> —The Examination of the Throat in Chronic Systemic Infections. —A Congenital Fibrolipoma of the Palatal Tonsil ... ..	138	
<b>PHARYNX.</b> —Lateral Pharyngitis ... ..	139	

## FOR THE CONVENIENCE OF OUR READERS ABROAD

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY may now be obtained  
of the following Firms, to whom, also, subscriptions may be paid :

**PARIS:** A. MALOINE, 23-25, Rue de l'École-de Médecine.

**ROME:** LOESCHER & Co., 307, Corso Umberto 1°.

**CALCUTTA and SIMLA:** THACKER, SPINK & Co.

**BOMBAY:** THACKER & Co., LTD.

**CAPE TOWN, JOHANNESBURG and BULAWAYO:** ROBT. A. THOMP-  
SON & Co., LTD.

**NEW YORK:** PAUL B. HOEBER, 69, East 59th Street.

**CHICAGO:** W. T. KEENER & Co., 90, Wabash Avenue.

**MELBOURNE, SYDNEY, ADELAIDE and BRISBANE:** GEORGE  
ROBERTSON & Co., PROPRIETARY, LTD.

CONTENTS (*continued*).

NOSE AND ACCESSORY SINUSES.—Killian's Frontal Sinus Operations.—Pain in the Frontal Sinus due to Hysteria.—Dermoid Cyst of the Base of the Nose, consecutive to a Surgical Operation.—A Case of Angioma of the Nose, commencing during Pregnancy.—A Contribution to the Normal and Pathological Anatomy of the Nose and its Accessory Cavities.—Suction Treatment in Diseases of the Nose ... 140

LARYNX.—Displacement of the Larynx and Trachea in Various Diseases of the Thoracic Organs ... 142

THYROID AND TRACHEA.—Paralysis of the Recurrent Nerve from Thyroid Compression; Thyroidectomy; Cure.—A Tracheotomy Cannula fallen into the Right Bronchus ... 142

ÆSOPHAGUS.—The Recognition of Tuberculosis of the Æsophagus ... 143

EAR.—Aural and Nasal Examinations of School Children.—A Dozen Convalescent Cases of Cerebro-spinal Meningitis.—On the Course of the Sigmoid Sinus in the Child's Skull.—Otitis Interna Sinistra Hæmorrhagica (?); Vicarious Menstruation (?).—What Cases of Chronic Purulent Otitis require the Radical Operation?—The Leucocyte Count in Inflammatory Diseases of the Ear and of the Temporal Bone and in Otitic Intra-cranial Complications.—On Post-operative Pyocyanus Perichondritis of the Auricle.—Case of Death from Pulmonary Thrombosis following Operation for Sinus Thrombosis.—Fatal Case of Brain Abscess.—Case of Radical Operation for Chronic Otitis Media Suppurativa, followed by a second Operation for Removal of the Internal Ear, and later by an Operation for the Evacuation of a Cervical Abscess and an Epidural Abscess.—Symptoms and Treatment of Sinus and Jugular Thrombosis with the Report of Five Cases.—A New Point of View in the Treatment of Aural Furunculosis and Furunculosis in General.—Experimental Investigations concerning the Power of Resistance of the Tympanic Membrane.—(1) On the Significance of Conditions found during Mastoid Operations in regard to the Diagnosis of Labyrinthine Suppuration: (2) Indications for the Opening of a Suppurating Labyrinth.—Chronic Progressive Labyrinthine Deafness.—Paralysis of the Sixth Nerve, Complicating Otitis ... 143

GUIDE TO ADVERTISEMENTS.

	PAGE		PAGE
Allen and Hanburys ...	xii	Down Bros. ...	i
British Journal of Children's Diseases ...	v	Golden Square Throat Hospital ...	x
Burroughs Wellcome & Co. ...	vi	Journal of Laryngology, Rhinology and Otolaryngology Notice ...	viii
Central London Throat, Nose, and Ear Hospital ...	vii	Lambert Pharmacal Co. ...	ii
Chemical Works ...	iii	Maw, S., Son and Sons ...	ii
Davidson & Co. ...	viii	Mayer and Meltzer ...	ix, ix
		Medical Supply Association ...	vii

***Vol. IV commenced January, 1907.***

THE  
**British Journal of Children's Diseases**

MONTHLY, ILLUSTRATED.

Edited by **GEORGE CARPENTER, M.D.**

Annual Subscription, 12s. or \$3 post free. Specimen on application.

London: **ADLARD AND SON, BARTHOLOMEW CLOSE, E.C.**

# 'HEMISINE' PREPARATIONS

(TRADE MARK)

'HEMISINE' preparations are dry, soluble products of an active principle of the supra-renal gland, having hæmostatic and other properties. They are a great advance on fluid products in stability, activity, constancy and convenience.

'Hemisine' blanches the tissues and in many operations secures for the surgeon a bloodless field.

'TABLOID' 'HEMISINE,' 0·0003 gramme. Tubes of 12, 1/0

'TABLOID' 'HEMISINE,' 0·001 gramme. Tubes of 12, 1/6

For administration by the mouth as a hæmostatic.

'SOLOID' 'HEMISINE' WITH ATROPINE SULPHATE. Tubes of 12, 1/0

For intra-muscular injection, one dissolved in 1 to 2 c.c. of distilled water; for intravenous injection, 1 dissolved in 50 c.c. of physiological saline solution and injected at a temperature of 100° F. (37·8° C.)

*Note.*—This product is for use in cases of emergency only.

'SOLOID' 'HEMISINE,' 0·0012 gramme. Tubes of 6, 1/0

'SOLOID' 'HEMISINE,' 0·005 gramme. Tubes of 6, 2/6

One product of 0·0012 gramme dissolved in 1·2 c.c., or one of 0·005 gramme dissolved in 5 c.c., of distilled water, forms a solution containing one part of 'Hemisine' in 1000 of normal saline.

Solutions of 1 in 1000 to 1 in 100,000 are employed for general use.

'SOLOID' 'HEMISINE' COMPOUND WITH EUCAINE, No. 1. Tubes of 6, 1/8

'SOLOID' 'HEMISINE' COMPOUND WITH EUCAINE, No. 2. Tubes of 12, 1/0

One of No. 1 dissolved in 100 c.c., or one of No. 2 dissolved in 10 c.c., of distilled water, gives a solution containing 'Hemisine' 1 in 100,000, and eucaine hydrochloride 2 in 1000, suitable for use as a local hæmostatic and anæsthetic.

'TABLOID' (OPHTHALMIC) 'HEMISINE,' 0·0006 gramme. Tubes of 12, 1/0

One may be placed on the conjunctiva, where it is immediately dissolved, or one in 0·6 c.c. of water forms a solution of 1 in 1000. Solutions of 1 in 1000 to 1 in 10,000, and even weaker, are employed for general ophthalmic use.

'ENULE' 'HEMISINE,' 0·001 gramme. Boxes of 12, 2/8

For rectal use—vaso-constrictor, hæmostatic, astringent.

For full therapeutic notes, etc., see 'Hemisine' booklet

BURROUGHS WELLCOME & CO.

LONDON (ENG.) NEW YORK MONTREAL SYDNEY CAPE TOWN  
F 336