

SUBJECT INDEX

Suffix c (e.g. 123c): Information will also be found on the following page(s).

Absorption	146,181,183c,225c,255c,334
- by neutral hydrogen	425c,431,445c
Accretion	47c,255c,263c,279,353,358c,381c
Adiabatic walking	92,168
Age	211,309
- characteristic	1,58,269c,359,376,432c
- kinematic	1,270,359,432c
- true	270,359,433c,438
Alfvén cylinder	148
Antenna mechanism	121
Aql X-1	381
A0535+26	308,358,380
Beaming of radiation	2,63,79,107c,119,123,125,127,142,149c, 198,243,245,249,368c,404,429
Binary systems	379c,399c,405,408c,452
- pulsars	2,58,359,361c,371c,390c,399c,409c,435, 450c
- X-ray sources	256c,279,303c,348,353c,359,373c,379c,408c
- evolution	see evolution
Birthrate	
- pulsars	2,158,346,359,378,394,412,418,430c,438, 452
- supernovae	2,346,378,412,434,436
- supernova remnants	378,412,418,452
Black holes	373,379,405,411
Braking index	269,271,307,406
Brightness temperature	116,121,146,158
Bunching	6,81c,92c,111c,133c,146,148c,203
Cas A	224,334,347,408c,417,451
Cas B	224
Gen X-3	305c,309,311c,323,353,355,380

- Cen X-4 381
 Coherent emission 6,63,92c,100,111,116,119,121c,128,134c,
 146,148,180c
 Crab nebula 51c,54,57c,307,324,347,403,406,410c,417c
 Crab pulsar see PSR 0531+21
 Critical frequency 128,148,156,180c,195,449
 Curvature radiation 74c,92c,133,168
 Cut-off frequency see critical frequency
 Cyclotron radiation 137,145c,255c,263,307,357
 Cyg X-1 323,380,411
 Cyg X-2 380c,389
- Dispersion 147,182,185,192,366c,371,425c
 - De-dispersion 182,191
 Distances of pulsars 1,337c,373,375,425c,431,440,445c
 Drifting of subpulses see subpulses
- Electric field in pular magnetosphere - see magnetosphere
 Electron density
 - in interstellar medium 412,425c,430c,434,437c,441,445c
 - in pulsar magnetosphere 11c,69c,126,260
 Emission mechanism
 - bandwidth 82,85,121c,126,128,134,137,139,148,177c,
 188,191c
 - radio 5,31c,69c,91c,100,111c,115c,133c,141c,
 155c,451
 - optical 235c
 - X-ray and γ -ray 21,61c,69c,92c,100,153,245,254c,263c,
 344c,450,452
 Emission region 87c,117,147c,155c,207c,215c,218,242,254,
 452
 Equation of state 279,296,304,306,308,321c,332,335,339
 Evolution 339
 - binary systems 359,371c,379c,399c,408c
 - pulsars 87c,271,379c,409,433,438,452
 - pulsar progenitors 359,373,379c,399c
- Faraday rotation 195
- Galactic distribution
 - electrons 373,425c,431,437,442
 - pulsars 1,412,423c,426c,431,435,437c,439c
 - others 411c,426,429,435
 Gaps in magnetosphere see magnetosphere
 Glitches 2,252,271c,277,281c,291c,299c,303,309c,
 315c,451
 Gravitational radiation 203,367,371c,450

GX1+4	380,392
G21.5-0.9	410
G22.7-0.2	345
G74.9+1.2 (CTB 87)	410
G326.3-1.8 (MSH 15-56)	410,419
G350.0-1.3	345
HB 21	205
Her X-1	255c,263c,279c,305c,323c,353c,357c,380c, 389,392,395
He-stars	373,384c,408
HII-regions	426,429,442
Integrated profiles	3,65,171c,173c,188,198,212,214,281
- components	3,126,173c,180,188,192,207c
- frequency dependence	3,107c,125c,156,171c,179c,192,207c,251c
- optical	3,221c
- stability	3,116,157,173c,368,372
- X- and γ -rays	3,156c,241c,251c
Intensity fluctuations	4c,49,62,76c,100c,120,122,152,179c,188, 207c,227c,236c,243,251c
Interpulses	5,96c,119,207c,213c,227c,235c,242,245,249, 349,450,453
Interstellar medium	47c
Kelifons	see supernova remnants - shell type
Kepler's supernova (and remnant) -	345,411,417,451
Light cylinder	9c,37,57,87c
- emission from ...	6,21,31c,99c,123,141c,153,155c,195,203, 224,369,452
Luminosity	223c,306,358c,427,430,433
Luminosity function	1,123,427c,431,434,438
Magnetic field	255,263c,353,357c
- pulsars	2,9c,35c,69c,87c,103c,116,123,145,158, 215c,217c,269c,307c,325,331c,357,373,378, 395,417c,433,453
Magnetic-pole model	3,124,163c,207c,449
Magnetosphere	5,9c,25c,29c,31c,37c,47c,51c,53c,69c,87c, 101,157,263c
- electric field	9c,29c,37c,47c,69c,88c,139,156
- energy density	116,123,135,141,147c,236,294
- gaps	12c,39c,69c,93c,99
- propagation effects	53c,82,203
Maser	121,133c,235c

- Mass function 362c,367,404,408,412,435
 Microstructure 4,82,100c,107c,116c,147c,181,191c,197c,
 199c,449
 Mode Changing 4c,118,166,213c
- Neutrinos 329,331c,373
 Neutron star 35c,173c,202,234,279c,299c,304c,321c,
 331c,344c,353,379c,403c,450c
 - mass 279c,305c,316,321c,332c,353c,362c,371c
 - moment of inertia 104,280c,307,321c
 - temperature 90c,99c,120,258,279,291c,310,316,321c,
 331c,339,343c,451
 Nulling 4,71c,100,118,152,181,215,450
- Oblique rotator 19c,29c,37,71c
- Pair production 3,5,16,35c,72c,89c,99c,103c,126,134,173c,
 344
- Particles 119
 - acceleration 5,9c,53c,72c,119
 - relativistic 5,9c,26,57c,69c,87c,235,344
 Period of pulsars 2,267,271,277,359,361c,365,378,433
 - discontinuities 2,268,271c,277,279c,291c,303,311c
 - X-ray pulsars 279,353,358c,379c
 Period derivative 2,117,269,271,277,280c,307,358c,375
 - higher derivatives 2,277,280c,372
 Plasma waves 53c,57c,69c,134c,260
 Plerions see supernova remnants
 Polar cap 5,43,69c,87c,99c,103c,173c,235,255c,348c,
 451,453
 - polar cap model 5c,87c,99c,103c,107c,118c,125,133c,155c,
 195,203,207c,211c,369
 Polarization 3,6,55,82,92,109,123c,139,146c,163c,171c,
 182,201,207c,218,228c,236,349,452
 - circular 3,124,146c,172,182,232,368,449
 - orthogonal 3,82,124,163c,172,449
 Positions of pulsars 268,363c,375
 Precession of neutron stars 368,372
 Progenitors
 - pulsars 334,347,379c,399c,404c,426,438
 - supernovae 379c,399c,404c
 - others 374c,409
 Proper motion 1,205c,268,390c,424,426c,433
 PSR 0031-07 118,126,211c,348
 PSR 0320+39 271
 PSR 0329+54 126,179,187c,199,205c,273
 PSR 0355+54 206,348
 PSR 0450-18 400

- PSR 0525+21 164, 179
 PSR 0531+21 2c, 54c, 58c, 70, 75c, 83, 87c, 122, 141, 150, 153, 156c, 221c, 235c, 241c, 251c, 271c, 279c, 291, 295, 303, 307, 309c, 315, 325, 331, 334, 345, 349, 403, 406, 435, 452
 PSR 0611+22 273
 PSR 0655+64 58, 349, 361, 364c, 373c, 380, 382, 392, 395, 410
 PSR 0740-28 58, 247c, 272
 PSR 0809+74 4, 6, 117c, 126, 179, 181, 184c, 199
 PSR 0820+02 361, 363c, 366c, 375c, 380, 382, 392, 410
 PSR 0823+26 177c, 273
 PSR 0833-45 2c, 65, 75c, 87, 94c, 141, 150, 163c, 169, 172, 222, 224, 226c, 235, 241, 244c, 252c, 272c, 277c, 291, 293c, 297, 300, 303, 309c, 334, 346, 349, 403, 435, 453
 PSR 0834+06 199
 PSR 0835-41 172
 PSR 0950+08 107c, 116c, 126, 179, 191, 195, 197c, 199, 201c, 204c, 207c, 222, 245, 253
 PSR 0959-54 445, 447
 PSR 1054-62 446c
 PSR 1055-52 348c
 PSR 1133+16 101, 107, 109, 126c, 148c, 178c, 191c, 199c, 205c, 273
 PSR 1154-62 446c
 PSR 1237+25 5, 179, 427
 PSR 1325-43 2, 274, 300, 309
 PSR 1356-60 446c
 PSR 1508+55 179, 199, 273
 PSR 1541-09 159
 PSR 1557-50 446c
 PSR 1558-50 446c
 PSR 1641-45 2, 172, 274c, 300, 309
 PSR 1642-03 347
 PSR 1700-18 348
 PSR 1702-18 348
 PSR 1747-46 246
 PSR 1818-04 172, 246
 PSR 1819-22 122
 PSR 1822-09 5, 58, 213c, 245c
 PSR 1831-04 159
 PSR 1845-01 446c
 PSR 1913+16 58, 152, 159, 222c, 305c, 323c, 354c, 359, 361c, 367c, 371c, 380, 382, 390, 395, 400, 409, 450
 PSR 1915+13 273
 PSR 1919+21 118, 126, 199, 221
 PSR 1929+10 205c, 222, 349, 431
 PSR 1944+17 117, 126, 199
 PSR 2002+13 273
 PSR 2016+28 117, 126c, 166c, 197c, 199c, 273
 PSR 2020+28 165c, 172, 206, 273

- PSR 2021+51 206
 PSR 2045-16 164
 PSR 2217+47 273
- Radius-to-frequency mapping 6,107c,124c,156c,179,181c
 RCW 86 345
 RCW 103 334,345c
 Relativistic effects 6,51c,123c,126,141c,324c,355,367,371c,451
 Rotation measures 172
- S And 225
 Scattering 172
 Scintillation 185,434
 Sco X-1 380c
 Searches for pulsars 221,248,250,267,363,423,425,427,430,452
 SMC X-1 305c,323,355,380
 SN 1006 334,345,411
 Spatial velocity 1,376,390c,399c,427,433,435
 Spectral behaviour 3,77,121,172,177c,191c,225,242,244
 SS 433 58,63
 Starquakes 2,291c,309c,344,348
 Subpulses 4,76c,107c,116,122,124c,147c,158c,178c,187c,191c,197c
 - broadening 188
 - drifting 4c,79,91c,97,107,117c,149,181c,203,211c,213c,450
 - spacing (P_2) 107c,117,126,148,182c
 - width 6,107c,149,180,183,188,217c
- Superfluidity 2,273,279c,291c,299c,304,321c,331c
 Supernovae 324,373,378c,399c,403c,435,438,451
 - light curves 405c
 - luminosity 405c
 - nucleosynthesis 405c
 - type I 385,406c
 - type II 395,405c
- Supernova remnants 58c,224,334,344c,403c,417c,429,451c
 - plerions 410c,417c
 - shell type 58,410c,417c
 - SNR - pulsar association 346,403c,435
- Synchrotron radiation 61
 - from pulsars 83,145c,223,232,235c
- Timing observations 2,71,120,246c,267c,277,279c,291c,303,312c,353,361,363,368,371c,450
- Tycho's supernova (and remnant) - 224,345,411,417,451
- Vela supernova remnant (G263.9-3.3) - 57c,345c,403,408

Vela X-1	305c,309,311,323c,358,418
White dwarfs	373c,383c,404c,418,452
W 28	345
X-ray sources	373,379c
- pulsars	241c,303c,331c,343c,353c,357,379c,408
- others	263c,279,324,379c,408c
Z Cam	396
z-distribution	
- electrons	425c,431
- pulsars	1,424,426,439c
3C 58 (G130.7+3.1)	57c,224,345c,410,417
4U 0115+63	255c,357,380
0352+309 (X Per)	311,380
4U 0900-40	355,380
1118-615	380
1145-619	380
1223-62	380
4U 1538-52	305,355
4U 1626-67	305c,380,409
1728-247	380
2129+47	380