

The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

PERCEPTIVE DEAFNESS IN SUBJECTS WITH RENAL FAILURE TREATED WITH HÆMODIALYSIS AND POLYBRENE (A CLINICO-PATHOLOGICAL STUDY)	JOSELEN RANSOME, J. C. BALLANTYNE, S. SHALDON, S. K. BOSHER and C. S. HALLPIKE
MONOSTOTIC FIBROUS DYSPLASIA (OSSIFYING FIBROMA) OF THE MASTOID	ERIK FLUUR and GUNNAR SÖDERBERG
SURGICAL TREATMENT OF THE CHRONICALLY INFECTED POST-OPERATIVE MASTOIDECTOMY CAVITY	R. M. ENGLAND, R. GIBSON and G. D. L. SMYTH
CHOLESTEROL GRANULOMA IN THE TYMPANIC CAVITY	A. J. KÖRTHALS ALTES
CONTRAST RADIOGRAPHY IN THE FOLLOW-UP OF NASOPHARYNGEAL TUMOURS	N. V. MORGAN and GORDON EVISON
PALATAL DISPROPORTION IN CHILDREN	J. F. BIRRELL
THE HISTOPATHOLOGICAL APPEARANCE OF LEPROUS RHINITIS AND PATHOGENESIS OF SEPTAL PERFORATION IN LEPROSY	C. K. JOB, A. B. A. KARAT and S. KARAT
PRESERVATION OF THE STAPEDIUS TENDON IN STAPES SURGERY	ISKANDER H. GIRGIS
CLINICAL RECORDS—	
CHONDROSARCOMA OF MAXILLA: CASE REPORT	ABRAHAM LAPIDOT, CARL RAMM and KAZEM FANI
BILATERAL TRAUMATIC INTERRUPTION OF THE OSSICULAR CHAIN	M. R. BICKNELL
EFFECTS OF CYPROHEPTADINE ON VESTIBULAR FUNCTION (AN ELECTRONYSTAGMOGRAPHIC STUDY)	M. M. L. ARORA, V. P. SACHDEV and Y. N. MEHRA
THE MODERN DUMMY AND A PHARYNGO-ŒSOPHAGEAL FOREIGN BODY	D. G. JONES
GENERAL NOTES	

London

Headley Brothers

109 Kingsway WC2

Annual Subscription £5/5/0 net, U.S.A. \$15

Monthly, 12/6 net post free

ADVERTISEMENTS

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

9. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

© *Journal of Laryngology and Otology*, 1966

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

CONTENTS

	PAGE
PERCEPTIVE DEAFNESS IN SUBJECTS WITH RENAL FAILURE TREATED WITH HÆMODIALYSIS AND POLYBRENE (A CLINICO-PATHOLOGICAL STUDY). Joselen Ransome, J. C. Ballantyne, S. Shaldon, S. K. Boshier and C. S. Hallpike (London)	651
MONOSTOTIC FIBROUS DYSPLASIA (OSSIFYING FIBROMA) OF THE MASTOID. Erik Fluor and Gunnar Söderberg (Stockholm)	678
SURGICAL TREATMENT OF THE CHRONICALLY INFECTED POST-OPERATIVE MASTOIDECTOMY CAVITY. R. M. England, R. Gibson and G. D. L. Smyth (Belfast)	686-
CHOLESTEROL GRANULOMA IN THE TYMPANIC CAVITY. A. J. Korthals Altes (Utrecht)	691
CONTRAST RADIOGRAPHY IN THE FOLLOW-UP OF NASOPHARYNGEAL TUMOURS. N. V. Morgan and Gordon Evison (Bristol)	699
PALATAL DISPROPORTION IN CHILDREN. J. F. Birrell (Edinburgh)	706
THE HISTOPATHOLOGICAL APPEARANCE OF LEPROUS RHINITIS AND PATHOGENESIS OF SEPTAL PERFORATION IN LEPROSY. C. K. Job, A. B. A. Karat and S. Karat (Karigiri, South India)	718
PRESERVATION OF THE STAPEDIUS TENDON IN STAPES SURGERY. Iskander H. Girgis (Cairo)	733
CLINICAL RECORDS—	
CHONDROSARCOMA OF MAXILLA: CASE REPORT. Abraham Lapidot, Carl Ramm and Kazem Fani	743
BILATERAL TRAUMATIC INTERRUPTION OF THE OSSICULAR CHAIN. M. R. Bicknell (Bristol).	748
EFFECTS OF CYPROHEPTADINE ON VESTIBULAR FUNCTION (AN ELECTRONYSTAGMOGRAPHIC STUDY). M. M. L. Arora, V. P. Sachdev and Y. N. Mehra (Chandigarh, India).	753
THE MODERN DUMMY AND A PHARYNGO-ŒSOPHAGEAL FOREIGN BODY. D. G. Jones (Wegberg)	758
GENERAL NOTES	762


ONLY **AMPLIVOX**

provides a
complete audiometric service!



Transistor Audiometers

with air conduction or air and bone conduction with masking, for hospitals, schools, consulting rooms, industrial medical departments, screening programmes, etc.



Clinical Audiometers


with narrow band masking for the highest accuracy and extended resolution.

Audiometer Booths

for ideal testing conditions in hospitals, clinics, factories. Standard and special sizes available.



Industrial Audiometry
Speech Audiometers
Speech Training Equipment
Loop Amplifiers, etc.



PLUS An efficient and speedy **calibration service**

please write for technical literature to meet your needs

AMPLIVOX

HEARING ADVISORY SERVICE LTD.

80 New Bond Street, London, W.1. Tel: HYDe Park 9888

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

ORBENIN

and its success in Gram-Positive Infections

Otitis media Otitis externa

Boils
Carbuncles
Infected dermatoses

Pneumonia
Lung abscess
Acute bronchitis

Osteomyelitis
Osteitis

Tonsillitis Pharyngitis

Post-operative wound infections
Burns
Skin graft protection

Septicaemia
Acute endocarditis

Staphylococcal enterocolitis

Staphylococcal urinary tract infections

Staphylococcal meningitis

ORBENIN (cloxacillin sodium B.P.) is a penicillin active against virtually all Gram-positive organisms, including staphylococci, β -haemolytic streptococci and pneumococci, irrespective of their resistance to other antibiotics.

It is encouraging that the widespread use of Orbenin in hospitals has not resulted in the emergence of resistant strains.

More than 300 references in the World Literature testify to the excellent clinical results obtained with Orbenin in a wide variety of Gram-positive infections.

Detailed literature is available on request.

Dosage:

Two capsules (500mg.) or one vial (250mg.) q.i.d.

Availability:



Capsules
(250mg.)



Vials
(250mg.)



Syrup
(125mg./5ml.)

Orbenin (cloxacillin sodium B.P.) (regd.) is a product of British research at
Beecham Research Laboratories
Brentford, England. Telephone: ISLeworth 4111



DOWN'S**OPERATING
CHAIR-STOOL**

HYDRAULIC, FOOT OPERATED

ADJUSTABLE HEIGHT 24 to 33 in.

ADJUSTABLE BACK REST

FOOT OPERATED BRAKE

FOOT RAIL

MAXIMUM MANŒUVERABILITY

CAN BE ELEVATED AND LOCKED
BY SURGEON WHILST SEATEDTHIS CHAIR-STOOL IS OF
SPECIAL VALUE IN PROLONGED
OPERATIONS SUCH AS
STAPEDECTOMY AND
OPHTHALMIC SURGERY**DOWN BROS. AND MAYER & PHELPS LTD**
CHURCH PATH, MITCHAM, SURREY, ENGLAND**In Canada**

410 Dundas Street West, Toronto, 2B, Canada

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Now available to your patients on a *minimum* of
14 DAYS FREE TRIAL — WITHOUT CHARGE —
WITHOUT DEPOSIT — WITHOUT OBLIGATION



Price £15 15s.



THE APOLLO TH 300

A very small inexpensive 4 transistor body worn aid with a high degree of amplification and maximum loudness (greater than the Medresco OL 56). The aid has a 3 position tone control and inductive pick-up coil for use with the telephone. Fully guaranteed and insured against "all risks" for 12 months. 24 hr. (return of post) repair service.




A well made inexpensive 4 transistor head worn aid with sufficient amplification and maximum loudness for hearing losses which are not severe. Fully guaranteed and insured against "all risks" for 12 months. 24 hr. (return of post) repair service.

The above aids are simple to operate and easy to fit.

It is our sincere belief that applicants should be given the opportunity to test an aid of their choice, in their own familiar surroundings, without *pressure or persuasion*. We therefore give our firm undertaking that no representative or salesman will call on any of your patients who request further details.

THE CORTICON TH 701



Price £24 10s.

More information and copies of the R.N.I.D. Test Report from:

Mr. Monty Shulberg, CUBEX LIMITED, 57 Southover, Woodside Park, London, N.12. Telephone HILLside 7625.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

DOWN'S**OPERATING
CHAIR-STOOL**

HYDRAULIC, FOOT OPERATED

ADJUSTABLE HEIGHT 24 to 33 in.

ADJUSTABLE BACK REST

FOOT OPERATED BRAKE

FOOT RAIL

MAXIMUM MANŒUVERABILITY

CAN BE ELEVATED AND LOCKED
BY SURGEON WHILST SEATED

THIS CHAIR-STOOL IS OF
SPECIAL VALUE IN PROLONGED
OPERATIONS SUCH AS
STAPEDECTOMY AND
OPHTHALMIC SURGERY



DOWN BROS. AND MAYER & PHELPS LTD
CHURCH PATH, MITCHAM, SURREY, ENGLAND

In Canada

410 Dundas Street West, Toronto, 2B, Canada

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

For the longest-
lasting, gentlest
relief of
HAY-FEVER

A combination of a long-acting yet gentle decongestant with a topically-effective antihistamine, to provide prompt and sustained relief in all seasonal and perennial nasal allergies. One application at bedtime will usually maintain clear nasal airways until the morning.

Nasal Spray or Drops: $\frac{1}{2}$ fl. oz. Basic NHS price 3s.8d.

Otrivine[®]-Antistin[®]

xylometazoline hydrochloride 0.05% antazoline sulphate 0.5%



C I B A


OA/I

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

WINCO

AUDITORY TRAINING UNIT

- ★ Robust Construction—high grade components
- ★ Portable, Battery Operated
- ★ Modern transistor circuitry
- ★ Versatile with many facilities
- ★ Improved Performance
- ★ Treble and Bass Tone Controls
- ★ Loop Drive
- ★ Reasonably priced—£55 Ex. Works



PROFESSIONAL MODEL

For further details please write to:

G. C. JOHNSON,
LEYTON INSTRUMENT CO. LTD.,
54 ALBERT ROAD,
CAVERSHAM,
READING, BERKS.
 Telephone: READING 72295

THE LARYNGOSCOPE

A Monthly Journal
 devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
 Rhinological and Otological Society*

Price \$18.00 per year Canada \$19.00 per year
 Foreign \$19.00 per year


ESTABLISHED 1896

THEODORE E. WALSH, M.D.
 EDITOR

517 SOUTH EUCLID AVENUE
 SAINT LOUIS MO. 63110.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

BÉKÉSY ACCESSORY



For the very first time a fully automatic unit has been made available for a Clinic Audiometer, making the combined units into a true BÉKÉSY Audiometer.

This automatic accessory is being made for the PETERS SPD/5 CLINIC AUDIOMETER, which has a continuous frequency range and continuously variable attenuation. The result is therefore a true Békésy audiometer.

It can be attached to or detached from the audiometer in under one minute so that the two units together offer the facilities of an advanced clinic audiometer or Békésy audiometry at will.

It can be fitted to any existing SPD/5 Audiometer.

Please write for full details and demonstration to :

ALFRED PETERS & SONS LIMITED
51 GELL STREET, SHEFFIELD 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

THE SOUTH CANTERBURY HOSPITAL BOARD
TIMARU, NEW ZEALAND

Ear, Nose and Throat SURGEON

Applications are invited for the above post which is a part time appointment for an initial period of three years and renewable.

Salary is governed by the Hospital Employment Regulations and would be, according to qualifications and experience, up to £1,020 per annum for 7 to 10½ hours' work, weekly, at Timaru Hospital which is the base General Hospital of 241 beds serving the district of South Canterbury—population 54,000. In addition, there is a fortnightly clinic conducted at Oamaru, 55 miles distant, for which a fee of £7 10s. (half-day session) plus travelling time and mileage allowance is payable. The total salary will be approximately £1,367 N.Z. per annum for a senior man.

First-class private hospital facilities are available in the city of Timaru—population 26,000.

Full particulars of the position may be obtained from the Superintendent-in-Chief, Public Hospital, Timaru, New Zealand, and details concerning the prospects of private practice can be supplied by Dr. K. J. Talbot, 30 Church Street, Timaru, New Zealand, from whom the successful applicant would take over the E.N.T. work.

Applications, stating age, qualifications and experience and enclosing not more than three copies only of recent testimonials, close on 31 August, 1966, with The Secretary, The South Canterbury Hospital Board, P.O. Box 88, Timaru.


Please mention *The Journal of Laryngology and Otology* when replying to advertisements

'Otosporin' for ears and ears and ears..

'Otosporin' drops rapidly destroy virtually *all* organisms commonly found in infections of the ear, reduce irritation, inflammation and pain.

'Otosporin'^{brand} Drops


contain polymyxin B sulphate, neomycin sulphate and hydrocortisone. Issued in bottles of 5 ml.



Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) London

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

What do you do about a case like this?



Published by Ingrams Hearing Aids Ltd., 2 Shepherd Street, London, W.1.

Now, for the profoundly deaf child and the adult with a severe fragmentary loss—a completely new hearing aid. Available only from Ingrams, the new Zenith 'Vocalizer' enables hearing correction to be maintained down to frequencies previously beyond the scope of all but desk appliances. Because of its low frequency response (the 'Vocalizer' actually amplifies down to one hundred cycles), it can prove helpful for children and adults with some residual hearing for low frequencies but a total loss for the medium high frequencies. It incorporates new facili-

ties to provide for Loop Listening at the same time that the child can hear his own voice for speech training. Because the 'Vocaliser' is light yet robust, he can continue to use the same aid at home as he uses at school.

WRITE TO INGRAMS, sole agents for Zenith hearing aids throughout Britain, who will gladly provide full details of this and any other hearing aid from their comprehensive range of 26 different makes. Even if the case seems hopeless—Ingrams could have the answer. You can refer your patient to Ingrams with confidence.

Ingrams

**CLEARLY
BETTER HEARING**

2 Shepherd Street, Shepherd Market, London W1. Telephone: HYD 9041

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

KAMPLEX

AUDIOMETRIC EQUIPMENT

AUDIOMETERS



CLINIC AUDIOMETER DA1

- SCREENING PORTABLE TA16
- DIAGNOSTIC PORTABLE TA15


- CLINIC AUDIOMETER DA1
- DOUBLE CHANNEL DA2

- AUTOMATIC AUDIOMETER AB1

ACOUSTIC IMPEDANCE
APPARATUS ZA2

PNEUMOMETER ZP1

SKIN RESISTANCE
APPARATUS RA4



SOUND LEVEL METER GA6

VISIBLE SPEECH APPARATUS

AUDITORY TRAINERS

Write for full catalogue and detailed descriptions to:

ALFRED PETERS & SONS LTD
51 GELL STREET, SHEFFIELD 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

***WHEN A HEARING AID
IS RECOMMENDED
ONLY AMPLIVOX
OFFERS THIS
HEARING AID SERVICE***

The design and manufacture of a complete range with individual fitting facilities.

Best of other makes in addition to Amplivox aids—Amplivox hearing aids are ONLY available from Amplivox.

Highest degree of training of any hearing aid organisation.

Master Hearing Aid evaluations.

Expert follow-up and rehabilitation advice.

15 branch offices with while-you-wait service.


FOR YOUR PATIENTS' GREATEST SATISFACTION
SPECIFY AMPLIVOX

AMPLIVOX

World's most experienced and complete hearing service

AMPLIVOX HEARING ADVISORY SERVICE
80 NEW BOND STREET
LONDON, W.1

Please mention *The Journal of Laryngology and Otology* when replying to advertisements


5 drops
to remove
ear wax
easily
rapidly
safely



CERUMOL[®]

Active ingredients per 100 ml.
 p-dichlorobenzene B.P.C. 2 G., Benzocaine B.P. 2.7 G.,
 Chlorbutol B.P. 5 G., Ol. Terebinth 10 ml.

In convenient dropper vial for surgery
 use. Also in 2 oz. Hospital pack.



LABORATORIES FOR APPLIED BIOLOGY LTD

91 Amhurst Park London N 16

Tel: STAmford Hill 2252

Sole distributors in the Irish Republic

MESSRS. SEROVACCINE LTD 25-28, Great Strand Street, Dublin 1, Eire.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



Ceporin (cephaloridine)

What makes this antibiotic so valuable in the E.N.T. unit?

Spectrum?

Exceptionally broad. It covers most gram-positive organisms—including the penicillin-resistant staphylococci—and many gram-negative organisms.

Action?

Intensely bactericidal. It gives a rapid kill of bacteria at or near the minimum inhibitory concentration, especially in the case of gram-negative organisms.

Safety?

Wide clinical usage has confirmed the laboratory evidence that Ceporin has a remarkably low toxicity—and it is usually well tolerated by patients allergic to penicillin.

Clinical record?

An analysis of results from over 1500 cases has recently shown high success rates in a wide variety of infections. Ear, nose and throat infections were included in a group of 87 soft tissue infections which showed an 85% satisfactory response. Many reports mention the rapid clinical response obtained with

Ceporin after other antibiotics had failed. Conditions which respond well to Ceporin include: mastoiditis, otitis media, sinusitis, quinsy, pharyngeal abscess, and intracranial infections secondary to infected sinuses and mastoiditis.

Because of its three main attributes—broad spectrum, bactericidal action and low toxicity—Ceporin has proved valuable for use in place of more toxic drugs or combinations of antibiotics. It also has special value when a quick clinical response is essential in infections caused by penicillin-resistant staphylococci and in the penicillin-hypersensitive patient.

Ceporin is issued in vials containing 250 mg, 500 mg and 1 gram of cephaloridine, packed singly and in boxes of five.

Detailed literature is available from Glaxo Laboratories Limited, Greenford, Middlesex.

Ceporin is a Glaxo trade mark

Please mention *The Journal of Laryngology and Otology* when replying to advertisements