

## SPORTS PREFERENCE AND DIGIT RATIO (2D:4D) AMONG FEMALE STUDENTS IN WROCLAW, POLAND

MAREK KOCIUBA\*, SLAWOMIR KOZIEL†, RAJA CHAKRABORTY‡<sup>1</sup> AND  
ZOFIA IGNASIAK§

\**General Tadeusz Kuściuszko Military Academy of Land Forces, Wrocław, Poland,*  
†*Hirszfeld Institute of Immunology and Experimental Therapy, Polish Academy of*  
*Sciences, Wrocław, Poland,* ‡*Department of Anthropology, Dinabandhu*  
*Mahavidyalaya, Bongaon, West Bengal, India* and §*Faculty of Physical Education,*  
*University School of Physical Education in Wrocław, Wrocław, Poland*

**Summary.** Humans exhibit sex differences in competitiveness, sensation seeking and risk-taking attitude, which are required in sports. These attributes are often linked to prenatal testosterone (PT) exposure. The second-to-fourth digit length ratio (2D:4D) is an indicator of PT exposure. A lower 2D:4D indicates higher PT exposure and vice versa. Males generally have a lower 2D:4D than females. Sensation- and/or thrill-seeking behaviours have also been found to be negatively associated with 2D:4D. Boxing and judo are considered to be high-risk sports. Voluntary participation in judo/boxing in contrast to aerobics can be guided by such behaviours and thus have an association with lower 2D:4D. This cross-sectional study included 167 female students from a military academy in Wrocław, Poland. Of them, 119 had voluntarily chosen aerobic exercise, and 48 opted for judo/boxing. Height, weight and second and fourth digit lengths were measured. Physical fitness was assessed using Eurofit tests. The two groups showed similar physical fitness and body size. However, the judo/boxing group had significantly lower mean 2D:4D values than the aerobics group. It is proposed that voluntary choice of participation in a sport discipline by women could be linked to the ‘organizational’ effect of intrauterine testosterone exposure during prenatal growth.

### Introduction

Interest in participation in a variety of sports disciplines varies among individuals. Success in sports and games demands a substantial amount of competitiveness. Moreover, the desire to enter, participate and win in a sport has often been found to be linked with individual differences in competitiveness (Houston *et al.*, 1997).

<sup>1</sup> Corresponding author. Email: rajanth2003@yahoo.co.uk

Competitiveness has been positively related to sporting interest, which in turn has been positively linked to participation in sport and games (Mowen, 2004). Some sports, e.g. judo or boxing, have been associated with greater relative risk (Mitchell *et al.*, 2005; Clausen *et al.*, 2005) or may need more aggressiveness to win. Individuals who generally choose such sports disciplines may differ in some way or other from those who choose others. For instance, personality measures that are predictive of sport interest, as well as sport participation, such as competitiveness, instrumentality, expressivity and sensation seeking, have been found to be more prevalent in males than in females (Franken *et al.*, 1994). Moreover, these characteristics are also higher in females with relatively high testosterone level (Cashdan, 2003). Making a decision to participate in such high-risk sports appears to be guided by a greater sensation-seeking attitude, which is found more often in men (Zukerman, 1991; Austin *et al.*, 2002), and has also been found to be associated with higher testosterone level (Gerra *et al.*, 1999).

Risk-taking behaviour has exhibited sex difference in some studies. For example, in economic experiments, men were observed to exhibit less risk aversion than women (Byrnes *et al.*, 1999; Daruvala, 2007; Ball *et al.*, 2010). Thus, the biological characteristics that determine sex differentiation, for example testosterone, may have a role in making a risk-taking decision. Prenatal, i.e. intrauterine, hormone exposure has indeed been linked to risk-taking behaviour (Apicella *et al.*, 2008). It is also known that prenatal testosterone (PT) has 'organizational' effects on the brain and thus determines behaviour to a great extent (Zheng & Cohn, 2011). Thus, it can be assumed that PT and prenatal oestrogen may explain risk-taking behaviour in men and women to some extent.

The ratio of the second-to-fourth digit lengths (2D:4D) is a well-accepted proxy indicator of PT exposure (Manning *et al.*, 1998; Keogh *et al.*, 2007). A lower 2D:4D value indicates higher PT exposure, and a higher value indicates the opposite (Manning, 2011). Recent experimental studies on mice also strongly support this (Zheng & Cohn, 2011; Auger *et al.*, 2013). Prenatal testosterone seems to lengthen the ring finger, whereas prenatal oestrogen lengthens the index finger (Manning, 2011). Male fetuses experience higher levels of PT producing sex difference, such that males tend to have a longer 4D relative to 2D as compared to females. This results in males having a lower 2D:4D than females (Manning *et al.*, 1998; Cohen-Bendahan *et al.*, 2005). This sex difference manifests at the end of the first trimester (Malas *et al.*, 2006; Galis *et al.*, 2010). Subsequently, 2D:4D may increase slightly with growth, but the change is small and is little affected by puberty (McIntyre *et al.*, 2005; Trivers *et al.*, 2006).

An association between testosterone and risk taking has also been reported (Buser, 2009). On the other hand, a lower 2D:4D shows an association with risk-taking behaviour (Coates *et al.*, 2009; Garbarino *et al.*, 2011; Hönekopp, 2011), more enterprising nature (Weiss *et al.*, 2007), success in various sports and games (Voracek *et al.*, 2006) and with activities and performances requiring greater physical ability (Hönekopp & Schuster, 2010; Zhao *et al.*, 2013; Trivers *et al.*, 2013). Aggression and testosterone levels also showed an association in both sexes (Harris *et al.*, 1996) and with a lower 2D:4D (Liam *et al.*, 2013). Although the relationship between aggression and 2D:4D is not consistent (Hönekopp & Watson, 2011), some evidence of a link with directional asymmetry in 2D:4D has been reported in woman (Coyne *et al.*, 2007). Besides, sensation- and/or thrill-seeking behaviour have been found to be negatively

associated with 2D:4D (Fink *et al.*, 2006; Hampson *et al.*, 2008; Austin *et al.*, 2002; Koziel *et al.*, 2013). However, other recent studies have found no association between a lower 2D:4D and sensation seeking (Voracek *et al.*, 2010a, b).

The General Kuściuszko Military Academy of Land Forces (GKMALF) in Wrocław, Poland, offers both military and civil courses. The military course students are strictly regulated as in a military troop with rigorous physical training. However, the civil course students have rights and duties similar to those of students of regular universities. An earlier recent study in this academy (Kociuba *et al.*, 2016) demonstrated that 2D:4D was lower in female students who chose relatively more physically and mentally challenging military training courses than in females on civil courses. This difference between the courses was not evident among their male counterparts. However, the study indicated that this occupational (course) choice might have been due to an inclination towards risk-taking behaviour. This follow-up study was carried out among the female students from the civil courses in the same academy. These students were representative of young Polish females as they were not selected for greater physical fitness, as was the case for military course females. The study attempted to assess whether the voluntary choice made by healthy young female students of regular training and participation in judo/boxing, in contrast to aerobic exercises, was associated with a lower 2D:4D. Judo and boxing were assumed to be extremely competitive and risky in nature compared with individual aerobic exercise (Mitchell *et al.*, 2005). If this decision-making had some connection with the relative difference in intrauterine testosterone exposure, this would be expected to be reflected in differences in 2D:4D between the two sports-choice groups (judo/boxing vs aerobics). It was expected that among the female civil course students at GKMALF, those who chose judo/boxing would have a lower 2D:4D than their peers who opted for aerobics.

## Methods

### *Subjects and setting*

The study was cross-sectional and included 167 female students from the first-year civil course of GKMALF. Of these 119 had voluntarily chosen to participate in aerobic exercise, and 48 in judo or boxing as their obligatory physical education exercises (at least 2 hours per week). Formal consent of the chancellor of GKMALF and informed consent from the participants were obtained. The participants were measured and underwent physical fitness tests in October–November during the academic sessions 2012–13 and 2013–14. Ethical standards as set out in the Helsinki Declaration were adhered to (Goodyear *et al.*, 2007).

### *Anthropometric measurements and assessment of physical fitness*

Height was measured using a stadiometer to the nearest 0.01 cm. Weight was measured by a digital scale to the nearest 0.1 kg following standard protocol (Lohman *et al.*, 1988). During measurement, subjects wore their sports outfit. The lengths of the second and fourth digits in each hand were measured to the nearest 0.1 mm by one of the authors (MK) using a digital caliper (TESA SHOP-CAL). The finger lengths were

measured on the ventral surface of the hand, from the mid-point of the basal crease (most proximal to palm) to the tip of the digit (Manning, 2002). The digit ratio was measured without reference to other information, particularly the participant's sports preference (aerobics vs judo/boxing). Measurements were taken first, then participants were interviewed to determine other information, including their sport choice. The digit ratio (2D:4D) was calculated as the length of the 2D divided by the length of the 4D in each hand. A Eurofit test set was employed to assess physical fitness and endurance (Eurofit, 1993). This is a reliable and well-tested method to evaluate both fitness skills and health-related physical ability. The tests are widely used in research for their relative operational ease (Ranson *et al.*, 2015). The following tests were performed: Cooper's 12-minute run test, Bent arm hang test, Sit-up test, 10 × 5 metres (m) shuttle run, Sit-and-reach test, Flamingo balance test, Standing long jump (broad jump) test and Handgrip strength. Handgrip strength was measured using a standard isometric dynamometer (Saehan Corporation, South Korea). A detailed description of the procedures of these tests was described in a previous publication (Kociuba *et al.*, 2016). All these fitness tests were carried out in the sport centre of GKMALF by one of the authors (MK).

### *Statistical analysis*

The differences in the means of the results of the Eurofit tests, anthropometric measurements, age and digit ratios between the two sports preference groups were assessed using Student's *t*-test for independent samples. Pearson's correlation coefficients (*r*) were calculated to show the relationship between the left-hand and right-hand 2D:4D with each Eurofit test score. Stepwise (forward) multiple regression analysis was employed to assess the relationship between 2D:4D and sports preference allowing for the fitness variables. The results of the nine Eurofit tests were included in the regression model as separate variables. All analyses were performed using Statistica 10.0 software (StatSoft, 2010).

## **Results**

Table 1 shows a comparison of the fitness scores, ages, heights, weights, BMI values and 2D:4D ratios for the two sports preference groups (aerobics vs judo/boxing). The two groups did not differ significantly either in the physical fitness tests or in the body size variables. However, the 2D:4D in both hands showed significant differences between the preference groups (right hand:  $t = 3.27$ ,  $p < 0.01$ ; left hand:  $t = 3.73$ ,  $p < 0.001$ ). The judo/boxing group displayed significantly lower mean 2D:4D values than the aerobics group. Figure 1 demonstrates these differences in mean 2D:4D values along with the 95% confidence intervals.

Table 2 shows the Pearson correlation coefficients of the 2D:4D ratio and the Eurofit test parameters. Noticeably, no parameter showed a significant correlation with the 2D:4D of either hand. Only the 10 × 5 m shuttle run had a nearly significant correlation of 0.15 ( $p = 0.05$ ) in the right-hand 2D:4D.


Table 3 shows the results of multiple forward stepwise regression analyses of the right and left 2D:4D (separately) on age, sports preference group, body size and Eurofit test results. The result reveal that the preference groups had a significant impact on the

**Table 1.** Comparison of female sports preference groups (aerobics vs judo/boxing) by physical fitness, 2D:4D ratio, height, weight, BMI and age

	Aerobics			Judo and boxing			<i>t</i>
	<i>n</i>	Mean	SD	<i>n</i>	Mean	SD	
<b>Fitness tests</b>							
CRT (m)	119	1775.88	230.38	48	1793.33	155.36	-0.48
BAH (s)	119	5.90	5.95	48	7.00	7.10	-1.02
Sit-up ( <i>n</i> )	119	24.99	2.97	48	25.31	2.65	-0.65
10×5 SR (s)	119	21.35	1.76	48	21.03	1.56	1.10
SBJ (cm)	119	156.64	19.79	48	159.69	17.55	-0.93
Dyn Right (kg)	119	32.91	4.03	48	33.01	4.77	-0.14
Dyn Left (kg)	119	30.99	4.25	48	31.29	4.16	-0.41
Sit-a-R ( <i>n</i> )	119	12.00	6.54	48	11.51	6.23	0.44
FBT ( <i>n</i> )	119	13.08	4.63	48	13.02	5.19	0.07
<b>Characteristics</b>							
Height (cm)	119	166.53	4.74	48	166.80	5.27	0.32
Weight (kg)	119	60.26	7.72	48	59.23	8.17	0.77
BMI (kg/m <sup>2</sup> )	119	21.72	2.61	48	21.29	2.79	0.94
Age (years)	119	23.70	0.92	48	23.69	0.58	0.09
<b>2D:4D</b>							
Right	119	0.999	0.031	48	0.982	0.029	3.27**
Left	119	0.998	0.027	48	0.981	0.028	3.73***

CRT, Cooper's run test; BAH, bent arm hang test; Sit-up, sit-up test; 10×5 SR, 10×5 m shuttle run test; SBJ, standing broad jump test; Dyn Right, handgrip strength right hand; Dyn Left, handgrip strength left hand; Sit-a-R, sit-and-reach test; FBT, flamingo balance test.

\*\* $p < 0.01$ ; \*\*\* $p < 0.001$ .

**Fig. 1.** Means (95% CI) of the 2D:4D ratio of both hands by sports preference group.

**Table 2.** Results of Pearson's correlation of Eurofit test scores with 2D:4D ratio

	2D:4D right hand		2D:4D left hand	
	<i>r</i>	<i>p</i>	<i>r</i>	<i>p</i>
CRT (m)	0.013	0.869	0.037	0.63
BAH (s)	0.003	0.966	-0.018	0.817
Sit-up ( <i>n</i> )	-0.055	0.482	-0.025	0.752
10x5 SR (s)	0.151	0.051	0.054	0.489
SBJ (cm)	-0.015	0.857	-0.034	0.663
Dyn Right (kg)	-0.015	0.852	-0.047	0.465
Dyn Left (kg)	-0.051	0.517	-0.091	0.243
Sit-a-R ( <i>n</i> )	0.006	0.940	-0.054	0.489
FBT ( <i>n</i> )	0.007	0.925	-0.022	0.781

CRT, Cooper's run test; BAH, bent arm hang test; Sit-up, sit-up test; 10x5 SR, 10x5 m shuttle run test; SBJ, standing broad jump test; Dyn Right, handgrip strength right hand; Dyn Left, handgrip strength left hand; Sit-a-R, sit-and-reach test; FBT, flamingo balance test.

**Table 3.** Results of forward stepwise multiple linear regression analysis showing the relationship of 2D:4D with sports preference, anthropometry and Eurofit score

Variable	Standardized $\beta$	SE of $\beta$	<i>t</i>	<i>p</i> -value
2D:4D right hand				
Aerobics/judo & boxing	-0.234	0.076	-3.11	0.002
10x5 SR	0.180	0.089	2.02	0.044
SBJ	0.101	0.089	1.14	ns
Weight	0.079	0.075	1.05	ns
2D:4D left hand				
Aerobics/judo & boxing	-0.270	0.075	-3.61	0.001
Dyn Right	-0.105	0.078	-1.35	ns
Weight	0.084	0.078	1.07	ns

10x5 SR, 10x5 m shuttle run test; SBJ, standing broad jump test; Dyn Right, handgrip strength right hand.

2D:4D ratio after controlling for age, height, BMI and all the fitness scores in both hands (left-hand Model  $R = 0.301$ ,  $F = 5.42$ ,  $p = 0.001$ ; right-hand Model  $R = 0.303$ ,  $F = 4.10$ ,  $p = 0.003$ ). Moreover, no fitness variable could qualify to enter in the final model. However, the shuttle run test scores showed a significant positive association with the right-hand 2D:4D ( $t = 2.02$ ,  $p < 0.05$ ).

## Discussion

The aim of this study was to evaluate whether 2D:4D – a proxy indicator of PT exposure – had any association with the preference for, or choice of, particular sport disciplines among young Polish female students. Judo and boxing are assumed to be extremely

competitive in nature compared with aerobic exercises. There is no reason to consider aerobic exercise as a challenging sport. Judo/boxing, in contrast, is definitely considered a competitive sporting activity bearing a moderate to high risk of mild to severe injury. A previous study found that young Polish females on a military training course in Poland had a lower 2D:4D than those on a civil course in this same academy (Kociuba *et al.*, 2016). This study tested if the choice of sporting activity was associated with 2D:4D among just the civil course female students, who were neither pre-selected for higher physical fitness nor had a relatively lower 2D:4D. The results of the present study demonstrated that the females who preferred to participate in judo/boxing had significantly lower 2D:4D than those who chose aerobics. This indicates that the preference for a risky sporting activity has some connection with a lower 2D:4D, which implicates higher intrauterine testosterone exposure during prenatal development. Choosing a sport discipline of a competitive nature therefore could also be associated with PT level.

Personality measures of competitiveness, instrumentality, expressivity and sensation seeking are predictive of sport interest as well as sport participation. Competitiveness and aggressiveness can be positive qualities in sport. Females engaged in sport have been shown to have a higher level of competitiveness, and that these were exposed to high androgen levels *in utero* (Pokrywka *et al.*, 2005). Oestradiol and androgens, including testosterone, have been associated with assertive behaviour in women, and this could affect their competitive behaviour as well (Cashdan, 1998). Women with low levels of testosterone are less likely to express their competitive feelings, and women with high level of the androgen hormone androstenedione even more so (Cashdan, 2003).

According to a well-accepted global classification of different sports, boxing and martial arts (e.g. Judo) are amongst the top-ranking sports that require the highest levels of dynamic or static intensity and contact collisions (Mitchell *et al.*, 2005). In the present study, voluntary choice of boxing/judo, rather than aerobics, by women was definitely a decision that involved acceptance of higher risk. Many previous studies have linked risk taking with digit ratio. Male financial market day-traders with lower 2D:4D ratios, for example, were found to be more successful in terms of earning (Coates *et al.*, 2009). Garbarino *et al.* (2011) observed that a lower 2D:4D showed an association with taking greater financial risk within each sex; but the sex difference disappeared at both extremes of 2D:4D values, indicating a definitive role of sex-determining factors (such as PT) in risk-taking decisions. In women, a lower 2D:4D was found to be associated with more enterprising careers (Weiss *et al.*, 2007). A recent online study also indicated that self-reported risk taking was associated with a lower right-hand 2D:4D among German women (Hönekopp, 2011). However, the present study indicated that greater relative PT exposure (indicated by lower 2D:4D) might also have a role in making risky decisions, even in smaller aspects of life like choosing a sport discipline within a course curriculum. On the other hand, women of similar ages and physical ability but with higher 2D:4D ratios perhaps avoided these high-risk sports. Indeed in a recent study, more risk aversion for higher 2D:4D was also found even within gender (Garbarino *et al.*, 2011).

A lower 2D:4D has also very often been found to be correlated with activities and performances requiring greater physical strength (Hönekopp & Schuster, 2010; Zhao *et al.*, 2013; Trivers *et al.*, 2013). In this present study, the two preference groups had

similar levels of physical fitness and strength. This perhaps indicates that something more than physical ability was leading one group (with a lower 2D:4D) to choose relatively more challenging sport disciplines. Even among a female group with similar health and fitness, there could be factors like choice and propensity that might have played roles in sport discipline preference. The women with higher PT exposure (indicated by their lower 2D:4D) might have a natural propensity towards sensation seeking and challenging activities such as participating in boxing/judo. A lower 2D:4D has indeed been found to be associated with a greater involvement in 'male-typical' occupations among women, suggesting that PT is likely to have a relationship with occupational choice among women (Govier, 2003; Manning *et al.*, 2010). The present study was a further attempt towards testing the hypothesis that PT might have an 'organizational' effect on the brain and hormonal system, which ultimately influences not only the choice of occupation (Manning *et al.*, 2010; Kociuba *et al.*, 2016), but also smaller decisions, such as choosing a sport. A study by Franken *et al.* (1994) showed that female participants had significantly more interest in gymnastics and figure skating, whereas males were significantly more interested in hockey, football, baseball and basketball, golf, tennis and boxing. The present study indicated that even within a sex, a 'male-typical' digit ratio could also determine sporting choice. In another very recent study in Jamaica, it was found that the association of a low 2D:4D with endurance was strongest in females (Trivers *et al.*, 2013).

There is evidence that persons with high sensation seeking prefer sports that involve high levels of personal risk such as more body contact (Zuckerman, 1983). Jack and Ronan (1998) found that both male and female high-risk-sport athletes (sky-diving, mountaineering, hang-gliding, automobile-racing) scored higher on the sensation-seeking scale than did low-risk-sport athletes (swimming, marathon running, aerobics, golf). Other studies have shown an association between lower 2D:4D and sensation seeking (Austin *et al.*, 2002; Fink *et al.*, 2006; Hampson *et al.*, 2008). The choice of boxing/judo by the women in this study with a lower 2D:4D might also be related to a higher sensation-seeking attitude among them. It is worth mentioning here that recent studies (Voracek *et al.*, 2010a, b) have found no relationship between 2D:4D and sensation seeking. However, Voracek *et al.*, (2010a) found an association between lower 2D:4D ratios and higher scores of the disinhibition component of sensation seeking. Thrill and adventure seeking is the desire to engage in physically perilous activities such as risky sports and there are strong associations as well as conceptual similarities between psychological constructs like risk taking, adventure seeking, impulsivity and the disinhibition components of sensation seeking (Acton, 2003; Zuckerman, 2007). High levels of thrill and adventure seeking and disinhibition have also found to be associated with general deviance (Newcomb & McGee, 1991). Choosing a risky sport by women is a matter of conflict with, and winning over, social and psychological inhibitions, which can be referred to as the 'female/athlete paradox' (Dworkin, 2001; Krane *et al.*, 2001). It is argued here that a preference for judo/boxing over aerobics by the Polish girls might be linked to a higher relative impulsivity and disinhibition as components of sensation seeking, and thus is associated with a lower 2D:4D.

To conclude, this study's findings indicate that voluntary choice of participation in a sport discipline by women is associated with a lower 2D:4D. This indicates the existence of a psychological dimension of the 'organizational' effect of higher intrauterine



testosterone exposure during prenatal growth, as well as the physical strength and ability in determination of participation in a particular sport discipline.

### Acknowledgement

The authors thank the chancellor and authority of the General Kućiuszko Military Academy of Land Forces, Wrocław, all participants in the study, the Polish Academy of Sciences and the Indian National Academy of Science. Conflicts of interest: none.

### References

- Acton, G. S. (2003) Measurement of impulsivity in a hierarchical model of personality traits: implications for substance use. *Substance Use and Misuse* **38**, 67–83.
- Apicella, C. L., Dreber, A., Campbell, B., Gray, P. B., Hoffman, M. & Little, A. C. (2008) Testosterone and financial risk preferences. *Evolution and Human Behavior* **29**, 384–390.
- Auger, J., Le Denmat, D., Berges, R., Doridot, L., Salmon, B., Canivenc-Lavier, M. C. & Eustache, F. (2013) Environmental levels of estrogenic and antiandrogenic compounds feminize digit ratios in male rats and their unexposed male progeny. *Proceedings of the Royal Society: Biological Sciences* **280**, doi: 10.1098/rspb.2013.
- Austin, E. J., Manning, J. T., McInroy, K. & Mathews, E. (2002) A preliminary investigation of the association between personality, cognitive ability and digit ratio. *Personality and Individual Differences* **33**, 1115.
- Ball, S., Eckel, C. & Heracleous, M. (2010) Risk aversion and physical prowess: prediction, choice and bias. *Journal of Risk and Uncertainty* **41**, 167–193.
- Buser, T. (2009) The impact of female sex hormones on competitiveness. *Tinbergen Institute Discussion Paper* No. 082/3.
- Byrnes, J. P., Miller, D. C. & Schafer, W. D. (1999) Gender difference in risk-taking: a meta-analysis. *Psychological Bulletin* **125**, 367–383.
- Cashdan, E. (1998) Are men more competitive than woman? *British Journal of Social Psychology* **37**, 213–229.
- Cashdan, E. (2003) Hormones and competitive aggression in women. *Aggressive Behavior* **29**, 107–115.
- Clausen, H., McCrory, P. & Anderson, V. (2005) The risk of chronic traumatic brain injury in professional boxing: change in exposure variables over the past century. *British Journal of Sports Medicine* **39**, 661–664.
- Coates, J. M., Gurnell, M. & Rustichini, A. (2009) Second-to-fourth digit ratio predicts success among high-frequency financial traders. *Proceedings of the National Academy of Sciences* **106**, 623–628.
- Cohen-Bendahan, C. C., van de Beek, C. & Berenbaum, S. A. (2005) Prenatal sex hormone effects on child and adult sex-typed behavior: methods and findings. *Neuroscience and Biobehaviour Review* **29**, 353–384.
- Coyne, S. M., Manning, J. T., Ringer, L. & Baily, L. (2007) Directional asymmetry (right–left differences) in digit ratio (2D:4D) predict indirect aggression in women. *Personality and Individual Differences* **43**, 865–872.
- Daruvala, D. (2007) Gender, risk and stereotypes. *Journal of Risk and Uncertainty* **35**, 265–283.
- Dworkin, S. L. (2001) “Holding back”: negotiating a glass ceiling on women’s muscular strength. *Sociological Perspectives* **44**, 333–350.
- Eurofit (1993) *Eurofit: Handbook for the Eurofit Tests of Physical Fitness*. Council of Europe, Strasbourg.

- Fink, B., Neave, N., Laughton, K. & Manning, J. T. (2006) Second to fourth digit ratio and sensation seeking. *Personality and Individual Differences* **41**, 1253–1262.
- Franken, R. E., Hill, R. & Kierstead, J. (1994) Sport interest as predicted by the personality measures of competitiveness, mastery, instrumentality, expressivity, and sensation seeking. *Personality and Individual Differences* **17**, 467–476.
- Galis, F., Ten Broek, C. M., Van Dongen, S. & Wijnaendts, L. C. (2010) Sexual dimorphism in the prenatal digit ratio. *Archives of Sexual Behavior* **39**, 57–62.
- Garbarino, E., Slonim, R. & Sydnor, J. (2011) Digit ratios (2D:4D) as predictors of risky decision making for both sexes. *Journal of Risk Uncertainties* **42**, 1–26.
- Gerra, G., Avanzini, P., Zaimovic, A., Sartori, R., Bocchi, C., Timpano, M. et al. (1999) Neurotransmitters, neuroendocrine correlates of sensation-seeking temperament in normal humans. *Neuropsychobiology* **39**, 207–213.
- Goodyear, M. D. E., Krleza-Jeric, K. & Lemmens, T. (2007) The Declaration of Helsinki. *British Medical Journal* **335**, 624–625.
- Govier, E. (2003) Brainsex and occupation: the role of serendipity in the genesis of an idea. *Journal of Managerial Psychology* **18**, 440–452.
- Hampson, E., Ellis, C. L. & Tenk, C. M. (2008) On the relation between 2D:4D and sex-dimorphic personality traits. *Archives of Sexual Behavior* **37**, 133–144.
- Harris, J., Rushton, P., Hampson, E. & Jackson, D. (1996) Salivary testosterone and self report aggressive and pro-social personality characteristics in men and women. *Aggressive Behavior* **22**, 321–331.
- Hönekopp, J. (2011) Relationships between digit ratio 2D:4D and self-reported aggression and risk taking in an online study. *Personality and Individual Differences* **51**, 77–80.
- Hönekopp, J. & Schuster, M. (2010) A meta-analysis on 2D:4D and athletic prowess: substantial relationships but neither hand out-predicts the other. *Personality and Individual Differences* **48**, 4–10.
- Hönekopp, J. & Watson, S. (2011) Meta-analysis of the relationship between digit-ratio 2D:4D and aggression. *Personality and Individual Differences* **51**, 381–386.
- Houston, J. M., Carter, D. & Smither, R. D. (1997) Competitiveness in elite professional athletes. *Perceptual and Motor Skills* **8**, 1447–1454.
- Jack, S. J. & Ronan, K. R. (1998) Sensation seeking among high- and low-risk sports participants. *Personality and Individual Differences* **25**, 1063–1083.
- Keogh, E., Mounce, C. & Brosnan, M. (2007) Can a sexually dimorphic index of prenatal hormonal exposure be used to examine cold pressor pain perception in men and women? *European Journal of Pain* **11**, 231–236.
- Kociuba, M., Koziel, S. & Chakraborty, R. (2016) Sex differences in digit ratio (2D:4D) among military and civil cohorts at a military academy in Wrocław, Poland. *Journal of Biosocial Science* **48**, 658–671.
- Koziel, S., Chakraborty, R. & Sitek, A. (2013) Second to fourth digits ratio (2D:4D) and subjective pain experience in tattooing. *Anthropological Review* **76**, 117–124.
- Krane, V., Waldron, J., Michalenok, J. & Stiles-Shiple, J. (2001) Body image, and eating and exercise behaviors: a feminist cultural studies perspective. *Women in Sport and Physical Activity Journal* **10**, 17–54.
- Liam, P., Kilduff, L. P., Hopp, R. N., Cook, C. J., Crewther, B. T. & Manning, J. T. (2013) Digit ratio (2D:4D), aggression, and testosterone in men exposed to an aggressive video stimulus. *Evolutionary Psychology* **11**, 953–964.
- Lohman, T. G., Roche, A. F. & Martorell, R. (1988) *Anthropometric Standardization Reference Manual*. Human Kinetics, Champaign, IL.
- McIntyre, M. H., Ellison, P. T., Lieberman, D. E., Demerath, E. & Towne, B. (2005) The development of sex differences in digital formula from infancy in the Fels Longitudinal Study. *Proceedings of the Royal Society: Biological Sciences* **272**, 1473–1479.

- Malas, M. A., Dogan, S., Evcil, E. H. & Desdicioglu, K. (2006) Fetal development of the hand, digits and digit ratio (2D:4D). *Early Human Development* **82**, 469–475.
- Manning, J. T. (2002) *Digit Ratio: A Pointer to Fertility, Behaviour and Health*. Rutgers University Press, New Brunswick.
- Manning, J. T. (2011) Resolving the role of prenatal sex steroids in the development of digit ratio. *Proceedings of the National Academy of Sciences of the USA* **108**, 16143–16144.
- Manning, J. T., Reimers, S., Baron-Cohen, S., Wheelwright, S. & Fink, B. (2010) Sexually dimorphic traits (digit ratio, body height, systemizing–empathizing scores) and gender segregation between occupations: evidence from the BBC internet study. *Personality and Individual Differences* **49**, 511–515.
- Manning, J. T., Scutt, D., Wilson, J. & Lewis-Jones, D. I. (1998) The ratio of 2nd to 4th digit length: a predictor of sperm numbers and concentrations of testosterone, luteinizing hormone and estrogen. *Human Reproduction* **13**, 3000–3004.
- Mitchell, J. H., Haskell, W., Snell, P. & Van Camp, S. P. (2005) Task Force 8: Classification of sports. Eligibility recommendations for competitive athletes with cardiovascular abnormalities, 36th Bethesda Conference. *Journal of the American College of Cardiology* **45**, 1364–1367.
- Mowen, J. C. (2004) Exploring the trait of competitiveness and its consumer behavior consequences. *Journal of Consumer Psychology* **14**, 52–63.
- Newcomb, M. D. & McGee, L. (1991) Influence of sensation seeking on general deviance and specific problem behaviors from adolescence to young adulthood. *Journal of Personality and Social Psychology* **61**, 614–628.
- Pokrywka, L., Rachon, D., Suchecka-Rachon, K. & Bitel, L. (2005) The second to fourth digit ratio in elite and non-elite female athletes. *American Journal of Human Biology* **17**, 796–800.
- Ranson, R., Stratton, G. & Taylor, S. R. (2015) Digit ratio (2D:4D) and physical fitness (Eurofit test battery) in school children. *Early Human Development* **91**, 327–331.
- StatSoft Inc (2010) *STATISTICA Version 10.0*. Statsoft Inc., Tulsa, OK. URL: www.statsoft.com.
- Trivers, R., Hopp, R. & Manning, J. (2013) A longitudinal study of digit ratio (2D:4D) and its relationships with adult running speed in Jamaicans. *Human Biology* **85**, 623–626.
- Trivers, R., Manning, J. & Jacobson, A. (2006) A longitudinal study of digit ratio (2D:4D) and other finger ratios in Jamaican children. *Hormones and Behavior* **49**, 150–156.
- Voracek, M., Pum, U. & Dressler, S. G. (2010a) Investigating digit ratio (2D:4D) in a highly male-dominated occupation: the case of firefighters. *Scandinavian Journal of Psychology* **51**, 146–156.
- Voracek, M., Reimer, B., Ertl, C. & Dressler, S. G. (2006) Digit ratio (2D:4D), lateral preferences, and performance in fencing. *Perception and Motor Skills* **103**, 427–446.
- Voracek, M., Tran, U. S. & Dressler, S. G. (2010b) Digit ratio (2D:4D) and sensation seeking: new data and meta-analysis. *Personality and Individual Differences* **48**, 72–77.
- Weiss, S., Firker, A. & Hennig, J. (2007) Associations between the second to fourth digit ratio and career interests. *Personality and Individual Differences* **43**, 485–493.
- Zhao, D., Yu, K., Zhang, X. & Zheng, L. (2013) Digit ratio (2D:4D) and handgrip strength in Hani ethnicity. *PLoS One* **8**, e77958.
- Zheng, Z. & Cohn, M. J. (2011) Developmental basis of sexually dimorphic digit ratios. *Proceedings of the National Academy of Sciences of the USA* **108**, 16289–16294.
- Zuckerman, M. (1983) Sensation seeking and sports. *Personality and Individual Differences* **4**, 285–292.
- Zuckerman, M. (1991) *Psychobiology of Personality*. Cambridge University Press, Cambridge.
- Zuckerman, M. (2007) *Sensation Seeking and Risky Behavior*. American Psychological Association, Washington, DC.