

The Journal of Laryngology and Otology

EDITED BY

A. LOGAN TURNER AND J. S. FRASER

Contents

PRESENT STATUS OF RADIUM IN LARYNGEAL AND ESOPHAGEAL CANCER IN THE UNITED STATES	HENRY HALL FORBES
SEPTIC SINUS THROMBOSIS: ITS DIAGNOSIS AND TREATMENT	Sir WILLIAM MILLIGAN
THE IDENTIFICATION OF THE LARVÆ OF THE DIPTERA (FLIES) WHICH CAUSE NASOPHARYNGEAL AND AURAL MYIASIS IN MAN	W. S. PATTON
CRITICAL REVIEW:— SPASMODIC RHINITIS	Sir ST CLAIR THOMSON
SOCIETIES' PROCEEDINGS:— ROYAL SOCIETY OF MEDICINE—SECTION OF OTOTOLOGY.	
ABSTRACTS:— NOSE. PERORAL ENDOSCOPY.	
REVIEWS OF BOOKS. LETTERS TO THE EDITORS. OBITUARY. GENERAL NOTES.	

Edinburgh: Oliver and Boyd
London: 33 Paternoster Row

Monthly, 4/- net

Annual Subscription, 40/- net

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—*British Medical Journal*, May 3, 1890.

LISTERINE

*A safe, non-poisonous, unirritating
antiseptic solution*

- LISTERINE** is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.
- LISTERINE** in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.
- LISTERINE** embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constituents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.
- LISTERINE** is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.
- LISTERINE** in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhoea, occurring in infants and adults.
- LISTERINE** literature, including special pamphlets upon *Respiratory Diseases*, may be had, by physicians, upon application to

LAMBERT PHARMACAL COMPANY

2101 Locust Street

St Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

A. LOGAN TURNER AND J. S. FRASER

ASSISTED BY

DOUGLAS GUTHRIE AND IRWIN MOORE

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter should be added.

4. The order for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.

5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

6. Editorial Communications should be addressed to "EDITORS, *Journal of Laryngology*, c/o Messrs OLIVER AND BOYD, Tweeddale Court, Edinburgh."

7. The Annual Subscription is Forty Shillings or Ten Dollars, and is payable in advance.

8. Single copies of back numbers, both of the present and the previous series, are on sale at Four Shillings (One Dollar) each.

9. An Annual Subscription can be commenced with any number of the Journal, and the preceding numbers of the current year can be purchased at Four Shillings (One Dollar) each.

HOSPITAL FOR DISEASES OF THE THROAT

GOLDEN SQUARE, LONDON, W. 1

HONORARY MEDICAL STAFF

SURGEONS.		OUT-PATIENTS.	OPERATIONS.
Mr JEFFERSON FAULDER	Wednesday, 2 P.M.	Thursday, 10 A.M.
Mr GEORGE BADGEROW	Monday, 2 P.M.	} Wednesday, 9 A.M.
		Friday, 2 P.M.	
Dr IRWIN MOORE	Tuesday, 6 P.M.	Tuesday, 2 P.M.
Mr LIONEL COLLEDGE	Tuesday, 2 P.M.	Thursday, 2 P.M.
Mr G. W. DAWSON	Thursday, 2 P.M.	Tuesday, 10 A.M.
Mr GILBERT CHUBB	Saturday, 9.30 A.M.	Friday, 2 P.M.
Mr F. J. CLEMINSON	Thursday, 6 P.M.	Friday, 10 A.M.
ASSISTANT SURGEONS.			
Mr T. H. JUST	Tuesday, 2 P.M.	} Monday, 10 A.M.
		Thursday, 2 P.M.	
Mr F. C. ORMEROD	Wednesday, 2 P.M.	} Thursday, 10 A.M.
		Thursday, 6.30 P.M.	
Mr BEDFORD RUSSELL	Tuesday, 6 P.M.	} Wednesday, 10 A.M.
		Friday, 2 P.M.	

CLINICAL INSTRUCTION

Clinical Instruction in the Diagnosis and Treatment of Disease is given daily in the Out-Patient Department from 2 to 5 p.m.; on Tuesdays and Fridays from 6.30 to 9 p.m. Major operations are performed at the times specified above, and minor operations by the Assistant Surgeons.

The Hospital contains 60 beds for In-Patients. There is also an Out-Patient attendance of over 60,000 yearly.

Practitioners and Medical Students are admitted to the Practice of the Hospital and from among them Clinical Assistants are chosen, whose duty it is to assist the member of the staff to whom they are appointed. For further information apply to the Dean—LIONEL COLLEDGE.

4TH EDITION.

REVISED AND ENLARGED.

LEWIS'S PRACTICAL SERIES.

DISEASES OF THE NOSE AND THROAT

By HERBERT TILLEY, B.S.(Lond.), F.R.C.S.(Eng.), Surgeon, Ear and Throat Department, University College Hospital; Teacher of Laryngology and Otology, University of London.

With numerous Illustrations, including 74 Plates. Demy 8vo.

28s. net. Postage 1s., abroad 1s. 3d.

Extracts from Press Notices.

"The work is so comprehensive that it should be a valuable book of reference, whilst it is not too large to serve as an ordinary text-book."—*British Medical Journal*.

"We have no hesitation in recommending his book to the practitioner as well as to the prospective specialist."—*Lancet*.

"The author is to be congratulated upon his work; as a text-book it is one of the best upon the subject; . . . displays the master mind of an accomplished teacher."—*Medical Press*.

LONDON: H. K. LEWIS & CO. LTD., 136 Gower Street, and 24 Gower Place, W.C. 1.

Telegrams: "Publicavit, Eusroad, London."

Telephone: Museum 1072.

INSTRUMENTS AND EQUIPMENT FOR

Examination of Ear, Nose and Throat, Operation on Tonsils, Adenoids, Mastoid, Nasal Septum

As supplied to and used in

EAR, NOSE AND THROAT DEPARTMENT, ROYAL INFIRMARY, EDINBURGH
THE EDINBURGH EYE, EAR AND THROAT INFIRMARY, ETC., ETC.

ARCHD. YOUNG & SON, 57-61 FORREST ROAD, EDINBURGH

Surgical Instrument Makers to Royal Infirmary, Edinburgh


Phone: Central 669.

Telegrams: "Bandage, Edinburgh," A.B.C. Code, 5th Ed.

GRANDS PRIX:
 Paris, 1900. Brussels, 1910. Buenos Aires, 1910.



Gold Medal, Allahabad, 1910.




A NEW TRACHEOTOMY TUBE

(Pilot permits breathing during introduction)

By Dr A. CUBLEY

Vide *Journal of Laryngology and Otology*, March 1922.



**Needle for Suturing the Pillars of the Fauces,
 and Forceps for Carrying the Suture.**

By Mr THOS. GUTHRIE, F.R.C.S.

Vide *Journal of Laryngology and Otology*, April 1920.

Manufactured only by

DOWN BROS., LTD.

Surgical Instrument Makers

21 and 23 ST THOMAS'S STREET, LONDON, S.E. 1

Telegrams
 "DOWN, LONDON."

(OPPOSITE GUY'S HOSPITAL)

Telephone
 HOP 4400 (4 lines).

CONTENTS

	PAGE
PRESENT STATUS OF RADIUM IN LARYNGEAL AND OESOPHAGEAL CANCER IN THE UNITED STATES. Henry Hall Forbes, M.D., F.A.C.S. (New York City)	1
SEPTIC SINUS THROMBOSIS: ITS DIAGNOSIS AND TREATMENT. Sir William Milligan, M.D.	9
THE IDENTIFICATION OF THE LARVÆ OF THE DIPTERA (FLIES) WHICH CAUSE NASOPHARYNGEAL AND AURAL MYIASIS IN MAN. Major W. S. Patton, M.B. (Edin.), F.E.S., I.M.S. (Retd.).	18
CRITICAL REVIEW:—	
Spasmodic Rhinitis. Sir St Clair Thomson	28
SOCIETIES' PROCEEDINGS:—	
Royal Society of Medicine—Section of Otolaryngology	31
ABSTRACTS:—	
Nose	39
Peroral Endoscopy	42
REVIEWS OF BOOKS	45
LETTERS TO THE EDITORS	49
OBITUARY: GEORGE NIXON BIGGS, M.B., B.S. (Durham). Irwin Moore	52
GENERAL NOTES	55

IMMUNISATION AGAINST HAY FEVER

THE DEPARTMENT FOR THERAPEUTIC INOCULATION, ST MARY'S HOSPITAL, LONDON (Director: Sir Almroth E. Wright, M.D., F.R.S., etc.), prepares for supply to the Medical Profession, through the agency of Messrs. PARKE, DAVIS & Co.

" POLLACCINE " (**Pollen Vaccine for Hay Fever**) to be administered subcutaneously for the production of immunity to pollen toxin, BOTH AS A PROPHYLACTIC AND CURATIVE OF HAY FEVER. N.B.—The winter or early spring is the best time for prophylactic injections.

A HAY FEVER REACTION OUTFIT is also supplied, which affords a means of determining (a) whether a patient is susceptible to pollen toxin; (b) the degree of such susceptibility; (c) the dosage of "Pollaccine" suited to any case.

A pamphlet entitled "Vaccine Therapy," which contains full particulars of this very successful treatment, will be supplied on request by

PARKE, DAVIS & Co., 50-54 Beak Street, **LONDON, W.1**
Regent Street,