

# INFECTION CONTROL & HOSPITAL EPIDEMIOLOGY

VOLUME 27, NUMBER 2

FEBRUARY 2006

## EDITORIAL

- 111 **Methicillin-Resistant *Staphylococcus aureus* Control: We Didn't Start the Fire, but It's Time to Put It Out** • Carlene A. Muto, MD, MS

## ORIGINAL ARTICLES

- 116 **What Proportion of Hospital Patients Colonized With Methicillin-Resistant *Staphylococcus aureus* Are Identified by Clinical Microbiological Cultures?** • Cassandra D. Salgado, MD, MS; Barry M. Farr, MD, MSc
- 122 **Impact of an Aggressive Infection Control Strategy on Endemic *Staphylococcus aureus* Infection in Liver Transplant Recipients** • Nina Singh, MD; Cheryl Squier, BSN, CIC; Cheryl Wannstedt, RN, BSN, CCT; Lois Keyes, RN, BSN, CCT; Marilyn M. Wagener, MPH; Thomas V. Cacciarelli, MD
- 127 **A Study of the Relationship Between Environmental Contamination with Methicillin-Resistant *Staphylococcus aureus* (MRSA) and Patients' Acquisition of MRSA** • Katherine J. Hardy, PhD, MSc, BSc; Beryl A. Oppenheim, MBBCh, FRCPath; Savita Gossain, BSc, MBBS, MRCPATH; Fang Gao, MB, BS, FRCA, MPhil; Peter M. Hawkey, BSc, DSc, MBBS, MD, FRCPath
- 133 **Clinical and Laboratory Features of Community-Associated Methicillin-Resistant *Staphylococcus aureus*: Is It Really New?** • Leonard B. Johnson, MD; Sajjad Saeed, MD; Joan Pawlak, BS; Odette Manzor, MS; Louis D. Saravolatz, MD
- 139 **Management of Outbreaks of Methicillin-Resistant *Staphylococcus aureus* Infection in the Neonatal Intensive Care Unit: A Consensus Statement** • Susan I. Gerber, MD; Roderick C. Jones, MPH; Mary V. Scott; Joel S. Price, MS; Mark S. Dworkin, MD, MPHTM; Mala B. Filippell, RN, BSN, CIC; Terri Rearick, RN, BS, CIC; Stacy L. Pur, RN, BSN; James B. McAuley, MD, MPH; Mary Alice Lavin, RN, MJ, CIC; Sharon F. Welbel, MD; Sylvia Garcia-Houchins, CIC; Judith L. Bova, BS; Stephen G. Weber, MD, MSc; Paul M. Arnow, MD; Janet A. Englund, MD; Patrick J. Gavin, MD; Adrienne G. Fisher, MT; Richard B. Thomson, PhD; Thomas Vescio, MD; Teresa Chou, MPH; Daniel C. Johnson, MD; Mary Beth Fry, BS, CIC; Anne H. Molloy, MSN, CIC; Laura Bardowski, RN; Gary A. Noskin, MD
- 146 **Methicillin-Resistant *Staphylococcus aureus* in German Intensive Care Units During 2000-2003: Data from Project SARI (Surveillance of Antimicrobial Use and Antimicrobial Resistance in Intensive Care Units)** • Elisabeth Meyer, MD; Frank Schwab; Petra Gastmeier, MD; Daniel Jonas, MD; Henning Rueden, MD; Franz D. Daschner, MD
- 155 **Evaluation of an Intervention Designed to Decrease the Rate of Nosocomial Methicillin-Resistant *Staphylococcus aureus* Infection by Encouraging Decreased Fluoroquinolone Use** • Karl J. Madaras-Kelly, PharmD; Richard E. Remington, MS; Pamela G. Lewis, BSN, MS; Dennis L. Stevens, MD, PhD
- 170 **The Role of Institutional Epidemiologic Weight in Guiding Infection Surveillance and Control in Community and Hospital Populations** • David M. Hartley, PhD; Jon P. Furuno, PhD; Marc O. Wright, MS, MT (ASCP); David L. Smith, PhD; Eli N. Perencevich, MD, MS
- 175 **Nurses and Occupational Exposures to Bloodborne Viruses in Poland** • Maria Gańczak, MD; Marta Milona, RN, MA; Zbigniew Szych, PhD

CONTENTS CONTINUED INSIDE




THE OFFICIAL JOURNAL OF THE SOCIETY FOR HEALTHCARE EPIDEMIOLOGY OF AMERICA  
PUBLISHED FOR THE SOCIETY BY THE UNIVERSITY OF CHICAGO PRESS



# The only percutaneous device dressing proven to reduce the incidence of **CRBSI and local infections**<sup>1</sup>

BIOPATCH Dressing is specifically designed to inhibit bacterial growth around all percutaneous devices, including catheters and orthopedic pins.

## Powerful protection... Powerful proof.



- BIOPATCH Dressing provides protection against a broad spectrum of bacteria including resistant strains MRSA and VRE, as well as *Candida albicans*.
- In a controlled, randomized trial, use of BIOPATCH Dressing resulted in a reduction in the incidence of CRBSI and local infections as compared with standard care.<sup>1</sup>

**BIOPATCH**<sup>\*</sup>  
ANTIMICROBIAL DRESSING  
with Chlorhexidine Gluconate

**B.E.S.T. Practice means BIOPATCH Every Single Time.<sup>1</sup>**

For additional information or technical support, call **1-877-384-4266** or visit our website at [www.biopatch.com](http://www.biopatch.com).

<sup>†</sup> Not for use on premature infants, patients with known sensitivity to CHG. Safety and effectiveness in children under 16 years of age has not been established.

<sup>1</sup> Maki DG, Mermel L, Genthner D, Hua S, Chiacchierini RP. An evaluation of BIOPATCH Antimicrobial Dressing compared to routine standard of care in the prevention of catheter-related bloodstream infection. Johnson & Johnson Wound Management, a division of ETHICON, INC. 2005. Data on file.

**Johnson & Johnson**  
**Wound Management**  
A division of ETHICON, INC.

P.O. Box 151, Somerville, NJ 08876-0151

<sup>\*</sup>Trademark ©ETHICON, INC. 2006

# INFECTION CONTROL & HOSPITAL EPIDEMIOLOGY

VOLUME 27, NUMBER 2

FEBRUARY 2006

CONTENTS CONTINUED FROM COVER

## CONCISE COMMUNICATIONS

- 181 Evaluation of a Strategy of Screening Multiple Anatomical Sites for Methicillin-Resistant *Staphylococcus aureus* at Admission to a Teaching Hospital** • Matthieu Eveillard, PharmD, MPH; Arnaud de Lassence, MD; Evelyne Lancien, BSc; Guilène Barnaud, PharmD, PhD; Jean-Damien Ricard, MD, PhD; Marie-Laure Joly-Guillou, MD, PhD
- 185 Reduction in Incidence of Nosocomial Methicillin-Resistant *Staphylococcus aureus* (MRSA) Infection in an Intensive Care Unit: Role of Treatment With Mupirocin Ointment and Chlorhexidine Baths for Nasal Carriers of MRSA** • Ana Maria Sandri, MD; Micheline Gisele Dalarosa; Luciana Ruschel de Alcântara; Laura da Silva Elias; Alexandre Prehn Zavascki, MD, PhD
- 188 Biofilm Formation by and Accessory Gene Regulator Typing of Methicillin-Resistant *Staphylococcus aureus* Strains Recovered From Patients With Nosocomial Infections** • Kunihiko Manago, MD; Junichiro Nishi, MD; Naoko Wakimoto, MSc; Hiroaki Miyano, MD; Jav Sarantuya, MD; Koichi Tokuda, MD; Mayumi Iwashita, MD; Kimie Yamamoto, MD; Masao Yoshinaga, MD; Ikuro Maruyama, MD; Yoshifumi Kawano, MD
- 191 The Role of Gowns in Preventing Nosocomial Transmission of Methicillin-Resistant *Staphylococcus aureus* (MRSA): Gown Use in MRSA Control** • J. Grant, MDCM, FRCPC; L. Ramman-Haddad, BScN, CIC; N. Dendukuri, PhD; M. D. Libman, MDCM, FRCPC
- 195 Chest Tube-Related Empyema Due to Methicillin-Resistant *Staphylococcus aureus*: Could the Chest Tube Be Coated With Antiseptics?** • Harrys A. Torres, MD; Hend A. Hanna, MD; Linda Graviss, MT; Gassan Chaiban, BS; Ray Hachem, MD; Roy F. Chemaly, MD; Essam Girgawy, MD; Issam I. Raad, MD
- 198 Oxacillin-Resistant and Multidrug-Resistant *Staphylococcus aureus* in Lima, Peru** • C. Seas, MD; K. Hernandez, MD; R. Ramos, MD; E. Bazan, MD; I. Rodriguez, MD; A. Torres, MD; C. Zamudio, MD; E. Gotuzzo, MD
- 201 Epidemiological Analysis of Methicillin-Resistant *Staphylococcus aureus* Isolates From Adult Patients With Cystic Fibrosis** • T. J. Kidd, B Appl Sc; C. Coulter, MBBS, FRACP, FRCPA; S. C. Bell, MBBS, MD, FRACP
- 204 Methicillin-Resistant *Staphylococcus aureus* in Canadian Aboriginal People** • Marianna Ofner-Agostini, BScN, RN; Andrew E. Simor, MD; Michael Mulvey, PhD; Elizabeth Bryce, MD; Mark Loeb, MD; Allison McGeer, MD; Alex Kiss, PhD; Shirley Paton, RN, MN; Canadian Nosocomial Infection Surveillance Program, Health Canada
- 208 Prevalence of and Risk Factors for Carriage of Panton-Valentine Leukocidin-Positive Methicillin-Resistant *Staphylococcus aureus* Among Residents and Staff of a German Nursing Home** • Ulla Raab, PhD, MPH; Dagmar Kahlau, MD; Florian Wagenlehner, MD; Udo Reischl, PhD; Vera Ehrenstein, MPH; Norbert Lehn, MD; Christiane Höller, MD; Hans-Jörg Linde, MD
- 212 Molecular Epidemiology of *Staphylococcus aureus* Colonization in 2 Long-Term Care Facilities** • Lona Mody, MD; Erica Flannery, BS; Andrew Bielaczyc, BS; Suzanne F. Bradley, MD
- 215 Posttraumatic Stress Disorder After Occupational HIV Exposure: Two Cases and a Literature Review** • Michael G. Worthington, MD; John J. Ross, MD; Ellen K. Bergeron, MSN

## LETTER TO THE EDITOR

- 218 Low Rates of Nasal Colonization With Methicillin-Resistant *Staphylococcus aureus* Among Staff Members of an Italian Hospital** • Angelo Pan, MD; Silvia Lorenzotti, MD; Lucio Ferrari, PhD; Luisa Granata, RN; Liana Signorini, MD; Giuseppe Carnevale, MD
- 221 Information for Authors**

*An Official Publication of the Society for Healthcare Epidemiology of America*

**EDITOR**

William R. Jarvis, MD • Hilton Head, SC

**DEPUTY EDITOR**

David P. Calfee, MD, MS • New York, NY

**ASSISTANT EDITOR**

Preeti N. Malani, MD, MSJ • Ann Arbor, MI

**SENIOR ASSOCIATE EDITORS**

C. Glen Mayhall, MD • Galveston, TX  
 Gina Pugliese, RN, MS • Chicago, IL  
 William Schaffner, MD • Nashville, TN

**ASSOCIATE EDITORS**

Donald A. Goldmann, MD • Boston, MA  
 Didier Pittet, MD, MS • Geneva, Switzerland  
 Andreas Widmer, MD, MS • Basel, Switzerland

**SECTION EDITORS**

**Beyond Infection Control: The New Hospital Epidemiology**

Wing Hong Seto, MD • Hong Kong

**Disinfection and Sterilization**

William A. Rutala, PhD, MPH • Chapel Hill, NC

**From the Laboratory**

Marcus Zervos, MD • Royal Oak, MI

**Infections in Immunocompromised Patients**

Kent Sepkowitz, MD • New York, NY

**Information Management**

John A. Sellick, DO • Amherst, NY

**Issues in Surgery**

James T. Lee, MD, PhD • St. Paul, MN

**Medical News**

Gina Pugliese, RN, MS • Chicago, IL  
 Martin S. Favero, PhD • Irvine, CA

**Practical Healthcare Epidemiology**

Loreen A. Herwaldt, MD • Iowa City, IA

**Statistics for Hospital Epidemiology**

David Birnbaum, PhD, MPH • Sidney, British Columbia

**Topics in Long-Term Care**

Philip W. Smith, MD • Omaha, NE

**Topics in Occupational Medicine**

David Weber, MD, MPH • Chapel Hill, NC

**MANAGING EDITOR**

Gordon Rudy, PhD, ELS • Chicago, IL

**EDITORIAL ADVISORY BOARD**

J. Wesley Alexander, MD • Cincinnati, OH  
 Miriam Alter, PhD, MD • Atlanta, GA  
 Hilary Babcock, MD • St. Louis, MO  
 Elise M. Beltrami, MD, MPH • Decatur, GA  
 Richard E. Besser, MD • Atlanta, GA  
 Marc J. M. Bonten, MD, PhD • Utrecht, The Netherlands  
 John M. Boyce, MD • New Haven, CT  
 Christian Brun-Buisson, MD • Creteil, France  
 John P. Burke, MD • Salt Lake City, UT  
 Yehuda Carmeli, MD, MPH • Tel Aviv, Israel  
 Carol Chenoweth, MD • Ann Arbor, MI  
 Sara E. Cosgrove, MD, MS • Baltimore, MD  
 Donald E. Craven, MD • Burlington, MA  
 Burke A. Cunha, MD • Mineola, NY  
 Erika D'Agata, MD, MPH • Boston, MA  
 Franz Daschner, MD • Freiburg, Germany  
 Patch Dellinger, MD • Seattle, WA  
 Charles E. Edmiston, Jr., PhD • Milwaukee, WI  
 Theodore C. Eickhoff, MD • Denver, CO  
 Jean Yves Fagon, MD, MPH • Paris, France  
 Mark Farrington, MA, FRCPATH • Cambridge, UK  
 Victoria J. Fraser, MD • St. Louis, MO  
 Richard A. Garibaldi, MD • Farmington, CT  
 Petra Gastmeier, MD • Hanover, Germany  
 Dale N. Gerding, MD • Hines, IL  
 Stephan Harbarth, MD, MS • Geneva, Switzerland  
 Anthony D. Harris, MD, MPH • Baltimore, MD  
 David K. Henderson, MD • Bethesda, MD  
 Peter N. R. Heseltine, MD • San Juan, CA

Karen Hoffmann, RN, CIC, MS • Chapel Hill, NC  
 Janine Jagger, MPH, PhD • Charlottesville, VA  
 John A. Jernigan, MD, MS • Atlanta, GA  
 Jacob L. Kool, MD, PhD • Fort Collins, CO  
 Ebbing Lautenbach, MD, MPH • Philadelphia, PA  
 Allison McGeer, MD • Toronto, Ontario  
 John E. McGowan, Jr., MD • Atlanta, GA  
 Leonard A. Mermel, DO, ScM • Providence, RI  
 Robert R. Muder, MD • Pittsburgh, PA  
 Carlene A. Muto, MD, MS • Pittsburgh, PA  
 Joseph M. Mylotte, MD, CIC • Buffalo, NY  
 Lindsay Nicolle, MD • Winnipeg, Manitoba  
 Juhani Ojajarvi, MD • Helsinki, Finland  
 Michael T. Osterholm, PhD, MPH • Minneapolis, MN  
 David L. Paterson, MBBS, FRACP • Pittsburgh, PA  
 Jan Evans Patterson, MD • San Antonio, TX  
 Sindy M. Paul, MD • Yardley, PA  
 David A. Pegues, MD • Los Angeles, CA  
 Michael A. Pfaller, MD • Iowa City, IA  
 Samuel Ponce de Leon, MD, MSc • Mexico City  
 Isaam Raad, MD • Houston, TX  
 Jordi Rello, MD, PhD • Tarragona, Spain  
 Manfred L. Rotter, MD, DipBact • Vienna, Austria  
 Henning Rüden, MD • Berlin, Germany  
 Lisa Saiman, MD, MPH • New York, NY  
 Syed A. Sattar, PhD • Ottawa, Ontario  
 William E. Scheckler, MD • Madison, WI  
 Lynne M. Schulster, PhD • Atlanta, GA  
 Andrew E. Simor, MD • Toronto, Ontario  
 Denis W. Spelman, MD • Prahan, Victoria, Australia  
 Susan Springthorpe, MSc • Ottawa, Ontario  
 Jeffrey R. Starke, MD • Houston, TX  
 Janet E. Stout, PhD • Pittsburgh, PA  
 Michael L. Tapper, MD • New York, NY  
 Clyde Thornsberrry, PhD • Franklin, TN  
 Jerome Tokars, MD, PhD • Atlanta, GA  
 Timothy R. Townsend, MD • Baltimore, MD  
 Antoni Trilla, MD, PhD • Barcelona, Spain  
 Robert A. Weinstein, MD • Chicago, IL  
 Sergio B. Wey, MD • São Paulo, Brazil

*Infection Control and Hospital Epidemiology* (ISSN 0899-823X) is published monthly by the University of Chicago Press, 1427 East 60th St., Chicago, IL 60637-2954 (<http://www.journals.uchicago.edu/ICHE/>). The editorial offices are in Chicago, Illinois.

**Editorial Office**

Communications should be addressed to the Editor, *Infection Control and Hospital Epidemiology*, 1427 E. 60th St, Chicago, IL 60637-2954; (e-mail: [iche@press.uchicago.edu](mailto:iche@press.uchicago.edu); telephone: [773] 702-2448, fax: [773] 753-4247). Contributors should consult the Information for Authors, which is available at the ICHE Web site.

**Advertising**

Publication of an advertisement in *Infection Control and Hospital Epidemiology* does not imply endorsement of its claims by the Society for Healthcare Epidemiology of America, by the Editor, or by the University of Chicago. Correspondence regarding advertising should be addressed to the business office in Chicago (see above).

**Permissions**

The copyright code on the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made only for personal or internal use or for the personal or internal use of specific clients and provided that the copier pays the stated per-copy fee through the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923. To request permission for other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale, please write to the Permissions Department, University of Chicago Press, 1427 East 60th St., Chicago, IL 60637-2954. For articles in the public domain, permission to reprint should be obtained from the author.

**Subscriptions**

Subscription orders and correspondence should be addressed to the University of Chicago Press, P.O. Box 37005, Chicago, IL 60637-2954. Checks should be made out to the University of Chicago Press. All orders must be in US currency. Telephone: (8:00 A.M.–5:00 P.M. Central Standard Time, Monday–Friday) US and Canada toll free, (877) 705-1878; Rest of World, (773) 753-3347. Fax: US and Canada toll free, (877) 705-1879; Rest of World, (773) 753-0811. E-mail: [subscriptions@press.uchicago.edu](mailto:subscriptions@press.uchicago.edu); Web site: <http://www.journals.uchicago.edu>.

**Subscription rates (1 year) for *Infection Control and Hospital Epidemiology* (ICHE):**

	Domestic	Foreign With Air Freight	Canadian
Institutions	350.00	399.00	389.50
Individuals	150.00	199.00	175.50
Fellows	55.00	104.00	73.85

**Note:** All rates in US dollars. All new subscriptions will begin with the January issue. All rates include postage. Canadian rates include 7% GST. ICHE single copies: institutions, \$30.00; individuals, \$14.00. Japanese subscription agent: Kinokuniya Company Ltd.

**Postmaster:** Send address changes to *Infection Control and Hospital Epidemiology*, University of Chicago Press, P.O. Box 37005, Chicago, IL 60637-2954.

Periodicals postage paid at Chicago, Illinois, and at an additional mailing office.

Published by the University of Chicago Press, Chicago, IL. © 2006 by The Society for Healthcare Epidemiology of America. All rights reserved. This publication is printed on acid-free paper.

# You can't argue with the facts.

Using the 3M™ Clip, Prep, Drape system can help improve patient outcomes.

**Fact #1: Treating Healthcare Associated Infections (HAI) costs more than preventing them.**


The Center for Disease Control (CDC) reports that for each case of HAI, hospitals spend an average of \$1,779 treating it.

**Fact #2: Clipping is far superior to shaving.**

Clinical evidence proves that as a method of pre-op body hair removal, clipping hair with surgical clippers is far superior to shaving<sup>1</sup>. Shaving produces cuts, nicks and microscopic epidermal injury which provide a prime site for bacterial infection.




3M™ Surgical Clippers




**Fact #3: One-third of all Healthcare Associated Infections can be prevented.<sup>2</sup>**

3M™ Surgical Clippers, 3M™ DuraPrep™ Surgical Solution and 3M™ Ioban™ Antimicrobial Incise Drapes are all proven to control skin bacteria. And with a strong correlation between bacterial colonization and surgical site infection<sup>3</sup>; controlling skin bacteria becomes of paramount importance.




3M™ Ioban™ Antimicrobial Incise Drapes



**Fact #4: Skin preps that go on fast and kill fast save you time and money.**

The AORN, CDC and APIC recommend preoperative skin preps that are fast-acting, broad spectrum and provide residual action. In addition, 3M DuraPrep Surgical Solution provides another important difference – it requires less time to apply than traditional scrub and paint. That means with today's high operating costs, less prep time is money saved.

Skin Prepping Cost <sup>4</sup>	DuraPrep Solution	Traditional 5-10 minute Iodophor scrub and paint
Time to Prepare Patient	<b>3.5 minutes</b>	<b>9.7 minutes</b>
Total Cost	<b>\$93.36</b>	<b>\$248.91</b>



3M™ DuraPrep™ Surgical Solution

**Fact #5: Using the right incise drapes makes a clinical difference.**

Even with the most careful and rigorous disinfection, bacteria remaining on the skin or regrowth during surgery can still contaminate the surgical site. 3M Ioban incise drapes help to eliminate this problem because they provide continuous antimicrobial activity and a sterile barrier.

For more information, call the 3M Health Care Customer Helpline at 1-800-228-3957.  
**3M Infection Prevention Solutions.** A vital step in Infection Prevention.

<sup>1</sup>Alexander, J.W., Fischer, J.E., Boyajian, M., et al: The influence of hair-removal methods on wound infections. *Archives of Surgery* 1983; 118:347-352. <sup>2</sup>Jarvis, W.R. 1996. Selected aspects of the socioeconomic impact of nosocomial infections: morbidity, mortality, cost and prevention. *Infection Control and Hospital Epidemiology*. 17:552-557. <sup>3</sup>Garibaldi, R.A., Cushing, D. and Lerer, T. 1991. Risk factors for postoperative infection. *American Journal of Medicine*. 1991, (Suppl 3B): 158S-163S. <sup>4</sup>Jacobson, Cassie, Osmon, Douglas R., Hanssen, Arlen, et al: Prevention of Wound Contamination Using DuraPrep™ Solution plus Ioban™ 2 Drapes. *Clinical Orthopaedics and Related Research*. Oct. 2005; Vol. 439. <sup>5</sup>Dewan, P.A., Van Ru, A.M., Robinson, R.G., et al: The use of iodophor-impregnated plastic incise drape in abdominal surgery – a controlled clinical trial. *Aust. N. J. Surg* 1987; 57:859-863. © 3M 2006. All Rights Reserved. TM-043001

THE SOCIETY FOR HEALTHCARE  
EPIDEMIOLOGY OF AMERICA

# Final Program

THE 16TH ANNUAL SCIENTIFIC MEETING OF SHEA



MARCH 18-21, 2006

THE HILTON CHICAGO  
& TOWERS

CHICAGO, ILLINOIS



*The Society for Healthcare Epidemiology of America*

**WWW.SHEA-ONLINE.ORG**