

The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

MASTOIDITIS IN CHILDREN	T. PALVA, I. FRIEDMANN AND A. PALVA
A BIOCYTOLOGY STUDY OF HUMAN MASTOID EPITHELIUM AND SUBEPITHELIAL STROMA CELLS	W. STIRK ADAMS
THE PROBLEM OF THE MASTOID SEGMENT IN TYMPANOPLASTY	E. G. COLLINS
ON THE IMPORTANCE OF VERSATILITY IN MASTOID SURGERY	R. J. BENNETT
A CONSIDERATION OF CERTAIN FACTORS THAT MAY CONTRIBUTE TO FAILURE OF THE STAPEDECTOMY OPERATION	H. ZALIN
FAMILIAL SENSITIVITY TO STREPTOMYCIN	M. PRAŽIĆ, B. SALAJ and R. SUBOČIĆ
CLINICAL RECORDS—	
EXTERNAL OTITIS SIMULATING OTITIS MEDIA	A. MAN, G. LEVENTON and P. KRAUS
IMPACTED AURAL FOREIGN BODY	S. ISHRAT-HUSAIN
A CASE OF ALCOHOL INDUCED PAIN OF THE LARYNX WITH APHONIA	L. N. DOWIE
DYSPHAGIA IN MYÆSTHENIA GRAVIS	J. POTTER

GENERAL NOTES

London

Headley Brothers

109 Kingsway WC2

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR

LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

9. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local bookseller, or to STECHERT-HARNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

© *Journal of Laryngology and Otology*, 1964

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

CONTENTS

	PAGE
MASTOIDITIS IN CHILDREN. T. Palva, I. Friedmann and A. Palva (Turku and London)	977
A BIOCYTOLOGY STUDY OF HUMAN MASTOID EPITHELIUM AND SUB- EPITHELIAL STROMA CELLS. W. Stirk Adams (Birmingham)	992
THE PROBLEM OF THE MASTOID SEGMENT IN TYMPANOPLASTY. E. G. Collins (Aberdeen)	1004
ON THE IMPORTANCE OF VERSATILITY IN MASTOID SURGERY. R. J. Bennett (Stoke-on-Trent)	1022
A CONSIDERATION OF CERTAIN FACTORS THAT MAY CONTRIBUTE TO FAILURE OF THE STAPEDECTOMY OPERATION. H. Zalin (Liverpool)	1030
FAMILIAL SENSITIVITY TO STREPTOMYCIN. M. Pražić, B. Salaj and R. Subotić (Zagreb)	1037
CLINICAL RECORDS—	
EXTERNAL OTITIS SIMULATING OTITIS MEDIA. A. Man, G. Leventon and P. Kraus (Tel-Aviv, Israel)	1044
IMPACTED AURAL FOREIGN BODY. S. Ishrat-Husain (Saskatchewan)	1047
A CASE OF ALCOHOL INDUCED PAIN OF THE LARYNX WITH APHONIA. L. N. Dowie (London)	1051
DYSPHAGIA IN MYÆSTHENIA GRAVIS. J. Potter (Blackpool) .	1053
GENERAL NOTES	1057

When
the patient
needs a
hearing aid—
**whom do
you recommend?**

INGRAMS, of course,
the firm with the different makes
to choose from.

INGRAMS, 2 Shepherd Street, London, W.1

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



Staphylococci

cannot live with



Orbenin

Orbenin is recommended for the immediate treatment of all Hospital Staphylococcal infections

Orbenin, an oral penicillin stable to penicillinase, is bactericidal to resistant and sensitive staphylococci



Orbenin (regd.) (cloxacillin sodium) is a product of British research at
Beecham Research Laboratories

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

The Hallpike Operating Headlamp



This Operating Headlamp has been based on designs and experimental constructions put at our disposal by Mr. C. S. Hallpike, F.R.C.S., F.R.S., of the Otolological Research Unit, Medical Research Council, at the National Hospital, Queen Square.

Its lightweight optical system incorporates a heat absorbing filter and projects, at a convenient working distance, a brilliant homogeneous circle of light of 65 mm. diameter. This may be reduced to 12 mm. by means of a built-in iris diaphragm.

Location of the reflector between the surgeon's eyes ensures that his visual axes lie very close to the light beam, thus providing good optical penetration when working in small narrow-neck cavities.

- Convenient screw adjustment for fibre/polythene headband.
- Adjustable "over-band" for increased comfort during long operations.
- Fully adjustable support strut for maximum rigidity of optical system.
- Convenient finger grips for removal of headlamp.
- Vertical and angular adjustment of lamp unit, with positive locking action.
- Pre-centred, compact filament, 6 v. 18 watt lamp.
- Iris diaphragm control, with removable sterilizable sleeve.
- Control knob, with sterilizable sleeve, for adjustment of mirror angle and lateral rotation of lamp.



KEELER

**21-27 MARYLEBONE LANE
WIGMORE STREET
LONDON, W.1**

TELEPHONE: WELBECK 8512

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



PENBRITIN

is outstanding in the treatment
of Urinary Tract infections ...

... because it satisfies the criteria more
completely than other antibacterial agents:

- High activity against the infecting organisms
- Bactericidal action
- High urine level
- Effective tissue level

that is why Penbritin achieves
outstanding clinical success rates
in Urinary Tract infections

Oral dosage: 500mg (2 capsules) 8 hourly.



Penbritin (regd) (ampicillin) is a product of British research at
BEECHAM RESEARCH LABORATORIES

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
Rhinological and Otological Society*

Price \$16.00 per year Canada \$16.75 per year
Foreign \$17.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D.
EDITOR

517 SOUTH EUCLID AVENUE
SAINT LOUIS MO. 63110.


For advertisement space in this Journal

apply to

HEADLEY BROTHERS LTD.

109 Kingsway London WC2

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



Triominic

for oral relief of
rhinorrhoea and
nasal congestion

Formula per
Timed-Release Tablet
Phenylpropanolamine-HCl 50 mg.
Mepyramine maleate B.P. 25 mg.
Pheniramine maleate 25 mg.
S2. Part 1

Formula per 4 ml. Syrup
Phenylpropanolamine-HCl 12.5 mg.
Mepyramine maleate B.P. 6.25 mg.
Pheniramine maleate 6.25 mg.
[1 teaspoonful (4 ml.) = $\frac{1}{2}$ Tablet]
S2. Part 1

Triotussic

for colds
complicated
by cough

Formula per
Timed-Release Tablet
'Triominic' 25 mg.
Noscapine 20 mg.
Terpin hydrate B.P.C. 90 mg.
Paracetamol B.P. 160 mg.
S2. Part 1

Formula per 4 ml. Suspension
'Triominic' 25 mg.
Noscapine 20 mg.
Terpin hydrate B.P.C. 90 mg.
Paracetamol B.P. 160 mg.
[1 teaspoonful (4 ml.) = 1 Tablet]
S2. Part 1

Triogesic

for relief of
painful sinus and
aural congestion

Formula per Tablet
'Triominic' 25 mg.
Paracetamol B.P. 500 mg.
S2. Part 1

Formula per 4 ml. Suspension
'Triominic' 12.5 mg.
Paracetamol B.P. 250 mg.
[1 teaspoonful (4 ml.) = $\frac{1}{2}$ Tablet]
S2. Part 1

Literature and samples gladly sent on request

M431A

A. WANDER LIMITED · 42 UPPER GROSVENOR ST · LONDON W.1

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

new antibiotic
LOCABIOTAL*
now curbs
respiratory infections
and inflammation

Locabiotal contains fusafungine, a single agent that controls infection *and* inflammation of the respiratory tract. Bronchitis and bronchiectasis both respond extremely well to pressurized Locabiotal; intranasal medication gives quick control in rhinitis and sinusitis. Locabiotal does not produce the resistance which is to be expected with some systemic antibiotics.

Pressurized Locabiotal (0.25% fusafungine) 15 ml. containers providing 300 metered doses.

With oral and nasal applicators.

Basic N.H.S. Price 18/- each
(Cost of one week's treatment 4/6) Refill 15/10.

Locabiotal Nasal Spray (0.5% fusafungine) in Nebulizers of 15 ml. for E.N.T. treatment.

Basic N.H.S. Price 7/- each.


Selpharm Laboratories Limited
15 Hanover Square London W1

*trade mark

B2479

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Carl Zeiss Twin Lamp



The twin-lamp provides:
 a) bright illumination for relatively small areas,
 b) deep illumination into body cavities,
 and has many applications for general surgery, ophthalmology, gynaecology, otology, etc., in operating theatres and clinics.

It has many useful features:
 High luminous intensity from two separate lamps.
 Simple focusing.
 Simple adjustment of height and direction.
 Continuous operation even when changing one bulb.
 Alternative arm lengths: 700mm or 1200mm.
 Built-in transformer, giving two voltages for normal and intense operation.
 Foot switch for on/off, normal/high voltage.
 Wide range of filters available.

Full details from the sole UK Zeiss Agents:
 Degenhardt & Co Ltd
 Carl Zeiss House,
 20/22 Mortimer Street, London W1
 Langham 6097 (9 lines)



The greatest name in optics

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

IN ALL
INDICATIONS
FOR LOCAL
ANAESTHESIA
CITANEST*


Citanest is a new local anaesthetic possessing all the excellent features of lignocaine with additional advantages. Its superiority to other agents has been repeatedly confirmed during many years of clinical trials.

- Citanest is 40% less toxic than lignocaine.
- Citanest exerts no cumulative action on repeated injections.
- Citanest has only slight effect on blood pressure and respiration.



ASTRA - HEWLETT
WATFORD HERTS.

* (Registered Trade Mark)



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

ONLY AMPLIVOX
 provides a
complete audiometric service!




Transistor Audiometers

for the school screening service, ward use, etc.

Speech Audiometry Equipment

via records and tape, including new attachment for use with tape recorders.



- | Industrial Audiometry
- | Speech Training Equipment
- | Loop Amplifiers, etc., etc.




Clinical Audiometers

with narrow band masking for the highest accuracy and extended resolution.

Audiometer Booths

for ideal testing conditions in Hospitals, Clinics, Factories. Standard and special sizes available.



PLUS An efficient and speedy **calibration service**


AMPLIVOX LTD

Medical Acoustic
 Division

Please write for technical literature covering your needs

80 New Bond Street London, W1 Tel: HYDe Park 9888

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



'OTOSPORIN'

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' Drops. 'Otosporin' is an aqueous suspension containing neomycin and polymyxin B which are together effective against practically all the bacteria found in ear infections. In addition, it contains hydrocortisone to reduce inflammation and swelling, thereby providing easier access for the antibiotics.

'OTOSPORIN' BRAND Drops ISSUED IN BOTTLES OF 5 ml.



BURROUGHS WELLCOME & CO. (THE WELLCOME FOUNDATION LTD.) LONDON

Please mention *The Journal of Laryngology and Otology* when replying to advertisements