

Index

- $B_{(s)}^0$ - $\bar{B}_{(s)}^0$ mixing, 664
- $1/Q$ correction, 324
- $1/Q^2$ power correction, 329, 336
- $a_0(980)$, 632
- $B \rightarrow K^*\gamma$ process, 641
- $B^*B\pi$ coupling, 649
- $B^* \rightarrow B\gamma$ decay, 649
- B_c semileptonic decay, 650
- CP -violation, 462
- $D^*D\pi$ coupling, 649
- $D^{*0} \rightarrow D^0\gamma$ decay, 649
- $e^+e^- \rightarrow$ hadrons, 23, 259, 272, 292, 294, 296, 317, 321, 333, 358, 513, 533, 550, 557, 588
- $f_0(980)$, 629
- $f_J(1.71)$, 630
- f_π at finite T , 690
- $f_{B(s)}$, 610, 612
- $f_{D(s)}$, 607, 608, 609, 610
- $g_{\omega\rho\pi}$ coupling, 520
- J/ψ radiative decays, 627
- K factor, 220
- $K \rightarrow 2\pi$ decay, 659, 678
- K^+-K^0 mass difference, 588
- $K^0-\bar{K}^0$ mixing, 668
- K_{I3} decay, 420
- L_i -coupling constants, 415, 434, 439, 530
- MS -scheme, 82, 123
- S -matrix approach, 27
- $SU(2)$ breaking, 599
- $SU(3)$ breaking, 594, 598, 609, 610, 618, 643
- $SU(N)_c$ weight factors, 704
- $Z \rightarrow$ hadrons, 262
- $\alpha(M_Z)$, 145
- β function, 96, 99, 100, 108, 291, 321
- $\Delta B = 2$ correlator, 375
- $\Delta I = 1/2$ rule, 372, 662
- $\Delta S = 1$ correlator, 372
- $\Delta S = 2$ correlator, 374
- $\Delta S = 2$ transition, 668
- ϵ'/ϵ , 659, 661, 664, 669
- Γ function, 720
- $\gamma\gamma$ polarized process, 190
- $\gamma\gamma$ scattering, 232, 410
- \overline{MS} -scheme for QED, 131
- \overline{MS} scheme, 105
- \overline{MS} -scheme, 73, 83, 100, 355
- π - π scattering, 411
- $\pi^+-\pi^0$ mass difference, 24, 530
- $\pi^0 \rightarrow \gamma^*\gamma^*$ process, 522
- ρ -meson spectrum at finite T , 691
- $\rho \rightarrow \pi\pi$ form factor, 525
- σ , 622, 625
- σ , 629
- τ anomaly, 144
- τ decay, 23, 109, 263, 271, 296, 323, 343, 533, 557, 588, 589, 676
- τ lepton, 33
- 't Hooft instanton solution, 331
- 't Hooft Veltman regularization (HV), 78
- $G(1.5)$, 624
- 1S mass, 118
- abelian projection, 485
- accelerator, 3
- adjoint representation, 704
- Adler D -function, 127, 261, 317, 322
- Adler sum rule, 185
- Adler-Weisberger sum rule, 17
- Altarelli-Parisi equation, 174, 229
- analytic continuation, 358, 508
- analytic regularization, 76
- anomalous dimension, 96, 99, 100, 103, 104, 111, 122, 164, 171, 172, 291, 293, 386
- anomalous threshold, 518, 652
- anomaly, 96
- astrophysical constants, 703
- astrophysics, 3
- asymptotic, 21, 22, 23, 109, 288, 318, 321, 358
- asymptotic freedom, 38, 106
- atomic number, 218
- axial coupling constant, 437
- axial-anomaly, 236
- axial-vector, 14, 15, 23, 71, 120, 344, 352, 355, 357, 639
- axial-vector correlator, 336, 343, 352
- axial-vector correlator in x -space, 336, 389

- background field method, 91, 94, 96
background gauge, 92
bag constant, 666, 668
bag model, 395
bare quantity, 94
baryon, 10, 31, 292
baryonic correlator, 344, 364
baryons in the large N_c limit, 430
Becchi–Rouet–Stora transformation, 61, 88
Bell–Steinberger Unitarity Constraint, 657
Bell–Bertlmann equivalent potentials, 473
beta function $B(x, y)$, 721
beta-function, 38, 93, 99, 103
BFKL pomeron, 180, 182
big-bang, 3, 682
binding energy, 468
Bjorken limit, 157
Bjorken scaling, 24, 153
Bjorken sum rule, 167, 190, 326
BLM scheme, 125, 258
Bloch–Nordsieck theorem, 242
bootstrap, 27
Borel, 321
Borel integral, 317, 318, 331
Borel integral ambiguity, 317
Borel plane, 318
Borel sum rule, 500
Borel transform, 316, 317
bottom quark, 33
- C parameter, 249
Cabibbo angle, 13
Callan–Gross sum rule, 25, 169
Callan–Symanzik equation, 98
Campbell–Hausdorff formula, 398
canonical commutation relation, 62
Carlson theorem, 163
Cauchy integral, 162, 265, 503, 733
charge, 13
charm quark, 32, 609
charmonium sum rules, 513
chemical potential, 682
chiral limit, 21, 23, 95, 288, 294, 308, 317, 346, 356, 530
chiral logarithms, 415
chiral loops, 414
chiral perturbation theory, 395, 409
chiral symmetry, 14, 15, 16, 21, 71, 288, 291, 308, 333
chiral symmetry restoration, 681, 694
chiral Ward identities, 236
ChPT Lagrangian, 410, 414
chromomagnetic operator, 450, 517
CKM angle, 457, 462, 641, 643, 645, 667
CKM matrix, 33, 702
collinear divergence, 242
color superconducting phase, 681
colour, 33, 35, 252
composite model, 696
composite operator, 91, 93, 153, 160, 188, 290, 716
Compton scattering, 155
- confinement, 34, 339, 405, 484
constituent quark, 11, 25, 436
constituent quark mass, 433
constituent quark model, 34, 432, 436
continuum limit, 397
contour coupling, 268
contour integral, 265
contravariant four-vector, 707
convergent, 21, 609, 612
coordinate space integrals, 733
Cornell potential, 468
correlation, 226
Coulomb potential, 465, 469
counterterm, 83, 86, 94
covariant derivative, 59, 60, 95
covariant four-vector, 707
covariant gauge, 314
covariant quantization, 60
CP violation, 654, 668, 679
CPT invariance, 656
CPT transformations, 710
crossing symmetry, 161
cumulants, 475
current, 13, 287
current algebra, 13, 15, 71, 409
current algebra Ward identity, 18, 20
current commutator, 153
current conservation, 13
- Dalembertian operator, 707
Dashen formula, 696
decay constant, 15, 418, 516, 530, 572, 591, 607, 608, 609, 611, 612, 613, 615, 618, 620
decay rate, 42
deconfinement phase, 681, 694
decoupling theorem, 109
deep-inelastic scattering, 24, 109, 180, 324, 325, 716
detector, 3
dilogarithm function, 728
dilute gas approximation, 333
dimension two, 347, 550
dimension-eight condensate, 555, 677
dimensional reduction, 78
dimensional regularization, 74, 77
dimensional renormalization, 74, 86
Dirac algebra, 306, 711
Dirac equation, 709
Dirac matrices, 82, 119, 709
discretization error, 408
discretized light-cone quantization, 395
dispersion relation, 261, 491, 492, 494
divergence, 70, 607
divergent, 321
divergent series, 315
DMO sum rule, 22, 23, 527, 532, 674, 678
domain walls, 408
down quark, 31
Drell–Yan process, 216, 325
dressed mass, 116
dual-superconductivity, 484

- duality ansatz, 499, 513
duality in Veneziano model, 28
dynamical symmetry breaking, 696
- effective charge, 132
effective charge scheme, 129
effective lagrangian, 411
eightfoldway, 15, 31, 71
eikonal anomalous dimension, 324
electromagnetic, 15, 23, 310, 317, 343, 357, 358
electromagnetic current, 358
electromagnetic form factor, 419
electromagnetic two-point correlator, 309, 343
electron anomaly, 135
electron structure function, 234
electroproduction, 24, 183
end point, 180
energy-energy correlation, 250
energy-momentum tensor, 362, 679
ENJL Lagrangian, 438
equal-time commutator, 15
equivalent photon approximation, 232
Euler constant, 82, 119
Euler-Heisenberg lagrangian, 409
events shape, 249
evolution equation, 175, 178, 229
exclusive decay, 638
- factorization, 221, 229
factorization theorem, 176
Faddeev-Popov, 63, 65
Faddeev-Popov, 60, 87
fermion doubling, 401
Feynman, 290, 291, 298, 304, 305, 306, 309
Feynman diagram, 74, 87, 104
Feynman gauge, 59
Feynman integral, 318, 719
Feynman parametrization, 719
Feynman rules, 65, 93, 95, 714
Feynman rules for background field approach, 717
field strength tensor, 708
Fierz identities, 711
fine structure constant, 135
finite energy sum rule, 430, 503, 613, 668, 693, 696
finite energy sum rule integrals, 733
finite temperature, 682
flavour breaking, 594
flavour breaking of quark condensate, 598
flavour symmetry, 22
Fock-Schwinger, 299, 309
Fock-Schwinger gauge, 299, 308, 314
Fock-Schwinger method, 299, 303, 308
forces in nature, 3
form factor, 518, 638, 639, 640, 641, 643, 644, 645, 646, 647, 648
four-loop expression, 358
four-quark, 97, 288, 293, 294, 296, 297, 301, 307, 308, 310, 344, 632
four-quark condensate, 288, 293, 349, 553, 676
four-quark condensate at finite T , 690
four-quark correlator, 344, 371
four-quark state, 344, 371
fracture function, 190, 229
fragmentation function, 222, 225, 229, 243
fundamental representation, 705
- gap equation, 436
gauge invariance, 58, 101
gauge parameter, 59, 87
gauge-fixing term, 60
Gaussian sum rule, 505
Gell-Mann-Oakes-Renner, 288
Gell-Mann-Okubo mass formula, 413, 422
Gibbs average, 682
GIM mechanism, 33
global duality, 21
global invariance, 70
global symmetry, 70
global transformation, 70
gluon, 35
gluon condensate, 287, 288, 290, 292, 293, 295, 299, 301, 302, 303, 305, 308, 309, 310, 311, 312, 314, 322, 334, 348, 354, 356, 471, 551
gluon condensate at finite T , 690
gluon fields, 60, 91, 104, 286, 287, 299, 301, 305, 307, 308, 309, 310, 314
gluon propagator, 61, 88, 302
gluon spin, 252
gluonia correlator, 344, 378
gluonia decay, 622
gluonia spectra, 621, 622
gluons on the lattice, 397
Goldberger-Treiman relation, 16
Goldstone bosons, 15, 16, 57, 71, 409
Grassmann algebra, 399, 403
Grassmann variable, 403
Green's functions, 48
Gross-Llewellyn Smith sum rule, 187, 326
- hadron, 22, 23, 91, 104, 261, 286, 287, 292, 294, 296, 317, 321, 333, 352, 358
hadron mean squared radius, 651
hadron multiplicity, 226, 253
hadron with charm and beauty, 620
hadronic ansatz to large N_c QCD, 427
hadronic contributions, 137, 141
hadronic correlation, 682
hadrons couplings, 608, 646, 649, 694, 696
hard pomeron, 181, 182
hard thermal loop expansion, 686
harmonic oscillator, 39, 510
heat distribution, 507
heat evolution, 507
heavy baryon, 618
heavy baryon correlator, 367
heavy hybrid correlator, 388
heavy hybrids, 636
heavy ion collisions, 682
heavy meson, 608

- heavy quark, 292, 296, 297, 302, 308, 311, 312, 609, 612, 639
- heavy quark effective theory, 395, 443
- heavy quark expansion, 296
- heavy quark mass, 599, 606, 610, 613
- heavy quark symmetry, 442
- heavy quark two-point correlator, 308
- heavy quarkonia decays, 253, 256
- heavy to light exclusive decay, 638
- heavy-light correlator, 350, 359
- heavy-light meson, 292, 602
- Heisenberg picture, 46
- Higgs-like theories, 339
- high-energy, 21, 321
- high-energy physics, 343, 701
- higher twist, 180
- Hilbert representation, 261, 491
- hot hadronic matter, 684
- HQET Lagrangian, 444
- HQET sum rule, 515
- hybrid correlator, 344, 386
- hybrid sum rule, 639, 640
- hypergeometric function ${}_2F_1(a, b, c; z)$, 722
- imaginary time formalism, 683
- inclusive density, 226
- inclusive process, 221, 225, 229, 256, 271, 272, 458
- incomplete beta function $B_a(x, y)$, 722
- index of divergence, 84
- infrared, 290, 312, 318, 319
- infrared divergence, 77, 241
- instanton, 70, 285, 288, 293, 316, 318, 331, 332, 333, 334, 556, 574
- instanton liquid model, 335
- intensity rule, 218
- invariant mass, 111, 291
- invariant quark condensate, 291
- IR renormalon, 318, 319
- Isgur-Wise function, 452, 518, 645, 647, 648
- Jade algorithm, 251
- jet broadening, 249
- jet cone, 244
- jet finders, 255
- jet shapes, 324
- jets, 31, 35, 241, 246, 252, 255, 324
- kinetic energy, 117, 450, 461, 517
- Kinoshita-Lee-Nauenberg (KLN) theorem, 242
- KSFR relation, 19, 22
- Källén-Lehmann representation, 21, 261, 491
- ladder graph, 177
- Lagrangian, 60, 98
- Landau gauge, 59, 96, 113
- Landau pole, 38, 134, 324, 325
- Laplace operator, 500
- Laplace sum rule, 500, 551, 580, 600, 610, 612, 613, 640, 647, 666, 668, 691
- Laplace sum rule integrals, 732
- large N_c counting rule, 425
- large N_c -limit, 97, 294, 295, 425
- large β -limit, 322
- large-size instanton, 334
- lattice gauge theory, 395, 396
- lattice regularization, 77, 397
- lattice size, 407
- lattice spacing, 397
- lepton anomaly, 135
- lepton-hadron scattering, 153, 160
- Lie algebra, 60, 704
- light baryon, 615
- light baryon correlator, 364
- light baryon coupling, 615
- light baryon mass, 615
- light cone distribution amplitude, 524, 525
- light cone sum rule, 522
- light hybrid correlator, 386
- light hybrids, 634
- light meson, 292, 615
- light meson mass, 615
- light quark, 15, 71, 81, 287, 291, 292, 296, 303, 304, 308, 309, 311, 333, 345, 352, 643
- light quark mass, 574, 580, 587, 590
- light quark mass difference, 578
- light quark mass ratio, 423
- light quark mass-difference, 588
- light-by-light scattering, 141
- light-cone expansion, 158
- light-cone singularity, 152
- local duality, 506, 614
- local symmetry, 57
- logarithmic integrals, 729
- low-energy couplings, *see* L_i -coupling constants 415
- low-energy theorem, 622, 624
- lowest meson dominance model, 431
- Luke's theorem, 455
- magic moments, 512
- mass anomalous dimension, 99
- mass correction, 531
- mass singularity, 290, 297, 312, 348
- mass-splitting, 258, 292, 451, 472, 534, 552, 621
- massive integrals, 726
- massless integrals, 722, 724, 727
- matching condition, 109, 456, 528
- matching the heavy and light quark, 311
- Matsubara representation, 683
- Mellin transform, 163, 170, 175
- meson, 10, 15, 22, 23, 31, 71, 344, 607, 608, 609, 610, 611, 612, 613, 638, 639, 645
- meson-gluonium mixing, 380, 381, 383, 631, 632
- meson-quark mass gap, 516
- mixed quark-gluon condensate, 288, 292, 297, 301, 306, 307, 308, 348, 348, 356, 553, 617
- mixing angle, 608, 647
- mixing of scalar mesons, 628
- moment sum rules, 160, 162, 232, 240, 499, 601, 666
- momenta, 707
- moments, 171

- momentum integral, 79
 momentum subtraction scheme, 124
 monopole, 339, 484
 muon anomaly, 136
 muon-electron mass ratio, 148
 muon-electron ratio of magnetic moments, 148
 Muonium hyperfine splitting, 146
- Nachtmann variable, 180
 Nambu–Goldstone, 13, 15, 16, 57, 71
 Nambu–Jona–Lasinio model, 434
 narrow-width approximation, 22
 naïve dimensional regularization (NDR), 77
 neutrino scattering, 185
 neutron electric dipole moment, 695
 Noether current, 14, 71
 non-abelian chiral anomaly, 416
 non-factorizable corrections, 666
 non-Landau pole, 644
 non-normal ordered, 347, 595, 599
 non-normal ordered condensate, 291, 292, 297, 347, 348, 349, 353
 non-singlet, 164, 167, 169, 174, 326
 non-singlet form factor, 237
 non-relativistic aspects of QCD, 39
 non-relativistic effective theories, 479
 non-relativistic limit, 466
 non-relativistic pole mass, 117
 non-relativistic sum rules, 501, 511
 normal ordered, 152, 356, 594
 normal ordered condensate, 292, 301, 312
- on-shell scheme, 132
 operator mixing, 294, 362
 Operator Product Expansion (OPE), 151, 233, 287, 291, 296, 297, 298, 308, 313, 352, 609, 610, 612
 optical theorem, 23, 155
 optimization criteria, 509
 ordinary pomeron, 182
 OZI rule, 188, 191, 240, 256, 624
- particle physics, 3
 parton model, 24, 153, 174, 217, 227, 235, 264
 path integral, 45, 50, 63
 Pauli–Villars regularization, 76, 289
 PCAC, 13, 15, 16, 71, 288, 291, 410, 594
 penguin operator, 669
 phase transition, 334
 photon structure function, 233
 physical constants, 701
 pion decay constant, 15
 pion-sigma term, 19
 planar diagram, 29
 plane wave method, 313, 314
 plaquette, 398
 PMS optimization scheme, 127
 polarizations, 710
 polarized deep-inelastic scattering, 188
 polarized parton density, 177
 polarized target, 177
- pole mass, 112, 327, 349, 497, 602, 604, 644
 pole mass difference, 117
 pomeron, 180, 181, 182, 185
 potential approaches, 464
 potential model, 39, 395, 468
 power corrections, 285, 287, 324, 336, 531
 power counting rules, 84
 pre-QCD era, 10
 prompt photon, 221
 propagator, 65, 715
 proper vertex, 188
 proton structure function, 24
 pseudorapidity, 255
 pseudoscalar, 81, 96, 304, 333, 344, 345, 347, 349, 352, 551, 574, 591, 607, 639
 pseudoscalar correlator, 336, 345, 361
 pseudoscalar correlator in x -space, 336, 390
 pseudoscalar current, 118, 345
 pseudoscalar gluonia correlator, 378
 pseudoscalar gluonium, 632
 pseudoscalar sum rule, 580
 pseudoscalar two-point correlator, 81, 118, 290, 303, 343
- QCD condensate, 266, 287, 296, 337, 496, 497, 550
 QCD continuum, 499
 QCD coupling, 103, 109, 185, 231, 252, 258, 269, 343, 404, 497, 533
 QCD effective action, 395, 424, 433
 QCD Lagrangian, 60
 QCD Lagrangian counterterms, 86
 QCD phase, 681
 QCD scale Λ , 106
 QCD spectral sum rule, 258, 285, 343, 489, 665
 QCD story, 31
 QCD tests, 252
 QED Lagrangian, 58, 131
 QED low-energy tests, 135
 QED running coupling, 145
 quantization, 50, 53, 63, 68
 quantum number, 10, 32
 quark, 3, 10, 31, 34
 quark charge, 32
 quark condensate, 15, 287, 288, 290, 291, 294, 297, 301, 304, 307, 308, 310, 311, 312, 314, 333, 343, 347, 354, 436, 551, 572, 578, 585, 612, 639, 643
 quark condensate at finite T , 686
 quark family, 33
 quark fields, 21, 299, 301, 304, 305, 306, 307, 314
 quark flavour, 32
 quark mass, 31, 87, 100, 111, 287, 291, 292, 296, 297, 302, 308, 312, 343, 347, 348, 352, 355, 357, 572, 610, 612, 613, 641, 645
 quark mass correction, 343, 347, 353, 356
 quark mass ratio, 413, 421
 quark model, 10
 quark on the lattice, 399
 quark propagator, 81, 95, 119, 302, 303, 305, 308
 quark-gluon plasma (QGP), 681

- quark-hadron duality, 22, 521, 653
 quenched approximation, 407
- rapidity variable, 221
 ratio of moments, 501
 Regge limit, 181
 Regge poles, 27
 Regge trajectories, 27
 regularization, 76, 77, 98, 289, 312
 renormalizability, 84, 89
 renormalization constants, 87
 Renormalization Group Equation (RGE), 99, 102, 104, 105, 118, 121, 122, 164, 290, 291, 294
 Renormalization Group Invariant (RGI), 107, 109, 317, 668
 renormalization of operators, 91
 renormalization scheme, 98, 109
 renormalon, 268, 285, 287, 288, 290, 315, 316, 317, 318, 320, 321, 324
 residual mass, 118
 residual mass term, 449
 retarded correlator, 682
 Richardson potential, 468
 Riemann function, 720
 running coupling, 106, 109, 270, 317, 358
 running gauge, 110
 running mass, 111, 287, 497, 601, 604
- scalar, 60, 305, 307, 344, 345, 347, 348, 350, 352, 593
 scalar correlator, 336, 343, 345, 361
 scalar correlator in x -space, 336, 390
 scalar current, 345
 scalar field theory, 288
 scalar gluonia correlator, 381
 scalar Lagrangian, 288
 scalar mesons, 628
 scalar product, 707
 scalar sum rule, 587, 597
 scaling violation, 169
 Schrödinger equation, 464
 Schrödinger picture, 46
 Schwinger interpolating formula, 601
 Schwinger representation, 719
 semi-inclusive polarized process, 190
 semileptonic decay, 452, 620, 638, 641, 643, 650
 short-distance, 496
 singlet, 170, 175
 singlet form factor, 239
 Skyrme model, 395
 Skyrme parameter, 431
 Slavnov-Taylor identities, 61, 83, 88
 slope of the topological susceptibility, 188
 small-size instanton, 334
 soft divergence, 242
 soft gluon, 241
 soft photon theorem, 13
 soft pion techniques, 22, 673
 soft pion theorem, 13, 16, 17, 19
 soft pomeron, 181, 182
- space-time coordinate, 707
 spectral function, 21, 22, 23, 120, 264, 343, 349, 350, 357, 358, 491
 spectral representation, 519
 spectral sum rules beyond QCD, 696
 spectroscopy, 615
 sphericity, 247
 spin crisis, 188
 spin of the photon, 232, 235
 splitting function, 175, 178, 235
 static limit, 612, 613
 static potential, 465, 477
 stochastic vacuum model, 395, 474
 strange quark, 31
 strange quark mass, 273, 588
 string tension, 34, 406
 strong coupling, 405
 strong interaction, 696
 structure function, 156, 162, 163, 164, 174, 175, 183, 189, 326
 subtraction constant, 594, 597
 superconvergent sum rules, 21, 609
 superficial degree of divergence, 84, 104
 superfield, 78
 supersymmetry, 176
 SVZ expansion, 266, 287, 288, 289, 290, 302, 496
 SVZ expansion: beyond, 329
- tachyonic gluon, 360
 tachyonic gluon mass, 329, 384, 550, 574
 target mass correction, 180
 Taylor expansion, 300, 301, 302, 304, 305
 telescope, 3
 tensor gluonium, 631
 tensor gluonium correlator, 383
 tensor-quark correlator, 344, 362
 thermal QCD, 681
 three-gluon condensate, 555
 three-loop expression, 108, 346, 353
 three-point function, 303, 638, 639, 668
 threshold, 261, 610, 644, 646, 696
 thrust, 247, 324
 time-ordered product, 41, 151
 top quark, 33
 topological charge, 97, 189, 235, 333
 topological susceptibility, 188
 totally anti-symmetric tensor, 713
 transition matrix, 45
 tri- and di-gluonium mixing, 382
 tri-gluonium correlator, 382
 triple gluon condensate, 293, 308, 310, 356
 twist, 158, 159, 524
 two-loop expression, 345, 346, 349, 352, 357, 646
 two-point function, 105, 287, 341, 352, 639, 668, 684
 two-point function in x -space, 389
- ultraviolet, 289, 321
 ultraviolet divergence, 77
 universe, 3

- up quark, 31
- UV fixed point, 106
- UV renormalon, 321

- vacuum polarization, 133
- vacuum saturation, 294, 295, 308, 338, 349, 678
- vector, 14, 15, 23, 71, 344, 352, 357, 645, 646, 649
- vector correlator, 336, 343, 352, 360
- vector correlator in x -space, 336, 389
- vector current, 312
- vector spectral function, 357
- Veneziano amplitude, 28
- Veneziano model, 27
- vertex, 66, 715
- vertex sum rule, 518, 638, 647, 649

- Ward identity, 15, 120, 290, 347, 352, 594
- weak coupling, 404
- wee hadrons, 34
- Wegner–Wilson action, 397
- Wegner–Wilson loop, 398, 405, 476
- Weinberg renormalization scheme, 125
- Weinberg sum rule, 21, 22, 23, 428, 527, 531
- Weinberg’s theorem, 104
- Weyl fermion, 176
- Wick or normal ordered product, 40
- Wick’s rotation, 79
- Wick’s theorem, 40, 151, 291, 297, 304, 305, 306, 307, 355
- Wigner–Weyl, 15, 71
- Wilson coefficient, 164, 167, 229, 287, 289, 299, 301, 302, 303, 304, 311, 312, 313, 314, 343, 352, 496, 644
- Wilson fermion, 401
- Wilson loop, 405
- Wolfenstein parametrization, 703

- Yang–Mills, 60, 332, 334

- zeta prescription, 508

