

MATHEMATICAL PROCEEDINGS

(formerly Proceedings)

*of the
Cambridge Philosophical Society*

VOLUME 106




CAMBRIDGE UNIVERSITY PRESS

Cambridge

New York Port Chester Melbourne Sydney

1989



Published by the Press Syndicate of the University of Cambridge

The Pitt Building, Trumpington Street, Cambridge CB2 1RP

40 West 20th Street, New York, NY 10011, USA

10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© The Cambridge Philosophical Society 1989

Printed in Great Britain by the University Press, Cambridge

INDEX

	PAGE
Abe, K. & Magid, M. A. Indefinite rigidity of complex submanifolds and maximal surfaces	481
Aldous, D. Hitting times for random walks on vertex-transitive graphs	179
Angell, T. S., Colton, D. L. & Kress, R. Far field patterns and inverse scattering problems for imperfectly conducting obstacles	553
Baker, A. & Würfler, U. Liftings of formal groups and the Artinian completion of v_n^{-1} BP .	511
Bedford, T. On Weierstrass-like functions and random recurrent sets	325
Benson, D. Cyclic homology and path algebra resolutions	57
Bochnak, J. & Kucharz, W. K -theory of real algebraic surfaces and threefolds	471
Bruce, J. W. Geometry of singular sets	495
Bushell, P. J. & Okrasinski, W. Uniqueness of solutions for a class of non-linear Volterra integral equations with convolution kernel	547
Cohen, S. D. The function field abstract prime number theorem	7
Colton, D. L., Kress, R. & Angell, T. S. Far field patterns and inverse scattering problems for imperfectly conducting obstacles	553
Cutland, N. J. The Brownian bridge as a flat integral	343
Curtis, R. T. Natural constructions of the Mathieu groups	423
Fennessey, E. J. & Pride, S. J. Equivalences of two-complexes, with applications to NEC- groups	215
Flach, M. Periods and special values of the hypergeometric series	389
Flegman, A. M. The parallel rank of a submanifold of Euclidean space	89
Friedman, Y. & Russo, B. Affine structure of facially symmetric spaces	107
Gabardo, J.-P. Tempered distributions with spectral gaps	143
Garling, D. J. H. & Tomczak-Jaegermann, N. RUC-systems and Besselian systems in Banach spaces.	163
Gilchrist, M. Non-commutative Noetherian unique factorization domains often have stable range one.	229
Goldie, C. M. Records, permutations and greatest convex minorants	169
Gray, B. & Ray, N. Splitting CP^∞ and BZ/p^n into Thom spectra	263
Hall, P. & Welsh, A. H. Influence of design on the rate of convergence to normality in L_1 regression	355
Hennings, M. A. A different approach to unbounded operator algebras	125
Higgs, R. J. Groups whose projective characters are Galois conjugate	193
Huckaba, S. On complete d -sequences and the defining ideals of Rees algebras	445
Huebschmann, J. Change of rings and characteristic classes.	29
Iochum, B., Loupias, G. & Rodriguez-Palacios, A. Commutativity of C^* -algebras and associativity of JB^* -algebras	281
Ko, K. H. A Seifert-matrix interpretation of Cappell and Shaneson's approach to link cobordisms	531
Kress, R., Angell, T. S. & Colton, D. L. Far field patterns and inverse scattering problems for imperfectly conducting obstacles	553
Kříž, I. Proving a witness lemma in better-quasiordering theory: the method of 'extensions'. .	253
Kucharz, W. & Bochnak, J. K -theory of real algebraic surfaces and threefolds	471
Litherland, R. A. The Alexander module of a knotted theta-curve	95
Longobardi, P., Maj, M. & Rhemtulla, A. Periodic groups with permutable subgroup products	431

Loupias, G., Rodriguez-Palacios, A. & Iochum, B. Commutativity of C^* -algebras and associativity of JB^* -algebras	281
Lubotzky, A. & Mann, A. Residually finite groups of finite rank	385
McCool, J. A faithful polynomial representation of $\text{Out } F_3$	207
McKay, B. D. On the shape of a random acyclic digraph	459
Maddox, I. J. A Tauberian theorem for statistical convergence	277
Magid, M. A. & Abe, K. Indefinite rigidity of complex submanifolds and maximal surfaces .	481
Maj, M., Rhemtulla, A. & Longobardi, P. Periodic groups with permutable subgroup products	431
Mann, A. & Lubotzky, A. Residually finite groups of finite rank	385
Mingo, J. A. Completely positive maps which are compact from L^∞ to L^1	313
Müller, G. Deformations of reductive group actions	77
Müller, W. The mean square of the Dedekind zeta function in quadratic number fields .	403
Murasugi, K. & Przytycki, J. H. The skein polynomial of planar star product of two links	273
Neville, C. W. Flat $C(X)$ -modules and F spaces	237
Okrasinski, W. & Bushell, P. J. Uniqueness of solutions for a class of non-linear Volterra integral equations with convolution kernel	547
Packer, J. A. & Raeburn, I. Twisted crossed products of C^* -algebras	293
Pakes, A. G. The Markov branching process with density-independent catastrophes. II. The subcritical and critical cases	369
Phoa, W. Relative computability in the effective topos	419
Powell, W. B. & Tsinakis, C. The failure of the amalgamation property for representable varieties of l -groups	439
Pride, S. J. & Fennessey, E. J. Equivalences of two-complexes, with applications to NEC-groups	215
Przytycki, J. H. & Murasugi, K. The skein polynomial of planar star product of two links .	273
Raeburn, I. & Packer, J. A. Twisted crossed products of C^* -algebras	293
Ray, N. & Gray, B. Splitting $\mathbb{C}P^\infty$ and $B\mathbb{Z}/p^n$ into Thom spectra	263
Rhemtulla, A., Longobardi, P. & Maj, M. Periodic groups with permutable subgroup products	431
Rickard, J. & Schofield, A. Cocovers and tilting modules	1
Rodriguez-Palacios, A., Iochum, B. & Loupias, G. Commutativity of C^* -algebras and associativity of JB^* -algebras	281
Russo, B. & Friedman, Y. Affine structure of facially symmetric spaces	107
Schofield, A. & Rickard, J. Cocovers and tilting modules	1
Segal, D. On the automorphism groups of certain Lie algebras	67
Stöhr, R. On elements of order four in certain free central extensions of groups	13
Tomczak-Jaegermann, N. & Garling, D. J. H. RUC-systems and Besselian systems in Banach spaces.	163
Tsinakis, C. & Powell, W. B. The failure of the amalgamation property for representable varieties of l -groups	439
Welsh, A. H. & Hall, P. Influence of design on the rate of convergence to normality in L_1 regression	355
Würgler, U. & Baker, A. Liftings of formal groups and the Artinian completion of $v_\pi^{-1}\text{BP}$.	511
Ying, M. S. On a class of non-causal triangle functions	467
Zamfirescu, T. Description of most starshaped surfaces	245
Zannier, U. On a theorem of Birch concerning sums of distinct integers taken from certain sequences	199

The attention of authors is particularly directed to the following requests.

1. Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. Two clear copies should be sent.

A cover page should give the title, the author's name and institution, with the address at which mail is to be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas *Some applications of a theorem of G. H. Hardy* would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp\{z^2 \sin \theta / (1 + y^2)\}$$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlinings. Bold faced type is shown by wavy underlining; wavy will be printed **wavy**.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.
The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O , o , O , 0 ; x , X , \times ; ϕ , Φ , \emptyset ; l , 1 ; ϵ , \in ; κ , k .

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign \square may be used.

Footnotes should be avoided.

3. Diagrams

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or green-lined graph paper, or tracing cloth or paper. *Symbols, legends and captions should be given on a transparent overlay*. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams re-drawn, provided that they are clear.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

- [1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. *Ann. of Math.* (2) 72 (1960), 20–104.
- [2] M. P. FOURMAN and D. S. SCOTT. Sheaves and logic. In *Applications of Sheaves*, Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302–401.
- [3] P. T. JOHNSTONE. *Stone Spaces*. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).
- [4] F. W. LAWVERE. Functorial semantics of algebraic theories. Ph.D. thesis, Columbia University (1963).

*Mathematical Proceedings of
the Cambridge Philosophical Society*

MPCPCO 106 (Pt 3) 385-576 (1989) 0305-0041 November 1989

CONTENTS

	PAGE
LUBOTZKY, ALEXANDER & MANN, AVINOAM. Residually finite groups of finite rank	385
FLACH, MATTHIAS. Periods and special values of the hypergeometric series	389
MÜLLER, WOLFGANG. The mean square of the Dedekind zeta function in quadratic number fields	403
PHOA, WESLEY. Relative computability in the effective topos	419
CURTIS, R. T. Natural constructions of the Mathieu groups	423
LONGOBARDI, PATRIZIA, MAJ, MERCEDE & RHEMTULLA, AKBAR. Periodic groups with permutable subgroup products	431
POWELL, WAYNE B. & TSINAKIS, CONSTANTINE. The failure of the amalgamation property for representable varieties of l -groups	439
HUCKABA, SAM. On complete d -sequences and the defining ideals of Rees algebras	445
McKAY, BRENDAN D. On the shape of a random acyclic digraph	459
YING, M. S. On a class of non-causal triangle functions	467
BOCHNAK, J. & KUCHARZ, W. K -theory of real algebraic surfaces and threefolds	471
ABE, KINETSU & MAGID, MARTIN A. Indefinite rigidity of complex submanifolds and maximal surfaces	481
BRUCE, J. W. Geometry of singular sets	495
BAKER, ANDREW & WÜRGLER, URS. Liftings of formal groups and the Artinian completion of $v_n^{-1}BP$	511
KO, KI HYOUNG. A Seifert-matrix interpretation of Cappell and Shaneson's approach to link cobordisms	531
BUSHELL, P. J. & OKRASINSKI, W. Uniqueness of solutions for a class of non-linear Volterra integral equations with convolution kernel	547
ANGELL, T. S., COLTON, DAVID & KRESS, RAINER. Far field patterns and inverse scattering problems for imperfectly conducting obstacles	553

© The Cambridge Philosophical Society 1989

CAMBRIDGE UNIVERSITY PRESS

THE PITT BUILDING, TRUMPINGTON STREET, CB2 1RP

40 WEST 20TH STREET, NEW YORK, NY 10011, USA

10 STAMFORD ROAD, OAKLEIGH, MELBOURNE 3166, AUSTRALIA

Price £21.50 net (USA and Canada US \$52.00)

Subscription price £60.50 per volume (£121.00 per annum) net post free

(US \$132.50 per volume (US \$265 per annum) in USA and Canada)

Printed in Great Britain by the University Press, Cambridge