



JOURNAL OF PALEONTOLOGY

THE PALEONTOLOGICAL SOCIETY
MEMOIR 1

Articulate Brachiopods of the St. Clair Limestone (Silurian),
Arkansas, and the Clarita Formation (Silurian), Oklahoma

THOMAS W. AMSDEN



EDITOR
MEMOIR SERIES

PATRICK K. SUTHERLAND, School of Geology, University of Oklahoma, Norman, Oklahoma 73069.

Memoirs of the Paleontological Society are made up of occasional publications consisting of monographs and symposia that are too long for publication in the JOURNAL OF PALEONTOLOGY. Initially, memoirs will be distributed as a supplement to a regular issue of the JOURNAL. Inquiries concerning submittal of manuscripts to be considered for publication in this series should be made to the editor well in advance of proposed submittal date. Inquirers should read the inside-back cover for instructions on preparation of manuscripts and on publication charges.

Communications about the cost and availability of back numbers should be addressed to the Society of Economic Paleontologists and Mineralogists, P. O. Box 979, Tulsa, Oklahoma 74101.

OFFICERS OF THE PALEONTOLOGICAL SOCIETY

For the year ending November 1968

President

ALAN B. SHAW, Tulsa, Oklahoma

Vice-President

DIGBY J. McLAREN, Calgary, Canada

Secretary

R. L. LANGENHEIM, Urbana, Illinois

Treasurer

BERNHARD KUMMEL, Cambridge, Massachusetts

Editors, Journal of Paleontology

PORTER M. KIER, Washington, D. C.
WILLIAM A. OLIVER, JR., Washington, D. C.

Editor, Memoir Series

PATRICK K. SUTHERLAND, Norman, Oklahoma

Past-Presidents

ERWIN C. STUMM, Ann Arbor, Michigan
J. WYATT DURHAM, Berkeley, California
HARRY B. WITTINGTON, Cambridge, England

*Chairman, Pacific Coast Section
(Until March 1969)*

WARREN O. ADDICOTT, Menlo Park, California

GEORGE BANTA COMPANY, INC., MENASHA, WISCONSIN

THE PALEONTOLOGICAL SOCIETY
MEMOIR 1

ARTICULATE BRACHIOPODS OF THE ST. CLAIR LIMESTONE
(SILURIAN), ARKANSAS, AND THE CLARITA FORMATION
(SILURIAN), OKLAHOMA

THOMAS W. AMSDEN
Oklahoma Geological Survey, Norman

May, 1968

CONTENTS

ABSTRACT	1
INTRODUCTION	1
ACKNOWLEDGMENTS	2
ST. CLAIR LIMESTONE	3
Previous investigations	3
Lithologic character	4
Thickness and distribution	5
Strata underlying the St. Clair Limestone	6
Strata overlying the St. Clair Limestone	7
St. Clair brachiopod fauna from the Batesville district	7
St. Clair brachiopod fauna from Searcy County	11
General composition of the St. Clair articulate brachiopod fauna	11
CLARITA FORMATION	13
CLARITA FORMATION, FITZHUGH MEMBER	14
Lithologic character	14
Distribution and thickness	15
Strata underlying the Clarita Formation	15
Strata overlying the Fitzhugh Member	16
Fitzhugh brachiopod fauna	16
Brachiopods of the <i>Eospirifer</i> beds	18
Brachiopods of the <i>Placotriplezia</i> beds	18
ST. CLAIR-CLARITA BRACHIOPOD FAUNAS	20
Local biostratigraphic relationships	20
Affinities of the St. Clair-Clarita brachiopod faunas	21
Correlation and age	21
SYSTEMATIC PALEONTOLOGY	23
Genus <i>Orthostrophella</i> , new genus	23
<i>Orthostrophella clairensis</i> (Thomas)	25
Genus <i>Dolerorthis</i>	27
" <i>Dolerorthis</i> " <i>nanella</i> , new species	27
<i>Dolerorthis</i> ? sp.	28
Genus <i>Resserella</i>	29
<i>Resserella</i> sp.	29
Genus <i>Dicoelosia</i>	29
<i>Dicoelosia bilobella</i> , new species	29
Genus <i>Onychotreta</i>	34
<i>Onychotreta</i> (<i>Onychotreta</i>)	34
<i>Onychotreta</i> (<i>O.</i>) <i>mesleri</i> Ulrich & Cooper	35
<i>Onychotreta</i> (<i>O.</i>) <i>multiplicata</i> Ulrich & Cooper	35
<i>Onychotreta</i> (<i>O.</i>) <i>angustata</i> Ulrich & Cooper	36
<i>Onychotreta</i> (<i>O.</i>) <i>miseri</i> Ulrich & Cooper	36
<i>Onychotreta</i> (<i>Eilotreta</i>), new subgenus	36
<i>Onychotreta</i> (<i>E.</i>) <i>lenta</i> (Thomas)	36
<i>Onychotreta</i> (<i>Lissotreta</i>), new subgenus	37
<i>Onychotreta</i> (<i>L.</i>) <i>plicata</i> Ulrich & Cooper	37
Genus <i>Brachymimulus</i>	37
<i>Brachymimulus americanus</i> Ulrich & Cooper	37
? <i>Brachymimulus elongatus</i> Ulrich & Cooper	38
Genus <i>Streptis</i>	39
<i>Streptis glomerata</i> Ulrich & Cooper	39
Genus <i>Oxoplecia</i>	39
<i>Oxoplecia infrequens</i> Ulrich & Cooper	39
Genus <i>Placotriplezia</i> , new genus	40
<i>Placotriplezia praecipta</i> (Ulrich & Cooper)	40
<i>Placotriplezia juvenis</i> (Ulrich & Cooper)	42
Genus <i>Parastrophinella</i>	42
<i>Parastrophinella lepida</i> (Thomas)	42
Genus <i>Boucotides</i> , new genus	44
<i>Boucotides barrandi</i> , new species	45
Genus <i>Antirhynchonella</i>	45
<i>Antirhynchonella thomasi</i> , new species	45
Genus <i>Leangella</i>	48
<i>Leangella</i> (<i>Opikella</i>), new subgenus	48
<i>Leangella</i> (<i>O.</i>) <i>dissitico Stella</i> , new species	48
Genus <i>Plectodonta</i>	51
<i>Plectodonta</i> ? sp.	51
Genus <i>Shaleria</i>	51
<i>Shaleria</i> ? sp. A	51
<i>Shaleria</i> ? sp. B	52
<i>Shaleria</i> ? sp. C	52

Genus <i>Cymostrophia</i>	52
" <i>Cymostrophia</i> " (<i>Idioglyptus</i> ?) sp.	52
Genus <i>Lissostrophia</i>	53
<i>Lissostrophia</i> ? sp.	53
Genus <i>Amphistrophia</i>	53
<i>Amphistrophia</i> sp.	53
Genus <i>Leptaena</i>	54
<i>Leptaena</i> sp.	54
Genus <i>Strophochonetes</i>	54
<i>Strophochonetes</i> sp.	54
Genus <i>Dictyonella</i>	55
<i>Dictyonella</i> sp.	55
Genus <i>Ancillotoechia</i>	55
<i>Ancillotoechia marginata</i> (Thomas)	55
Genus <i>Virginiata</i> , new genus	56
<i>Virginiata arkansana</i> (Thomas)	57
Genus <i>Hircinisca</i>	60
<i>Hircinisca havliceki</i> , new species	60
Genus <i>Stegerhynchus</i>	61
<i>Stegerhynchus claritense</i> , new species	61
Genus <i>Plicocyrta</i>	63
<i>Plicocyrta arkansana</i> , new species	63
Genus <i>Eospirifer</i>	64
<i>Eospirifer acutolineatus acutolineatus</i> , new species and subspecies	64
<i>Eospirifer acutolineatus pentagonus</i> , new species and subspecies	69
Genus <i>Howellella</i>	70
<i>Howellella splendens</i> (Thomas)	70
Genus <i>Kozlowskiellina</i>	72
<i>Kozlowskiellina</i> (<i>Kozlowskiellina</i>) <i>vaningeni</i> (Thomas)	72
Genus <i>Atrypa</i>	75
<i>Atrypa</i> sp.	75
Genus <i>Plectatrypa</i>	75
<i>Plectatrypa arctoimbricata</i> , new species	75
Genus <i>Atrypina</i>	77
<i>Atrypina erugata</i> , new species	77
Genus <i>Nanospira</i>	78
<i>Nanospira clarensis</i> (Thomas)	79
Genus <i>Meristina</i>	82
<i>Meristina clarensis</i> , new species	82
<i>Meristina claritensis</i> , new species	83
Genus <i>Dicamaropsis</i> , new genus	85
<i>Dicamaropsis parva</i> (Thomas)	86
Genus <i>Merista</i>	88
Genus <i>Nucleospira</i>	89
<i>Nucleospira raritas</i> ? Amsden	89
Genus <i>Homoeospirella</i> , new genus	90
<i>Homoeospirella costatula costatula</i> , new species and subspecies	92
<i>Homoeospirella costatula arkansana</i> , new species and subspecies	94
<i>Homoeospirella pygmaea</i> , new species	94
Genus <i>Cliftonia</i>	95
<i>Cliftonia bellula</i> Ulrich & Cooper	95
REFERENCES	95
PLATES	Between pages 100 and 101
APPENDIX	101
INDEX	114

TEXT-FIGURES

1. Location map, Oklahoma and Arkansas	1
2. Silurian-Early Devonian correlation chart, Oklahoma and Arkansas	2
3. St. Clair outcrop map, Batesville district, Arkansas	3
4. St. Clair Limestone and Cason Shale, Cason mine, Batesville district, Arkansas	5
5. St. Clair Limestone and Cason Shale, Love Hollow quarry, Batesville district, Arkansas	6
6. St. Clair Limestone and Penters Chert, St. Clair quarry, Batesville district, Arkansas	8
7. St. Clair brachiopod distribution chart, Arkansas and Oklahoma	9
8. Distribution of St. Clair brachiopods by superfamilies	13
9. Map of Clarita outcrops, Arbuckle Mountain region and Criner Hills, Oklahoma	14
9A. Chart of Silurian formations and members, Arbuckle Mountains and Criner Hills, Oklahoma	15
10. Clarita Formation, Fitzhugh Member, Oklahoma	16
11. Geologic map showing distribution of Silurian formations, Lawrence uplift, Arbuckle Mountain region, Oklahoma	17
12. Distribution chart of brachiopods from <i>Eospirifer</i> beds, Fitzhugh Member, Clarita Formation	19

13. Distribution chart of brachiopods from <i>Placotriplezia</i> beds, Fitzhugh Member, Clarita Formation ...	20
14. Range chart of Middle Silurian to Lower Devonian brachiopod genera, Oklahoma and Arkansas ...	20
..... opposite page	20
15. <i>Orthostrophella</i> and <i>Orthostrophia</i> , range chart	24
16. <i>Orthostrophella clairensis</i> , St. Clair Limestone, costellae-spacing frequency diagram	25
17. " <i>Dolerorthis</i> " <i>nanella</i> , serial sections	28
18. <i>Dicoelosia bilobella</i> , <i>D. biloba</i> , and <i>D. oklahomensis</i> , scatter diagram of length-width ratios	30
19. <i>Dicoelosia bilobella</i> , <i>D. biloba</i> , and <i>D. oklahomensis</i> , scatter diagram of maximum length midline-length relationships	31
20. <i>Dicoelosia bilobella</i> , serial sections	31
21. <i>Dicoelosia</i> , range chart of species	33
22. <i>Brachymimulus americanus</i> , serial sections of pedicle valve	38
23. <i>Placotriplezia praecipta</i> , St. Clair Limestone, serial sections	40
24. <i>Placotriplezia praecipta</i> , Clarita Formation, serial sections	41
25. <i>Parastrophinella lepida</i> , St. Clair Limestone, serial sections of pedicle valve	43
26. <i>Parastrophinella lepida</i> , St. Clair Limestone, serial sections of brachial valve	43
27. <i>Parastrophinella lepida</i> , Clarita Formation, serial sections	44
28. <i>Boucotides barrandei</i> , serial sections of brachial valve	45
29. <i>Boucotides barrandei</i> , profile of pedicle valve	45
30. <i>Antirhynchonella thomasi</i> , scatter diagram of length-width ratios	46
31. <i>Antirhynchonella thomasi</i> , St. Clair Limestone, serial sections of pedicle valve	47
32. <i>Antirhynchonella thomasi</i> , Clarita Formation, serial sections	48
33. <i>Leangella (Opikella) dissiticostella</i> , serial sections	49
34. <i>Leangella (Opikella) dissiticostella</i> , serial sections	50
35. <i>Plectodonta</i> ? sp., profile	51
36. <i>Amphistrophia</i> sp., profile of pedicle valve	53
37. <i>Virginiaata arkansana</i> and <i>Ancillotoechia marginata</i> , scatter diagram of length-width ratios	56
38. <i>Ancillotoechia marginata</i> , serial sections of pedicle valve	57
39. <i>Ancillotoechia marginata</i> , serial sections of brachial valve	57
40. <i>Ancillotoechia marginata</i> and <i>Virginiaata arkansana</i> , frequency diagram of costellae spacing	58
41. <i>Virginiaata arkansana</i> , St. Clair and Clarita Formations, frequency diagram of costellae spacing	58
42. <i>Virginiaata arkansana</i> , transverse section	59
43. <i>Virginiaata arkansana</i> , St. Clair Limestone, serial sections	59
44. <i>Virginiaata arkansana</i> , Clarita Formation, serial sections	59
45. <i>Hircinisca havliceki</i> , scatter diagram of length-width ratios	61
46. <i>Hircinisca havliceki</i> , serial sections	62
47. <i>Stegerhynchus claritense</i> , serial sections	62
48. <i>Plicocyrtia arkansana</i> , serial sections	63
49. <i>Eospirifer acutolineatus acutolineatus</i> and <i>Eospirifer acutolineatus pentagonus</i> , scatter diagram of length-width ratios	65
50. <i>Eospirifer acutolineatus acutolineatus</i> , <i>Eospirifer acutolineatus pentagonus</i> , and <i>Eospirifer radiatus</i> , frequency diagram of length (pedicle valve)-width ratios	66
51. <i>Eospirifer acutolineatus acutolineatus</i> and <i>Eospirifer acutolineatus pentagonus</i> , frequency diagram of capillae spacing	67
52. <i>Eospirifer acutolineatus acutolineatus</i> and <i>Eospirifer acutolineatus pentagonus</i> , frequency diagram of pedicle-length/brachial-length ratios	67
53. <i>Eospirifer acutolineatus acutolineatus</i> and <i>Eospirifer acutolineatus pentagonus</i> , frequency diagram of pedicle-length/hinge-width ratios	68
54. <i>Howellella splendens</i> , scatter diagram of length-width ratios	71
55. <i>Howellella splendens</i> , serial sections of pedicle valve	71
56. <i>Kozlowskiellina (K.) vaningeni</i> , scatter diagram of length-width ratios	72
57. <i>Kozlowskiellina (K.) vaningeni</i> , St. Clair Limestone, serial sections of pedicle valve	73
58. <i>Kozlowskiellina (K.) vaningeni</i> , St. Clair Limestone, serial sections of brachial valve	74
59. <i>Kozlowskiellina (K.) vaningeni</i> ?, Clarita Formation, serial sections of pedicle valve	74
60. <i>Plectatrypa acutoimbricata</i> , scatter diagram of length-width ratios	76
61. <i>Plectatrypa acutoimbricata</i> , serial sections	76
62. <i>Atrypina erugata</i> , scatter diagram of length-width ratios	77
63. <i>Atrypina erugata</i> , serial sections	78
64. <i>Nanospira clairensis</i> and <i>Nanospira concentrica</i> , scatter diagram of length-width ratios	80
65. <i>Nanospira clairensis</i> and <i>Nanospira concentrica</i> , scatter diagram of length-thickness ratios	81
66. <i>Dicamaropsis parva</i> and <i>Meristina clairensis</i> , scatter diagram of length-width ratios	83
67. <i>Meristina clairensis</i> , St. Clair Limestone, serial sections	84
68. <i>Meristina clairensis</i> , scatter diagram of length-width ratios	84
69. <i>Meristina clairensis</i> , Clarita Formation, serial sections	85
70. <i>Dicamaropsis parva</i> , transverse section of pedicle valve	85
71. <i>Dicamaropsis parva</i> , transverse section	86
72. <i>Dicamaropsis parva</i> , St. Clair Limestone, serial sections	86
73. <i>Dicamaropsis parva</i> , serial sections of brachial valve	87
74. <i>Dicamaropsis parva</i> , Clarita Formation, serial sections	88
75. <i>Merista tennesseensis</i> , serial sections	89
76. <i>Merista oklahomensis</i> , serial sections	89
77. <i>Homoeospira evax</i> , serial sections	91

78. <i>Homoeospira subgibbosa</i> , serial sections	92
79. <i>Homoeospira foerstei</i> , serial sections	93
80. <i>Homoeospirella costatula costatula</i> , serial sections	93
81. <i>Homoeospirella costatula arkansana</i> , serial sections	94
82. <i>Homoeospirella pygmaea</i> , serial sections	95
83. Map showing Batesville collecting localities	101

PLATES 1–20

(Between pages 100 and 101)

1. *Eospirifer*; St. Clair and Wenlock Limestones
2. *Kozłowskiellina*, *Howellella*, *Plicocyrtia*; St. Clair Limestone
3. *Orthostrophella*, *Resserella*, *Dicoelosia*; St. Clair Limestone, Bouleaux Formation, Waldron Shale
4. *Antirhynchonella*, *Boucotides*, *Parastrophinella*, *Dolerorthis*; St. Clair Limestone
5. *Leangella* (*Opikella*), *Plectodonta*?, *Virginiaata*, *Ancillotoechia*, *Hircinisca*; St. Clair Limestone
6. *Plicocyrtia*, *Nanospira*; St. Clair Limestone
7. *Homoeospira*, *Rhynchospirina*, *Homoeospirella*; St. Clair Limestone, Waldron Shale, Hamra Limestone, Birdsong Shale, Henryhouse Formation, Haragan Formation
8. *Dicoelosia*, *Nanospira*, *Nucleospira*; St. Clair Limestone, Upper Visby Marlstone, Slite Marlstone, Henryhouse Formation, Haragan Formation
9. *Dicamaropsis*, *Merista*, *Homoeospira*; St. Clair Limestone, Brownsport Formation, Henryhouse Formation
10. *Parastrophinella*, *Meristina*, *Plectatrypa*, *Atrypa*; St. Clair Limestone
11. *Onychotreta*; St. Clair Limestone
12. *Brachymimulus*, *Placotriplesia*, *Streptis*; St. Clair Limestone
13. *Atrypa*, *Shaleria*?, *Lissotrophia*?, *Cymostrophia*, *Leptaena*, *Kozłowskiellina*, *Howellella*, *Dicoelosia*, *Cliftonia*, *Oxoplecia*; St. Clair Limestone, Upper Visby Marlstone, Höglkint Group, Llandovery Formation, Slite Marlstone, Haragan Formation
14. *Eospirifer*, *Dicamaropsis*; Clarita Formation, Fitzhugh Member
15. *Antirhynchonella*, *Parastrophinella*, *Nanospira*; Clarita Formation, Fitzhugh Member
16. *Leangella* (*Opikella*), *Dolerorthis*?, *Orthostrophella*, *Onychotreta*, *Shaleria*?, *Howellella*, *Brachymimulus*; Clarita Formation, Fitzhugh Member
17. *Stegerhynchus*, *Virginiaata*, *Placotriplesia*; Clarita Formation, Fitzhugh Member
18. *Kozłowskiellina*, *Meristina*, *Placotriplesia*, *Brachymimulus*; Clarita Formation, Fitzhugh Member
19. *Dictyonella*, *Leangella* (*Opikella*), *Homoeospirella*, *Amphistrophia*, *Howellella*, *Dolerorthis*, *Strophochonetes*, *Leptaena*, *Orthostrophella*; Clarita Formation, Fitzhugh Member
20. Photomicrographs, St. Clair Limestone; Lafferty Limestone; Clarita Formation, Fitzhugh Member

THE PALEONTOLOGICAL SOCIETY
MEMOIR 1

ARTICULATE BRACHIOPODS OF THE ST. CLAIR LIMESTONE
(SILURIAN), ARKANSAS, AND THE CLARITA FORMATION
(SILURIAN), OKLAHOMA

THOMAS W. AMSDEN
Oklahoma Geological Survey, Norman

May, 1968