

VOL. VIII.—1894.

THE
JOURNAL OF LARYNGOLOGY,
RHINOLOGY AND OTOTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE AND EAR.

PUBLISHED MONTHLY.

London:

F. J. REBMAN, 11, ADAM STREET, STRAND.

AMERICAN AGENTS:

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

ENTERED AT STATIONERS HALL

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by MORELL MACKENZIE *and* NORRIS WOLFENDEN.

EDITED BY

R. NORRIS WOLFENDEN, M.D. *Cantab.*

JOHN MACINTYRE, M.B. *Glasgow.*

DUNDAS GRANT, M.A., M.D., F.R.C.S. *Eng.*

WITH THE ASSISTANCE OF

DR. SANDFORD (*Cork*), DR. MILLIGAN (*Manchester*),

AND WITH THE CO-OPERATION OF

DRS. BARON (*Bristol*), R. BOTEY (*Barcelona*),

CARTAZ (*Paris*), BRYSON DELAVAN (*New York*),

DRAISPUL (*St. Petersburg*), GRAZZI (*Florence*), GUYE (*Amsterdam*),

HICGUET (*Brussels*), MIDDLEMASS HUNT (*Liverpool*),

VALERIUS IDELSON (*Berne*), JOAL (*Paris*), A. B. KELLY (*Glasgow*),

KARWOWSKI (*Warsaw*), LACOCARRET (*Toulouse*), LAKE (*London*),

LICHTWITZ (*Bordeaux*), JOHN N. MACKENZIE (*Baltimore*),

G. W. MAJOR (*Montreal*), PROF. MASSEI (*Naples*),

MEYJES (*Amsterdam*), E. MEYER (*Berlin*), MICHAEL (*Hamburg*),

HOLGER MYGIND (*Copenhagen*), W. PORTER (*St. Louis*),

ROBERTSON (*Newcastle*), SAJOUS (*Philadelphia*), SENDZIAK (*Warsaw*),

SOTA (*Seville*), AND ST. CLAIR THOMSON (*London*).

CONTENTS.

Original Articles:—

1. Results of the Surgical Treatment of Laryngeal Phthisis, based on 252 cases. By Dr. THEODOR HERVING (Warsaw). Page 173.
2. On the Indications and Limits of Topical Treatment in Laryngeal Phthisis. By Mr. LENNOX-BROWNE (London). Page 185.

Diphtheria, Therapeutics, New Instruments, &c.—Tracheotomy in Croup and Diphtheria, *Sattler*—Intubation, *Galatti, Rabot, Schweiger, Wackerle*—Oral Dilators, *Eschbaum*—Nasal Speculum, *Guillaume*—Tonsillotome, *Schmid*—Death under Chloroform, *Plummer and Robinson*—Mercuric Chloride in Diphtheria, *Dabney*—Diphtheria, *McCullom*—Anti-Diphtherin, *Vulpinus*—Pathogenesis of Inflammations of the Throat, *Morse*.
Pages 193 to 195.

Nose and Naso-Pharynx.—Tumours, *Gerber*—Germicidal Property of Nasal Mucus, *Wurtz and Lermoyes*—Cystic Tumour, *Dunn*—Myxo-Sarcoma, *Richardson*—Oæna Genuina, *Hopman*—Letter to Grünwald, *Hajek*—Hay Fever, *Bishop*—Grippal Epistaxis, *Koaldis*—Unusual Cases, *Chappell*—Epilepsy cured by Nasal Operation, *Harris*—Abscess of Left Frontal Sinus, *Mayo Collier*—Naso-Pharyngeal Catarrh, *Bates*—Osteoplastic Resection of Superior Maxilla for Naso-Pharyngeal Polypus, *Moullin*. Pages 195 to 198.

Tonsils, Pharynx, &c.—Angina of Acute Rheumatism, *Anclair*—Sarcoma of Tonsil, *Solis-Cohen, Wagner*—Chancre of Tonsil, *Chappell*—Tonsillotomy and Uvulotomy, *Ward*—Tonsilliths, *Johnson*—Leptothrix, *Jagot*—Fibrinous Pharyngitis after Influenza, *Rethi*.
Pages 198 to 200.

Larynx.—Recent Literature, *Wright*—Hysterical Mutism, *Ringier*—Accident from Celluloid Tracheotomy Tube, *Turner*—Scleroma, *Kobler*—Foreign Bodies in Respiratory Passages, *Preobraszenski*—Multiple Papilloma, *Hunt*—Sarcoma, *Paul*. Pages 200 to 202.

Neck.—Goitre in Eastern Provinces, *Gernet*—Functions of Thyroid and Relation to Graves' Disease, *Putnam*—Operation in Graves' Disease, *Stockmann*—Abscess of Neck penetrating into Larynx, *Brial*. Pages 202 and 203.

Ears.—Ear Screw for Foreign Bodies, *Lautenbach*—Remedy for Pyogenic Processes, *Cozzolino*—Statistics, *Randall*—Pathological Sequences of Piercing Lobules, *Thorne*—Cholesteomata caused by a Bug, *Schlotzfeld*—Mosquito Bite of Membrana Tympani, *Hots*—Tinnitus in Sclerosis, *Seiss*—Excision of Ossicles, *Randall*—Cerebral Abscess and Middle Ear Disease, *Bell, Sainsbury and Roughton*—Otitis Media, *Frankhauser, Bacon, Marsh, Raoult, Tansley*—Thrombosis of Lateral Sinus, *Harris, Bennett*. Pages 203 to 207.

Reviews.—Atlas of Diseases of Mouth, &c., *Grünwald*—Intubation, *Massci*—Diseases of the Thymus, *Henning*—Diseases of the Nose and Naso-Pharynx, *Zarniko*.
Pages 207 to 209.

Association Meetings:—

Proceedings of the London Laryngological Society. Pages 209 to 225.

Obituary.—Theodor Billroth. Page 225.

New Instrument.—Burroughs and Wellcome's Powder Insufflator. Page 226.

GUIDE TO ADVERTISEMENTS.

	PAGE
Allen & Hanburys	iv., v.
Bullock & Co.	xiii.
Burroughs, Wellcome & Co.....	vi., viii., xiv.
Central London Throat Hospital	xvi.
Godfrey & Cooke	x.
Houdé	xv.
Ingram & Royle ..	ix.
Lambert Pharmacal Co.	ii.
Rebman!	x., xi., xii., xiii.
Watt & Son	xiii.

THE KEPLER SOLUTION

OF

Cod Liver Oil in Kepler Malt Extract

KEPLER SOLUTION is superior to the very best and most carefully prepared emulsion, in that it does not derange the digestive process.

It is eminently palatable and easily digested.

It is an ideal food in Scrofula and Rickets.

It does not cause eructations, nor does it excite nausea.

It is especially suited as a food in phthisical cases, for under its administration the digestion improves, and the most formidable symptoms abate, the body weight increasing from day to day.

It is readily taken by the most fastidious, especially children and invalids, who are utterly unable either to take or retain Cod Liver Oil by itself, or in the form of emulsion.

Dr. L. B. gives a very possible reason why the KEPLER SOLUTION is found so beneficial. He says in one of his interesting papers "On the Uses and Administration of Fat," "If anyone were to swallow a lump of butter by itself it would probably make him sick; but if he spread the same butter upon pieces of bread he could take it not only without discomfort, but with enjoyment." Such is the case with the KEPLER SOLUTION, the oil is presented to the stomach in a condition ensuring its perfect assimilation. It is totally absorbed, and is never voided *en masse*, nor does it produce nausea, as is frequently the case with emulsions. The latter class of preparation too frequently causes such an amount of functional disturbance in the digestive track as to create absolute abhorrence of the very name of Cod Liver Oil. The first result of the ingestion of alkali-prepared emulsion is the setting free and coalescence of the oil, bringing about the same state of thing as if the oil were taken by itself. Under these conditions it is a well-known fact that the oil is very seldom wholly digested; in fact it is not to be expected that a person who finds it needful to take Cod Liver Oil can have sufficient digestive power to assimilate plain fats.

"The KEPLER SOLUTION is an ideal form for the Administration of Fat."—BRITISH MEDICAL JOURNAL.

Supplied to the Medical Profession by all Chemists, in $\frac{3}{4}$ -lb. and $1\frac{1}{4}$ -lb. Bottles, at 1s. 8d. and 3s. per Bottle.

BURROUGHS, WELLCOME & Co., Manufacturing Chemists
 SNOW HILL BUILDINGS, LONDON.
 Telegraphic Address—"BURCAME, LONDON."