

INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, <http://www.editorialmanager.com/psm/>. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

1. S.I. units should be used throughout in text, figures and tables.
2. Authors should spell out in full any abbreviations used in their manuscripts.
3. Foreign quotations and phrases should be followed by a translation.
4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* **32**, 173–179.

Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq_tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour halftone artwork:** Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

REVIEW ARTICLES

Cannabis use and transition to psychosis in individuals at ultra-high risk: review and meta-analysis

Kraan T, Velthorst E, Koenders L, Zwaart K, Ising HK, van den Berg D, de Haan L & van der Gaag M 673

Workplace interventions for common mental disorders: a systematic meta-review

Joyce S, Modini M, Christensen H, Mykletun A, Bryant R, Mitchell PB & Harvey SB 683

Meta-analysis of social cognition in attention-deficit/hyperactivity disorder (ADHD): comparison with healthy controls and autistic spectrum disorder

Bora E & Pantelis C 699

Maltreatment in childhood substantially increases the risk of adult depression and anxiety in prospective cohort studies: systematic review, meta-analysis, and proportional attributable fractions

Li M, D'Arcy C & Meng X 717

ORIGINAL ARTICLES

Differential efficacy of cognitive behavioral therapy and psychodynamic therapy for major depression: a study of prescriptive factors

Driessen E, Smits N, Dekker JJM, Peen J, Don FJ, Kool S, Westra D, Hendriksen M, Cuijpers P & Van HL 731

Neuropsychological and social cognitive function in young people at genetic risk of bipolar disorder

McCormack C, Green MJ, Rowland JE, Roberts G, Frankland A, Hadzi-Pavlovic D, Joslyn C, Lau P, Wright A, Levy F, Lenroot RK & Mitchell PB 745

Polygenic interactions with environmental adversity in the aetiology of major depressive disorder

Mullins N, Power RA, Fisher HL, Hanscombe KB, Euesden J, Iniesta R, Levinson DF, Weissman MM, Potash JB, Shi J, Uher R, Cohen-Woods S, Rivera M, Jones L, Jones I, Craddock N, Owen MJ, Korszun A, Craig IW, Farmer AE, McGuffin P, Breen G & Lewis CM 759

DSM-IV post-traumatic stress disorder among World Trade Center responders 11–13 years after the disaster of 11 September 2001 (9/11)

Bromet EJ, Hobbs MJ, Clouston SAP, Gonzalez A, Kotov R & Luft BJ 771

Randomized controlled trial of group cognitive behavioral therapy compared to a discussion group for co-morbid anxiety and depression in older adults

Wuthrich VM, Rapee RM, Kangas M & Perini S 785

The acute and medium-term effects of treatment with electroconvulsive therapy on memory in patients with major depressive disorder

Maric NP, Stojanovic Z, Andric S, Soldatovic I, Dolic M & Spiric Z 797

High educational performance is a distinctive feature of bipolar disorder: a study on cognition in bipolar disorder, schizophrenia patients, relatives and controls

Vreeker A, Boks MPM, Abramovic L, Verkooijen S, van Bergen AH, Hillegers MHJ, Spijker AT, Hoencamp E, Regeer EJ, Riemersma-Van der Lek RF, Stevens AWM, Schulte PFJ, Vonk R, Hoekstra R, van Beveren NJM, Kupka RW, Brouwer RM, Bearden CE, MacCabe JH, & Ophoff RA 807

Who are gynandromorphophilic men? Characterizing men with sexual interest in transgender women

Hsu KJ, Rosenthal AM, Miller DI & Bailey JM 819

Divergent subcortical activity for distinct executive functions: stopping and shifting in obsessive compulsive disorder

Morein-Zamir S, Voon V, Dodds CM, Sule A, van Niekerk J, Sahakian BJ & Robbins TW 829

Effect of high-potency cannabis on corpus callosum microstructure

Rigucci S, Marques TR, Di Forti M, Taylor H, Dell'Acqua F, Mondelli V, Bonaccorso S, Simmons A, David AS, Girardi P, Pariante CM, Murray RM & Dazzan P 841

Exposure to genocide and the risk of schizophrenia: a population-based study

Levine SZ, Levav I, Goldberg Y, Pugachova I, Becher Y & Yoffe R 855

Personality diatheses and Hurricane Sandy: effects on post-disaster depression

Kopala-Sibley DC, Kotov R, Bromet EJ, Carlson GA, Danzig AP, Black SR & Klein DN 865

Which adolescents develop persistent substance dependence in adulthood? Using population-representative longitudinal data to inform universal risk assessment

Meier MH, Hall W, Caspi A, Belsky DW, Cerdá M, Harrington HL, Houts R, Poulton R & Moffitt TE 877

Childhood adversity and cortical thickness and surface area in a population at familial high risk of schizophrenia

Barker V, Bois C, Johnstone EC, Owens DGC, Whalley HC, McIntosh AM & Lawrie SM 891