

THE
GEOLOGICAL MAGAZINE:

OR,

Monthly Journal of Geology :

WITH WHICH IS INCORPORATED

“THE GEOLOGIST.”

NOS. CCCLXVII TO CCCLXXVIII.

EDITED BY

HENRY WOODWARD, LL.D., F.R.S., PRES.G.S., F.Z.S., F.R.M.S.,

OF THE BRITISH MUSEUM OF NATURAL HISTORY;

VICE-PRESIDENT OF THE PALÆONTOGRAPHICAL SOCIETY,

AND OF THE MALACOLOGICAL SOCIETY ;

MEMBER OF THE LYCEUM OF NATURAL HISTORY, NEW YORK; AND OF THE AMERICAN PHILOSOPHICAL SOCIETY, PHILADELPHIA; HONORARY MEMBER OF THE YORKSHIRE PHILOSOPHICAL SOCIETY;

OF THE GEOLOGISTS' ASSOCIATION, LONDON; OF THE INSTITUTION OF MINING AND

METALLURGY, LONDON; OF THE GEOLOGICAL SOCIETIES OF EDINBURGH, GLAS-

GOW, HALIFAX, LIVERPOOL, AND SOUTH AFRICA; CORRESPONDING MEMBER

OF THE GEOLOGICAL SOCIETY OF BELGIUM; OF THE IMPERIAL

SOCIETY OF NATURAL HISTORY OF MOSCOW; OF THE

NATURAL HISTORY SOCIETY OF MONTREAL;

AND OF THE MALACOLOGICAL

SOCIETY OF BELGIUM.

ASSISTED BY

ROBERT ETHERIDGE, F.R.S. L. & E., F.G.S., F.C.S., &c.

WILFRID H. HUDLESTON, M.A., F.R.S., V.P.G.S., F.L.S., F.C.S.

GEORGE J. HINDE, PH.D., F.G.S., &c.

AND

HORACE BOLINGBROKE WOODWARD, F.G.S., &c.

NEW SERIES. DECADE IV. VOL. II.

JANUARY—DECEMBER, 1895.

LONDON:

MESSRS. DULAU & CO., 37, SOHO SQUARE.

F. SAVY, 77, BOULEVART ST.-GERMAIN, PARIS.


1895.

HERTFORD :
PRINTED BY STEPHEN AUSTIN AND SONS.

LIST OF PLATES.

PLATE	FACING PAGE
I. Skeleton of <i>Pareiasaurus Baini</i> , Seeley	1
II. Fossil Ostracoda from Canada	20
III. New Bala Trilobites	49
IV. Evolution of the Brachiopoda	65
V. Stages of Generic Development of Brachiopoda	103
VI. Fossil Insects from Eningen	116
VII. Purbeck Fishes and <i>Osteorachis macrocephalus</i>	145
VIII. Cambridge Greensand Ganoids	207
IX. Skeleton of a young Plesiosaur from the Oxford Clay	241
X. Skeleton of <i>Iguanodon</i> from Bernissart, Belgium	289
Portrait of Professor Huxley	337
XI. Pitted Pebbles from the Bunter Conglomerate	341
XII. <i>Squaloraja</i> and <i>Chimera</i>	385
XIIA. A Restoration of <i>Hyænodon eruentus</i> , Leidy	441
XIII. <i>Didymograptus minutus</i> and <i>D. gracilis</i>	482
XIV. <i>Phyllograptus angustifolius</i> and <i>Tetragraptus Bigsbyi</i>	482
XV. Palæozoic Phyllopoas, etc.	539

	PAGE
<i>Baculites anceps</i> , Lam.	395
<i>Cardioceras cordatum</i> , Sow.	395
<i>Arietites obtusus</i> , Sow.	396
<i>Egoceras capricornus</i> , Schloth.	396
— <i>Davæi</i> , Sow.	396
<i>Grammoceras serpentinus</i> , Schloth.	397
<i>Desmoceras ligatum</i> , d'Orb.	397
<i>Stephanoceras Blagdeni</i> , Sow.	398
— <i>coronatum</i> , d'Orb.	398
<i>Cosmoceras Jason</i> , Rein.	399
<i>Hoplites radiatus</i> , Brug.	399
<i>Scaphites Hugardianus</i> , d'Orb.	399
<i>Crioceras Emerici</i> , Léveillé	400
<i>Ancyloceras Matheronianum</i> , d'Orb.	400
Diagram to show Viscous Flow of Glacier-Ice	410
" " " " "	412
" " " " "	413
Diagram-map of the Island of Trinidad	422
Topography of the immediate area of the Pitch Lake of Trinidad	423
Distribution of Grenville Limestone in the district north of Papineauville	446
Topography of Côte St. Pierre, from the North-east	447
Section in the Valley of Calumet River	448
Bent and dislocated Quartzite in Contorted Schists near Montebello	448
<i>Tetragraptus Bigsbyi</i> , Hall	485
<i>Bryograptus Callavei</i>	530
<i>Tetragraptus Hicksii</i>	530
<i>Didymograptus affinis</i>	530
<i>Bryograptus ramosus</i>	530
<i>Tetragraptus fruticosus</i>	530
<i>Didymograptus Murchisoni</i>	530
<i>Bryograptus retroflexus</i>	531
<i>Tetragraptus denticulatus</i>	531
<i>Didymograptus fasciculatus</i>	531
<i>Dichograptus octonarius</i>	532
<i>Tetragraptus serra</i>	532
<i>Didymograptus arcuatus</i>	532
<i>Tetragraptus crucifer</i>	533
<i>Didymograptus pennatulus</i>	533
<i>Tetragraptus Headi</i>	533
<i>Didymograptus V-fractus</i>	533
<i>Dichograptus octobrachiatus</i>	534
<i>Tetragraptus Bigsbyi</i>	535
<i>Didymograptus gibberulus</i>	535
<i>Tetragraptus quadribrahiatus</i>	536
<i>Didymograptus extensus</i>	536
<i>Tetragraptus approximatus</i>	537
<i>Didymograptus nitidus</i>	537
Typical Arrangement of Canals, etc. in a Lamina of <i>Eozoön Canadense</i>	546
Cross-section of minute Tubuli ditto ditto	547
Cross-section of Tubuli more highly magnified ditto	547



Skeleton of *Pareiasaurus bairdi*, Seeley.

Karoo Formation (Trias), Bad, near Tamboer Fontein, Cape Colony.
The original preserved in the British Museum (Natural History). Length of skeleton 7 feet 9 inches.