

Hyom

The Journal of Laryngology and Otology

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR
G. H. BATEMAN

Contents

THE MANAGEMENT OF FRONTAL SINUSITIS AND ITS COMPLICATIONS	J. D. K. DAWES
HISTOLOGICAL CHANGES IN THE INNER EAR RESULTING FROM THE APPLICATION OF ULTRASONIC ENERGY	K. McLAY, M. FLINN F. C. ORMEROD
THE RADIOGRAPHY OF THE LOWER LATERAL FOOD CHANNELS	G. M. ARDRAN and F. H. KEMP
CONDUCTIVE DEAFNESS OF CONGENITAL ORIGIN	E. F. HAJEK ✓
CARCINOMA OF THE PARANASAL SINUSES	D. A. OSBORN and P. WINSTON
A STUDY OF PHARYNGEAL POUCHES	J. KODICEK and B. CREAMER ✓
LARYNGOPYOCELES	E. GLATZ
CLINICAL RECORDS—	
SURGICAL EXCISION OF A MENINGIOMA FROM THE INFRA-TEMPORAL FOSSA	C. PETER MILLS
DECOMPRESSION OF THE FACIAL NERVE	DR. ABEL SALEM EL BARBARY and DR. HASHAM A. FOUAD ✓
A CASE OF PRIMARY CHORDOMA OF THE SPHENOIDAL SINUS	D. F. N. HARRISON
A CASE OF ACUTE RETROPHARYNGEAL NO-CARDIAL INFECTION CONTROLLED BY STREPTOMYCIN AND TETRACYCLINES	W. STIRK ADAMS
SOCIETIES' PROCEEDINGS—	
THE SCOTTISH OTOLARYNGOLOGICAL SOCIETY	
GENERAL NOTES	

London

Headley Brothers

109 Kingsway WC2

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

WALTER HOWARTH

ASSISTANT EDITOR

G. H. BATEMAN

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is four guineas sterling (U.S.A. \$13) post free, and is payable in advance.

9. Single copies will be on sale at 10s. od. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.



© *Journal of Laryngology and Otology*, 1960

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

WHICH DEAF AID?

Your patient can compare a complete range of aids to hearing at no extra cost.

Mr. D. C. ALLEN, a member of the Society of Hearing Aid Audiologists, will advise your patients impartially and demonstrate a selection of the leading makes of hearing aids without obligation.



— FOR YOUR OWN GUIDANCE —

Send now for an attractive, specially prepared *Desk Folder* which will tell you at a glance "which deaf aid suits which kind of deafness," complete with a reply-paid referral pad. (Over 50 different fittings are listed).



HEARING COUNSELLORS LTD

53 GEORGE STREET, LONDON, W.1 Tel.: WELbeck 8493

Signatories to the Code of Commercial Practice of the Hearing Aid Industry approved by the National Institute for the Deaf—Member of the Hearing Aid Manufacturers and Suppliers Association.

PART-TIME AUDIOMETRICIAN

required on Tuesday afternoons. Whitley Council scales and conditions of service. Applications immediately to Assistant Secretary, Westminster Hospital, S.W.1.

For advertisement space in this Journal
apply to:

HEADLEY BROTHERS LTD.

109 Kingsway London WC2

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**First clinical audiometer
to provide
100% accurate audiograms**



AMPLIVOX MODEL 82

world's most fully-developed clinical audiometer

It is now known that the disc type of earphone, used in conventional audiometers for air conduction testing and the application of masking noise, transfers the sound by bone conduction to the opposite ear at a level only 40 dB below the signal level. This means that up to 50% of audiograms taken at the present time with other audiometers may be invalid.

The Amplivox Model 82 Audiometer provides, for the first time, the means of taking accurate audiograms in cases of severe unilateral deafness through the provision of narrow band masking applied by insert earphone. This new masking technique is of special significance in bone conduction audiometry.

In addition to the exclusive narrow band masking feature, the Model 82 provides loudness balance test facilities, and all the other tests essential to proved pure tone audiometry.

AMPLIVOX LTD

Medical Acoustic Division
80 New Bond St, London W.1. Tel: HYDe Park 9888



**SEND FOR THIS
DESCRIPTIVE
BROCHURE**

Containing full information on the latest audiometric techniques in air and bone conduction.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

3 GOOD REASONS

WHY YOUR PATIENTS SHOULD VISIT

A PHILIPS AUDIOMETRIC CENTRE

■ Philips have always laid great stress on meeting the individual needs of every patient and at a Philips Audiometric Centre patients can discuss their special needs with a trained audiologist—*entirely free of charge.*

■ The new Philips range of Hearing Aids incorporates the latest improvements in this sphere—many of them the result of Philips own constant research into problems of sound reproduction.

■ And every instrument is exceptionally light, inconspicuous and reasonably priced.

**All fully
Transistorised
and Guaranteed
for 1 year**

KL 6500 Weight 0.3 ounces
Price **19 GNS**

KL 5910 Weight 2.1 ounces
Price **£40 · 0 · 0**

KL 6200 Weight 2.1 ounces
Price **£48 · 0 · 0**

KL 6075 Weight 0.3 ounces
Price **£59 · 0 · 0**

There are **PHILIPS**
Audiometric Centres at:

CENTURY HOUSE · SHAFTESBURY AVENUE
LONDON · W.C.2.

1 ST. PAUL'S SQUARE · BIRMINGHAM 3.

11-13 PENARTH ROAD · CARDIFF.

27 ST. MARY'S GATE · NOTTINGHAM.

51 VICTORIA STREET · BRISTOL.

20 CANNON STREET · MANCHESTER 4.

72 WELLINGTON STREET · LEEDS 1.

HIGHLAND HOUSE · WATERLOO ST · GLASGOW C.2.

34 N. W. THISTLE STREET LANE · EDINBURGH 2.



PHILIPS ELECTRICAL LTD

CENTURY HOUSE · SHAFTESBURY AVENUE · LONDON · WC2
(HA0017)

Please mention *The Journal of Laryngology and Otology* when replying to advertisements




Siemens—the experts for 50 years of Service to the deaf, now introduce an entirely new—

RANGE OF HEAD LEVEL HEARING AIDS

For the smallest size: Type 326 Auriculette. Worn behind the ear. Microphone, battery, amplifier and earphone contained in a single case. Three models. Three or four transistors, depending on model. Acoustic output level between 500 and 2,000 c.p.s., up to 120 (± 4) dB. Acoustic amplification up to 46 (± 2) dB., depending on model. Weight (less battery) $\frac{3}{8}$ oz. Size approximately $1\frac{3}{4}'' \times \frac{1}{2}'' \times \frac{1}{2}''$. Volume control and switch are separate. Running costs two shillings for up to 90 hours use. Price 53 to 60 Gns depending on model.

SIEMENS have made hearing aids of the highest quality for over 50 years and lead in the field of hearing aid development.



TYPE 326



(Illustration of Head Set)

also **SIEMENS**
SPECIALIZE in

**INDIVIDUAL AND
GROUP HEARING
AID EQUIPMENT
SPEECH TRAINING
UNITS AND
SCHOOL
EQUIPMENT etc.**

**Send for full details
and literature*

Further details of hearing aids and approved suppliers can be obtained from the sole agents:

HIGHGATE OPTICAL MANUFACTURING CO. LTD

44 HATTON GARDEN : LONDON : E.C.1

HOLBORN 8271-2

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



“I know my patients get the best possible choice of aids with Ingrams. Ingrams don’t make aids—they are Independent Suppliers of all the best makes. This means the patient can compare one make against another, Ingrams can advise impartially about each make, and the patient gets the best possible fitting. Patients like it and I can rely on Ingrams.

Ingrams have at Shepherd Street one of the best equipped consulting rooms I’ve ever seen. Their Speech Audiometry equipment, for example, is outstanding. They also do domiciliary visits throughout the country—a lot of my patients like this, especially those outside London.”

REFER YOUR PATIENTS TO....

INGRAMS

The Independent Hearing Aid Suppliers

**Largest selection of the Different
Makes in the Country.**

*Member of the Society of Hearing
Aid Audiologists*

2, Shepherd Street, Shepherd Market,
London, W.1

HYDe Park 9041 and 9042

Resident Representatives in all parts of the country.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

POST-TONSILLECTOMY COMFORT

Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing — it brings pain-relieving acetylsalicylic acid into *intimate* and *prolonged* contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides $3\frac{1}{2}$ grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.

Aspergum

 (Category S)

for more than two decades a dependable
and welcome aid to patient-comfort

Ethically promoted in packages of 16 tablets and moisture proof bottles of 36 and 250

WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
Rhinological and Otological Society*

Price \$15.00 per year Canada \$15.50 per year
Foreign \$16.00 per year

MAX A. GOLDSTEIN, M.D.
FOUNDER


THEODORE E. WALSH, M.D.
EDITOR

640 SOUTH KINGSHIGHWAY
SAINT LOUIS 10, MO.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

CASE 3.

Fitting HEARING AIDS in DIFFICULT CASES



Case 3: MR. V. AGE: 65 YEARS

History: Deafness caused through measles. Progressive deterioration in hearing over 50 years.

Hearing aid fitting: Amplivox Super 'A' with low-tone earphone.

Remarks: Severity of hearing loss requires constant use of the aid. Very good results have been achieved in varied and often difficult conditions.

In measuring the performance of a hearing aid, no yardstick is more indicative than the results achieved in 'difficult cases'. The above case history is only one of the many successes which Amplivox have had over the past quarter-century.

Contributing to this success are the care and thoroughness with which the Amplivox Hearing Advisory Service fit a hearing aid. Air and bone conduction pure tone audiograms, loudness tolerance levels and phonetically balanced word tests are the basis of testing. It is this extreme care in testing and fitting which, coupled with expert knowledge of the instrument characteristics, ensures optimum hearing in all cases.

Amplivox incorporate the world's finest hearing aids in their range, including head-borne and body-worn aids (many

incorporating AVC) from the Super 'A', for the profoundly deaf, to the latest all-behind-the-ear model, Secrette.

There are permanent Amplivox Hearing Advisory Centres in principal cities throughout the country, providing a reliable and thorough service for the hard-of-hearing.

For further information and descriptive literature please telephone the local Amplivox Centre or write to:

AMPLIVOX LTD.

80 New Bond Street, London, W.1
Tel: Hyde Park 9888

CENTRES AT: BIRMINGHAM, BOURNEMOUTH,
BRISTOL, CARDIFF, EDINBURGH, GLASGOW,
HULL, LEEDS, LEICESTER, LIVERPOOL,
MANCHESTER, NEWCASTLE, DUBLIN

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

The Journal of Laryngology and Otology

CONTENTS	PAGE
THE MANAGEMENT OF FRONTAL SINUSITIS AND ITS COMPLICATIONS. J. D. K. Dawes (Newcastle-upon-Tyne)	297
HISTOLOGICAL CHANGES IN THE INNER EAR RESULTING FROM THE APPLICATION OF ULTRASONIC ENERGY. K. McLay, M. Flinn and F. C. Ormerod (London)	345
THE RADIOGRAPHY OF THE LOWER LATERAL FOOD CHANNELS. G. M. Ardran and F. H. Kemp (Oxford)	358
CONDUCTIVE DEAFNESS OF CONGENITAL ORIGIN. E. F. Hajek (Haifa)	371
CARCINOMA OF THE PARANASAL SINUSES. D. A. Osborn and P. Winston (London)	387
A STUDY OF PHARYNGEAL POUCHES. J. Kodicek and B. Creamer (London)	406
LARYNGOPYOCELES. E. Glatz (Bath)	412
CLINICAL RECORDS—	
Surgical Excision of a Meningioma from the Infra-Temporal Fossa. C. Peter Mills (Leeds)	418
Decompression of the Facial Nerve. Dr. Abdel Salam El Barbary and Dr. Hasham A. Fouad (Cairo)	424
A Case of Primary Chordoma of the Sphenoidal Sinus. D. F. N. Harrison (London)	429
A Case of Acute Retropharyngeal Nocardial Infection Controlled by Streptomycin and Tetracyclines. W. Stirk Adams (Birmingham)	433
SOCIETIES' PROCEEDINGS. The Scottish Otolaryngological Society	441
GENERAL NOTES	443