

## INDEX OF SUBJECTS.

|  | PAGE    |
|--|---------|
| Agglutination of <i>B. coli</i> . . . . .                          | 158     |
| of <i>B. paratyphosus</i> B . . . . .                              | 330     |
| Air carriage of organisms . . . . .                                | 173     |
| <i>Bacillus abortus</i> . . . . .                                  | 319     |
| <i>coli</i> , agglutinins for . . . . .                            | 158     |
| in urinary tract . . . . .   | 137     |
| <i>diphtheriae</i> , from horses . . . . .                         | 99      |
| <i>enteritidis-paratyphosus</i> group . . . . .                    | 227     |
| <i>influenzae</i> . . . . .  | 85      |
| <i>melitensis</i> . . . . .  | 319     |
| <i>paramelitensis</i> . . . . .                                    | 319     |
| <i>paratyphosus</i> B . . . . .                                    | 330     |
| <i>proteus</i> in putrid food . . . . .                            | 69      |
| <i>typhosus</i> , serological differences in cultures of . . . . . | 110     |
| Bacteria, cultures from single cells . . . . .                     | 221     |
| Bacterial infection, spread of . . . . .                           | 103     |
| Bovine abortion . . . . .  | 319     |
| tuberculosis . . . . .   | 132     |
| Cerebro-spinal fever . . . . .                                     | 289     |
| Cultures from single organisms . . . . .                           | 221     |
| Diet in Denmark . . . . .  | 366     |
| Diphtheria toxin, immunity to . . . . .                            | 176     |
| Epidemiology of cerebro-spinal fever . . . . .                     | 289     |
| rheumatic fever . . . . .  | 248     |
| Faeces, tile method of isolating organisms from . . . . .          | 60, 360 |
| Fever, cerebro-spinal . . . . .                                    | 289     |
| trench . . . . .   | 258     |
| Food, putrid, toxicity of . . . . .                                | 69      |
| Horses, <i>B. diphtheriae</i> from . . . . .                       | 99      |
| Infection, spread of . . . . .                                     | 103     |
| Influenza . . . . .  | 85      |
| Immunity to diphtheria toxin, production of . . . . .              | 176     |
| Milk, bacteriology of Grade "A" . . . . .                          | 125     |
| keeping qualities of Grade "A" . . . . .                           | 371     |
| Milk-churns, sterilization of . . . . .                            | 165     |
| Pellagra . . . . .   | 1       |
| Plague in South Africa, spread of . . . . .                        | 377     |
| Rheumatic fever, epidemiology of . . . . .                         | 248     |
| Rodents and plague in South Africa . . . . .                       | 377     |

|   | PAGE    |
|---|---------|
| Serological differences of cultures of <i>B. typhosus</i> . . . . . | 110     |
| paratyphoid B types . . . . .                                       | 330     |
| Sputum, isolation of organisms from . . . . .                       | 60      |
| <i>Streptococci</i> , haemolytic, from faeces . . . . .             | 64      |
| Tiles for isolating organisms from faeces . . . . .                 | 60, 360 |
| Tuberculin, effects of . . . . .                                    | 342     |
| Tuberculosis, bovine . . . . .                                      | 132     |
| and "curvature of van Pesch" . . . . .                              | 363     |
| Trench fever . . . . .  | 258     |
| Urinary tract, <i>B. coli</i> infections . . . . .                  | 137     |
| Wassermann test, reliability of . . . . .                           | 383     |