

INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, <http://www.editorialmanager.com/psm/>. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

1. S.I. units should be used throughout in text, figures and tables.
2. Authors should spell out in full any abbreviations used in their manuscripts.
3. Foreign quotations and phrases should be followed by a translation.
4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* **32**, 173–179.

Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq_tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour halftone artwork:** Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

REVIEW ARTICLES

Economic evaluations of Internet interventions for mental health: a systematic review

Donker T, Blankers M, Hedman E, Ljótsson B, Petrie K & Christensen H 3357

Impaired decision-making in symptomatic anorexia and bulimia nervosa patients: a meta-analysis

Guillaume S, Gorwood P, Jollant F, Van den Eynde F, Courtet P & Richard-Devantoy S 3377

Early life trauma, depression and the glucocorticoid receptor gene – an epigenetic perspective

Smart C, Strathdee G, Watson S, Murgatroyd C & McAllister-Williams RH 3393

Neurobiological mechanisms of repetitive transcranial magnetic stimulation of the dorsolateral prefrontal cortex in depression: a systematic review

Noda Y, Silverstein WK, Barr MS, Vila-Rodriguez F, Downar J, Rajji TK, Fitzgerald PB, Mulsant BH, Vigod SN, Daskalakis ZJ & Blumberger DM 3411

ORIGINAL ARTICLES

Comparing cohort incidence of schizophrenia with that of bipolar disorder and affective psychosis in individuals born in Stockholm County 1955–1967

Söderlund J, Wicks S, Jørgensen L & Dalman C 3433

Cognitive-behavioural suicide prevention for male prisoners: a pilot randomized controlled trial

Pratt D, Tarrier N, Dunn G, Awenat Y, Shaw J, Ulph F & Gooding P 3441

Childhood maltreatment and transition to psychotic disorder independently predict long-term functioning in young people at ultra-high risk for psychosis

Yung AR, Cotter J, Wood SJ, McGorry P, Thompson AD, Nelson B & Lin A 3453

Abnormalities of cortical structures in adolescent-onset conduct disorder

Jiang Y, Guo X, Zhang J, Gao J, Wang X, Situ W, Yi J, Zhang X, Zhu X, Yao S & Huang B 3467

Pre-eclampsia and first-onset postpartum psychiatric episodes: a Danish population-based cohort study

Bergink V, Laursen TM, Johannsen BMW, Kushner SA, Meltzer-Brody S & Munk-Olsen T 3481

Functional connectivity for face processing in individuals with body dysmorphic disorder and anorexia nervosa

Moody TD, Sasaki MA, Bohon C, Strober MA, Bookheimer SY, Sheen CL & Feusner JD 3491

The role of conduct disorder in the relationship between alcohol, nicotine and cannabis use disorders

Grant JD, Lynskey MT, Madden PAF, Nelson EC, Few LR, Bucholz KK, Statham DJ, Martin NG, Heath AC & Agrawal A 3505

Childhood maltreatment modifies the relationship of depression with hippocampal volume

Gerritsen L, van Velzen L, Schmaal L, van der Graaf Y, van der Wee N, van Tol M-J, Penninx B & Geerlings M 3517

Reduced contextual effects on visual contrast perception in schizophrenia and bipolar affective disorder

Schallmo M-P, Sponheim SR & Olman CA 3527

A longitudinal, population-based twin study of avoidant and obsessive-compulsive personality disorder traits from early to middle adulthood

Gjerde LC, Czajkowski N, Røysamb E, Ystrom E, Tambs K, Aggen SH, Ørstavik RE, Kendler KS, Reichborn-Kjennerud T & Knudsen GP 3539

Neural reward processing in individuals remitted from major depression

Uhl B, Kuehner C, Kirsch P, Ruttorf M, Flor H & Diener C 3549

Depression and the risk of autoimmune disease: a nationally representative, prospective longitudinal study

Andersson NW, Gustafsson LN, Okkels N, Taha F, Cole SW, Munk-Jørgensen P & Goodwin RD 3559

Ketamine for rapid reduction of suicidal ideation: a randomized controlled trial

Murrough JW, Soleimani L, DeWilde KE, Collins KA, Lapidus KA, Iacoviello BM, Lener M, Kautz M, Kim J, Stern JB, Price RB, Perez AM, Brallier JW, Rodriguez GJ, Goodman WK, Iosifescu DV & Charney DS 3571