

December 1982

ISSN 0007-4853  
Vol. 72(4), 535-732

# Bulletin of Entomological Research



Commonwealth Institute of Entomology

# COMMONWEALTH INSTITUTE OF ENTOMOLOGY

## Director and Editor

N. C. PANT, M.Sc., Ph.D., D.I.C., F.N.A.

## Assistant Director

A. H. PARKER, M.Sc., Ph.D.

## Assistant Editor

J. M. B. HARLEY, B.Sc.

*Headquarters, Publication Office and Library*—56 Queen's Gate, London SW7 5JR, UK.  
Telephone: 01-584-0067. Telegrams: ENTINFO LONDON SW7.

*Identification Service*—c/o British Museum (Natural History), Cromwell Road, London SW7 5BD, UK.

The Commonwealth Institute of Entomology is one of 10 Bureaux and 4 Institutes that together form the Commonwealth Agricultural Bureaux, an organisation sponsored by the Commonwealth governments for the dissemination of information on agricultural research.

The *Bulletin of Entomological Research* is a quarterly journal prepared by the Institute and published by the Commonwealth Agricultural Bureaux.

### *Annual Subscription Rate*

To subscribers in countries that are members of CAB	£44.00
To subscribers in countries that are not members of CAB	£68.00

### *Back Numbers*

Back volumes of the *Bulletin of Entomological Research* are available and there are discounts up to a maximum of 20% on orders of more than 10 volumes.

Orders and enquiries concerning subscriptions and back numbers should be sent to

CENTRAL SALES,  
COMMONWEALTH AGRICULTURAL BUREAUX,  
FARNHAM ROYAL, SLOUGH SL2 3BN, UK.

[Note: Prices are subject to change without notice.]

© Commonwealth Agricultural Bureaux 1982. All rights reserved. No part of this publication may be reproduced in any form or by any means, electronically, mechanically, by photo-copying, recording or otherwise, without the prior permission of the copyright owner.

The Executive Council of the Commonwealth Agricultural Bureaux is a signatory to the Fair Copying Declaration, details of which can be obtained from The Royal Society, 6 Carlton House Terrace, London S.W.1.

The Commonwealth Agricultural Bureaux organisation does not accept responsibility for any trade advertisement included in this publication.

# Review of Applied Entomology

prepared by the Commonwealth Institute of Entomology

A monthly abstracting journal in two parts: *Series A (Agricultural)* covering the world literature on insects, mites and other arthropods harmful to cultivated plants of every kind including forest trees, and also beneficial arthropods; *Series B (Medical and Veterinary)* covering the world literature on insects, mites, ticks and other arthropods that transmit diseases to man or livestock or cause any other form of injury to them.

Annual subscriptions: Series A £137, Series B £68 (£89 and £44 in member countries of the Commonwealth Agricultural Bureaux).

Further details and free sample copies from: Central Sales, Commonwealth Agricultural Bureaux, Farnham House, Farnham Royal, Slough SL2 3BN, UK.

## Distribution maps of pests

Issued by the Commonwealth Institute of Entomology, London

Each of these maps (size 27 × 17 cm) gives the world distribution, together with supporting references, of a particular arthropod pest. Those at present being issued (Series A) deal with pests of importance in relation to agriculture or forestry or their products. Eighteen maps are issued each year in two batches of nine each. Up to May 1982, a total of 437 maps has been issued.

Annual Subscription for 18 maps	£20.00
Complete set (including revisions and index up to 1981)	£80.00
Loose-leaf binder (maps are punched ready for insertion)	£9.00
Single maps (min. order: UK £2, elsewhere £3)	£1.10

**Central Sales,  
Commonwealth Agricultural Bureaux,  
Farnham House, Farnham Royal, Slough SL2 3BN, UK.**

# Annotated Bibliographies

prepared by the Commonwealth Institute of Entomology

## SUPPLEMENTARY LIST

These comprise series of abstracts that have appeared in the *Review of Applied Entomology* on a particular subject during the period quoted. Bibliographies can also be compiled in response to specific enquiries. Titles available are:

		No. of Coverage references	Price	
			£	\$
E47	<i>Culex quinquefasciatus</i>	1973-80	165	8.50 (17.85)
E48	Pharaoh's ant ( <i>Monomorium pharaonis</i> )	1973-80	109	7.65 (16.10)
E49	<i>Diatraea saccharalis</i>	1973-80	140	7.65 (16.10)
E50	<i>Acrocercops cramerella</i>	1913-80	41	5.15 (10.85)
E51	<i>Heliothis armigera</i> (control & crop losses)	1976-80	210	9.35 (19.65)
E52	<i>Busseola fusca</i> , <i>Chilo partellus</i> , <i>Sesamia calamistis</i> (control & crop losses)	1976-80	62	5.95 (12.50)
E53	Mosquito ovipositing behaviour	1973-81	324	10.15 (21.35)
E54	Biocontrol of termites	1973-81	75	5.95 (12.50)
E55	<i>Forcipomyia</i> as a cocoa pollinator	1956-81	46	5.15 (10.85)
E56	Photoperiodism in Culicidae	1973-81	203	9.35 (19.65)
E57	Rice stem gall midge ( <i>Orseolia oryzae</i> )	1973-80	132	7.65 (16.10)
E58	Aphidophagous Cecidomyiidae	1973-81	59	5.95 (12.50)
E59	Insect toxicology & resistance (Agricultural)	1973-81	305	10.15 (21.35)
E60	Insect toxicology & resistance (Medical & Veterinary)	1973-81	326	10.15 (21.35)
E61	Integrated control of insect pests in Chile	1973-81	108	7.65 (16.10)
E62	<i>Beauveria bassiana</i> : culturing & applications	1973-81	331	10.15 (21.35)
E63	Ghanaian entomology	1973-81	244	9.35 (19.65)
E64	Entomology and helminthology in relation to public health in northern Nigeria	1973-81	133	7.65 (16.10)
E65	<i>Liriomyza</i>	1973-81	120	7.65 (16.10)
E66	<i>Nilaparvata lugens</i>	1980-81	243	9.35 (19.65)
E67	Coffee borers	1973-81	48	5.15 (10.85)
E68	Leaf-cutting ants	1973-81	145	7.65 (16.10)
E69	<i>Solenopsis invicta</i> (Agricultural)	1973-81	165	8.50 (17.10)
E70	<i>Solenopsis invicta</i> (Medical & veterinary)	1973-81	95	6.80 (14.30)
E71	Biocontrol of water hyacinth	1973-81	64	5.95 (12.50)
E72	Phlebotomine sandflies	1973-81	684	12.75 (26.80)
E73	Pests of sweet potatoes ( <i>Ipomoea batatas</i> )	1973-81	320	10.15 (21.35)
E74	Integrated pest management in Colombia	1973-81	85	6.80 (14.30)
E75	<i>Spodoptera litura</i>	1973-81	376	10.15 (21.35)
E76	<i>Busseola</i> spp.	1973-81	32	5.15 (10.85)
E77	<i>Sesamia</i> spp.	1973-81	229	9.35 (19.65)
E78	<i>Chilo partellus</i>	1973-81	175	8.50 (17.85)
E79	Agromyzidae of economic importance	1973-81	417	11.00 (23.10)
E80	Arthropod pests of pigeon pea	1973-81	177	8.50 (17.85)
E81	<i>Oryctes</i> spp.	1973-81	133	7.65 (16.10)
E82	<i>Cylas formicarius elegantulus</i>	1920-82	35	5.15 (10.85)

Inclusive of postage.

All orders and enquiries to:

The Librarian, Commonwealth Institute of Entomology, 56 Queen's Gate, London, SW7 5JR, UK.

Telephone: 01-584 0067.

Telegrams: ENTINFO LONDON SW7.

Telex: 847964.

---

COMMONWEALTH INSTITUTE OF ENTOMOLOGY

Leading World Information Service  
on Insects & Mites of Economic Importance

---

**PUBLICATIONS**

- **Review of Applied Entomology:** an abstract journal covering the world literature on pests and beneficial arthropods. In two monthly parts: *Series A (Agricultural)* and *Series B (Medical and Veterinary)*.
- **Bulletin of Entomological Research:** a quarterly journal of original research papers on arthropods of economic importance.
- **Distribution Maps of Pests:** giving the world distribution, with supporting references, of individual arthropod pests.
- **Books and Monographs:** on various subjects. Current list available on request.

**RETRIEVAL SERVICES**

- **Computerised Information Retrieval:** from the Commonwealth Agricultural Bureaux Abstracts Database, including *RAE* and all other main CAB abstract journals.
- **Annotated Bibliographies:** collections of abstracts on particular topics. Current list available on request; further bibliographies compiled to order.
- **Micrographic Unit:** facilities for most types of microform work.
- **Library:** a major world collection of research literature on arthropods of economic importance. Open to visitors.

**TAXONOMIC SERVICES**

- **Identification Service:** open to users in all parts of the world. Located in the British Museum (Natural History); over 30 000 insects and mites identified each year.
- **International Training Courses:** held annually in the applied taxonomy of insects and mites.
- **Consultancy:** advice on specific taxonomic problems and involvement of CIE taxonomists in research projects.

*Further information from:*

COMMONWEALTH INSTITUTE OF ENTOMOLOGY,  
56 QUEEN'S GATE,  
LONDON SW7 5JR, UK.

Telephone: 01-584 0067      Telegrams: ENTINFO London SW7

---

**COMMONWEALTH INSTITUTE OF ENTOMOLOGY****56 Queen's Gate, London SW7 5JR, England****SIXTH INTERNATIONAL COURSE  
ON  
APPLIED TAXONOMY OF INSECTS  
AND MITES OF AGRICULTURAL  
IMPORTANCE****30 April–15 June 1984**

This course, lasting seven weeks, will be held at the Commonwealth Institute of Entomology at the address below. It aims to provide training in the taxonomy of insects and mites of agricultural importance with special reference to the identification of pest species and their natural enemies, and will highlight the role of taxonomy as a major input in modern agricultural technology. A large part of the training will be devoted to practical work and demonstrations to equip participants with a working knowledge that will enable them to act as first-level field identifiers.

Candidates should preferably have a degree in biology or agriculture and be employed in a plant protection or field research orientated department with some involvement in pest identification.

Twelve students can be admitted to this sixth course, for which there is a fee of £500 Sterling. Maintenance in the U.K. will be the responsibility of the participants.

A limited number of fellowships may be made available by the Commonwealth Fund for Technical Cooperation to suitable candidates officially nominated by governments of the developing countries of the Commonwealth. These fellowships cover travel, subsistence and course fees.

**Application forms for admission and further information may be obtained from the Director, Commonwealth Institute of Entomology, 56 Queen's Gate, London SW7 5JR, England. Closing date for receipt of applications 1 November 1983.**

**Telephone : 01 584 0067****Telegrams : ENTINFO London SW7****Telex : 847964**