- 3 Lucas M, Mekary R, Pan A, Mirzaei F, O'Reilly EJ, Willett WC, et al. Relation between clinical depression risk and physical activity and time spent watching television in older women: a 10-year prospective follow-up study. *Am J Epidemiol* 2011; 174: 1017–27.
- 4 Kjærgaard M, Waterloo K, Wang CEA, Almås B, Figenschau Y, Hutchinson MS, et al. Effect of vitamin D supplement on depression scores in people with low levels of serum 25-hydroxyvitamin D: nested case–control study and randomised clinical trial. *Br J Psychiatry* 2012; 201: 360–8.
- 5 Turek FW. From circadian rhythms to clock genes in depression. *Int Clin Psychopharmacol* 2007; 22 (suppl 2): S1–8.
- 6 Obradovic D, Gronemeyer H, Lutz B, Rein T. Cross-talk of vitamin D and glucocorticoids in hippocampal cells. *J Neurochem* 2006; **96**: 500–9.
- 7 Eyles D, Burne T, McGrath J. Vitamin D in fetal brain development. Semin Cell Dev Biol 2011; 22: 629–36.
- 8 Lansdowne AT, Provost SC. Vitamin D3 enhances mood in healthy subjects during winter. *Psychopharmacology* 1998; **135**: 319–23.
- 9 Jorde R, Sneve M, Figenschau Y, Svartberg J, Waterloo K. Effects of vitamin D supplementation on symptoms of depression in overweight and obese subjects: randomized double blind trial. *J Intern Med* 2008; 264: 599–609.
- 10 Vieth R, Kimball S, Hu A, Walfish PG. Randomized comparison of the effects of the vitamin D3 adequate intake versus 100 mcg (4000 IU) per day on biochemical responses and the wellbeing of patients. Nutr J 2004; 3: 8.

- 11 Sanders KM, Stuart AL, Williamson EJ, Jacka FN, Dodd S, Nicholson G, et al. Annual high-dose vitamin D<sub>3</sub> and mental well-being: randomised controlled trial. Br J Psychiatry 2011; 198: 357–64.
- **12** Walker JG, Mackinnon AJ, Batterham P, Jorm AF, Hickie I, McCarthy A, et al. Mental health literacy, folic acid and vitamin B<sub>12</sub>, and physical activity for the prevention of depression in older adults: randomised controlled trial. *Br J Psychiatry* 2010; **197**: 45–54.
- 13 Bauer M, Glenn T, Alda M, Andreassen OA, Ardau R, Bellivier F, et al. Impact of sunlight on the age of onset of bipolar disorder. *Bipolar Disord* 2012; 14: 654–63
- 14 Pasco JA, Nicholson GC, Williams LJ, Jacka FN, Henry MJ, Kotowicz MA, et al. Association of high-sensitivity C-reactive protein with de novo major depression. Br J Psychiatry 2010; 197: 372–7.
- 15 Jacka FN, Pasco JA, Mykletun A, Williams LJ, Hodge AM, O'Reilly SL, et al. Association between western and traditional diets and depression and anxiety in women. Am J Psychiatry 2010; 167: 305–11.
- 16 Sanchez-Villegas A, Delgado-Rodriguez M, Alonso A, Schlatter J, Lahortiga F, Majem LS, et al. Association of the Mediterranean dietary pattern with the incidence of depression: the Seguimiento Universidad de Navarra/University of Navarra follow-up (SUN) cohort. Arch Gen Psychiatry 2009; 66: 1090–8.



## Vertigo: an overnight success in 54 years

## Peter Byrne

All of a sudden, *Vertigo* (1958) is the number one film in *Sight and Sound*'s once-in-a-decade poll of 846 critics. Following an inauspicious release, it was a critical slow burner, stealing into 11th place in this poll by 1972. On its initial release, *The New Yorker* declared: 'Alfred Hitchcock, who produced and directed this thing, has never before indulged in such farfetched nonsense'. *Time* magazine decided: 'the old master, now a slave to television, has turned out another Hitchcock-and-bull story in which the mystery is not so much who done it as who cares'.

Its plot is initially boy (ex-cop Scottie) meets girl, boy loses girl, boy finds another girl who looks like the first girl, but then goes much darker. Like all great films, it works because interesting things happen to believable characters within the existence of that film. Its themes, sex and death, may have been premature for (at least) its US audiences. It has similarities with the film it displaced at number one, *Citizen Kane*: flawed protagonist who searches for the unattainable, technical innovation, and a visceral Bernard Hermann score.

There are other reasons that *Vertigo* almost became a lost classic. Hitchcock switched studios, affecting its promotion and, crucially, storage of the original prints. Its 1984 rerelease underwhelmed audiences and critics. In 1997, a remarkable 2-year restoration by Robert Harris and James Katz changed everything. They sourced the original costumes to restore the correctly graded colours from VistaVision to 70 mm print. Hitchcock had colour coded the film (green for 'go', red for 'stop') to heighten sexual tension. They cleaned and digitalised the sound, instructed by the director's original notes, and even discovered the original music track Hermann recorded in Germany during a US musicians' strike.

And what has all this got to do with psychiatry? Well, we could insist the film be re-titled 'Acrophobia', or opine on the nature of pathological grief. Peter Wollen described the film as a 'visual encyclopaedia of psychopathology'. It has more psychiatry than Hitchcock's earlier psychoanalytic film *Spellbound* (1945), or his archetypal psychokiller film *Psycho* (1960). The pathology is not all Scottie's (James Stewart): we the audience are watching him, watching her. Audiences feel his loneliness, driving about a glorious San Francisco, and his vertigo – Hitchcock developed the signature dolly plus zoom technique based on a drunken experience at the Chelsea Arts Ball. To cite a colleague's description of Basil Fawlty: 'there's enough there for an entire conference'

The British Journal of Psychiatry (2012) 201, 341. doi: 10.1192/bjp.bp.112.119321