

Implementation, Policy and Community Engagement Translational Science Case Study

Cite this article: Bales ME, Zhu J, Ganzer CA, Aboharb F, Keeler A, Ryon KA, Ehrmann BJ, Imperato-McGinley J, and for the H2H Consortium. A retrospective case study of successful translational research: Cardiovascular disease risk assessment, experiences in community engagement. *Journal of Clinical and Translational Science* 8: e84, 1–7. doi: [10.1017/cts.2024.529](https://doi.org/10.1017/cts.2024.529)

Received: 29 September 2023

Accepted: 9 April 2024

Keywords:

Community health partnerships; health disparities; cardiovascular diseases; diabetes

Corresponding author:


M. E. Bales, Email: meb7002@med.cornell.edu

© The Author(s), 2024. Published by Cambridge University Press on behalf of Association for Clinical and Translational Science. This is an Open Access article, distributed under the terms of the Creative Commons Attribution licence (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted re-use, distribution and reproduction, provided the original article is properly cited.



Clinical Research
FORUM
Analysis. Advocacy. Action.

A retrospective case study of successful translational research: Cardiovascular disease risk assessment, experiences in community engagement

Michael E. Bales¹ , Jifeng Zhu¹, Christine A. Ganzer², Farid Aboharb³, Allegra Keeler⁴, Krista A. Ryon⁵, Brett J. Ehrmann⁶ and Julianne Imperato-McGinley¹, for the H2H Consortium

¹Weill Cornell Clinical and Translational Science Center, New York, NY, USA; ²Hunter-Bellevue School of Nursing, School of Health Professions, Hunter College, CUNY, New York, NY, USA; ³Tri-Institutional MD-PhD Program, Weill Cornell Medicine, Rockefeller University, Memorial Sloan Kettering Center, New York, NY, USA; ⁴School of Medicine, New York Medical College, Valhalla, NY, USA; ⁵Department of Physiology and Biophysics, Weill Cornell Medicine, New York, NY, USA and ⁶Division of Primary Care of the Weill Cornell Physician Organization, Weill Cornell Medicine, New York, NY, USA

Abstract

In underserved communities across New York City, uninsured adults encounter a greater risk of cardiovascular disease (CVD) and diabetes. The Heart-to-Heart Community Outreach Program (H2H) addresses these disparities by screening for CVD risk factors, identifying healthcare access barriers, and fostering community engagement in translational research at the Weill Cornell Medicine Clinical and Translational Science Award (CTSA) hub. Screening events are hosted in partnership with faith-based institutions. Participants provide a medical history, complete a survey, and receive counseling by clinicians with referrals for follow-up care. This study aims to quantify H2H screening participant health status; identify socioeconomic, health access, and health-related barriers disproportionately promoting the onset of CVD and diabetes; and develop long-term community partnerships to enable underserved communities to influence activities across the translational research spectrum at our CTSA hub. The population served is disproportionately non-white, and uninsured, with many low-income and underserved individuals. The program was developed in partnership with our Community Advisory Board to empower this cohort to make beneficial lifestyle changes. Leveraging partnerships with faith-based institutions and community centers in at-risk New York City neighborhoods, H2H addresses the increasing burden of diabetes and CVD risk factors in vulnerable individuals while promoting community involvement in CTSA activities, serving as a model for similar initiatives.

Introduction

With 600,000 uninsured residents [1], New York City (NYC) has the largest uninsured urban population in the United States. Uninsured residents encounter a greater risk of developing cardiovascular disease (CVD) and diabetes [2]. Over the past decade, CVD has been the leading cause of death in NYC, and diabetes has often ranked in the top five causes of death [3]. This is partly the result of multiple barriers facing medically underserved communities (populations that do not have adequate access to healthcare [4]). These barriers, which include social, cultural, and economic health determinants, have disproportionately affected vulnerable communities. In recent years, the coronavirus disease 2019 (COVID-19) pandemic has further exacerbated systemic inequities in healthcare access [5].

In 2018, healthcare spending and lost productivity due to CVD exceeded \$400 billion [6], making it the costliest disease in the United States. Despite decades of steady decreases in overall CVD risk, racial, geographic, and socioeconomic health disparities persist among specific subgroups in NYC. Screening for modifiable risk factors, such as high blood pressure (BP), obesity, diabetes, and elevated cholesterol, is critical for CVD risk reduction, especially through early intervention [7]. However, individuals in low-income and medically underserved communities often encounter barriers in the healthcare system [8]. Given NYC's large uninsured, underinsured, and underserved population, innovative community-academic partnerships help address these barriers and promote health equity [9]. Prevention and early intervention via lifestyle modification and/or first-line medications are successful and cost-effective – preventing an additional 3.2 cases of diabetes per 100 person-years in at-risk populations [10]. Consequently, relatively simple interventions, performed consistently and

with appropriate follow-up, could prevent significant amounts of disease and disability in underserved populations.

The Weill Cornell Clinical and Translational Science Center (CTSC) [11,12], with two of its partners – NewYork-Presbyterian Hospital [13], and Hunter-Bellevue School of Nursing [14] – initiated the Heart-to-Heart Community Outreach Program (H2H) in 2010 to help address healthcare disparities contributing to CVD in underserved communities of NYC. Importantly, the H2H program was developed with input from the CTSC's Community Advisory Board (CAB) and community partners. H2H brings the clinic to the community by providing free health screenings in NYC's underserved and minority communities. Events are open to the public and hosted by the CTSC Community Outreach Core's network of faith-based institutions and senior centers [15], considered equal partners in the program. This program has also facilitated the development of long-term partnerships that enable the continuation of community engagement initiatives at the CTSC.

The program's overarching goal is to help participants understand their current health status, particularly by identifying those with diabetes, hypertension, obesity, and hyperlipidemia, and provide early intervention through on-site consultations and connections to resources for follow-up healthcare. The program also enables additional community engagement by establishing partnerships of trust that can be used to find collaborators for other health related projects.

In community-partnered research, it is important for all members of the team to be involved throughout the translational research process, including the creation, implementation, evaluation, and dissemination of the research [16,17]. Collaborative community partners are considered equals in the program and are included in strategic decision-making. The H2H executive board of students and faculty coordinates research activities and medical protocol decisions, while community leaders promote and host events, determining the dates and times of events based on community needs. Over the years, additional services such as nutrition counseling, ophthalmology screenings, and cancer screenings were added at the request of community partners. Furthermore, leaders from partner sites have become members of our CAB, co-investigators on research projects, and partners for other CTSC health projects, including COVID-19 vaccinations and combating the opioid epidemic.

The aims of this translational science case study are to (1) quantify the health status of those participating in H2H screenings; (2) identify the socioeconomic, health access, and health-related barriers disproportionately affecting the program participants; and (3) develop long-term partnerships to enable community engagement and overcome barriers to health equity across the translational research spectrum at our Clinical and Translational Science Award (CTSA) hub.

Screening protocol

This project was initially approved by the Weill Cornell Medicine (WCM) Institutional Review Board as a research study in 2010 and reclassified as a Quality Assurance/Quality Improvement project in 2023.

WCM team members obtain consent and pair participants with a student navigator who escorts them through the screening process. Participants provide self-reported demographics and medical history and complete a survey. A licensed clinician counsels participants on individualized CVD risk factors and provides educational materials on appropriate lifestyle and behavioral modification, along with

resources for follow-up care. Uninsured participants or those without access to primary care services are given a list of free or sliding scale-based federally-qualified community health clinics or are referred to the Weill Cornell student-run free medical clinic. Individuals are not required to participate in the research survey to receive screening and counseling services.

Participants are assessed for height, weight, body mass index (BMI), BP, waist circumference, and biochemical measurements (blood glucose, hemoglobin A1c, and a complete lipid panel – high-density lipoprotein (HDL), low-density lipoprotein (LDL), total cholesterol, and triglycerides). A clinician counsels the participant, explains the results, and provides individualized follow-up information. Dietitians are frequently available to provide counseling when needed. Additionally, socioeconomic and demographic history questionnaires are completed to understand factors contributing to an increased disease burden in these populations.

Blood samples are taken by finger stick to perform a lipid profile (Cholestech LDX System) and assess hemoglobin A1c (HgbA1c; Bayer A1CNOW+ or Siemens DCA Vantage 2000) and blood glucose. BP, height, weight, and waist circumference are measured, and BMI is calculated. The student navigator records these results in a secure REDCap database [18] and provides the participant a paper copy to take home.

Demographic, anthropomorphic, and health screening data were aggregated and reported as summary statistics (counts, percentages, means, and standard deviations [SD]). Thematic maps were created by overlaying participants' home ZIP codes as a density function atop an NYC public-domain map (see Fig. 1).

Current status: implementation and dissemination

From 2010 to 2020, the program held 130 events and performed 5959 screenings at sites across NYC. Activities were temporarily suspended in 2020 due to the pandemic. Beginning in mid-2021, an abridged version of the screenings that minimized contact was offered at CTSC-supported COVID-19 vaccine sites. In mid-2022, the program began small-scale screenings with reduced capacity, and by 2023, all program activities were fully restored. Demographic, health status, and utilization of participants are summarized in Table 1.

Aim 1: quantifying the health status of those participating in H2H screenings

With regard to the health status of the disadvantaged communities participating in H2H screenings, the mean age of participants screened was 54.3 years (SD 39.6). 63.1% were female and 91.9% of participants were non-white.

Disease prevalence revealed the following: 40.7% of participants were previously diagnosed with hypertension, with 78.1% having suboptimal control (BP > 130/80), even though 74.5% were on medication. 51.9% of participants screened had a HbA1c in the prediabetic or diabetic range [19] (HbA1c \geq 5.7%). 15.7% of the participants were previously diagnosed with diabetes, with 41.4% having suboptimal control (defined as HbA1c > 7.0% [19]), although 75.8% of participants with known diabetes were on medication. 37.7% were previously diagnosed with dyslipidemia, and 62.1% had suboptimal control (total cholesterol > 200, LDL > 130, HDL < 40, or triglycerides > 150), even though 47.4% were on medication. 34.1% of participants were obese (BMI > 30).

Figure 2 compares the prevalence of selected conditions based on statistics from the NYC Department of Health and Mental Hygiene to that of H2H program participants.




Figure 1. *a.* A thematic map showing the geographical distribution of H2H participants throughout the five boroughs of NYC. *b.* A map of sites participating in the Heart-to-Heart Community Outreach Program (see acknowledgments for a list of sites). *c.* A map of the Neighborhood Deprivation Index for NYC (light blue indicates underserved neighborhoods).

For those without a previous diagnosis, 30.8% had hypertensive BP, 4.7% had elevated blood sugar (HbA1c > 6.5), and 29.0% had dyslipidemia at the time of screening.

Aim 2: identifying the socioeconomic, health access, and health-related barriers disproportionately promoting the onset of CVD and diabetes

There were pronounced barriers to accessing medical care. (1) 18.3% of participants reported not seeing a doctor last year. (2) A majority (61.4%) reported avoiding medical care in the last year. (3) Annual income revealed that 32.3% reported <\$20k, 26.3% between \$20 and \$50k, and 24.7% >\$50k. 16.7% declined to answer.

28.5% of participants were uninsured, and 48.3% were not US citizens or permanent residents. In addition to this data, program leaders have observed that many individuals are not captured in the data due to an inability to provide consent, either because of language barriers or a refusal to answer survey questions. This group is heavily skewed toward immigrant or undocumented individuals with worries about revealing documentation status. A common remark from program participants is that the approximately 15 minutes they spend with H2H providers greatly exceeds the time they normally spend with their primary care provider. To explore these barriers further, the H2H program revamped the survey questions in 2023 to explore these topics.

Aim 3: develop long-term partnerships to enable community engagement and overcome barriers to health equity across the translational research spectrum at our CTSA hub

Along with medical initiatives, the program has served as a cornerstone of our CTSA hub's community engagement strategy. By having long-term outreach programs such as H2H, our CTSA hub can develop and maintain community partnerships that can last well beyond any single research project. Indeed, several of the original partners from 2010 and 2011 continue to host annual events to this day. This approach has resulted in the creation of a network of community partners where trust has already been established, providing several unique advantages. First, it allows the CTSA hub to quickly identify community partners to assist investigators with their research studies. Over the years, studies ranging from device trials to survey validation, from behavior interventions in minority youth to the National Institutes of Health (NIH) All of Us Research Program [20], have used H2H events to recruit underserved and

minority individuals for their research studies. Due to the infrastructure for medical oversight and insurance coverage, investigators can initiate or even complete study activities on-site, thereby boosting participant completion rates for studies.

Second, this approach has enabled our CTSA hub to swiftly develop new projects based on community needs and rapidly evolving health crises. For example, in 2021, our CTSA hub launched a COVID-19 vaccination program in underserved communities across NYC that used H2H partners as vaccine sites and existing student volunteers as vaccinators [21]. This program was developed in response to a request by an H2H partner site and launched in under a month. From February 2021 to December 2021, the program administered nearly 27,000 vaccine doses across 40+ community sites to participants that were 69% African American or Hispanic [21].

Third, this approach has provided an entryway for community members to get involved in research activities at our CTSA hub. After successful H2H events, community leaders are often eager to engage in our Community Research Academy, a free course to train lay people on the research process, join our CAB, or get involved as a co-investigators on research studies.

Limitations of the study

The major limitation of the program is that the demographic and health-related data collected are based on a convenience sample, a significant barrier to the application of rigorous experimental models. A second limitation is that the program has not yet incorporated protocols to track the progress of individual participants over time. The program is currently planning an expansion to implement this. Finally, a significant number of participants, primarily non-English speakers, could not provide informed consent to participate in the research study and did not have data collected.

Further developments

To help mitigate language barriers, in 2023, the program simplified the consent process. In 2024, the program plans to translate the survey into commonly spoken languages at community partner sites and pair participants with bilingual volunteers.

Program leadership has also recognized that examining participant health outcomes via long-term follow-up will be a pivotal next step to refine and improve H2H screenings in the future.

Table 1. Demographics and healthcare utilization patterns of participants in the Heart-to-Heart Community Outreach Program

Item	Count	Percent (%)
Number of events	130	
Number of screenings	5959	
Sex (n = 5834)		
Male	2148	36.8
Female	3682	63.1
Other	1	0.017
Prefer not to state	3	0.051
Age (n = 5774)	Mean	Standard dev
	54.3 years	39.6
Race (n = 5613)		
Black	3204	57.0
Latino	773	13.8
Asian	863	15.4
White	456	8.12
American Indian/Alaskan Native	44	0.8
Pacific Islander	19	0.3
Prefer not to state	72	1.3
Other	182	3.2
Ethnicity (n = 5593)		
Hispanic	995	17.8
Non-Hispanic	4598	82.2
Income (n = 4264)		
\$0–\$20,000	1378	32.3
\$20,001–\$50,000	1120	26.3
Over \$50,001	1054	24.7
Decline to answer	712	16.7
Diabetes mellitus (n = 5842)		
At presentation	277	4.74
Previous diagnosis	917	15.7
If diagnosed, sub-optimal control? (Includes those on and off medication)	380	41.4
If diagnosed, on medication?	695	75.8
Dyslipidemia (n = 5699)		
At presentation	1651	29.0
Previous diagnosis	2149	37.7
If diagnosed, sub-optimal control? (Includes those on and off medication)	1335	62.1
If diagnosed, on medication?	1018	47.4
Hypertension (n = 5728)		
At presentation	1766	30.8
Previous diagnosis	2330	40.7
If diagnosed, sub-optimal control? (Includes those on and off medication)	1819	78.1
If diagnosed, on medication?	1737	74.5
Body mass index (n = 5829)		
Obese (BMI \geq 30)	1985	34.1

(Continued)

Table 1. (Continued)

Item	Count	Percent (%)
Overweight (BMI 25–29.9)	2121	36.4
Normal weight (BMI 18.5–24.9)	1655	28.4
Underweight (BMI <18.5)	68	1.17
Emergency room usage in last 6 mo. (n = 1577)		
None	1342	85.1
1–2	208	13.2
3–5	21	1.33
>6	6	0.38
Healthcare utilization and potential barriers to access		
Have not seen a doctor in the last year (n = 5761)	1052	18.3
Avoided seeking medical care in the last year (n = 3260)	2003	61.4
Not US citizens or permanent residents (n = 5912)	2510	48.3
Insurance status (n = 5959)		
None	1698	28.5
Medicaid	194	3.26
Medicare	346	5.81
Private	501	8.41
Other	154	2.58
Yes, nonspecific	3066	51.5

Note: H2H = Heart-to-Heart Community Outreach Program, LDL = low-density lipoprotein, HDL = high-density lipoprotein, BP = blood pressure.

While the total number of unique participants was 4300, the number of participants (n) for each variable changes due to repeat screenings and changes in questionnaire content at H2H screenings over time. For the first 6 years of the H2H program, participants were not asked to specify type of insurance. Incident cases (and suboptimal control of) diabetes: HbA1c > 7. Incident cases (and suboptimal control of) dyslipidemia: total cholesterol > 200, LDL > 130, HDL < 40, or triglycerides > 150. Incident cases (and suboptimal control of) hypertension: BP > 130/80.




Figure 2. The bar chart compares the prevalence of these conditions based on statistics from the New York City Department of Health and Mental Hygiene for adults in New York City as a whole to that of Heart-to-Heart Community Outreach Program (H2H) participants. Undiagnosed diabetes refers to patients who were not aware or did not report having diabetes but who nonetheless met laboratory criteria for diagnosis.

Implications for clinical practice, health education, public health policy, and future research

Based on their experiences interacting with the community over the past 12 years, program organizers have noted significant barriers to high-quality medical care. Many participants lack

health insurance – a well-recognized problem in underserved communities. However, even among those insured, many perceived their routine interactions with primary care providers as suboptimal. The ability to speak extensively with an attending physician or nursing faculty member was a new experience for many participants.

From an institutional perspective, establishing a robust community-based participatory research network has required extensive effort and long-term commitment. However, by providing free health screenings, free health education, and other services to communities, trust and commitment have developed, enabling these communities to contribute to the translational research process at our CTSC hub. Specifically, community members have joined our CAB (which reviews and scores pilot grant applications) and become collaborators in research studies and projects with CTSC principal investigators. Thanks to the community network developed by the H2H program, many CTSC-supported investigators are now involved with underserved communities.

Conclusion

The H2H program focuses on “bringing the clinic to the community.” By leveraging strong partnerships with faith-based institutions and community centers in at-risk NYC neighborhoods, the program breaks down barriers to engaging with the medical establishment. It helps to detect and address the increasing

burden of diabetes and CVD risk factors in the most vulnerable individuals while simultaneously serving as a mechanism to develop long-term partnerships for community engagement activities at our CTSA hub.

Populations served by the H2H program have been disproportionately non-white, uninsured, low income, and underserved within the healthcare system. The burden of previously known CVD risk factors is high, and testing has revealed that many of these conditions have been newly discovered or poorly controlled. Participants faced numerous barriers to optimal healthcare utilization, including social, cultural, and economic health determinants. By fostering multidisciplinary and cross-institutional academic-community partnerships, the program has empowered individuals with a more detailed knowledge of their health status, facilitated positive lifestyle modifications, and provided access to medical advice, further addressing health risk factors, as well as promoting engagement of researchers with community members at all phases of the research process. By characterizing the community served by the initiative, we are now preparing a plan for the future that includes long-term tracking of participants and further exploration of barriers to healthcare access. Additionally, partnerships and trust developed through this program have enabled community involvement across our CTSA hub. We hope our experience will provide useful insights to those involved in similar initiatives.

Acknowledgments. We wish to acknowledge the following community and faith-based institutions for their participation in the H2H program:

Abyssinian Baptist Church, 132 Odell Clark Place, New York, NY.
 Agape Love Christian Center, 1023 Allerton Ave., Bronx, NY.
 Alive Ministry, 1050 Beach 21st, Far Rockaway, NY.
 Atlantic Center Mall, 625 Atlantic Ave. #B3, Brooklyn, NY.
 Boys & Girls Club, 550 Balcom Ave., Bronx, NY.
 Caldwell Temple African Methodist Episcopal Zion Church, 1288 Rev. James A. Polite Ave., Bronx, NY.
 Child Development Support Corp, 802 Kent Ave. #804, Brooklyn, NY.
 Chinese-American Planning Council, 4812 9th Ave., Brooklyn, NY.
 Christian Fellowship, 777-779 Schenectady Ave., Brooklyn, NY.
 Claremont Neighborhood Center, 489 East 169th St., Bronx, NY.
 Community Health & Resource Fair, 115th St between 1st and 2nd Avenues, New York, NY.
 Community Health & Resource Fair, 679 Riverside Drive, New York, NY.
 Day of Hope, 115th St between 1st and 2nd Avenues, New York, NY.
 Dunk the Junk, Beacon High School in Harlem, 1820 Lexington Ave., New York, NY.
 Emmanuel Baptist Church, 279 Lafayette Ave., Brooklyn, NY.
 Ephesus 7th Day Adventist Church, 101 W 123rd St., New York, NY.
 First Baptist Church, 100-10 Astoria Blvd., East Elmhurst, NY.
 First Presbyterian Church in Jamaica, 89-60 164th St., Jamaica, NY.
 Flatbush Reformed Church, 890 Flatbush Ave., Brooklyn, NY.
 Frederick Douglass Academy I, 2581 Adam Clayton Powell Jr., New York, NY.
 God's Battalion of Prayer Church, 661 Linden Blvd., Brooklyn, NY.
 Grace Baptist Church, 223 New Jersey Ave., Brooklyn, NY.
 Grace United Methodist Church, 33 Saint Johns Pl., Brooklyn, NY.
 Hanson Place SDA Church, 88 Hanson Pl., Brooklyn, NY.
 Hebron SDA Church, 1256 Dean St., Brooklyn, NY.
 Immaculate Conception Church of the Blessed Virgin Mary, 601 Melrose Ave., Bronx, NY.
 IPRHE/Bronx River Senior Center, 1619 E. 174th St., Bronx, NY.
 Ismaili Center, 92-68 Queens Blvd., Rego Park, NY.
 La Familia Adult Day Center, 3014 Fulton St., Brooklyn, NY.
 Leviticus Church of God, 114-12 Van Wyck Expy., Queens, NY.
 Linden SD-Adventist Church, 2820 137th Ave., Springfield Gardens, NY.

Mamre Seventh Day Adventist Church, 1623-27 Utica Ave., Brooklyn, NY.
 Maranatha SDA Church, 899 Winthrop St., Brooklyn, NY.
 Mount Paran Baptist Church, 12 Schafer St., Brooklyn, NY.
 Neighborhood Hunger Network Fall Festival, 9040 160th St., Jamaica, NY.
 New Life Tabernacle Church, 1476 Bedford Ave., Brooklyn, NY.
 Queens Elmhurst Health Fair, PS 127, 9801 25th Ave., East Elmhurst, NY.
 Saint Francis Xavier Church, 55 West 15th St., New York, NY.
 Salem Missionary Baptist Church, 305 East 21st St., Brooklyn, NY.
 St. John's Lutheran Church, 81 Christopher St., New York, NY.
 St. Paschal Baylon Church, 112-43 198th St., Jamaica, NY.
 Sunrise Adult Healthcare Center, 9517 Avenue J, Brooklyn, NY.
 Taino Towers, 2243 3rd Ave., New York, NY.
 The Bowery Mission Transitional Center, 45 Avenue D, New York, NY.
 The Third Ave. Fair, 1180 3rd Ave., New York, NY.
 True Zion Gospel Temple, 145-21 Liberty Ave., Jamaica, NY.
 Union Baptist Church, 461 Decatur St., Brooklyn, NY.
 Wat Buddha Thai Thavorn Vanaram Temple, 76-16 46th Ave., Elmhurst, NY.

Young Women's Leadership School, 105 East 106 St., New York, NY.

We wish to acknowledge the following members of the H2H Consortium:

Venkatesh Balaji
 Larry Breindel
 Agnes Chayka
 Paul J. Christos
 Daisy Donnellan
 Neville Dusaj
 Kenny Wu Feng
 Julia Klein
 Kaymisha Knights
 Marvin Yu Him Lo
 Jonathan Moreno
 Patrick O'Connor
 Suchit Patel
 Lula Mae Phillips
 Jorge L. Sanchez
 Gena Seraita
 Lior Shtayer
 Brandon Valentine

We wish to acknowledge the following past and present H2H Volunteer Medical Directors for donating so many of their weekends to this program:

William Borden, MD
 Keith LaScalea, MD
 Christopher Schultz, MD
 Brett Ehrmann, MD

Author contributions. Brett J. Ehrmann, Julianne Imperato-McGinley, Michael E. Bales, and Jifeng Zhu have contributed equally to this work. Michael E. Bales: conception and design of the work and drafting of the manuscript (takes responsibility for the manuscript as a whole). Jifeng (Jeff) Zhu: conception and design of the work, conduct of analysis, and drafting of the manuscript. Christine A. Ganzer: contributions of expertise and drafting of the manuscript. Farid Aboharb: contributions of expertise and conduct of analysis. Allegra Keeler: contributions of expertise and conduct of analysis. Krista A. Ryon: contributions of expertise and drafting of the manuscript. Brett J. Ehrmann: conception and design of the work and drafting of the manuscript. Julianne Imperato-McGinley: conception and design of the work, drafting of the manuscript.

Funding statement. Research reported in this publication was supported by the National Center for Advancing Translational Sciences of the NIH under Award Number UL1TR002384. MB was supported by UL1TR002384-02, National Library of Medicine Administrative Supplement to CTSA. The content is solely the responsibility of the authors and does not necessarily represent the official views of the NIH.

Competing interests. None.

References

1. Smith J. COVID-19 Health: Rate of Uninsured Americans by City. March 25, 2020. <https://www.self.inc/blog/uninsured-by-city>. Accessed February 22, 2024.
2. Wilper AP, Woolhandler S, Lasser KE, McCormick D, Bor DH, Himmelstein DU. A national study of chronic disease prevalence and access to care in uninsured U.S. adults. *Ann Intern Med*. 2008;**149**(3):170–176. doi: [10.7326/0003-4819-149-3-200808050-00006](https://doi.org/10.7326/0003-4819-149-3-200808050-00006).
3. New York State Leading Causes of Death. https://apps.health.ny.gov/public/tabvis/PHIG_Public/lcd/reports/#state. Accessed February 2, 2024.
4. Underserved group - Toolkit. <https://toolkit.ncats.nih.gov/glossary/underserved-group/>. Accessed February 22, 2024.
5. Bhaskar S, Rastogi A, Menon KV, Kunheri B, Balakrishnan S, Howick J. Call for action to address equity and justice divide during COVID-19. *Front Psychiatry*. 2020;**11**:559905. doi: [10.3389/fpsy.2020.559905](https://doi.org/10.3389/fpsy.2020.559905).
6. Tsao CW, Aday AW, Almarzoq ZI, et al. Heart disease and stroke statistics-2023 update: a report from the American heart association. *Circulation*. 2023;**147**(8):e93–e621. doi: [10.1161/CIR.0000000000001123](https://doi.org/10.1161/CIR.0000000000001123).
7. Willis A, Rivers P, Gray LJ, Davies M, Khunti K. The effectiveness of screening for diabetes and cardiovascular disease risk factors in a community pharmacy setting. *PLoS ONE*. 2014;**9**(4):e91157. doi: [10.1371/journal.pone.0091157](https://doi.org/10.1371/journal.pone.0091157).
8. Kirby JB, Kaneda T. Neighborhood socioeconomic disadvantage and access to health care. *J Health Soc Behav*. 2005;**46**(1):15–31. doi: [10.1177/002214650504600103](https://doi.org/10.1177/002214650504600103).
9. Flocks J, Tovar JA, Economos E, et al. Lessons learned from data collection as health screening in underserved farmworker communities. *Prog Community Health Partnersh*. 2018;**12**(1S):93–100. doi: [10.1353/cpr.2018.0024](https://doi.org/10.1353/cpr.2018.0024).
10. Knowler WC, Barrett-Connor E, Fowler SE, et al. Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin. *N Engl J Med*. 2002;**346**(6):393–403. doi: [10.1056/NEJMoa012512](https://doi.org/10.1056/NEJMoa012512).
11. Clinical & Translational Science Center | Weill Cornell Medicine. Accessed February 22, 2024. <https://ctscweb.weill.cornell.edu/>
12. Weill Cornell Medicine. <https://weill.cornell.edu/>. Accessed February 22, 2024.
13. NewYork-Presbyterian. <https://www.nyp.org/>. Accessed February 22, 2024.
14. Hunter College. Hunter-Bellevue School of Nursing — Hunter College. <http://www.hunter.cuny.edu/nursing>. Accessed February 22, 2024.
15. Cornell Cooperative Extension. Cornell Cooperative Extension | Serving communities in New York state and NYC. <https://cals.cornell.edu/cornell-cooperative-extension>. Accessed February 22, 2024.
16. Wallerstein N, Calhoun K, Eder M, Kaplow J, Wilkins CH. Engaging the community: community-based participatory research and team science. In: Hall KL, Vogel AL, Croyle RT, eds. *Strategies for Team Science Success: Handbook of Evidence-Based Principles for Cross-Disciplinary Science and Practical Lessons Learned from Health Researchers*. Cham, Switzerland: Springer International Publishing; 2019:123–134.
17. Shalowitz MU, Isacco A, Barquin N, et al. Community-based participatory research: a review of the literature with strategies for community engagement. *J Dev Behav Pediatr*. 2009;**30**(4):350–361. doi: [10.1097/DBP.0b013e3181b0ef14](https://doi.org/10.1097/DBP.0b013e3181b0ef14).
18. Harris PA, Taylor R, Thielke R, Payne J, Gonzalez N, Conde JG. Research electronic data capture (REDCap): a metadata-driven methodology and workflow process for providing translational research informatics support. *J Biomed Inform*. 2009;**42**(2):377–381. doi: [10.1016/j.jbi.2008.08.010](https://doi.org/10.1016/j.jbi.2008.08.010).
19. American Diabetes Association. Standards of care in diabetes-2023 abridged for primary care providers. *Clin Diabetes*. 2022;**41**(1):4–31. doi: [10.2337/cd23-as01](https://doi.org/10.2337/cd23-as01).
20. The All of Us Research Program Investigators. The “all of us” research program. *Research Program N Engl J Med*. 2019;**381**(7):668–676. doi: [10.1056/NEJMr1809937](https://doi.org/10.1056/NEJMr1809937).
21. Griswold AR, Klein J, Dusaj N, et al. Students as community vaccinators: implementation of a service-learning COVID-19 vaccination program. *Vaccines (Basel)*. 2022;**10**(7):1058. doi: [10.3390/vaccines10071058](https://doi.org/10.3390/vaccines10071058).