CAMBRIDGE

JOURNALS

Brain Impairment

A Journal of the Australian Society for the Study of Brain Impairment (ASSBI)

Editors

Jacinta Douglas, La Trobe University, Australia Robyn Tate, Royal Rehabilitation Centre, Sydney, Australia

A multidisciplinary Journal of the Australian Society for the Study of Brain Impairment. Topics covered include neurology, neuropsychology, psychiatry, clinical psychology, neuropathology, occupational therapy, physiotherapy, speech pathology and anatomy. Submissions are welcome across the full range of conditions that affect brain function (stroke, tumour, dementing illnesses, traumatic brain injury, epilepsy etc.) throughout the lifespan.



Brain Impairment

is available online at: http://journals.cambridge.org/bim

To subscribe contact Customer Services

in Cambridge:

Phone +44 (0)1223 326070 Fax +44 (0)1223 325150 Email journals@cambridge.org

in New York:

Phone +1 (845) 353 7500 Fax +1 (845) 353 4141 Email subscriptions_newyork@cambridge.org

Free email alerts

Keep up-to-date with new material – sign up at

journals.cambridge.org/bim-alerts

For free online content visit: http://journals.cambridge.org/bim



INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, http://www.editorialmanager.com/psm/. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

- 1. S.I. units should be used throughout in text, figures and tables.
- 2. Authors should spell out in full any abbreviations used in their manuscripts.
- 3. Foreign quotations and phrases should be followed by a translation.
- 4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* 286, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* 32, 173–179.

Cleckley HJ (1941). The Mask of Sanity, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In Olfaction and the Brain (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank. org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. Line artwork: Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; Combination artwork (line/tone): Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; Black and white halftone artwork: Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; Colour halftone artwork: Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. Tables Tables should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

REVIEW ARTICLES Childhood adversity in schizophrenia: a systematic meta-analysis		The prognostic significance of subsyndromal symptoms emerging after remission of late-life depression Kiosses DN & Alexopoulos GS	341
Matheson SL, Shepherd AM, Pinchbeck RM, Laurens KR & Carr VJ	225	Psychological treatment of anxiety in primary care: a meta-analysis	
Prenatal maternal infection, neurodevelopment and adult schizophrenia: a systematic review of population-based studies		Seekles W, Cuijpers P, Kok R, Beekman A, van Marwijk H & van Straten A	351
Khandaker GM, Zimbron J, Lewis G & Jones PB	239	Cost-effectiveness and long-term effectiveness of Internet-based cognitive behaviour therapy for severe	
ORIGINAL ARTICLES		health anxiety	
Temporal association of stress sensitivity and symptoms in individuals at clinical high risk for psychosis		Hedman E, Andersson E, Lindefors N, Andersson G, Rück C & Ljótsson B	363
DeVylder JE, Ben-David S, Schobel SA, Kimhy D, Malaspina D & Corcoran CM	259	Cognitions, behaviours and co-morbid psychiatric diagnoses in patients with chronic fatigue syndrome	
Patients' beliefs about the causes, persistence and control of		Cella M, White PD, Sharpe M & Chalder T	375
psychotic experiences predict take-up of effective cognitive behaviour therapy for psychosis Freeman D, Dunn G, Garety P, Weinman J, Kuipers E, Fowler D, Jolley S & Bebbington P	269	Influence of predispositions on post-traumatic stress disorder: does it vary by trauma severity? Breslau N, Troost JP, Bohnert K & Luo Z	381
Interaction between catechol-O-methyltransferase (COMT) Val ¹⁵⁸ Met genotype and genetic vulnerability to schizophrenia during explicit processing of aversive facial stimuli Lo Bianco L, Blasi G, Taurisano P, Di Giorgio A, Ferrante F, Ursini G, Fazio L, Gelao B, Romano R, Papazacharias A,		Punishment promotes response control deficits in obsessive-compulsive disorder: evidence from a motivational go/no go task Morein-Zamir S, Papmeyer M, Gillan CM, Crockett MJ, Fineberg NA, Sahakian BJ & Robbins TW	391
Caforio G, Sinibaldi L, Popolizio T, Bellantuono C & Bertolino A Heterogeneity of amygdala response in major depressive disorder: the impact of lifetime subthreshold mania Fournier JC, Keener MT, Mullin BC, Hafeman DM, LaBarbara EJ, Stiffler RS, Almeida J, Kronhaus DM, Frank E & Phillips ML	279293	Frontotemporal white-matter microstructural abnormalities in adolescents with conduct disorder: a diffusion tensor imaging study Sarkar S, Craig MC, Catani M, Dell'Acqua F, Fahy T, Deeley Q & Murphy DGM	401
Psychosocial stressors and the prognosis of major depression: a test of Axis IV Gilman SE, Trinh N-H, Smoller JW, Fava M, Murphy JM & Breslau J	303	Genetic amplification and the individualization of the parent-child relationship across adolescence Ludeke S, Johnson W, McGue M & Iacono WG	413
Associations of current and remitted major depressive disorder with brain atrophy: the AGES-Reykjavik Study Geerlings MI, Sigurdsson S, Eiriksdottir G, Garcia ME, Harris TB, Sigurdsson T, Gudnason V & Launer LJ	317	Time to diagnosis in young-onset dementia as compared with late-onset dementia van Vliet D, de Vugt ME, Bakker C, Pijnenburg YAL, Vernooij-Dassen MJFJ, Koopmans RTCM & Verhey FRJ	423
Sleep disturbances and depressive symptoms: an investigation of their longitudinal association in a representative sample of the UK general population		Psychometric evaluation of the DSM-IV criterion B mania symptoms in an Australian national sample Carragher N, Weinstock LM & Strong D	433
Skapinakis P, Rai D, Anagnostopoulos F, Harrison S, Araya R & Lewis G	329	Correspondence	445





