




jmr Journal of
MATERIALS RESEARCH



VOLUME 34 • NO 10
MAY 28, 2019

A publication of the

MRS MATERIALS RESEARCH SOCIETY®
Advancing materials. Improving the quality of life.

CAMBRIDGE
UNIVERSITY PRESS

Journal of MATERIALS RESEARCH

JOURNAL OF MATERIALS RESEARCH (JMR) is an interdisciplinary journal serving the materials research community through publication of original research articles and invited reviews encompassing the synthesis, processing, characterization, properties, and theoretical description of materials.

JMR publishes new research that demonstrates a significant impact or advance of scientific understanding of interest to the materials research community. Engineering studies and applications to commercial products are beyond the scope of *JMR* and should be submitted elsewhere. Manuscripts that report data without giving an analysis, interpretation, or discussion are only acceptable if the data are sufficiently important that publication is expected to lead to significant new studies or advancements in science or technology.

Manuscripts must be submitted to the *Journal of Materials Research* electronically via ScholarOne manuscripts, at the following website address: <http://mc.manuscriptcentral.com/jmr>. Electronic submission expedites the review process and also allows authors to track the status of their manuscripts at any time. Complete instructions are available on the ScholarOne site and authors will be prompted to provide all necessary information.

Manuscripts must be prepared in English, using a word processing program, formatted to fit 8½ x11 in. paper, and saved as .doc or .pdf files. Separate graphics files (.eps and .tif) must be uploaded for each figure. Authors may also upload .xls or .ppt supplemental files as part of the manuscript submission process. All of these files will be converted to .pdf format. Detailed instructions are available on the submission web site. During submission, authors must enter all coauthor names and e-mail addresses. Manuscripts will not be considered for peer review until this information is provided. Authors must also enter manuscript keywords using the *JMR* keyword list (located on the submission web site). Authors who are not fluent in English must have their manuscript edited for correct English grammar and sentence structure before submission.

Authors are expected to follow the conventional writing, notation, and illustration style prescribed in *Scientific Style and Format: the CSE Manual for Authors, Editors and Publishers, 7th edition, 2006*. Authors should also study the form and style of printed material in this journal. SI units should be used. Authors should use an identical format for their names in all publications to facilitate use of citations and author indexes.

Manuscripts are accepted with the understanding that they represent original research, except for review articles, and that they have not been copyrighted, published, or submitted for publication elsewhere. Authors submitting manuscripts to *JMR* who have related material under consideration or in press elsewhere should send a copy of the related material to *JMR* at the time of submission. While their manuscripts are under consideration at *JMR*, authors must disclose any such related material. To expedite the review process, authors may provide names and contact information for up to four possible reviewers.

Articles are original research reports that include complete, detailed, self-contained descriptions of research efforts. All articles must contain an abstract and section headings.

Commentaries and Reviews: *Journal of Materials Research* occasionally publishes commentaries on topics of current interest or reviews of the literature in a given area. If an author proposes a review, the title, abstract, and a brief outline should be submitted to the Editorial Office via e-mail for prior consultation on the appropriateness of the topic.

Color policy: It is not necessary for authors to indicate that a figure should be displayed in color online. *JMR* will assume that any author who submits figures in color wants and agrees to their being produced in color online. Figures may be printed in color at the author's request for an additional charge. Color figures must be submitted before the paper is accepted for publication, and cannot be received later in the process. Authors cannot submit two versions of the same figure, one for color and one for black and white; only one version can be submitted. Authors need to carefully consider the following when submitting figures in color that will

be published in color online only: 1) The colors chosen must reproduce effectively and the colors should be distinguishable when printed in black and white; 2) The descriptions of figures in text and captions must be sufficiently clear for both online and print copy. When submitting figures to be in color online only, authors should include the phrase <<color online>> in the figure captions. This is the author's responsibility. Authors will see these color figures when viewing their author page proofs on screen. Authors should always print their page proofs in black and white to see how they will appear in print. Authors will NOT be allowed to submit color figures to replace black and white figures in the page proof stage. To maximize the probability that figures will be published in color online and also print as good quality black and white or grayscale graphics, authors are encouraged to follow these figure submission guidelines: 1) Submit a color graphic in Tagged Image File Format (.tif); 2) Submit color graphics with a resolution of at least 300 dpi (600 dpi if there is text or line art in the figure); 3) Submit color graphics in CMYK format; 4) Submit figures sized to fit the actual column or page width of the journal so that reduction or enlargement is not necessary; 5) Submit multipart figures in one single electronic file.

Copyright © 2019, Materials Research Society. All rights reserved. No part of this publication may be reproduced, in any form or by any means, electronic, photocopying, or otherwise, without permission in writing from Cambridge University Press. Policies, request forms and contacts are available at: <http://www.cambridge.org/rights/permissions/permission.htm>. Permission to copy (for users in the USA) is available from Copyright Clearance Center at: <http://www.copyright.com>, email: info@copyright.com.

Journal of Materials Research Subscription Prices (2019)

[includes on-line web access]

	USA and Poss.	Non-US	Online Only
MRS Regular and Student Members	\$260.00	\$351.00	–
Institutions	\$2329.00	\$2264.00	\$2043.00

Journal of Materials Research (ISSN: 0884-2914) is published twenty-four times a year by Cambridge University Press, One Liberty Plaza, 20th Floor, New York, NY 10006 for the Materials Research Society. Periodical Postage Paid in New York, NY and additional mailing offices. **POSTMASTER:** Send address changes to *Journal of Materials Research*, c/o Journals Dept., Cambridge University Press, One Liberty Plaza, 20th Floor, New York, NY 10006, USA.

Subscriptions, renewals, address changes, and single-copy orders should be addressed to Subscription Fulfillment, *Journal of Materials Research*, Cambridge University Press, One Liberty Plaza, 20th Floor, New York, NY 10006, USA (for USA, Canada, and Mexico); or Cambridge University Press, University Printing House, Shaftesbury Road, Cambridge, CB2 8BS, England (for UK and elsewhere). Allow at least six weeks advance notice. For address changes, please send both old and new addresses and, if possible, include a mailing label from a recent issue. Requests from subscribers for missing journal issues will be honored without charge only if received within six months of the issue's actual date of publication; otherwise, the issue may be purchased at the single-copy price.

Reprints of individual articles in *Journal of Materials Research* may be ordered. For information on reprints, please contact Cambridge University Press. Reprints of complete back issues older than the prior volume year may be ordered on an individual basis via Cambridge Core. To determine availability, visit the appropriate page for the *JMR* back issue desired (cambridge.org/jmr).

Individual member subscriptions are for personal use only.

Editor-in-Chief: Gary L. Messing, *Ceramic materials, The Pennsylvania State University, USA*

Associate Editor: Susmita Bose, *Biomaterials, Washington State University, USA*

Associate Editor: Mathias Göken, *Advanced metallic materials, Friedrich-Alexander-University Erlangen-Nürnberg, Germany*

Associate Editor: Linda S. Schadler, *Polymeric materials, University of Vermont, USA*

2019 Principal Editors:

Amit Bandyopadhyay, *Hard biomaterials, Additive manufacturing, Washington State University, USA*

Ricardo H.R. Castro, *Interfaces thermodynamics, Calorimetry, Ceramics, University of California, Davis, USA*

Jinju Chen, *Soft materials/thin films, Nanoindentation, Newcastle University, United Kingdom*

Xiaobo Chen, *Photocatalysis and batteries, University of Missouri-Kansas City, USA*

Yang-T. Cheng, *Mechanical behavior, Electrochemical energy storage, University of Kentucky, USA*

Sung-Yoon Chung, *Energy, Electron microscopy, Interface science, KAIST, Korea*

Paolo Colombo, *Pre-ceramic polymers, Porous ceramics, University of Padova, Italy; The Pennsylvania State University, USA*

Sylvain Deville, *Ceramic materials, Processing, Bioinspired materials, CNRS, France*

Franz Faupel, *Functional nanomaterials, VPD, Metallic glasses, University of Kiel, Germany*

Michael C. Gao, *High entropy alloys, Computational materials science, National Energy Technology Laboratory/AECOM, USA*

Erik G. Herbert, *Nanoindentation, Small-scale mechanical behavior Michigan Technological University, USA*

Jon Ihlefeld, *Ferroelectrics, Thin films, Ionic conductors, University of Virginia, USA*

Quanxi Jia, *Superconductors, Ferroelectric/magnetic materials, Thin films University of Buffalo, USA*

C. Robert Kao, *Metallic materials, Diffusion and joining, National Taiwan University, Taiwan*

Edson Roberto Leite, *Materials chemistry, Nanocrystals, Synthesis, Brazilian Nanotechnology National Laboratory, Brazil*

Lei Liu, *Semiconductors, Electronic structure, Spectroscopy, Changchun Institute of Optics, Fine Mechanics and Physics, China*

Jörg Löffler, *Metallic materials/synthesis and properties, ETH Zurich, Switzerland*

Michele Manuel, *Phase transformations, Materials design, University of Florida, USA*

Michael E. McHenry, *Magnetic materials, Carnegie Mellon University, USA*

Scott T. Misture, *In-situ diffraction, Electrochemically active ceramics, Alfred University, USA*

Sarah E. Morgan, *Polymer surfaces and interfaces, The University of Southern Mississippi, USA*

Lakshmi S. Nair, *Biomaterials, Tissue regeneration, Drug delivery, University of Connecticut, USA*

Akira Nakajima, *Photocatalysis, Surface wettability, Ceramic processing, Tokyo Institute of Technology, Japan*

Cewen Nan, *Ferroelectric, Multiferroic materials, Tsinghua University, China*

George M. Pharr, *Mechanical behavior, Nanoindentation, Texas A&M University, USA*

Joshua A. Robinson, *2D material synthesis and properties, The Pennsylvania State University, USA*

Fabrice Rossignol, *Ceramic processes, Additive manufacturing CNRS, France*

Edward M. Sabolsky, *Electroceramics, Electrochemistry, Processing, West Virginia University, USA*

Don W. Shaw, *Epitaxy, Vapor deposition, Semiconductors, The University of Texas at Dallas, USA*

Susan B. Sinnott, *Computational materials science, The Pennsylvania State University, USA*

Ziqi Sun, *Energy nanomaterials, Wet chemical synthesis, Queensland University of Technology, Australia*

Mitra Taheri, *Metallic materials, Semiconductors, Complex Oxides, Drexel University, USA*

Chongmin Wang, *Energy storage, Microscopy, In-situ/operando technique, Pacific Northwest National Laboratory, USA*

Sam Zhang, *Thin films/coatings, Nanyang Technological University, Singapore*

Yanchun Zhou, *Structural ceramics, Electronic structure, Aerospace Research Institute of Materials and Processing Technology, China*

Editorial Office: Ellen W. Kracht, *Publications Manager, Materials Research Society, Warrendale, PA*
Leslie Truver, *JMR Editorial Assistant, Materials Research Society, Warrendale, PA*
Kirby L. Morris, *JMR Production Assistant, Materials Research Society, Warrendale, PA*
Eileen M. Kiley, *Director of Communications, Materials Research Society, Warrendale, PA*

Cover: SEM photomicrographs of the cell wall thickness at alumina–microsilica–talc powder to D-glucose anhydrous weight ratio (WP/A) of 1.4. [X. Li, Y. Li, R. Xiang, S. Li, Q. Zhou, H. Luo: Fabrication of ultra-high porosity cordierite foams by the thermo-foaming of powder dispersions in molten D-glucose anhydrous. p. 1818].

ARTICLES

- | | | |
|-----------|---|--|
| 1633–1644 | Fracture sequences during elastic–plastic indentation of brittle materials | Robert F. Cook |
| 1645–1653 | A model for the indentation size effect in polycrystalline alloys coupling intrinsic and extrinsic length scales | Simon P.A. Gill,
Christopher J. Campbell |
| 1654–1668 | Peak shape analysis of deep level transient spectra: An alternative to the Arrhenius plot | Patrick G. Whiting, Kevin S. Jones,
Karl D. Hirschman,
Jayantha Senawiratne,
Johannes Moll, Robert G. Manley,
J. Gregory Couillard,
Carlo A. Kosik Williams |
| 1669–1677 | Electrospinning of PAN/Ag NPs nanofiber membrane with antibacterial properties | Chenrong Wang, Wei Wang,
Lishan Zhang, Shan Zhong, Dan Yu |
| 1678–1691 | Investigation of the in vitro corrosion behavior and biocompatibility of niobium (Nb)-reinforced hydroxyapatite (HA) coating on CoCr alloy for medical implants | Balraj Singh, Gurpreet Singh,
Buta Singh Sidhu |
| 1692–1703 | Effects of polymer chemistry, concentration, and pH on doxorubicin release kinetics from hydroxyapatite-PCL-PLGA composite | Dishary Banerjee, Susmita Bose |
| 1704–1713 | Effect of cooling rate and composition on the microstructure and mechanical properties of $(\text{Ni}_{0.92}\text{Zr}_{0.08})_{100-x}\text{Al}_x$ ($0 \leq x \leq 4$ at.%) ultrafine eutectic composites | Anushree Dutta, Parijat P. Jana,
Jayanta Das |
| 1714–1725 | Microstructural evolution and wear performance of the high-entropy FeMnCoCr alloy/TiC/CaF₂ self-lubricating composite coatings on copper prepared by laser cladding for continuous casting mold | Jun Jiang, Ruidi Li, Tiechui Yuan,
Pengda Niu, Chao Chen,
Kechao Zhou |
| 1726–1733 | Electrodeposition of Co–Ni–P/graphene oxide composite coating with enhanced wear and corrosion resistance | Cansen Liu, Dongdong Wei,
Xiaoye Huang, Yongjin Mai,
Liuyan Zhang, Xiaohua Jie |
| 1734–1743 | Fabrication of novel resinous diamond composites with acrylonitrile butadiene styrene/polyvinyl chloride/dioctyl phthalate/diamond by hot pressing molding | Fengjun Chen, Huochang Liang,
Shaohui Yin, Shuai Huang,
Qingchun Tang |
| 1744–1753 | Bulk titanium–graphene nanocomposites fabricated by selective laser melting | Zengrong Hu, Dini Wang,
Changjun Chen, Xiaonan Wang,
Xiaming Chen, Qiong Nian |
| 1754–1761 | Effect of oxidation on thermal fatigue behavior of cast tungsten carbide particle/steel substrate surface composite | Quan Shan, Zaifeng Zhou, Zulai Li,
Yehua Jiang, Fan Gao, Lei Zhang |
| 1762–1772 | Oxidation behavior of in situ synthesized (TiB + TiC)/Ti–6Al–4V composites from Ti–B₄C–C and Ti–TiB₂–TiC systems | Meng Yi, Xiangzhao Zhang,
Chuanxin Ge, Guiwu Liu,
Shunjian Xu, Demin Zhong,
Guanjun Qiao |
| 1773–1784 | Bimetallic metal–organic frameworks-derived mesoporous Cd_xZn_{1-x}S polyhedrons for enhanced photocatalytic hydrogen evolution | Feihu Mu, Shijian Zhou, Yun Wang,
Jian Wang, Yan Kong |
| 1785–1794 | Preparation and characterization of mesoporous g-C₃N₄/SiO₂ material with enhanced photocatalytic activity | Li Peng, Zi-wei Li, Ren-rong Zheng,
Hui Yu, Xiang-ting Dong |

(Continued)

- 1795–1804 **Double-layer hydrogel with photoresponsive shape memory features for controllable catalysis** Jinghang Leng, Shujing Li, Mingxin Yang, Jie Hu
- 1805–1817 **Solid state synthesis and characterization of n-p $(\text{SnO}_2)_{1.3}/(\alpha \sim \text{Bi}_2\text{O}_3)_x/(\beta \sim \text{Bi}_2\text{O}_3)_{1-x}$ photocatalyst modulated by PVA and its photocatalytic performance** Taoyu Qiu, Weiwei Zhu, Shaoyou Liu, Kao Chen, Siliang Liang, Qingge Feng
- 1818–1825 **Fabrication of ultra-high-porosity cordierite foams by the thermofoaming of powder dispersions in molten D-glucose anhydrous** Xin Li, Yuanbing Li, Ruofei Xiang, Shujing Li, Qirun Zhou, Han Luo