

The Aeronautical Quarterly

*A Journal devoted to
Aeronautics and the Allied Sciences*

EDITORIAL BOARD

PROFESSOR W A MAIR (*Chairman*)
CBE, MA, FRAeS

SIR ARNOLD HALL
MA, FRS, HonFRAeS, HonFAIAA

DR J H HORLOCK
MA, PhD, FRS, FRAeS

LORD KINGS NORTON
DSc, DIC, PhD, HonFRAeS, FAIAA

SIR ALFRED PUGSLEY
OBE, DSc, FRS, HonFRAeS

PROFESSOR S C REDSHAW
DSc, PhD, FRAeS, FICE, FIStructE

SIR OWEN SAUNDERS
FRS, FRAeS

PROFESSOR W H WITTRICK
ScD, PhD, FRAeS

EDITOR

PROFESSOR L F CRABTREE

VOLUME XXIX

FEBRUARY 1978 — NOVEMBER 1978

*Printed by Technical Editing and Reproduction Ltd, Harford House, 7–9 Charlotte St, London, W1P 1HD
and Published by
The Royal Aeronautical Society, 4 Hamilton Place, London, W1V 0BQ*

AUTHOR INDEX

(Volume XXIX)

- BARCLAY, W H *see* EL-GAMAL, H A
- BIZON, S A *see* HUNT, B L
- EL-GAMAL, H A and BARCLAY, W H
Experiments on the Laminar Flow in a Rectangular
Streamwise Corner, p 75 (May).
- EVERITT, K W
Some Measurements in Two-dimensional Turbulent
Wakes, p 28 (February)
- GASTER, M and MAYBREY, J F M
An Optical Instrument for Measuring Fluctuating
Velocities in Highly Turbulent Flows, p 98
(May).
- HEAD, M R *see* NITUCH, M J
- HILLIER, R
Hypersonic Flow Over Conical Wing-Body
Combinations, p 285 (November).
- HUNT, B L, BIZON, S A, TAYLOR, S A and
WILSON, D A
The Aerodynamic Performance of a Freely Hinged
Door between Two Flows, p 144 (August).
- HUNT, B L and LAMONT, P J
The Confluence of Three Shock Waves in Three-
dimensional Flow, p 18 (February).
- KENNEDY, J B and PRABHAKARA, M K
Buckling of Simply Supported Orthotropic Skew
Plates, p 161 (August).
- KIDA, T and MIYAI, Y
An Alternative Approach to the High Aspect Ratio
Wing With Jet Flap by Matched Asymptotic
Expansions, p 227 (November).
- LAMONT, P J *see* HUNT, B L
- LILLEY, G M
The Aerodynamic Efficiency of Windmills, p 1
(February).
- MARSTERS, G F
The Attachment of a Ventilated Plane Jet to an
Inclined Plane Wall, p 60 (May).
- MAYBREY, J F M *see* GASTER, M
- MIYAI, Y *see* KIDA, T
- NEVE, R A and WIRANSINGHE, N E A
Changes in Conical Diffuser Performance by Swirl
Addition, p 131 (August).
- NITUCH, M J, SJOLANDER, S and HEAD, M R
An Improved Version of the Cebeci-Smith Eddy-
Viscosity Model, p 207 (August).
- O'MAHONEY, R and SMITH, F T
On the Calculation of the Incompressible Flow
Past an Aerofoil with a Jet Flap, p 44
(February).
- PATEL, R P
Effects of Stream Turbulence on Free Shear Flows,
p 33 (February).
- PAYNE, Peter R
The Theory of Fabric Porosity as Applied to
Parachutes in Incompressible Flow, p 175
(August).
- PETRIE, J A H
A Surface Source and Vorticity Panel Method,
p 251 (November).
- PRABHAKARA, M K *see* KENNEDY, J B
- RAO, K N *see* YOUNG, A D
- SJOLANDER, S *see* NITUCH, M J
- SMITH *see* O'MAHONEY, R O
- TANNER, M
Two Different Theoretical Approaches to the Base
Pressure Problem in Two-Dimensional
Supersonic Flow, p 114 (May).
- TAYLOR, S A *see* HUNT, B L
- WILSON, D A *see* HUNT, B L
- WIRANSINGHE, N E A *see* NEVE, R S
- YOUNG, A D and RAO, K N
Some Low Speed Experimental Results on the
Effects of Swirl and Velocity Distribution on
an Axi-Symmetric Jet, p 270 (November).

SUBJECT INDEX TO VOLUME XXIX – 1978

BASE PRESSURE

Two Different Theoretical Approaches to the Base Pressure Problem in Two-Dimensional Supersonic Flow, M Tanner, p 114 (May).

BUCKLING

Buckling of Simply Supported Orthotropic Skew Plates, J B Kennedy and M K Prabhakara, p 161 (August).

DIFFUSERS

Changes in Conical Diffuser Performance by Swirl Addition, R S Neve and N E A Wiransinghe, p 131 (August).

HYPERSONIC FLOW

Hypersonic Flow Over Conical Wing-Body Combinations, R Hillier, p 285 (November).

INSTRUMENTATION

An Optical Instrument for Measuring Fluctuating Velocities in Highly Turbulent Flows, M Gaster and J F M Maybrey, p 98 (May).

JET FLAP

see Wing Theory

LAMINAR FLOW

Experiments on the Laminar Flow in a Rectangular Streamwise Corner, H A El-Gamal and W H Barclay, p 75 (May).

PARACHUTE POROSITY

The Theory of Fabric Porosity as Applied to Parachutes in Incompressible Flow, Peter R Payne, p 175 (August).

PROPULSION

The Aerodynamic Performance of a Freely Hinged Door between Two Flows, B L Hunt, S A Bizon, S A Taylor and D A Wilson, p 144 (August).

SHOCK WAVES

The Confluence of Three Shock Waves in Three-dimensional Flow, B L Hunt and P J Lamont, p 18 (February).

SUPERSONIC FLOW

See Base Pressure, Shock Waves

SWIRL

See Diffusers, Turbulent Flow

TURBULENT FLOW

Some Measurements in Two-dimensional Turbulent Wakes, K W Everitt, p 28 (February).

Effects of Stream Turbulence on Free Shear Flows, R P Patel, p 33 (February).

An Improved Version of the Cebeci-Smith Eddy-Viscosity Model, M J Nituch, S Sjolander and M R Head, p 207 (August).

Some Low Speed Experimental Results on the Effects of Swirl and Velocity Distribution on an Axi-Symmetric Jet, A D Young and K N Rao, p 270 (November).

WALL JETS

The Attachment of a Ventilated Plane Jet to an Inclined Plane Wall, G F Marsters, p 60 (May).

WINDMILLS

The Aerodynamic Efficiency of Windmills, G M Lilley, p 1 (February).

WING THEORY

On the Calculation of the Incompressible Flow Past an Aerofoil with a Jet Flap, R O'Mahoney and F T Smith, p 44 (February).

An Alternative Approach to the High Aspect Ratio Wing With Jet Flap by Matched Asymptotic Expansions, T Kida and Y Miyai, p 227 (November).

A Surface Source and Vorticity Panel Method, J A H Petrie, p 251 (November).

NOTICE TO CONTRIBUTORS

Papers for consideration should be addressed to the editor (see inside front cover).

Papers must be as short as possible, twenty foolscap pages being considered a maximum. Those written as internal reports, i.e. with full descriptions and complete results of work, must be re-written concisely.

Manuscripts should be read critically, for example by a colleague, before submission, in order to avoid small errors, *which might otherwise prolong the refereeing process.*

PRESENTATION

Papers submitted should comply with the following points:

1. They must be typewritten with double spacing. The provision of two copies is advisable.
2. The title must be short.
3. A summary of not more than 250-300 words is essential.
4. Routine mathematics should be omitted or given in an Appendix; the main text should contain only necessary equations.
5. **SI Units must be used.**
6. *All* symbols used in the text and figures, whether standard or not, must be listed in a Notation and the following points observed:
 - (a) Greek letters should be clearly written in ink and should also be indicated by name where they first appear.
 - (b) The use of dots, bars, and so on, over symbols, or the use of dots as multiplication signs and bars for brackets should be avoided.
 - (c) Suffixes and indices must be clearly indicated and complicated suffixes avoided.
7. References should be given in the form:

L C Squire. Experimental results for waveriders in certain off-design conditions. *Aeronautical Quarterly*, Vol. XXII, p 225, August 1971.
8. Illustrations should be reduced to a minimum. When the paper is first submitted they can be clear prints of graphs, sketches or photographs. If the paper is accepted, authors will be expected to provide black and white line drawings or graphs, in a form suggested by the editorial staff, and clear glossy photographs.
9. Tables should not duplicate information given in graphs.

CONDITIONS OF PUBLICATION

1. An author must obtain consent, where necessary, to use any material in his paper which is copyright or the property of any other person or his employers.
2. The copyright of every paper printed in *The Aeronautical Quarterly* is the property of The Royal Aeronautical Society. Permission to reprint or to use any paper will not be refused unreasonably.

REPRINTS

1. Authors will be entitled to 15 complimentary offprints of their papers, taken direct from the printed version.
2. Authors can order any number of additional *reprints*, re-imposed and with a title page. Order forms are sent to authors when proofs are submitted for correction.

The *Aeronautical Quarterly* is published at the Offices of The Royal Aeronautical Society, 4 Hamilton Place, London, W1V 0BQ, at £5.00 net for a single number to non-members and £1.50 net for a single number to members of The Royal Aeronautical Society. None of the papers must be taken as expressing the opinion of the Council of the Royal Aeronautical Society unless such is definitely stated to be the case.

Telephone: 01-499 3515/9. Cables: Didaskalos, London, W1V 0BQ

THE AERONAUTICAL QUARTERLY

It is the aim of *The Aeronautical Quarterly* to attract not only original papers contributing to aeronautical science and engineering, and papers developing new or improved methods of analysis and experimental techniques, but also papers on allied sciences which have a bearing on aeronautical problems. *The Aeronautical Quarterly* is open to authors of any nationality and is not restricted to members of the Society.

The Editor makes efforts to reduce, as far as possible, the time lag between receipt and publication of a paper. Papers which do not require major revision after refereeing can usually be published within six months, especially if they are short ones.

CONTRIBUTIONS

The attention of authors is drawn to the "Notice to Contributors" inside this cover. In addition, a leaflet on the preparation of papers published by the Royal Aeronautical Society is available on request from the Editor.

PRICE

The Council of the Society has decided that in future *The Aeronautical Quarterly* must be self-supporting. This decision, together with increased printing costs and much increased postal charges, has made an increase in the subscription rate inevitable. The new prices are given below.

The Aeronautical Quarterly is published in February, May, August and November and the prices for Volume XXVIII, which include postage and packing, will be as follows:

	<i>To Members of the Society</i>	<i>To Non-Members</i>
Per Part	£1.50	£5.00
Subscription (4 parts)	£6.00	£19.00

*Printed by Technical Editing and Reproduction Ltd, Harford House, 7-9 Charlotte St, London, W1P 1HD,
from copy supplied by the Royal Aeronautical Society.*

Published by the Royal Aeronautical Society, 4 Hamilton Place, London, W1V 0BQ, England.