

UNIVERSITY OF ZURICH/SWITZERLAND
 TECHNIQUES OF TYMPANOPLASTY AND STAPEDECTOMY
 19–22 SEPTEMBER 1983

Host: Prof. U. Fisch

Guest: Dr. J. L. Sheehy, Los Angeles

THIS course for experienced otologists entails in-depth, open discussions and video demonstrations of contrasting, yet successful techniques used at the University of Zurich and the Otologic Medical Group of Los Angeles.

Fee: US \$300.—

Information: Prof. U. Fisch
 ENT Dept., University Hospital
 8091 Zurich, Switzerland

THE SIXTH BRITISH ACADEMIC CONFERENCE IN
 OTOLARYNGOLOGY

BRISTOL, JULY 24–29, 1983

AT: UNIVERSITY OF BRISTOL (UNITED KINGDOM)

Distinguished international contributors will assess modern developments at formal lectures and panel discussions, which include:

1. Iatrogenic problems in Otology. Ototoxic drugs. Surgical trauma.
2. Larynx—reconstructive techniques following laryngectomy.
3. Otological and Laryngological quiz.
4. Sequelae of Otitis media. Significance of Pneumatization. Quiet Labyrinthine Complications. Adhesive Otitis Media. Tympanosclerosis.
5. Controversies in Otology.
 Bell's palsy. Footplate and Stapedectomy. Cochlear Otosclerosis. Menière's disease. Combined approach tympanoplasty.
6. Controversies in Rhinolaryngology.
 Floor of mouth tumours. Angiofibroma.
 Conservative v Radical neck dissection. Septoplasty v SMR.
7. Epistaxis.

Daily instructional sessions in small seminar groups, again led by international contributors with wide ranging discussion on all aspects of otolaryngology.

Daily audiovisual programmes.
 Scientific and Trade Exhibitions.
 A full social programme arranged.

Enrolment fee—Members: £170.

Those interested should apply to:

John Schofield Esq., F.R.C.S.
 Warneford Hospital, Radford Road,
 Leamington Spa, Warwickshire, England CV31 1LU.

“SEVENTH MEETING OF THE EUROPEAN ASSOCIATION OF
AUDIOPHONOLOGICAL CENTERS”

BRUSSELS, 10th to 13th of MARCH 1983

CHAIRMAN: PROFESSOR D. HENNEBERT

Subjects: 1° Velopalatine deficiency
2° Prevention of deafness and genetic advice

Information from: Dr M. Courtoy
Av. Adolphe Wansart 30
1180 Brussels, Belgium

INSTITUTE OF SOUND AND VIBRATION RESEARCH

UNIVERSITY OF SOUTHAMPTON

18–20 MAY, 1983

OCCUPATIONAL DEAFNESS COURSE

DESIGNED primarily for otolaryngologists, but suitable also for other medical and scientific staff concerned with the investigation and assessment of occupational deafness.

The syllabus will include: Basic acoustics and noise measurement; relationships between noise and hearing loss; principles of engineering control of noise; diagnosis of noise-induced hearing loss and non-organic hearing loss; electric response audiometry; monitoring audiometry; hearing protection and noise education; medico-legal aspects of deafness in general and occupational deafness in particular, including discussion of court procedure and problems in collecting and presenting evidence; rehabilitation of patients with occupational deafness, including hearing aids and environmental aids.

There will be demonstrations and practical sessions to support the lectures on most topics.

It is not possible to offer accommodation in student halls because the course is being held in term-time, but rooms at The Lodge Guest House in Winn Road, Southampton (within walking distance of the University and near a bus route) can be reserved. Current cost is £10 per person per night. Other hotel information can be supplied.

Fees for the course are likely to be £155, inclusive of a comprehensive set of lecture notes and other relevant literature; coffee, lunch and tea daily at the University and a social function.

Further information, including a detailed programme, and application forms will be available early in 1983 and early reservation of a provisional place is advised as we have to limit the number on the Course.

Contact: ISVR Conference Secretary,
The University,
Southampton SO9 5NH,
Hants.

THE HEAD AND NECK FOUNDATION
XXTH HEAD AND NECK SURGERY COURSE

23–29 APRIL, 1983

THE XXth Head and Neck Surgery Course will be held in the Royal College of Surgeons Symposium Hall, Edinburgh, Scotland, on 23–29 April, 1983. The Faculty will include Professor D. F. N. Harrison, Professor P. M. Stell, Mr I. A. McGregor, Professor D. Mason, Mr D. Murray and Dr A. G. D. Maran. Dr William Panje, Director of Head and Neck Services, University of Iowa, will be guest faculty.

For further information and application forms apply to:

Dr A. G. D. Maran,
15 Cluny Drive,
Edinburgh EH10 6DW.

INSTITUTE OF SOUND AND VIBRATION RESEARCH, UNIVERSITY
OF SOUTHAMPTON

SOUTHAMPTON · SO9 5NH · TELEPHONE 559122

1983 CLINICAL AUDIOLOGY COURSE

THE next CLINICAL AUDIOLOGY COURSE is planned by the Audiology and Human Effects Group of ISVR during the period *18–22 April 1983*. The course is intended primarily for specialists in otolaryngology and trainees in the speciality and will consist of lectures and demonstrations of the latest audiological and vestibulometric techniques. The subjects covered will include: the patient with a conductive hearing loss; the patient with a sensorineural hearing loss; the medico-legal case; the dizzy patient; the patient with central auditory dysfunction and paedo-audiology.

To prevent overcrowding of demonstrations, the number of registrants will be limited and early reservation of a provisional place is therefore recommended.

The fees, which have not yet been finalised, will be approximately £250 non-residential, inclusive of comprehensive lecture notes, coffee, lunch and tea daily, and the special course dinner. A list of hotels and guest houses within the vicinity of the University can be supplied.

Further details and application forms will be available shortly and may be obtained from:

Mrs. Maureen Strickland,
ISVR Conference Secretary,
Southampton University,
Southampton SO9 5NH.

ROYAL COLLEGE OF SURGEONS OF ENGLAND

THE Examiners for the Diploma in Laryngology and Otology report to the Council that at the Second Part of the Examination held in June, 1982, 53 candidates presented themselves of whom 19 passed.

The following 19 candidates, are entitled, subject to the approval of the Council, to the Diploma in Laryngology and Otology:

Cooper, Nicholas Keith, M.B., B.Ch. Belfast.
 Fawehinmi, Olayinka, Lekarz Wroclaw.
 Ghugaria, Pritam Kumar, M.B., B.S. Indore.
 Kadhim, Rashid Yahya, L.R.C.P., M.R.C.S. Royal Free.
 Kotak, Bakul Natvarlal, M.B., B.S. Poona.
 Kothari, Prakram, M.B., B.S. Rajasthan.
 Lang, Daniel Vincent Anthony, M.B., B.Ch. Dublin.
 Lau, Sai-Kit Lawrence, M.B., B.S. Hong Kong.
 Mathias, Antony, M.B., B.S. Mysore.
 Nandagopal, Meena, M.B., B.S. Madras.
 Osborne, Jonathan Edward, M.B., B.S. London.
 Pai, Ganesh Kasturi, M.B., B.S. Mysore.
 Shum, Ting, Fong Alex, M.B., B.S. Hong Kong.
 Siddique, Muhammad Farooq, M.B., B.S. Punjab. (Pak.).
 Siddique, Naeemuddin, M.B., B.S. Nagpur.
 Thambyrajah, Ranjit Singharajah, M.B., B.S. Ceylon.
 Venkiteswaran, Chelakara Venkitachala, M.B., B.S. Kerala.
 Viapree, Roger Oliver, M.B., Ch.B. Glasgow.
 Yardley, Michael Hilton, B.M., B.Ch. Oxford.

FREE UNIVERSITY, AMSTERDAM
 THE NETHERLANDS
 SYMPOSIUM ON
 RECENT DEVELOPMENTS OF TUMOR IMMUNOLOGY
 IN HEAD AND NECK CANCER
 MARCH 16th, 1983

This symposium is organized by the Departments of Otolaryngology and Immunopathology, Free University Hospital, Amsterdam. The symposium will be held in the Faculty of Medicine, Van der Boechorststraat 7, 1081 HV Amsterdam.

Topics to be included are: antigenic aspects of head and neck cancer; viral relationship of nasopharyngeal carcinoma; the macrophage and cancer; macrophage function in head and neck cancer; general aspects of immunotherapy, and immunotherapy in head and neck cancer.

Foreign guest speakers are: Dr. J. Bier, West Germany; T. E. Carey, PhD, U.S.A.; Prof. R. Synderman, M.D., U.S.A., and Dr. G. de Thé, France. The registration fee is Dfl. 50,—including coffee, lunch and tea. For further details and registration form please write to Ms. O. C. von Freytag Drabbe, ENT-department, Free University Hospital, De Boelelaan 1117, 1081 HV Amsterdam, the Netherlands.

PROF. STELIO CRIFÒ" INTERNATIONAL PRIZE

IN memory of its former President, Prof. Stelio Crifò, the Italian Audiology Society has instituted an international prize of 5 million lire (approximately 4000 U.S. dollars). This prize will be awarded on 26 October 1983 during the XVIII National Congress in Rome.

The prize will be awarded for unpublished research carried out by a single worker (or as a joint work) that makes a truly positive contribution to any one of the following subjects:

Applied acoustic physics—Psycho-acoustics—Embryology of the auditory system—Microscopic or ultrastructural anatomy of the auditory system—Biochemistry or histochemistry of the auditory system—Physiology or electrophysiology of the auditory system—Experimental or clinical deafness—Diagnosis of deafness—Medical treatment of deafness—Surgical treatment of deafness—Prosthetic treatment of deafness.

The papers must be written in English.

Entries will be accepted only from persons aged 35 or under on 26 October 1983.

Each paper must be identified by a pseudonym and sent (6 copies) to reach the following address:

Prof. Giovanni Rossi
Head, Department of Audiology
3, via Genova-10126 Torino (Italy)

not later than 30 June 1983.

Each paper must be accompanied by a sealed envelope bearing the pseudonym identifying the work. This envelope must contain the first name, the surname and the address of the author(s) and an official document showing the age(s) of the author(s).

**THE INTERSPECIALITY FACIAL SURGERY CONGRESS FOR
AESTHETIC, CANCER AND RECONSTRUCTIVE SURGERY**

27–30 APRIL 1983

THE WALDORF-ASTORIA, NEW YORK, NY.

Sponsored by

The International Oculoplastic Society, Inc. Honorary Chairman/President: John Conley, M.D., New York.

CONTACT:

Ms. A. Burnet, c/o Pierre Guibor, M.D.
630 Park Avenue, New York, NY 10021.

CALL:

(212) 734-1010 or (800) 223-4500

CLINICAL AUDIOLOGY AND OTOTOLOGY

A 2-day course for registrars, senior registrars and consultants will be held on Wednesday, 13th and Thursday, 14th April, 1983 in Glasgow Royal Infirmary. The aim of the course is to illustrate how audiology can be integrated into clinical practice and the day-to-day management of patients. Emphasis will be less on the distinction between cochlear and retrocochlear losses but more on the use of audiology to evaluate the actual hearing and the resultant disability. In addition the use of audiology in predicting potential benefit from surgery and the provision of hearing aids will be discussed.

The course lecturers are Mr. G. G. Browning, M.D., Ch.B., F.R.C.S., Senior Lecturer in Otorhinolaryngology, University of Glasgow, and Consultant Otolologist to the Scottish Section of the MRC Institute of Hearing Research; and Dr. S. Gatehouse, B.Sc., Ph.D., Scientist-in-charge of the Scottish Section of the MRC Institute of Hearing Research.

The guest lecturer will be Dr. R. R. A. Coles, M.B., B.Ch., F.R.C.P.E. who will talk on 'Tinnitus' and the 'Evaluation of noise exposure'.

The course fee is £95.00 which includes coffee and lunches on both days and the reception on the evening of the 13th April. The course is recognized for expenses for study leave.

Further details from:

Mr. G. G. Browning,
Department of Otorhinolaryngology,
Royal Infirmary,
Glasgow, G4.

or Telephone 041-445 3688

FOURTH INTERNATIONAL WORKSHOP
NEUROLOGICAL SURGERY
EAR AND SKULL BASE

SARASOTA HYATT HOUSE, SARASOTA, FLORIDA
19-24 FEBRUARY 1983

Sponsored by
The Ear Research Foundation of Florida
and
House Ear Institute
All-Star Faculty

Tuition: \$500

\$250 Residents, Fellows & Military

For more information contact:

Herbert Silverstein, M.D., or Horace Norell, M.D.
1921 Floyd Street, Sarasota,
Florida 33579—Phone (813) 365-0367

**MEETING NOTICE
HEARING DISORDERS IN CHILDREN: DETECTION,
INCIDENCE AND PREVENTION**

TO BE HELD ON 21 JANUARY 1983

AT

THE INSTITUTE OF CHILD HEALTH, LONDON

(*Meeting Chairman: Air Commodore P. King OBE FRCS*)

9.30–9.45 Registration

9.45–11.15 DETECTION OF HEARING LOSS

11.15 Coffee

11.45–1.00 INCIDENCE OF HEARING LOSS

2.00 Annual General Meeting of B.S.A.

2.30–4.30 PREVENTION OF HEARING LOSS

4.30–5.00 Discussion

INTERNATIONAL WORKSHOP

NEURO-OTOLOGY AND SKULL BASE SURGERY

9–12 NOVEMBER, 1983, NIJMEGEN, THE NETHERLANDS

THIS workshop will deal with contemporary basic diagnostic and therapeutic aspects of cerebello-pontine angle lesions and skull base pathology and indications for different surgical approaches to pathology in the cerebello-pontine angle and skull base. The program will include lectures, video demonstrations and panel discussions.

PROGRAM CHAIRMEN: G. A. Hoogland, A. W. Morrison, U. Fisch

GUEST FACULTY: J. D. K. Dawes, United Kingdom; U. Fisch, Switzerland; J. Lang, Federal Republic of Germany; J. Marquet, Belgium; E. H. M. A. Marres, The Netherlands; A. W. Morrison, United Kingdom; F. Oppel, Federal Republic of Germany; M. Samii, Federal Republic of Germany; E. Stennert, Federal Republic of Germany; M. Tos, Denmark

AND

P. van den Broek, C. W. R. J. Cremers, J. J. Eggermont, G. C. J. H. Hombergen, G. A. Hoogland, P. L. M. Huygen, E. Meijer, R. Nieuwenhuys, J. J. Manni, H. O. M. Thijssen, B. P. Schulte, J. L. Slooff, Nijmegen, The Netherlands

For more information please contact:

Dr. C. W. R. J. Cremers
Dept. of otorhinolaryngology
University Hospital Sint Radboud
P.O. Box 9101
6500 HB NIJMEGEN
The Netherlands

Dr. E. Meijer
Dept. of neurosurgery
University Hospital Sint Radboud
P.O. Box 9101
6500 HB NIJMEGEN
The Netherlands

Index

Orig. Art. Original Article

Clin. Rec. Clinical Record

AUTHORS

- Abramovich, S. and Smelt, G. J. C. Acute sphenoiditis, alone and in concert. *Clin. Rec.*, 751.
- Adams, D. A. and Wilmot, T. J. Menière's disease. *Orig. Art.*, 705.
- Adekeye, E. O., Edwards, M. B. and Goubran, G. F. Sinus histiocytosis with massive lymphadenopathy in a Nigerian child. *Clin. Rec.*, 89.
- Afzelius, L.-E. and Walter, C.-G. The surgical treatment of chronic parotitis. *Orig. Art.*, 1131.
- Agarwal, A. K., Prakash, B., Ghosh, P. and Patil, R. N. Extra-nasopharyngeal extensions of angiofibroma. *Clin. Rec.*, 1053.
- Al-Mansour, A. H. and Gaafar, H. A. The effect of cigarette smoke on the tracheal mucosa of the rabbit. *Orig. Art.*, 943.
- Al-Shihabi, B. M. and Jackson, J. McG. Cervical thymic cyst. *Clin. Rec.*, 181.
- Al-Shihabi, B. M. S. and Jackson, J. McG. Dysphagia due to pharyngeal and oesophageal lichen planus. *Clin. Rec.*, 567.
- Alajmo, E. and Salimbeni, C. Inferior laryngoscopy. *Orig. Art.*, 1013.
- Ali, S. and Jones, W. I. Extranasopharyngeal angiofibromas. *Clin. Rec.*, 559.
- Ali, S., Watson, J. S. and Bihari, J. Use of the latissimus dorsi myocutaneous flap for total pharyngeal reconstruction. *Orig. Art.*, 837.
- Ariel, I., Brama, I., Goldfarb, A. and Shalev, O. Tumour of the nose as a presenting feature of leukaemia. *Clin. Rec.*, 83.
- Arnesen, A. R. Presbycusis—loss of neurons in the human cochlear nuclei. *Orig. Art.*, 503.
- Arora, M. M. L., Dutta, B. N., Mann, S. B. S. and Yande, R. Bilateral basal cell carcinoma of the ears. *Clin. Rec.*, 951.
- Baarsma, E. A. and Bom, J. W. A. Metastatic hypernephroma in the tonsil. *Clin. Rec.*, 1159.
- Bahgat, M. S. and Sheno, P. M. Sudden sensori-neural hearing loss treated by carbon dioxide and oxygen inhalation. *Clin. Rec.*, 73.
- Bailey, C. M. Chondrosarcoma of the nasal septum. *Clin. Rec.*, 459.
- Ballantyne, J. C., Evans, E. F. and Morrison, A. W. Electrical auditory stimulation in the management of profound hearing loss. *Orig. Art.*, 811.
- Barter, S., Jash, D., MacKinnon, D. M., Carstairs, L. S. and James, D. G. Sarcoidosis of the upper respiratory tract (SURT). *Orig. Art.*, 711.
- Barton, R. P. E. A new technique for repair after laryngectomy and subtotal pharyngectomy. *Orig. Art.*, 119.
- Barzilay, Z., Yahav, J., Rubinstein, E. and Davidson, S. Bacterial Tracheitis—A true entity? *Clin. Rec.*, 173.
- Bassiouny, A., Bucci, T. J., Moawad, M. K., Hendawy, D. S. and Maher, A. Tonsillomycosis. *Orig. Art.*, 229.
- Bassiouny, A., Kamel, M., Khalifa, M. C. and Fouly, S. E. Granular myringitis. *Orig. Art.*, 1099.
- Bassiouny, A., Maher, A., Bucci, T. J., Moawad, M. K. and Hendawy, D. S. Non-invasive antromycosis. *Orig. Art.*, 215.
- Bassiouny, A., Moawad, M. K., Hendawy, D. S. and Maher, A. Otomycosis: An experimental evaluation of six antimycotic agents. *Orig. Art.*, 205.
- Belal, A. and Odnert, S. Torps and Porps. *Orig. Art.*, 49.
- Belal, A., Jr. Structure of human muscle in facial paralysis. *Orig. Art.*, 325.
- Belal, A., Jr. and Sanna, M. Pathology as it relates to ear surgery. Part I. *Orig. Art.*, 1079.
- Bercó, E., Brown, M., Halevy, A., Sadé, J. and Weinberg, J. The marsupialized (radical) mastoid. *Orig. Art.*, 869.
- Bihari, J., Ali, S. and Watson, J. S. Use of the latissimus dorsi myocutaneous flap for total pharyngeal reconstruction. *Orig. Art.*, 837.
- Birchall, J. P., Pearman, K., Dawes, J. D. K. and Sykes, B. The collagens of middle-ear structures and tympanosclerotic plaques. *Orig. Art.*, 797.

- Black, R. J., Gibson, W. P. R. and Capper, J. W. R. Fluctuating hearing loss in West African and West Indian racial groups: yaws, syphilis or Menière's disease? *Clin. Rec.*, 847.
- Bloothoof, G., Tiwari, R. M., Snow, G. B., Lecluse, F. L. E. and Greven, A. J. Observations on surgical rehabilitation of the voice after laryngectomy with Staffieri's method. *Orig. Art.*, 241.
- Bom, J. W. A. and Baarsma, E. A. Metastatic hypernephroma in the tonsil. *Clin. Rec.*, 1159.
- Booth, J. B. Medical management of sensorineural hearing loss. Part I. *Orig. Art.*, 673. Part II. *Orig. Art.*, 773.
- Booth, J. B., Morrison, A. W., Brookes, G. B. and Hodge, R. A. The immediate effects of acetazolamide in Menière's disease. *Orig. Art.*, 57.
- Bradley, P. J. Results of surgery for nasal dermoids in children. *Orig. Art.*, 627.
- Brama, I., Goldfarb, A., Shalev, O. and Ariel, I. Tumour of the nose as a presenting feature of leukaemia. *Clin. Rec.*, 83.
- Bretlau, P., Krogdahl, A., Melchior, H. and Hastrup, N. Oncocytomas of the salivary glands. *Orig. Art.*, 1027.
- Brookes, G. B., Hodge, R. A., Booth, J. B. and Morrison, A. W. The immediate effects of acetazolamide in Menière's disease. *Orig. Art.*, 57.
- Brown, M., Halevy, A., Sadé, J., Weinberg, J. and Berco, E. The marsupialized (radical) mastoid. *Orig. Art.*, 869.
- Bucci, T. J., Moawad, M. K., Hendawy, D. S., Bassiouny, A. and Maher, A. Non-invasive antromycosis. *Orig. Art.*, 215.
- Bucci, T. J., Moawad, M. K., Hendawy, D. S., Maher, A. and Bassiouny, A. Tonsillomycosis. *Orig. Art.*, 229.
- Bull, P. D. and Majumdar, B. The incidence and bacteriology of maxillary sinusitis in nasal polyposis. *Orig. Art.*, 937.
- Cable, H. R. and Marshall, F. P. F. The effect of nitrous oxide on middle-ear effusions. *Orig. Art.*, 893.
- Cable, H. R. and Tadros, S. Tympanic membrane retraction and middle-ear pressure. *Orig. Art.*, 113.
- Campbell, R., Kerr, A. G., Smyth, G. D. L. and Gordon, D. S. The facial nerve in acoustic neuroma surgery. *Orig. Art.*, 335.
- Capper, J. W. R., Black, R. J. and Gibson, W. P. R. Fluctuating hearing loss in West African and West Indian racial groups: yaws, syphilis or Menière's disease? *Clin. Rec.*, 847.
- Carbone, A., Volpe, R., Recher, G. and Ferlito, A. Late occurrence of IgD myeloma in plasmacytoma of nasal cavity, cervical lymph node and larynx. *Clin. Rec.*, 759.
- Carmody, D., Vamadevan, T. and Cooper, S. M. Post tonsillectomy haemorrhage. *Orig. Art.*, 635.
- Carruth, J. A. S. Resection of the tongue with the carbon dioxide laser. *Orig. Art.*, 529.
- Carstairs, L. S., James, D. G., Barter, S., Jash, D. and MacKinnon, D. M. Sarcoidosis of the upper respiratory tract (SURT). *Orig. Art.*, 711.
- Cathcart, J.-M. Assessment of the value of tocinide hydrochloride in the treatment of tinnitus. *Orig. Art.*, 981.
- Chang, S.-K. and Gibb, A. G. Myringoplasty. *Orig. Art.*, 915.
- Chapman, P. Naproxen and sudden hearing loss. *Clin. Rec.*, 163.
- Chapman, P. Rapid onset hearing loss after Cisplatin therapy. *Clin. Rec.*, 159.
- Chatterji, P., Friedmann, I., Soni, N. K., Solanki, R. L. and Ramdeo, I. N. Bilateral transitional-type inverted papilloma of the nose and paranasal sinuses. *Clin. Rec.*, 281.
- Cheesman, A. D., Eden, R. and Perry, A. A modification of the Blom-Singer valve for restoration of voice after laryngectomy. *Orig. Art.*, 1005.
- Cheesman, A. D., Radcliffe, G. J. and Mady, S. The use of osteomyocutaneous flaps in mandibular reconstruction. *Orig. Art.*, 1043.
- Chen, K. T. K. Myoepithelioma of the external auditory canal. *Clin. Rec.*, 955.
- Choudhary, D., Dutt, S. and O'Connor, F. Naso-pharyngeal fibromyxoma. *Clin. Rec.*, 1149.
- Cole, I. E. Haemangi endothelioma of the head and neck. *Orig. Art.*, 545.
- Cooper, S. M., Carmody, D. and Vamadevan, T. Post tonsillectomy haemorrhage. *Orig. Art.*, 635.
- Cowie, R., Douglas-Cowie, E. and Kerr, A. G. A study of speech deterioration in post-lingually deafened adults. *Orig. Art.*, 101.
- Dalby, J., Raine, C. H. and Stell, P. M. Squamous cell carcinomas of the posterior wall of the hypopharynx. *Orig. Art.*, 997.

- Davey, P. G., Harpur, E. S., Jabeen, F., Shannon, D. and Sheno, P. M. Variability and habituation of nystagmic responses to hot caloric stimulation of normal subjects. *Orig. Art.*, 599.
- Davidson, S., Barzilay, Z., Yahav, J. and Rubinstein, E. Bacterial tracheitis—A true entity? *Clin. Rec.*, 173.
- Dawes, J. D. K. and Pearman, K. Post-stapedectomy conductive deafness and results of revision surgery. *Orig. Art.*, 405.
- Dawes, J. D. K., Sykes, B., Birchall, J. P. and Pearman, K. The collagens of middle-ear structures and tympanosclerotic plaques. *Orig. Art.*, 797.
- Douglas-Cowie, E., Kerr, A. G. and Cowie, R. A study of speech deterioration in post-lingually deafened adults. *Orig. Art.*, 101.
- Dutt, S., O'Connor, F. and Choudhary, D. Naso-pharyngeal fibromyxoma. *Clin. Rec.*, 1149.
- Dutta, B. N., Mann, S. B. S., Yande, R. and Arora, M. M. L. Bilateral basal cell carcinoma of the ears. *Clin. Rec.*, 951.
- Eden, R., Perry, A. and Cheesman, A. D. A modification of the Blom-Singer valve for restoration of voice after laryngectomy. *Orig. Art.*, 1005.
- Edwards, M. B., Goubran, G. F. and Adekeye, E. O. Sinus histiocytosis with massive lymphadenopathy in a Nigerian child. *Clin. Rec.*, 89.
- El-Ghazali, A. M. S. and El-Ghazali, T. M. S. Granular cell myoblastoma of the larynx. *Clin. Rec.*, 1177.
- El-Ghazali, T. M. S. and El-Ghazali, A. M. S. Granular cell myoblastoma of the larynx. *Clin. Rec.*, 1177.
- El-Ghazzawi, I., Talaat, M., Elwany, S., Topozada, H., Michaels, L. and Topozada, M. The human respiratory nasal mucosa in pregnancy. *Orig. Art.*, 613.
- Elwany, S., Topozada, H., Michaels, L., Topozada, M., El-Ghazzawi, I. and Talaat, M. The human respiratory nasal mucosa in pregnancy. *Orig. Art.*, 613.
- Emery, P. J. and Gore, M. An extensive solitary xanthoma of the temporal bone, associated with hyperlipoproteinaemia. *Clin. Rec.*, 451.
- Evans, E. F., Morrison, A. W. and Ballantyne, J. C. Electrical auditory stimulation in the management of profound hearing loss. *Orig. Art.*, 811.
- Fairman, H. D. The treatment of head and neck carcinoma with Adriamycin and Bleomycin using adjuvant hyperthermia. *Orig. Art.*, 251.
- Fathy, M. and Salama, N. An unusual cause of stridor. *Clin. Rec.*, 361.
- Ferlito, A. and Pesavento, G. Haemangiopericytoma of the larynx. *Clin. Rec.*, 1065.
- Ferlito, A., Carbone, A., Volpe, R. and Recher, G. Late occurrence of IgD myeloma in plasmacytoma of nasal cavity, cervical lymph node and larynx. *Clin. Rec.*, 759.
- Fernandes, C. M. C. and Samuel, J. Spontaneous laryngeal emphysema. *Clin. Rec.*, 959.
- Fernandes, C. M. C., Pirie, D. and Pudifin, D. J. Laryngeal amyloidosis. *Clin. Rec.*, 1165.
- Flood, L. M. and Fraser, J. G. An audiometric test for perilymph fistula. *Orig. Art.*, 513.
- Fogstrup, J., Stoksted, P. and Grymer, L. F. The deflected nose—surgical correction. *Orig. Art.*, 719.
- Fortner, J. G. and Papachristou, D. N. Reconstruction of cervical esophagus with a segment of colon based on a long vascular pedicle: An experimental study in ten monkeys. *Orig. Art.*, 135.
- Fouly, S. E., Bassiouny, A., Kamel, M. and Khalifa, M. C. Granular myringitis. *Orig. Art.*, 1099.
- Fraser, J. G. and Flood, L. M. An audiometric test for perilymph fistula. *Orig. Art.*, 513.
- Fried, M. P., Speth, R., Gilman, R. H. and Karmody, C. S. Gigantic obstructing laryngeal polypi. *Clin. Rec.*, 167.
- Friedmann, I. McBride and the midfacial granuloma syndrome. *Orig. Art.*, 1.
- Friedmann, I., Soni, N. K., Solanki, R. L., Ramdeo, I. N. and Chatterji, P. Bilateral transitional-type inverted papilloma of the nose and paranasal sinuses. *Clin. Rec.*, 281.
- Gaafar, H. A. and Al-Mansour, A. H. The effect of cigarette smoke on the tracheal mucosa of the rabbit. *Orig. Art.*, 943.
- Gangopadhyay, A. K., Jones, A. J., Robertson, M. J. and Pahor, A. L. Cialit: A study. *Orig. Art.*, 1103.
- Ghosh, P., Patil, R. N., Agarwal, A. K. and Prakash, B. Extra-nasopharyngeal extensions of angiofibroma. *Clin. Rec.*, 1053.
- Gibb, A. G. and Chang, S.-K. Myringoplasty. *Orig. Art.*, 915.

- Gibson, W. P. R., Capper, J. W. R. and Black, R. J. Fluctuating hearing loss in West African and West Indian racial groups: yaws, syphilis or Menière's disease? *Clin. Rec.*, 847.
- Gilman, R. H., Karmody, C. S., Fried, M. P. and Speth, R. Gigantic obstructing laryngeal polypi. *Clin. Rec.*, 167.
- Girgis, I. H. and Maurice, M. The ossicular system of cats. *Orig. Art.*, 195.
- Girgis, I. H., Guirguis, N. N. and Mourice, M. Laryngeal and pharyngeal disorders in vertebral ankylosing hyperostosis. *Orig. Art.*, 659.
- Goldfarb, A., Shalev, O., Ariel, I. and Brama, I. Tumour of the nose as a presenting feature of leukaemia. *Clin. Rec.*, 83.
- Gordon, D. S., Campbell, R., Kerr, A. G. and Smyth, G. D. L. The facial nerve in acoustic neuroma surgery. *Orig. Art.*, 335.
- Gore, M. and Emery, P. J. An extensive solitary xanthoma of the temporal bone, associated with hyperlipoproteinaemia. *Clin. Rec.*, 451.
- Goubran, G. F., Adekeye, E. O. and Edwards, M. B. Sinus histiocytosis with massive lymphadenopathy in a Nigerian child. *Clin. Rec.*, 89.
- Greven, A. J., Bloothoof, G., Tiwari, R. M., Snow, G. B. and Lecluse, F. L. E. Observations on surgical rehabilitation of the voice after laryngectomy with Staffieri's method. *Orig. Art.*, 241.
- Grewal, D. S., Pusalkar, A. G. and Hiranandani, N. L. A surgical technique for reconstruction of full thickness defects of the cheek and lips after cancer surgery. *Orig. Art.*, 1033.
- Grymer, L. F., Fogstrup, J. and Stoksted, P. The deflected nose—surgical correction. *Orig. Art.*, 719.
- Grymer, L. F., Jørgensen, K. and Lund, C. Carcinoma in a calcified pleomorphic adenoma of the submandibular gland. *Clin. Rec.*, 373.
- Guirguis, N. N., Mourice, M. and Girgis, I. H. Laryngeal and pharyngeal disorders in vertebral ankylosing hyperostosis. *Orig. Art.*, 659.
- Halevy, A., Sadé, J., Weinberg, J., Berco, E. and Brown, M. The marsupialized (radical) mastoid. *Orig. Art.*, 869.
- Hallett, C. P. The screening and epidemiology of middle-ear disease in a population of primary school entrants. *Orig. Art.*, 899.
- Harada, Y. and Mangape, D. Scanning electron microscopy of the nerve endings of the outer hair cells in the organ of Corti. *Orig. Art.*, 591.
- Harpur, E. S., Jabeen, F., Shannon, D., Shenoi, P. M. and Davey, P. G. Variability and habituation of nystagmic responses to hot caloric stimulation of normal subjects. *Orig. Art.*, 599.
- Harrison, D. F. N. Total rhinectomy—a worthwhile operation? *Orig. Art.*, 1113.
- Hashash, M., State, F. and Serafy, A. The effect of vinblastine sulphate on the neurological elements of the rabbit cochlea. *Orig. Art.*, 975.
- Hastrup, N., Bretlau, P., Krogdahl, A. and Melchior, H. Oncocytomas of the salivary glands. *Orig. Art.*, 1027.
- Hendawy, D. S., Bassiouny, A., Maher, A., Bucci, T. J. and Moawad, M. K. Non-invasive antromycosis. *Orig. Art.*, 215.
- Hendawy, D. S., Maher, A., Bassiouny, A. and Moawad, M. K. Otomycosis: An experimental evaluation of six antimycotic agents. *Orig. Art.*, 205.
- Hendawy, D. S., Maher, A., Bassiouny, A., Bucci, T. J. and Moawad, M. K. Tonsillomycosis. *Orig. Art.*, 229.
- Hiraide, F., Inouye, T. and Miyakogawa, N. Experimental cholesterol granuloma. *Orig. Art.*, 491.
- Hiranandani, N. L., Grewal, D. S. and Pusalkar, A. G. A surgical technique for reconstruction of full thickness defects of the cheek and lips after cancer surgery. *Orig. Art.*, 1033.
- Hodge, R. A., Booth, J. B., Morrison, A. W. and Brookes, G. B. The immediate effects of acetazolamide in Menière's disease. *Orig. Art.*, 57.
- Hordijk, G. J. and Rietema, S. J. Tympanic membrane grafting with fascia, pericardium and vein. *Orig. Art.*, 43.
- Ibekwe, A. O. and Ikerionwu, S. E. Heterotopic brain tissue in the palate. *Clin. Rec.*, 1155.
- Ijaduola, G. T. A. Lingual and normally located thyroid glands in Nigerian children. *Clin. Rec.*, 177.
- Ikerionwu, S. E. and Ibekwe, A. O. Heterotopic brain tissue in the palate. *Clin. Rec.*, 1155.
- Inouye, T., Miyakogawa, N. and Hiraide, F. Experimental cholesterol granuloma. *Orig. Art.*, 491.
- Ito, A., Nakashima, T. and Kitamura, M. Pleomorphic adenoma of the auricle. *Clin. Rec.*, 1137.

- Jabeen, F., Shannon, D., Sheno, P. M., Davey, P. G. and Harpur, E. S. Variability and habituation of nystagmic responses to hot caloric stimulation of normal subjects. *Orig. Art.*, 599.
- Jackson, J. McG. and Al-Shihabi, B. M. Cervical thymic cyst. *Clin. Rec.*, 181.
- Jackson, J. McG. and Al-Shihabi, B. M. S. Dysphagia due to pharyngeal and oesophageal lichen planus. *Clin. Rec.*, 567.
- James, D. G., Barter, S., Jash, D., MacKinnon, D. M. and Carstairs, L. S. Sarcoidosis of the upper respiratory tract (SURT). *Orig. Art.*, 711.
- Jash, D., MacKinnon, D. M., Carstairs, L. S., James, D. G. and Barter, S. Sarcoidosis of the upper respiratory tract (SURT). *Orig. Art.*, 711.
- Jayaraj, A. P. Articulating bone formation in the rat tongue. *Orig. Art.*, 665.
- Jensen, J. K., Lund, C. and Schlichting, J. Lymphomatoid granulomatosis presenting primarily in a parotid gland. *Clin. Rec.*, 961.
- Johnson, A. and Maran, A. G. D. Extra-cranial tumours of the infra-temporal fossa. *Orig. Art.*, 1017.
- Jones, A. J., Robertson, M. J., Pahor, A. L. and Gangopadhyay, A. K. Cialit: A study. *Orig. Art.*, 1103.
- Jones, W. I. and Ali, S. Extranasopharyngeal angiofibromas. *Clin. Rec.*, 559.
- Jørgensen, K., Lund, C. and Grymer, L. F. Carcinoma in a calcified pleomorphic adenoma of the submandibular gland. *Clin. Rec.*, 373.
- Kamal, S. A. Orthopaedic theatres: A possible noise hazard? *Orig. Art.*, 985.
- Kamel, M., Khalifa, M. C., Fouly, S. E. and Bassiouny, A. Granular myringitis. *Orig. Art.*, 1099.
- Kane, R. J., O'Connor, A. F. and Morrison, A. W. Primary basilar impression: an aetiological factor in Menière's disease. *Orig. Art.*, 931.
- Kärjä, J. and Pekkarinen, H. Results of long-term ECG monitoring in patients submitting to tonsillectomy under local anaesthesia. *Orig. Art.*, 725.
- Karmody, C. S., Fried, M. P., Speth, R. and Gilman, R. H. Gigantic obstructing laryngeal polyp. *Clin. Rec.*, 167.
- Karnik, P. P., Kirtane, M. V. and Medikeri, S. B. E.N.G. after head injury. *Orig. Art.*, 521.
- Katzke, D. and Sesterhenn, G. Suction-generated noise in the external meatus and sensorineural hearing loss. *Clin. Rec.*, 857.
- Kay, N. J. Vocal nodules in children—aetiology and management. *Orig. Art.*, 731.
- Kerr, A. G., Cowie, R. and Douglas-Cowie, E. A study of speech deterioration in post-lingually deafened adults. *Orig. Art.*, 101.
- Kerr, A. G., Smyth, G. D. L., Gordon, D. S. and Campbell, R. The facial nerve in acoustic neuroma surgery. *Orig. Art.*, 335.
- Khalifa, M. C., Fouly, S. E., Bassiouny, A. and Kamel, M. Granular myringitis. *Orig. Art.*, 1099.
- Kingsley, D. and O'Connor, A. F. Embolization in otolaryngology. *Orig. Art.*, 439.
- Kirchner, J. A. Semon's law a century later. *Orig. Art.*, 645.
- Kirtane, M. V., Medikeri, S. B. and Karnik, P. P. E.N.G. after head injury. *Orig. Art.*, 521.
- Kitamura, M., Ito, A. and Nakashima, T. Pleomorphic adenoma of the auricle. *Clin. Rec.*, 1137.
- Krogdahl, A., Melchior, H., Hastrup, N. and Bretlau, P. Oncocytomas of the salivary glands. *Orig. Art.*, 1027.
- Lancer, J. M. Glass in the frontal sinus. *Clin. Rec.*, 357.
- Laskiewicz, B. M. The management of patients undergoing synchronous combined chemotherapy and radiotherapy. *Orig. Art.*, 265.
- Lecluse, F. L. E., Greven, A. J., Bloothoof, G., Tiwari, R. M. and Snow, G. B. Observations on surgical rehabilitation of the voice after laryngectomy with Staffieri's method. *Orig. Art.*, 241.
- Lund, C., Grymer, L. F. and Jørgensen, K. Carcinoma in a calcified pleomorphic adenoma of the submandibular gland. *Clin. Rec.*, 373.
- Lund, C., Schlichting, J. and Jensen, J. K. Lymphomatoid granulomatosis presenting primarily in a parotid gland. *Clin. Rec.*, 961.
- Lund, V. Malignant melanoma of the nasal cavity and paranasal sinuses. *Orig. Art.*, 347.
- Lund, V. J. Ossifying fibroma. *Clin. Rec.*, 1141.
- Mackendrick, A., Solar, M. and Packer, P. What's best in myringoplasty: underlay or overlay, dura or fascia? *Orig. Art.*, 25.
- MacKinnon, D. M., Carstairs, L. S., James, D. G., Barter, S. and Jash, D. Sarcoidosis of the upper respiratory tract (SURT). *Orig. Art.*, 711.

- Mady, S., Cheesman, A. D. and Radcliffe, G. J. The use of osteomyocutaneous flaps in mandibular reconstruction. *Orig. Art.*, 1043.
- Maher, A., Bassiouny, A., Bucci, T. J., Moawad, M. K. and Hendawy, D. S. Tonsillomycosis. *Orig. Art.*, 229.
- Maher, A., Bassiouny, A., Moawad, M. K. and Hendawy, D. S. Otomycosis: An experimental evaluation of six antimycotic agents. *Orig. Art.*, 205.
- Maher, A., Bucci, T. J., Moawad, M. K., Hendawy, D. S. and Bassiouny, A. Non-invasive antrromycosis. *Orig. Art.*, 215.
- Majumdar, B. and Bull, P. D. The incidence and bacteriology of maxillary sinusitis in nasal polyposis. *Orig. Art.*, 937.
- Mangape, D. and Harada, Y. Scanning electron microscopy of the nerve endings of the outer hair cells in the organ of Corti. *Orig. Art.*, 591.
- Mann, S. B. S., Yande, R., Arora, M. M. L. and Dutta, B. N. Bilateral basal cell carcinoma of the ears. *Clin. Rec.*, 951.
- Maran, A. G. D. and Johnson, A. Extra-cranial tumours of the infra-temporal fossa. *Orig. Art.*, 1017.
- Markides, A. Some unusual cures of deafness. *Orig. Art.*, 479.
- Marshall, F. P. F. and Cable, H. R. The effect of nitrous oxide on middle-ear effusions. *Orig. Art.*, 893.
- Maurice, M. and Girgis, I. H. The ossicular system of cats. *Orig. Art.*, 195.
- McBrien, F. E. The social handicap of deafness. *Orig. Art.*, 577.
- McCormick, M. and Timme, A. H. Malakoplakia of the nasopharynx associated with carcinoma. *Clin. Rec.*, 737.
- McNicoll, W. D. Middle-ear analysis in the nose/ear distress syndrome. *Orig. Art.*, 309.
- Medikeri, S. B., Karnik, P. P. and Kirtane, M. V. E.N.G. after head injury. *Orig. Art.*, 521.
- Melchioris, H., Hastrup, N., Bretlau, P. and Krogdahl, A. Oncocytomas of the salivary glands. *Orig. Art.*, 1027.
- Michaels, L., Toppozada, M., El-Ghazzawi, I., Talaat, M., Elwany, S. and Toppozada, H. The human respiratory nasal mucosa in pregnancy. *Orig. Art.*, 613.
- Miyakogawa, N., Hiraide, F. and Inouye, T. Experimental cholesterol granuloma. *Orig. Art.*, 491.
- Moawad, M. K., Hendawy, D. S., Bassiouny, A., Maher, A. and Bucci, T. J. Non-invasive antrromycosis. *Orig. Art.*, 215.
- Moawad, M. K., Hendawy, D. S., Maher, A. and Bassiouny, A. Otomycosis: An experimental evaluation of six antimycotic agents. *Orig. Art.*, 205.
- Moawad, M. K., Hendawy, D. S., Maher, A., Bassiouny, A. and Bucci, T. J. Tonsillomycosis. *Orig. Art.*, 229.
- Morrison, A. W., Ballantyne, J. C. and Evans, E. F. Electrical auditory stimulation in the management of profound hearing loss. *Orig. Art.*, 811.
- Morrison, A. W., Brookes, G. B., Hodge, R. A. and Booth, J. B. The immediate effects of acetazolamide in Menière's disease. *Orig. Art.*, 57.
- Morrison, A. W., Kane, R. J. and O'Connor, A. F. Primary basilar impression: an aetiological factor in Menière's disease. *Orig. Art.*, 931.
- Mourice, M., Girgis, I. H. and Guirguis, N. N. Laryngeal and pharyngeal disorders in vertebral ankylosing hyperostosis. *Orig. Art.*, 659.
- Mugliston, T. A. H. and von Haacke, N. P. Rhinosporidiosis. *Clin. Rec.*, 743.
- Nakashima, T., Kitamura, M. and Ito, A. Pleomorphic adenoma of the auricle. *Clin. Rec.*, 1137.
- Nicklasson, B. and Stangeland, N. Wegener's granulomatosis presenting as otitis media. *Clin. Rec.*, 277.
- Nicklasson, B. and Sundén, L. Rhinomanometry and septoplasty. *Orig. Art.*, 991.
- O'Connor, A. F. and Kingsley, D. Embolization in otolaryngology. *Orig. Art.*, 439.
- O'Connor, A. F., Morrison, A. W. and Kane, R. J. Primary basilar impression: an aetiological factor in Menière's disease. *Orig. Art.*, 931.
- O'Connor, F., Choudhary, D. and Dutt, S. Naso-pharyngeal fibromyxoma. *Clin. Rec.*, 1149.
- Odnert, S. and Belal, A. Torps and Porps. *Orig. Art.*, 49.
- Ojala, K., Sorri, M. and Sipilä, P. Post-operative ear canal volume measurements. *Orig. Art.*, 877.
- Ojala, K., Sorri, M., Sipilä, P. and Palva, A. Post-operative cholesteatomas and retraction pockets after obliterative surgery in ears without cholesteatoma. *Orig. Art.*, 411.

- O'Neill, G., Wilson, F. and Richards, S. H. Middle-ear pressure variations during general anaesthesia. *Orig. Art.*, 883.
- Packer, P., Mackendrick, A. and Solar, M. What's best in myringoplasty: underlay or overlay, dura or fascia? *Orig. Art.*, 25.
- Pahor, A. L., Gangopadhyay, A. K., Jones, A. J. and Robertson, M. J. Cialit: A study. *Orig. Art.*, 1103.
- Palva, A., Ojala, K., Sorri, M. and Sipilä, P. Post-operative cholesteatomas and retraction pockets after oblitative surgery in ears without cholesteatoma. *Orig. Art.*, 411.
- Papachristou, D. N. and Fortner, J. G. Reconstruction of cervical esophagus with a segment of colon based on a long vascular pedicle: An experimental study in ten monkeys. *Orig. Art.*, 135.
- Papavasiliou, A. and Sawyer, R. Repair of large pharyngeal defects—new applications of split thickness skin graft. *Orig. Art.*, 125.
- Patil, R. N., Agarwal, A. K., Prakash, B. and Ghosh, P. Extra-nasopharyngeal extensions of angiofibroma. *Clin. Rec.*, 1053.
- Pearman, K. and Dawes, J. D. K. Post-stapedectomy conductive deafness and results of revision surgery. *Orig. Art.*, 405.
- Pearman, K., Dawes, J. D. K., Sykes, B. and Birchall, J. P. The collagens of middle-ear structures and tympanosclerotic plaques. *Orig. Art.*, 797.
- Pekkarinen, H. and Kärjä, J. Results of long-term ECG monitoring in patients submitting to tonsillectomy under local anaesthesia. *Orig. Art.*, 725.
- Perry, A., Cheesman, A. D. and Eden, R. A modification of the Blom-Singer valve for restoration of voice after laryngectomy. *Orig. Art.*, 1005.
- Pesavento, G. and Ferlito, A. Haemangiopericytoma of the larynx. *Clin. Rec.*, 1065.
- Petersen, J. W. and Steensen, S. H. Repair of a subglottic stenosis by submucosal resection. *Clin. Rec.*, 469.
- Phelps, P. D. and Proops, D. W. Computed tomography in E.N.T. practice. *Orig. Art.*, 417.
- Pirie, D., Pudifin, D. J. and Fernandes, C. M. C. Laryngeal amyloidosis. *Clin. Rec.*, 1165.
- Plester, D. When not to do middle-ear surgery. *Orig. Art.*, 585.
- Porte, H. E. Tracheal stenosis: Repair with nasal septum. *Clin. Rec.*, 365.
- Prakash, B., Ghosh, P., Patil, R. N. and Agarwal, A. K. Extra-nasopharyngeal extensions of angiofibroma. *Clin. Rec.*, 1053.
- Proops, D. W. and Phelps, P. D. Computed tomography in E.N.T. practice. *Orig. Art.*, 417.
- Pudifin, D. J., Fernandes, C. M. C. and Pirie, D. Laryngeal amyloidosis. *Clin. Rec.*, 1165.
- Pusalkar, A. G., Hiranandani, N. L. and Grewal, D. S. A surgical technique for reconstruction of full thickness defects of the cheek and lips after cancer surgery. *Orig. Art.*, 1033.
- Radcliffe, G. J., Mady, S. and Cheesman, A. D. The use of osteomyocutaneous flaps in mandibular reconstruction. *Orig. Art.*, 1043.
- Raine, C. H., Stell, P. M. and Dalby, J. Squamous cell carcinomas of the posterior wall of the hypopharynx. *Orig. Art.*, 997.
- Ramdeo, I. N., Chatterji, P., Friedmann, I., Soni, N. K. and Solanki, R. L. Bilateral transitional-type inverted papilloma of the nose and paranasal sinuses. *Clin. Rec.*, 281.
- Recher, G., Ferlito, A., Carbone, A. and Volpe, R. Late occurrence of IgD myeloma in plasmacytoma of nasal cavity, cervical lymph node and larynx. *Clin. Rec.*, 759.
- Richards, S. H., O'Neill, G. and Wilson, F. Middle-ear pressure variations during general anaesthesia. *Orig. Art.*, 883.
- Rietema, S. J. and Hordijk, G. J. Tympanic membrane grafting with fascia, pericardium and vein. *Orig. Art.*, 43.
- Robertson, M. J., Pahor, A. L., Gangopadhyay, A. K. and Jones, A. J. Cialit: A study. *Orig. Art.*, 1103.
- Rosen, G. and Sellars, S. L. The inverted nasal papilloma. *Orig. Art.*, 1109.
- Rubinstein, E., Davidson, S., Barzilay, Z. and Yahav, J. Bacterial tracheitis—A true entity? *Clin. Rec.*, 173.
- Sadé, J. Treatment of retraction pockets and cholesteatoma. *Orig. Art.*, 685.
- Sadé, J., Weinberg, J., Berco, E., Brown, M. and Halevy, A. The marsupialized (radical) mastoid. *Orig. Art.*, 869.
- Salama, N. and Fathy, M. An unusual cause of stridor. *Clin. Rec.*, 361.
- Salimbeni, C. and Alajmo, E. Inferior laryngoscopy. *Orig. Art.*, 1013.

- Samuel, J. and Fernandes, C. M. C. Spontaneous laryngeal emphysema. *Clin. Rec.*, 959.
- Sanna, M. and Belal, A., Jr. Pathology as it relates to ear surgery. Part I. *Orig. Art.*, 1079.
- Sawyer, R. and Papavasiliou, A. Repair of large pharyngeal defects—new applications of split thickness skin graft. *Orig. Art.*, 125.
- Schlichting, J., Jensen, J. K. and Lund, C. Lymphomatoid granulomatosis presenting primarily in a parotid gland. *Clin. Rec.*, 961.
- Sellars, S. L. and Rosen, G. The inverted nasal papilloma. *Orig. Art.*, 1109.
- Serafy, A., Hashash, M. and State, F. The effect of vinblastine sulphate on the neurological elements of the rabbit cochlea. *Orig. Art.*, 975.
- Sesterhenn, G. and Katzke, D. Suction-generated noise in the external meatus and sensorineural hearing loss. *Clin. Rec.*, 857.
- Shaheen, O. H. Swellings of the infratemporal fossa. *Orig. Art.*, 817.
- Shalev, O., Ariel, I., Brama, I. and Goldfarb, A. Tumour of the nose as a presenting feature of leukaemia. *Clin. Rec.*, 83.
- Shannon, D., Sheno, P. M., Davey, P. G., Harpur, E. S. and Jabeen, F. Variability and habituation of nystagmic responses to hot caloric stimulation of normal subjects. *Orig. Art.*, 599.
- Shea, J. J. Management of the stapes footplate with special reference to otosclerosis. *Orig. Art.*, 383.
- Sheno, P. M. Autogenous temporalis fascia grafts. *Orig. Art.*, 801.
- Sheno, P. M. and Bahgat, M. S. Sudden sensori-neural hearing loss treated by carbon dioxide and oxygen inhalation. *Clin. Rec.*, 73.
- Sheno, P. M., Davey, P. G., Harpur, E. S., Jabeen, F. and Shannon, D. Variability and habituation of nystagmic responses to hot caloric stimulation of normal subjects. *Orig. Art.*, 599.
- Sipilä, P., Ojala, K. and Sorri, M. Post-operative ear canal volume measurements. *Orig. Art.*, 877.
- Sipilä, P., Palva, A., Ojala, K. and Sorri, M. Post-operative cholesteatomas and retraction pockets after oblitative surgery in ears without cholesteatoma. *Orig. Art.*, 411.
- Smelt, G. J. C. and Abramovich, S. Acute sphenoiditis, alone and in concert. *Clin. Rec.*, 751.
- Smyth, G. D. L., Gordon, D. S., Campbell, R. and Kerr, A. G. The facial nerve in acoustic neuroma surgery. *Orig. Art.*, 335.
- Snow, G. B., Lecluse, F. L. E., Greven, A. J., Bloothoof, G. and Tiwari, R. M. Observations on surgical rehabilitation of the voice after laryngectomy with Staffieri's method. *Orig. Art.*, 241.
- Solanki, R. L., Ramdeo, I. N., Chatterji, P., Friedmann, I. and Soni, N. K. Bilateral transitional-type inverted papilloma of the nose and paranasal sinuses. *Clin. Rec.*, 281.
- Solar, M., Packer, P. and Mackendrick, A. What's best in myringoplasty: underlay or overlay, dura or fascia? *Orig. Art.*, 25.
- Soni, N. K., Solanki, R. L., Ramdeo, I. N., Chatterji, P. and Friedmann, I. Bilateral transitional-type inverted papilloma of the nose and paranasal sinuses. *Clin. Rec.*, 281.
- Sorri, M., Sipilä, P. and Ojala, K. Post-operative ear canal volume measurements. *Orig. Art.*, 877.
- Sorri, M., Sipilä, P., Palva, A. and Ojala, K. Post-operative cholesteatomas and retraction pockets after oblitative surgery in ears without cholesteatoma. *Orig. Art.*, 411.
- Speth, R., Gilman, R. H., Karmody, C. S. and Fried, M. P. Gigantic obstructing laryngeal polyp. *Clin. Rec.*, 167.
- Stangeland, N. and Nicklasson, B. Wegener's granulomatosis presenting as otitis media. *Clin. Rec.*, 277.
- State, F., Serafy, A. and Hashash, M. The effect of vinblastine sulphate on the neurological elements of the rabbit cochlea. *Orig. Art.*, 975.
- Stearns, M. P. Chemodectoma of the larynx. *Clin. Rec.*, 1181.
- Steel, A. An improved myringotome. *Clin. Rec.*, 1187.
- Stensen, S. H. and Petersen, J. W. Repair of a subglottic stenosis by submucosal resection. *Clin. Rec.*, 469.
- Stell, P. M., Dalby, J. and Raine, C. H. Squamous cell carcinomas of the posterior wall of the hypopharynx. *Orig. Art.*, 997.
- Stoksted, P., Grymer, L. F. and Fogstrup, J. The deflected nose—surgical correction. *Orig. Art.*, 719.
- Sundén, L. and Nicklasson, B. Rhinomanometry and septoplasty. *Orig. Art.*, 991.
- Sykes, B., Birchall, J. P., Pearman, K. and Dawes, J. D. K. The collagens of middle-ear structures and tympanosclerotic plaques. *Orig. Art.*, 797.
- Tadros, S. and Cable, H. R. Tympanic membrane retraction and middle-ear pressure. *Orig. Art.*, 113.

- Talaat, M., Elwany, S., Topozada, H., Michaels, L., Topozada, M. and El-Ghazzawi, I. The human respiratory nasal mucosa in pregnancy. *Orig. Art.*, 613.
- Timme, A. H. and McCormick, M. Malakoplakia of the nasopharynx associated with carcinoma. *Clin. Rec.*, 737.
- Tiwari, R. M., Snow, G. B., Lecluse, F. L. E., Greven, A. J. and Bloothoof, G. Observations on surgical rehabilitation of the voice after laryngectomy with Staffieri's method. *Orig. Art.*, 241.
- Topozada, H., Michaels, L., Topozada, M., El-Ghazzawi, I., Talaat, M. and Elwany, S. The human respiratory nasal mucosa in pregnancy. *Orig. Art.*, 613.
- Topozada, M., El-Ghazzawi, I., Talaat, M., Elwany, S., Topozada, H. and Michaels, L. The human respiratory nasal mucosa in pregnancy. *Orig. Art.*, 613.
- Tucker, A. Peritonsillar abscess. *Orig. Art.*, 639.
- Tumarkin, A. Bimodal hearing, the controversial second filter, and the mystery of the missing OHC afferents. *Orig. Art.*, 297.
- Tumarkin, A. Second thoughts on the second filter. *Orig. Art.*, 971.
- Vamadevan, T., Cooper, S. M. and Carmody, D. Post tonsillectomy haemorrhage. *Orig. Art.*, 635.
- Volpe, R., Recher, G., Ferlito, A. and Carbone, A. Late occurrence in IgD myeloma in plasmacytoma of nasal cavity, cervical lymph node and larynx. *Clin. Rec.*, 759.
- von Haacke, N. P. and Mugliston, T. A. H. Rhinosporidiosis. *Clin. Rec.*, 743.
- Walter, C.-G. and Afzelius, L.-E. The surgical treatment of chronic parotitis. *Orig. Art.*, 1131.
- Watson, J. S., Bihari, J. and Ali, S. Use of the latissimus dorsi myocutaneous flap for total pharyngeal reconstruction. *Orig. Art.*, 837.
- Wenber, J., Berco, E., Brown, M., Halevy, A. and Sadé, J. The marsupialized (radical) mastoid. *Orig. Art.*, 869.
- Welch, A. R. The practical and economic value of flexible system laryngoscopy. *Orig. Art.*, 1125.
- White, B. D. Singing and science. *Orig. Art.*, 141.
- Wilmot, T. J. and Adams, D. A. Menière's disease. *Orig. Art.*, 705.
- Wilson, F., Richards, S. H. and O'Neill, G. Middle-ear pressure variations during general anaesthesia. *Orig. Art.*, 883.
- Yahav, J., Rubinstein, E., Davidson, S. and Barzilay, Z. Bacterial tracheitis—A true entity? *Clin. Rec.*, 173.
- Yande, R., Arora, M. M. L., Dutta, B. N. and Mann, S. B. S. Bilateral basal cell carcinoma of the ears. *Clin. Rec.*, 951.

GENERAL

- Abscess, Peritonsillar—A. Tucker. *Orig. Art.*, 639.
- Acetazolamide in Menière's disease, The immediate effects of—G. B. Brookes, R. A. Hodge, J. B. Booth and A. W. Morrison. *Orig. Art.*, 57.
- Acoustic neuroma surgery, The facial nerve in—G. D. L. Smyth, D. S. Gordon, R. Campbell and A. G. Kerr. *Orig. Art.*, 335.
- Acute sphenoiditis, alone and in concert—S. Abramovich and G. J. C. Smelt. *Clin. Rec.*, 751.
- Adenoma of the auricle, Pleomorphic—A. Ito, T. Nakashima and M. Kitamura. *Clin. Rec.*, 1137.
- Adenoma of the submandibular gland, Carcinoma in a calcified pleomorphic—L. F. Grymer, K. Jørgensen and C. Lund. *Clin. Rec.*, 373.
- Adjuvant hyperthermia, The treatment of head and neck carcinoma with Adriamycin and Bleomycin using—H. D. Fairman. *Orig. Art.*, 251.
- Adriamycin and Bleomycin using adjuvant hyperthermia, The treatment of head and neck carcinoma with—H. D. Fairman. *Orig. Art.*, 251.
- Adults, A study of speech deterioration in post-lingually deafened—R. Cowie, E. Douglas-Cowie and A. G. Kerr. *Orig. Art.*, 101.
- Aetiological factor in Menière's disease, an, Primary basilar impression:—R. J. Kane, A. F. O'Connor and A. W. Morrison. *Orig. Art.*, 931.
- Aetiology and management, Vocal nodules in children—N. J. Kay. *Orig. Art.*, 731.
- Afferents, OHC, Bimodal hearing, the controversial second filter, and the mystery of the missing—A. Tumarkin. *Orig. Art.*, 297.
- Agents, antimycotic, An experimental evaluation of six, Otomycosis:—A. Maher, A. Bassiouny, M. K. Moawad and D. S. Hendawy. *Orig. Art.*, 205.

- Amyloidosis, Laryngeal—C. M. C. Fernandes, D. Pirie and D. J. Pudifin. *Clin. Rec.*, 1165.
- Anaesthesia, Middle-ear pressure variations during general—S. H. Richards, G. O'Neill and F. Wilson. *Orig. Art.*, 883.
- Anaesthesia, Tonsillectomy under local, Results of long-term ECG monitoring in patients submitting to—H. Pekkarinen and J. Kärjä. *Orig. Art.*, 725.
- Analysis in the nose/ear distress syndrome, Middle-ear—W. D. McNicoll. *Orig. Art.*, 309.
- Angiofibroma, Extra-nasopharyngeal extensions of—R. N. Patil, A. K. Agarwal, B. Prakash and P. Ghosh. *Clin. Rec.*, 1053.
- Angiofibromas, Extranasopharyngeal—S. Ali and W. I. Jones. *Clin. Rec.*, 559.
- Ankylosing hyperostosis, vertebral, Laryngeal and pharyngeal disorders in—I. H. Girgis, N. N. Guirguis and M. Mourice. *Orig. Art.*, 659.
- Antimycotic agents, An experimental evaluation of six, Otomycosis:—A. Maher, A. Bassiouny, M. K. Moawad and D. S. Hendawy. *Orig. Art.*, 205.
- Antromycosis, Non-invasive—A. Bassiouny, A. Maher, T. J. Bucci, M. K. Moawad and D. S. Hendawy. *Orig. Art.*, 215.
- Applications of split thickness skin graft, new, Repair of large pharyngeal defects—R. Sawyer and A. Papavasiliou. *Orig. Art.*, 125.
- Articulating bone formation in the rat tongue—A. P. Jayaraj. *Orig. Art.*, 665.
- Assessment of the value of tocanide hydrochloride in the treatment of tinnitus—J.-M. Cathcart. *Orig. Art.*, 981.
- Audiometric test for perilymph fistula, An—J. G. Fraser and L. M. Flood. *Orig. Art.*, 513.
- Auditory canal, Myoepithelioma of the external—K. T. K. Chen. *Clin. Rec.*, 955.
- Auditory stimulation, Electrical, in the management of profound hearing loss—J. C. Ballantyne, E. F. Evans and A. W. Morrison. *Orig. Art.*, 811.
- Auricle, Pleomorphic adenoma of the—A. Ito, T. Nakashima and M. Kitamura. *Clin. Rec.*, 1137.
- Autogenous temporalis fascia grafts—P. M. Sheno. *Orig. Art.*, 801.
- Bacterial tracheitis—A true entity?—S. Davidson, Z. Barzilay, J. Yahav and E. Rubinstein. *Clin. Rec.*, 173.
- Bacteriology of maxillary sinusitis in nasal polyposis, The incidence and—B. Majumdar and P. D. Bull. *Orig. Art.*, 937.
- Basal cell carcinoma of the ears, Bilateral—S. B. S. Mann, R. Yande, M. M. L. Arora and B. N. Dutta. *Clin. Rec.*, 951.
- Basilar impression, Primary, : an aetiological factor in Menière'S DISEASE—R. J. Kane, A. F. O'Connor and A. W. Morrison. *Orig. Art.*, 931.
- Bilateral basal cell carcinoma of the ears—S. B. S. Mann, R. Yande, M. M. L. Arora and B. N. Dutta. *Clin. Rec.*, 951.
- Bilateral transitional-type inverted papilloma of the nose and paranasal sinuses—P. Chatterji, I. Friedmann, N. K. Soni, R. L. Solanki and I. N. Ramdeo. *Clin. Rec.*, 281.
- Bimodal hearing, the controversial second filter, and the mystery of the missing OHC afferents—A. Tumarkin. *Orig. Art.*, 297.
- Bleomycin using adjuvant hyperthermia, The treatment of head and neck carcinoma with Adriamycin and—H. D. Fairman. *Orig. Art.*, 251.
- Blom-Singer valve for restoration of voice after laryngectomy, A modification of the—A. Perry, A. D. Cheesman and R. Eden. *Orig. Art.*, 1005.
- Bone formation in the rat tongue, Articulating—A. P. Jayaraj. *Orig. Art.*, 665.
- Bone, temporal, associated with hyperlipoproteinaemia, An extensive solitary xanthoma of the—P. J. Emery and M. Gore. *Clin. Rec.*, 451.
- Brain tissue in the palate, Heterotopic—A. O. Ibekwe and S. E. Ikerionwu. *Clin. Rec.*, 1155.
- Calcified pleomorphic adenoma of the submandibular gland, Carcinoma in a—L. F. Grymer, K. Jørgensen and C. Lund. *Clin. Rec.*, 373.
- Caloric stimulation of normal subjects, Variability and habituation of nystagmic responses to hot—P. G. Davey, E. S. Harpur, F. Jabeen, D. Shannon and P. M. Sheno. *Orig. Art.*, 599.
- Canal, ear, volume measurements, Post-operative—K. Ojala, M. Sorri and P. Sipilä. *Orig. Art.*, 877.
- Canal, external auditory, Myoepithelioma of the—K. T. K. Chen. *Clin. Rec.*, 955.
- Cancer surgery, A surgical technique for reconstruction of full-thickness defects of the cheek and lips after—D. S. Grewal, A. G. Pusalkar and N. L. Hiranandani. *Orig. Art.*, 1033.
- Carbon dioxide and oxygen inhalation, Sudden sensori-neural hearing loss treated by—M. S. Bahgat and P. M. Sheno. *Clin. Rec.*, 73.

- Carbon dioxide laser, Resection of the tongue with the—J. A. S. Carruth. *Orig. Art.*, 529.
- Carcinoma, head and neck, with Adriamycin and Bleomycin using adjuvant hyperthermia, The treatment of—H. D. Fairman. *Orig. Art.*, 251.
- Carcinoma in a calcified pleomorphic adenoma of the submandibular gland—L. F. Grymer, K. Jørgensen and C. Lund. *Clin. Rec.*, 373.
- Carcinoma, Malakoplakia of the nasopharynx associated with—M. McCormick and A. H. Timme. *Clin. Rec.*, 737.
- Carcinoma of the ears, Bilateral basal cell—S. B. S. Mann, R. Yande, M. M. L. Arora and B. N. Dutta. *Clin. Rec.*, 951.
- Carcinomas of the posterior wall of the hypopharynx, Squamous cell—C. H. Raine, P. M. Stell and J. Dalby. *Orig. Art.*, 997.
- Cats, The ossicular system of—I. H. Girgis and M. Maurice. *Orig. Art.*, 195.
- Cause of stridor, An unusual—N. Salama and M. Fathy. *Clin. Rec.*, 361.
- Cavity, nasal, and paranasal sinuses, Malignant melanoma of the—V. Lund. *Orig. Art.*, 347.
- Cavity, nasal, cervical lymph node and larynx, Late occurrence of IgD myeloma in plasmacytoma of—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
- Cell, Bilateral basal, carcinoma of the ears—S. B. S. Mann, R. Yande, M. M. L. Arora and B. N. Dutta. *Clin. Rec.*, 951.
- Cell, myoblastoma of the larynx, Granular—A. M. S. El-Ghazali and T. M. S. El-Ghazali. *Clin. Rec.*, 1177.
- Cell, Squamous, carcinomas of the posterior wall of the hypopharynx—C. H. Raine, P. M. Stell and J. Dalby. *Orig. Art.*, 997.
- Cells, outer hair, in the organ of Corti, Scanning electron microscopy of the nerve endings of the—D. Mangape and Y. Harada. *Orig. Art.*, 591.
- Cervical esophagus with a segment of colon based on a long vascular pedicle, Reconstruction of: An experimental study in ten monkeys—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
- Cervical lymph node and larynx, Late occurrence of IgD myeloma in plasmacytoma of nasal cavity,—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
- Cervical Thymic Cyst—B. M. Al-Shihabi and J. McG. Jackson. *Clin. Rec.*, 181.
- Cheek and lips after cancer surgery, A surgical technique for reconstruction of full-thickness defects of the—D. S. Grewal, A. G. Pusalkar and N. L. Hiranandani. *Orig. Art.*, 1033.
- Chemodectoma of the larynx—M. P. Stearns. *Clin. Rec.*, 1181.
- Chemotherapy and radiotherapy, The management of patients undergoing synchronous combined—B. M. Laskiewicz. *Orig. Art.*, 265.
- Child, Nigerian, Sinus histiocytosis with massive lymphadenopathy in a—E. O. Adekeye, M. B. Edwards and G. F. Goubran. *Clin. Rec.*, 89.
- Children, Nigerian, Lingual and normally located thyroid glands in—G. T. A. Ijaduola. *Clin. Rec.*, 177.
- Children, Results of surgery for nasal dermoids in—P. J. Bradley. *Orig. Art.*, 627.
- Children, Vocal nodules in,—aetiology and management—N. J. Kay. *Orig. Art.*, 731.
- Cholesteatoma, Treatment of retraction pockets and—J. Sadé. *Orig. Art.*, 685.
- Cholesteatomas and retraction pockets after oblitative surgery in ears without cholesteatoma, Post-operative—K. Ojala, M. Sorri, P. Sipilä and A. Palva. *Orig. Art.*, 411.
- Cholesterol granuloma, Experimental—F. Hiraide, T. Inouye and N. Miyakogawa. *Orig. Art.*, 491.
- Chondrosarcoma of the nasal septum—C. M. Bailey. *Clin. Rec.*, 459.
- Chronic parotitis, The surgical treatment of—L.-E. Afzelius and C.-G. Walter. *Orig. Art.*, 1131.
- Cialit, A. study—A. L. Pahor, A. K. Gangopadhyay, A. J. Jones and M. J. Robertson. *Orig. Art.*, 1103.
- Cigarette smoke on the tracheal mucosa of the rabbit, The effect of—H. A. Gaafer and A. H. Al-Mansour. *Orig. Art.*, 943.
- Cisplatin therapy, Rapid onset hearing loss after—P. Chapman. *Clin. Rec.*, 159.
- Cochlea, Rabbit, The effect of vinblastine sulphate on the neurological elements of the—A. Serafy, M. Hashash and F. State. *Orig. Art.*, 975.
- Cochlear nuclei, loss of neurons in the human, Presbycusis—A. R. Arnesen. *Orig. Art.*, 503.
- Collagens of middle-ear structures and tympanosclerotic plaques, The—J. P. Birchall, K. Pearman, J. D. K. Dawes and B. Sykes. *Orig. Art.*, 797.
- Colon based on a long vascular pedicle, Reconstruction of cervical esophagus with a segment of: An experimental study in ten monkeys—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
- Combined chemotherapy and radiotherapy, The management of patients undergoing synchronous—B. M. Laskiewicz. *Orig. Art.*, 265.

- Computed tomography in E.N.T. practice—D. W. Proops and P. D. Phelps. *Orig. Art.*, 417.
- Conductive deafness and results of revision surgery, Post-stapedectomy—K. Pearman and J. D. K. Dawes. *Orig. Art.*, 405.
- Controversial second filter, and the mystery of the missing OHC afferents, Bimodal hearing, the—A. Tumarkin. *Orig. Art.*, 297.
- Correction, surgical, The deflected nose—L. F. Grymer, J. Fogstrup and P. Stoksted. *Orig. Art.*, 719.
- Corti, organ of, Scanning electron microscopy of the nerve endings of the outer hair cells in the—D. Mangape and Y. Harada. *Orig. Art.*, 591.
- Cures of deafness, Some unusual—A. Markides. *Orig. Art.*, 479.
- Cyst, Cervical thymic—B. M. Al-Shihabi and J. McG. Jackson. *Clin. Rec.*, 181.
- Deafened adults, A study of speech deterioration in post-lingually—R. Cowie, E. Douglas-Cowie and A. G. Kerr. *Orig. Art.*, 101.
- Deafness and results of revision surgery, Post-stapedectomy conductive—K. Pearman and J. D. K. Dawes. *Orig. Art.*, 405.
- Deafness, Some unusual cures of—A. Markides. *Orig. Art.*, 479.
- Deafness, The social handicap of—F. E. McBrien. *Orig. Art.*, 577.
- Defects of the cheek and lips after cancer surgery, A surgical technique for reconstruction of full-thickness—D. S. Grewal, A. G. Pusalkar and N. L. Hiranandani. *Orig. Art.*, 1033.
- Defects, Repair of large pharyngeal.—new applications of split thickness skin grafts—R. Sawyer and A. Papavasiliou. *Orig. Art.*, 125.
- Deflected nose—surgical correction, The—L. F. Grymer, J. Fogstrup and P. Stoksted. *Orig. Art.*, 719.
- Dermoids in children, Results of surgery for nasal—P. J. Bradley. *Orig. Art.*, 627.
- Deterioration, speech, in post-lingually deafened adults, A study of—R. Cowie, E. Douglas-Cowie and A. G. Kerr. *Orig. Art.*, 101.
- Disease, Menière's—D. A. Adams and T. J. Wilmot. *Orig. Art.*, 705.
- Disease, Menière's, an aetiological factor in, Primary basilar impression:—R. J. Kane, A. F. O'Connor and A. W. Morrison. *Orig. Art.*, 931.
- Disease, Menière's, The immediate effects of acetazolamide in—G. B. Brookes, R. A. Hodge, J. B. Booth and A. W. Morrison. *Orig. Art.*, 57.
- Disease?, Menière's, yaws, syphilis or, Fluctuating hearing loss in West African and West Indian racial groups:—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.
- Disease, middle-ear, in a population of primary school entrants, The screening and epidemiology of—C. P. Hallett. *Orig. Art.*, 899.
- Disorders in vertebral ankylosing hyperostosis, Laryngeal and pharyngeal—I. H. Girgis, N. N. Guirguis and M. Mourice. *Orig. Art.*, 659.
- Distress syndrome, Middle-ear analysis in the nose/ear—W. D. McNicoll. *Orig. Art.*, 309.
- Dura or fascia?, underlay or overlay, What's best in myringoplasty:—P. Packer, A. Mackendrick and M. Solar. *Orig. Art.*, 25.
- Dysphagia due to pharyngeal and oesophageal lichen planus—B. M. S. Al-Shihabi and J. McG. Jackson. *Clin. Rec.*, 567.
- Ear canal volume measurements, Post-operative—K. Ojala, M. Sorri and P. Sipilä. *Orig. Art.*, 877.
- Ear surgery, Pathology as it relates to—A. Belal, Jr. and M. Sanna. *Orig. Art.*, 1079.
- Ears, Bilateral basal cell carcinoma of the—S. B. S. Mann, R. Yande, M. M. L. Arora and B. N. Dutta. *Clin. Rec.*, 951.
- Ears without cholesteatoma, Post-operative cholesteatomas and retraction pockets after oblitative surgery in—K. Ojala, M. Sorri, P. Sipilä and A. Palva. *Orig. Art.*, 411.
- ECG monitoring in patients submitting to tonsillectomy under local anaesthesia, Results of long-term—H. Pekkarinen and J. Kärjä. *Orig. Art.*, 725.
- Economic value of flexible system laryngoscopy, The practical and—A. R. Welch. *Orig. Art.*, 1125.
- Effect of cigarette smoke on the tracheal mucosa of the rabbit, The—H. A. Gaafar and A. H. Al-Mansour. *Orig. Art.*, 943.
- Effect of nitrous oxide on middle-ear effusions, The—F. P. F. Marshall and H. R. Cable. *Orig. Art.*, 893.
- Effect of vinblastine sulphate on the neurological elements of the rabbit cochlea, The—A. Serafy, M. Hashash and F. State. *Orig. Art.*, 975.

- Effects of acetazolamide in Menière's disease, The immediate—G. B. Brookes, R. A. Hodge, J. B. Booth and A. W. Morrison. *Orig. Art.*, 57.
- Effusions, middle-ear, The effect of nitrous oxide on—F. P. F. Marshall and H. R. Cable. *Orig. Art.*, 893.
- Electrical auditory stimulation in the management of profound hearing loss—J. C. Ballantyne, E. F. Evans and A. W. Morrison. *Orig. Art.*, 811.
- Electron microscopy of the nerve endings of the outer hair cells in the organ of Corti, Scanning—D. Mangape and Y. Harada. *Orig. Art.*, 591.
- Elements, neurological, of the rabbit cochlear, The effect of vinblastine sulphate on the—A. Serafy, M. Hashash and F. State. *Orig. Art.*, 975.
- Embolization in otolaryngology—D. Kingsley and A. F. O'Connor. *Orig. Art.*, 439.
- Emphysema, Spontaneous laryngeal—C. M. C. Fernandes and J. Samuel. *Clin. Rec.*, 959.
- E.N.G. after head injury—M. V. Kirtane, S. B. Medikeri and P. P. Karnik. *Orig. Art.*, 521.
- E.N.T. practice, Computed tomography in—D. W. Proops and P. D. Phelps. *Orig. Art.*, 417.
- Entity?, A true, Bacterial tracheitis—S. Davidson, Z. Barzilay, J. Yahav and E. Rubinstein. *Clin. Rec.*, 173.
- Entrants, primary school, The screening and epidemiology of middle-ear disease in a population of—C. P. Hallett. *Orig. Art.*, 899.
- Epidemiology of middle-ear disease in a population of primary school entrants, The screening and—C. P. Hallett. *Orig. Art.*, 899.
- Esophagus with a segment of colon based on a long vascular pedicle, Reconstruction of cervical, An experimental study in ten monkeys—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
- Evaluation of six antimycotic agents, An experimental, Otomycosis:—A. Maher, A. Bassiouny, M. K. Moawad and D. S. Hendawy. *Orig. Art.*, 205.
- Experimental cholesterol granuloma—F. Hiraide, T. Inouye and N. Miyakogawa. *Orig. Art.*, 491.
- Experimental evaluation of six antimycotic agents, An, Otomycosis:—A. Maher, A. Bassiouny, M. K. Moawad and D. S. Hendawy. *Orig. Art.*, 205.
- Experimental study in ten monkeys, An, Reconstruction of cervical esophagus with a segment of colon based on a long vascular pedicle:—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
- Extensions of angiofibroma, Extra-nasopharyngeal—R. N. Patil, A. K. Agarwal, B. Prakash and P. Ghosh. *Clin. Rec.*, 1053.
- Extensive solitary xanthoma of the temporal bone, associated with hyperlipoproteinaemia, An—P. J. Emery and M. Gore. *Clin. Rec.*, 451.
- External auditory canal, Myoepithelioma of the—K. T. K. Chen. *Clin. Rec.*, 955.
- External meatus and sensorineural hearing loss, Suction-generated noise in the—D. Katzke and G. Sesterhenn. *Clin. Rec.*, 857.
- Extra-cranial tumours of the infra-temporal fossa—A. Johnson and A. G. D. Maran. *Orig. Art.*, 1017.
- Extranasopharyngeal angiofibromas—S. Ali and W. I. Jones. *Clin. Rec.*, 559.
- Extra-nasopharyngeal extensions of angiofibroma—R. N. Patil, A. K. Agarwal, B. Prakash and P. Ghosh. *Clin. Rec.*, 1053.
- Facial nerve in acoustic neuroma surgery, The—G. D. L. Smyth, D. S. Gordon, R. Campbell and A. G. Kerr. *Orig. Art.*, 335.
- Facial paralysis, Structure of human muscle in—A. Belal, Jr. *Orig. Art.*, 325.
- Factor, aetiological, in Menière's disease, an, Primary basilar impression:—R. J. Kane, A. F. O'Connor and A. W. Morrison. *Orig. Art.*, 931.
- Fascia grafts, Autogenous temporalis—P. M. Sheno. *Orig. Art.*, 801.
- Fascia, pericardium and vein, Tympanic membrane grafting with—G. J. Hordijk and S. J. Rietema. *Orig. Art.*, 43.
- Fascia?, underlay or overlay, dura or, What's best in myringoplasty:—P. Packer, A. Mackendrick and M. Solar. *Orig. Art.*, 25.
- Feature of leukaemia, Tumour of the nose as a presenting—I. Brama, A. Goldfarb, O. Shalev and I. Ariel. *Clin. Rec.*, 83.
- Fibroma, Ossifying—V. J. Lund. *Clin. Rec.*, 1141.
- Fibromyxoma, Naso-pharyngeal—F. O'Connor, D. Choudhary and S. Dutt. *Clin. Rec.*, 1149.
- Filter, second, and the mystery of the missing OHC afferents, Bimodal hearing, the controversial—A. Tumarkin. *Orig. Art.*, 297.
- Filter, Second thoughts on the second—A. Tumarkin. *Orig. Art.*, 971.
- Fistula, perilymph, An audiometric test for—J. G. Fraser and L. M. Flood. *Orig. Art.*, 513.

- Flap, myocutaneous, for total pharyngeal reconstruction, Use of the latissimus dorsi—S. Ali, J. S. Watson and J. Bihari. *Orig. Art.*, 837.
- Flaps, osteomyocutaneous, in mandibular reconstruction, The use of—G. J. Radcliffe, S. Mady and A. D. Cheesman. *Orig. Art.*, 1043.
- Flexible system laryngoscopy, The practical and economic value of—A. R. Welch. *Orig. Art.*, 1125.
- Fluctuating hearing loss in West African and West Indian racial groups: yaws, syphilis or Menière's disease?—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.
- Footplate, stapes, with special reference to otosclerosis, Management of the—J. J. Shea. *Orig. Art.*, 383.
- Formation, Articulating bone, in the rat tongue—A. P. Jayaraj. *Orig. Art.*, 665.
- Fossa, infra-temporal, Extra-cranial tumours of the—A. Johnson and A. G. D. Maran. *Orig. Art.*, 1017.
- Fossa, infratemporal, Swellings of the—O. H. Shaheen. *Orig. Art.*, 817.
- Frontal sinus, Glass in the—J. M. Lancer. *Clin. Rec.*, 357.
- Full-thickness defects of the cheek and lips after cancer surgery, A surgical technique for reconstruction of—D. S. Grewal, A. G. Pusalkar and N. L. Hiranandani. *Orig. Art.*, 1033.
- General anaesthesia, Middle-ear pressure variations during—S. H. Richards, G. O'Neill and F. Wilson. *Orig. Art.*, 883.
- Gigantic obstructing laryngeal polyp—R. H. Gilman, C. S. Karmody, M. P. Fried and R. Speth. *Clin. Rec.*, 167.
- Gland, parotid, Lymphomatoid granulomatosis presenting primarily in a—J. K. Jensen, C. Lund and J. Schlichting. *Clin. Rec.*, 961.
- Gland, submandibular, Carcinoma in a calcified pleomorphic adenoma of the—L. F. Grymer, K. Jørgensen and C. Lund. *Clin. Rec.*, 373.
- Glands, salivary, Oncocytomas of the—N. Hastrup, P. Bretlau, A. Krogdahl and H. Melchior. *Orig. Art.*, 1027.
- Glands, thyroid, in Nigerian children, Lingual and normally located—G. T. A. Ijaluola. *Clin. Rec.*, 177.
- Glass in the frontal sinus—J. M. Lancer. *Clin. Rec.*, 357.
- Glottoscopy, Inferior—C. Salimbeni and E. Alajmo. *Orig. Art.*, 1013.
- Graft, skin, new applications of split thickness, Repair of large pharyngeal defects—R. Sawyer and A. Papavasiliou. *Orig. Art.*, 125.
- Grafting with fascia, pericardium and vein, Tympanic membrane—G. J. Hordijk and S. J. Rietema. *Orig. Art.*, 43.
- Grafts, Autogenous temporalis fascia—P. M. Shenoi. *Orig. Art.*, 801.
- Granular cell myoblastoma of the larynx—A. M. S. El-Ghazali and T. M. S. El-Ghazali. *Clin. Rec.*, 1177.
- Granular myringitis—M. C. Khalifa, S. E. Fouly, A. Bassiouny and M. Kamel. *Orig. Art.*, 1099.
- Granuloma, Experimental cholesterol—F. Hiraide, T. Inouye and N. Miyakogawa. *Orig. Art.*, 491.
- Granuloma syndrome, McBride and the midfacial—I. Friedmann. *Orig. Art.*, 1.
- Granulomatosis, Lymphomatoid, presenting primarily in a parotid gland—J. K. Jensen, C. Lund and J. Schlichting. *Clin. Rec.*, 961.
- Granulomatosis, Wegener's, presenting as otitis media—B. Nicklasson and N. Stangeland. *Clin. Rec.*, 277.
- Groups, racial, Fluctuating hearing loss in West African and West Indian: yaws, syphilis or Menière's disease?—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.
- Habituation of nystagmic responses to hot caloric stimulation of normal subjects, Variability and—P. G. Davey, E. S. Harpur, F. Jabeen, D. Shannon and P. M. Shenoi. *Orig. Art.*, 599.
- Haemangioendothelioma of the head and neck—I. E. Cole. *Orig. Art.*, 545.
- Haemangiopericytoma of the larynx—G. Pesavento and A. Ferlito. *Clin. Rec.*, 1065.
- Haemorrhage, Post tonsillectomy—D. Carmody, T. Vamadevan and S. M. Cooper. *Orig. Art.*, 635.
- Hair cells in the organ of Corti, Scanning electron microscopy of the nerve endings of the outer—D. Mangape and Y. Harada. *Orig. Art.*, 591.
- Handicap of deafness, The social—F. E. McBrien. *Orig. Art.*, 577.
- Hazard?, A possible noise, Orthopaedic theatres:—S. A. Kamal. *Orig. Art.*, 985.
- Head and neck carcinoma with Adriamycin and Bleomycin using adjuvant hyperthermia, The treatment of—H. D. Fairman. *Orig. Art.*, 251.
- Head and neck Haemangioendothelioma of the—I. E. Cole. *Orig. Art.*, 545.

- Head injury, E.N.G. after—M. V. Kirtane, S. B. Medikeri and P. P. Karnik. *Orig. Art.*, 521.
- Hearing, Bimodal, the controversial second filter, and the mystery of the missing OHC afferents—A. Tumarkin. *Orig. Art.*, 297.
- Hearing loss after Cisplatin therapy, Rapid onset—P. Chapman. *Clin. Rec.*, 159.
- Hearing loss, Electrical auditory stimulation in the management of profound—J. C. Ballantyne, E. F. Evans and A. W. Morrison. *Orig. Art.*, 811.
- Hearing loss in West African and West Indian racial groups, Fluctuating, yaws, syphilis or Menière's disease?—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.
- Hearing loss, Medical management of sensorineural—J. B. Booth. Part I. *Orig. Art.*, 673. Part II. *Orig. Art.*, 773.
- Hearing loss, Naproxen and sudden—P. Chapman. *Clin. Rec.*, 163.
- Hearing loss, Suction-generated noise in the external meatus and sensorineural—D. Katzke and G. Sesterhenn. *Clin. Rec.*, 857.
- Hearing loss treated by carbon dioxide and oxygen inhalation, Sudden sensori-neural—M. S. Bahgat and P. M. Sheno. *Clin. Rec.*, 73.
- Heterotopic brain tissue in the palate—A. O. Ibekwe and S. E. Ikerionwu. *Clin. Rec.*, 1155.
- Histiocytosis with massive lymphadenopathy in a Nigerian child, Sinus—E. O. Adekeye, M. B. Edwards and G. F. Goubran. *Clin. Rec.*, 89.
- Hot caloric stimulation of normal subjects, Variability and habituation of nystagmic responses to—P. G. Davey, E. S. Harpur, F. Jabeen, D. Shannon and P. M. Sheno. *Orig. Art.*, 599.
- Human cochlear nuclei, loss of neurons in the, Presbycusis—A. R. Arnesen. *Orig. Art.*, 503.
- Human muscle in facial paralysis, Structure of—A. Belal, Jr. *Orig. Art.*, 325.
- Human respiratory nasal mucosa in pregnancy, The—H. Topozada, L. Michaels, M. Topozada, I. El-Ghazzawi, M. Talaat and S. Elwany. *Orig. Art.*, 613.
- Hydrochloride, tocinamide, in the treatment of tinnitus, Assessment of the value of—J.-M. Cathcart. *Orig. Art.*, 981.
- Hyperlipoproteinaemia, An extensive solitary xanthoma of the temporal bone, associated with—P. J. Emery and M. Gore. *Clin. Rec.*, 451.
- Hypernephroma in the tonsil, Metastatic—J. W. A. Bom and E. A. Baarsma. *Clin. Rec.*, 1159.
- Hyperostosis, vertebral ankylosing, Laryngeal and pharyngeal disorders in—I. H. Girgis, N. N. Guirguis and M. Mourice. *Orig. Art.*, 659.
- Hyperthermia, adjuvant, The treatment of head and neck carcinoma with Adriamycin and Bleomycin using—H. D. Fairman. *Orig. Art.*, 251.
- Hypopharynx, Squamous cell carcinomas of the posterior wall of the—C. H. Raine, P. M. Stell and J. Dalby. *Orig. Art.*, 997.
- IgD myeloma in plasmacytoma of nasal cavity, cervical lymph node and larynx, Late occurrence of—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
- Immediate effects of acetazolamide in Menière's disease, The—G. B. Brookes, R. A. Hodge, J. B. Booth and A. W. Morrison. *Orig. Art.*, 57.
- Impression, Primary basilar, an aetiological factor in Meniere's disease—R. J. Kane, A. F. O'Connor and A. W. Morrison. *Orig. Art.*, 931.
- Improved myringotomy, An—A. Steel. *Clin. Rec.*, 1187.
- Incidence and bacteriology of maxillary sinusitis in nasal polyposis, The—B. Majumdar and P. D. Bull. *Orig. Art.*, 937.
- Inferior glottoscopy—C. Salimbeni and E. Alajmo. *Orig. Art.*, 1013.
- Infra-temporal fossa, Extra-cranial tumours of the—A. Johnson and A. G. D. Maran. *Orig. Art.*, 1017.
- Infratemporal fossa, Swellings of the—O. H. Shaheen. *Orig. Art.*, 817.
- Inhalation, oxygen, Sudden sensori-neural hearing loss treated by carbon dioxide and—M. S. Bahgat and P. M. Sheno. *Clin. Rec.*, 73.
- Injury, E.N.G. after head—M. V. Kirtane, S. B. Medikeri and P. P. Karnik. *Orig. Art.*, 521.
- Inverted nasal papilloma, The—S. L. Sellars and G. Rosen. *Orig. Art.*, 1109.
- Inverted papilloma of the nose and paranasal sinuses, Bilateral transitional-type—P. Chatterji, I. Friedmann, N. K. Soni, R. L. Solanki and I. N. Ramdeo. *Clin. Rec.*, 281.
- Large pharyngeal defects, Repair of,—new applications of split thickness skin graft—R. Sawyer and A. Papavasiliou. *Orig. Art.*, 125.
- Laryngeal amyloidosis—C. M. C. Fernandes, D. Pirie and D. J. Pudifin. *Clin. Rec.*, 1165.

- Laryngeal and pharyngeal disorders in vertebral ankylosing hyperostosis—I. H. Girgis, N. N. Guirguis and M. Mourice. *Orig. Art.*, 659.
- Laryngeal emphysema, Spontaneous—C. M. C. Fernandes and J. Samuel. *Clin. Rec.*, 959.
- Laryngeal polypi, Gigantic obstructing—R. H. Gilman, C. S. Karmody, M. P. Fried and R. Speth. *Clin. Rec.*, 167.
- Laryngectomy, A modification of the Blom-Singer valve for restoration of voice after—A. Perry, A. D. Cheesman and R. Eden. *Orig. Art.*, 1005.
- Laryngectomy and subtotal pharyngectomy, A new technique for repair after—R. P. E. Barton. *Orig. Art.*, 119.
- Laryngectomy with Staffieri's method, Observations on surgical rehabilitation of the voice after—R. M. Tiwari, G. B. Snow, F. L. E. Lecluse, A. J. Greven and G. Bloothoof. *Orig. Art.*, 241.
- Laryngoscopy, flexible system, The practical and economic value of—A. R. Welch. *Orig. Art.*, 1125.
- Larynx, Chemodectoma of the—M. P. Stearns. *Clin. Rec.*, 1181.
- Larynx, Granular cell myoblastoma of the—A. M. S. El-Ghazali and T. M. S. El-Ghazali. *Clin. Rec.*, 1177.
- Larynx, Haemangiopericytoma of the—G. Pesavento and A. Ferlito. *Clin. Rec.*, 1065.
- Larynx, Late occurrence of IgD myeloma in plasmacytoma of nasal cavity, cervical lymph node and—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
- Laser, Resection of the tongue with the carbon dioxide—J. A. S. Carruth. *Orig. Art.*, 529.
- Late occurrence of IgD myeloma in plasmacytoma of nasal cavity, cervical lymph node and larynx—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
- Latissimus dorsi myocutaneous flap for total pharyngeal reconstruction, Use of the—S. Ali, J. S. Watson and J. Bihari. *Orig. Art.*, 837.
- Law, Semon's, a century later—J. A. Kirchner. *Orig. Art.*, 645.
- Leukaemia, Tumour of the nose as a presenting feature of—I. Brama, A. Goldfarb, O. Shalev and I. Ariel. *Clin. Rec.*, 83.
- Lichen planus, Dysphagia due to pharyngeal and oesophageal—B. M. S. Al-Shihabi and J. McG. Jackson. *Clin. Rec.*, 567.
- Lingual and normally located thyroid glands in Nigerian children—G. T. A. Ijaduola. *Clin. Rec.*, 177.
- Lips after cancer surgery, A surgical technique for reconstruction of full-thickness defects of the cheek and—D. S. Grewal, A. G. Pusalkar and N. L. Hiranandani. *Orig. Art.*, 1033.
- Local anaesthesia, tonsillectomy under, Results of long-term ECG monitoring in patients submitting to—H. Pekkarinen and J. Kärjä. *Orig. Art.*, 725.
- Long-term ECG monitoring in patients submitting to tonsillectomy under local anaesthesia, Results of—H. Pekkarinen and J. Kärjä. *Orig. Art.*, 725.
- Long vascular pedicle, Reconstruction of cervical esophagus with a segment of colon based on a; An experimental study in ten monkeys—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
- Loss of neurons in the human cochlear nuclei, Presbycusis—A. R. Arnesen. *Orig. Art.*, 503.
- Lymph node, cervical, and larynx, Late occurrence of IgD myeloma in plasmacytoma of nasal cavity,—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
- Lymphadenopathy in a Nigerian child, Sinus histiocytosis with massive—E. O. Adekeye, M. B. Edwards and G. F. Goubran. *Clin. Rec.*, 89.
- Lymphomatoid granulomatosis presenting primarily in a parotid gland—J. K. Jensen, C. Lund and J. Schlichting. *Clin. Rec.*, 961.
- Malakoplakia of the nasopharynx associated with carcinoma—M. McCormick and A. H. Timme. *Clin. Rec.*, 737.
- Malignant melanoma of the nasal cavity and paranasal sinuses—V. Lund. *Orig. Art.*, 347.
- Management of patients undergoing synchronous combined chemotherapy and radiotherapy, The—B. M. Laskiewicz. *Orig. Art.*, 265.
- Management of profound hearing loss, Electrical auditory stimulation in the—J. C. Ballantyne, E. F. Evans and A. W. Morrison. *Orig. Art.*, 811.
- Management of sensorineural hearing loss, Medical—J. B. Booth. Part I. *Orig. Art.*, 673. Part II. *Orig. Art.*, 773.
- Management of the stapes footplate with special reference to otosclerosis—J. J. Shea. *Orig. Art.*, 383.
- Management, Vocal nodules in children—aetiology and—N. J. Kay. *Orig. Art.*, 731.

- Mandibular reconstruction, The use of osteomyocutaneous flaps in—G. J. Radcliffe, S. Mady and A. D. Cheesman. *Orig. Art.*, 1043.
- Marsupialized (radical) mastoid, The—J. Sadé, J. Weinberg, E. Berco, M. Brown and A. Halevy. *Orig. Art.*, 869.
- Massive lymphadenopathy in a Nigerian child, Sinus histiocytosis with—E. O. Adekeye, M. B. Edwards and G. F. Goubran. *Clin. Rec.*, 89.
- Mastoid, The marsupialized (radical)—J. Sadé, J. Weinberg, E. Berco, M. Brown and A. Halevy. *Orig. Art.*, 869.
- Maxillary sinusitis in nasal polyposis, The incidence and bacteriology of—B. Majumdar and P. D. Bull. *Orig. Art.*, 937.
- McBride and the midfacial granuloma syndrome—I. Friedmann. *Orig. Art.*, 1.
- Measurements, Post-operative ear canal volume—K. Ojala, M. Sorri and P. Sipilä. *Orig. Art.*, 877.
- Meatus, external, and sensorineural hearing loss, Suction-generated noise in the—D. Katzke and G. Sesterhenn. *Clin. Rec.*, 857.
- Medical management of sensorineural hearing loss—J. B. Booth. Part I. *Orig. Art.*, 673. Part II. *Orig. Art.*, 773.
- Melanoma of the nasal cavity and paranasal sinuses, Malignant—V. Lund. *Orig. Art.*, 347.
- Membrane grafting with fascia, pericardium and vein, Tympanic—G. J. Hordijk and S. J. Rietema. *Orig. Art.*, 43.
- Membrane retraction and middle-ear pressure, Tympanic—H. R. Cable and S. Tadros. *Orig. Art.*, 113.
- Menière's disease—D. A. Adams and T. J. Wilmot. *Orig. Art.*, 705.
- Menière's disease, an aetiological factor in, Primary basilar impression:—R. J. Kane, A. F. O'Connor and A. W. Morrison. *Orig. Art.*, 931.
- Menière's disease, The immediate effects of acetazolamide in—G. B. Brookes, R. A. Hodge, J. B. Booth and A. W. Morrison. *Orig. Art.*, 57.
- Menière's disease?, yaws, syphilis or, Fluctuating hearing loss in West African and West Indian racial groups:—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.
- Metastatic hypernephroma in the tonsil—J. W. A. Bom and E. A. Baarsma. *Clin. Rec.*, 1159.
- Method, Staffieri's, Observations on surgical rehabilitation of the voice after laryngectomy with—R. M. Tiwari, G. B. Snow, F. L. E. Lecluse, A. J. Greven and G. Bloothoof. *Orig. Art.*, 241.
- Microscopy of the nerve endings of the outer hair cells in the organ of Corti, Scanning electron—D. Mangape and Y. Harada. *Orig. Art.*, 591.
- Middle-ear analysis in the nose/ear distress syndrome—W. D. McNicoll. *Orig. Art.*, 309.
- Middle-ear disease in a population of primary school entrants, The screening and epidemiology of—C. P. Hallett. *Orig. Art.*, 899.
- Middle-ear effusions, The effect of nitrous oxide on—F. P. F. Marshall and H. R. Cable. *Orig. Art.*, 893.
- Middle-ear pressure, Tympanic membrane retraction and—H. R. Cable and S. Tadros. *Orig. Art.*, 113.
- Middle-ear pressure variations during general anaesthesia—S. H. Richards, G. O'Neill and F. Wilson. *Orig. Art.*, 883.
- Middle-ear structures and tympanosclerotic plaques, The collagens of—J. P. Birchall, K. Pearman, J. D. K. Dawes and B. Sykes. *Orig. Art.*, 797.
- Middle-ear surgery, When not to do—D. Plester. *Orig. Art.*, 585.
- Midfacial granuloma syndrome, McBride and the—I. Friedmann. *Orig. Art.*, 1.
- Missing OHC afferents, Bimodal hearing, the controversial second filter, and the mystery of the—A. Tumarkin. *Orig. Art.*, 297.
- Modification of the Blom-Singer valve for restoration of voice after laryngectomy, A—A. Perry, A. D. Cheesman and R. Eden. *Orig. Art.*, 1005.
- Monitoring, ECG, in patients submitting to tonsillectomy under local anaesthesia, Results of long-term—H. Pekkarinen and J. Kärjä. *Orig. Art.*, 725.
- Monkeys, An experimental study in ten, Reconstruction of cervical esophagus with a segment of colon based on a long vascular pedicle:—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
- Mucosa, nasal, in pregnancy, The human respiratory—H. Topozada, L. Michaels, M. Topozada, I. El-Ghazzawi, M. Talaat and S. Elwany. *Orig. Art.*, 613.
- Mucosa, tracheal, of the rabbit, The effect of cigarette smoke on the—H. A. Gaafar and A. H. Al-Mansour. *Orig. Art.*, 943.
- Muscle in facial paralysis, Structure of human—A. Belal, Jr. *Orig. Art.*, 325.

- Myeloma in plasmacytoma of nasal cavity, cervical lymph node and larynx, Late occurrence of IgD—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
- Myoblastoma of the larynx, Granular cell—A. M. S. El-Ghazali and T. M. S. El-Ghazali. *Clin. Rec.*, 1177.
- Myocutaneous flap for total pharyngeal reconstruction, Use of the latissimus dorsi—S. Ali, J. S. Watson and J. Bihari. *Orig. Art.*, 837.
- Myoepithelioma of the external auditory canal—K. T. K. Chen. *Clin. Rec.*, 955.
- Myringitis, Granular—M. C. Khalifa, S. E. Fouly, A. Bassiouny and M. Kamel. *Orig. Art.*, 1099.
- Myringoplasty—A. G. Gibb and S. K. Chang. *Orig. Art.*, 915.
- Myringoplasty, What's best in.; underlay or overlay, dura or fascia?—P. Packer, A. Mackendrick and M. Solar. *Orig. Art.*, 25.
- Myringotome, An improved—A. Steel. *Clin. Rec.*, 1187.
- Mystery of the missing OHC afferents, Bimodal hearing, the controversial second filter, and the—A. Tumarkin. *Orig. Art.*, 297.
- Naproxen and sudden hearing loss—P. Chapman. *Clin. Rec.*, 163.
- Nasal cavity and paranasal sinuses, Malignant melanoma of the—V. Lund. *Orig. Art.*, 347.
- Nasal cavity, cervical lymph node and larynx, Late occurrence of IgD myeloma in plasmacytoma of—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
- Nasal dermoids in children, Results of surgery for—P. J. Bradley. *Orig. Art.*, 627.
- Nasal mucosa in pregnancy, The human respiratory—H. Topozada, L. Michaels, M. Topozada, I. El-Ghazzawi, M. Talaat and S. Elwany. *Orig. Art.*, 613.
- Nasal papilloma, The inverted—S. L. Sellars and G. Rosen. *Orig. Art.*, 1109.
- Nasal polyposis, The incidence and bacteriology of maxillary sinusitis in—B. Majumdar and P. D. Bull. *Orig. Art.*, 937.
- Nasal septum, Chondrosarcoma of the—C. M. Bailey. *Clin. Rec.*, 459.
- Nasal septum, Repair with, Tracheal stenosis:—H. E. Porte. *Clin. Rec.*, 365.
- Naso-pharyngeal fibromyxoma—F. O'Connord. Choudhary and S. Dutt. *Clin. Rec.*, 1149.
- Nasopharynx associated with carcinoma, Malakoplakia of the—M. McCormick and A. H. Timme. *Clin. Rec.*, 737.
- Neck carcinoma with Adriamycin and Bleomycin using adjuvant hyperthermia, The treatment of head and—H. D. Fairman. *Orig. Art.*, 251.
- Neck, Haemangiioendothelioma of the head and—I. E. Cole. *Orig. Art.*, 545.
- Nerve endings of the outer hair cells in the organ of Corti, Scanning electron microscopy of the—D. Mangape and Y. Harada. *Orig. Art.*, 591.
- Nerve, facial, in acoustic neuroma surgery, The—G. D. L. Smyth, D. S. Gordon, R. Campbell and A. G. Kerr. *Orig. Art.*, 335.
- Neurological elements of the rabbit cochlea, The effect of vinblastine sulphate on the—A. Serafy, M. Hashash and F. State. *Orig. Art.*, 975.
- Neuroma surgery, The facial nerve in acoustic—G. D. L. Smyth, D. S. Gordon, R. Campbell and A. G. Kerr. *Orig. Art.*, 335.
- Neurons in the human cochlear nuclei, loss of, Presbycusis—A. R. Arnesen. *Orig. Art.*, 503.
- New applications of split thickness skin graft, Repair of large pharyngeal defects—R. Sawyer and A. Papavisiliou. *Orig. Art.*, 125.
- New technique for repair after laryngectomy and subtotal pharyngectomy, A—R. P. E. Barton. *Orig. Art.*, 119.
- Nigerian child, Sinus histiocytosis with massive lymphadenopathy in a—E. O. Adekeye, M. B. Edwards and G. F. Goubran. *Clin. Rec.*, 89.
- Nigerian children, Lingual and normally located thyroid glands in—G. T. A. Ijaluola. *Clin. Rec.*, 177.
- Nitrous oxide on middle-ear effusions, The effect of—F. P. F. Marshall and H. R. Cable. *Orig. Art.*, 893.
- Node, cervical lymph, and larynx, Late occurrence of IgD myeloma in plasmacytoma of nasal cavity,—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
- Nodules in children, Vocal,—aetiology and management—N. J. Kay. *Orig. Art.*, 731.
- Noise hazard?, A possible, Orthopaedic theatres:—S. A. Kamal. *Orig. Art.*, 985.
- Noise in the external meatus and sensorineural hearing loss, Suction-generated—D. Katzke and G. Sesterhenn. *Clin. Rec.*, 857.
- Non-invasive antromycosis—A. Bassiouny, A. Maher, T. J. Bucci, M. K. Moawad and D. S. Hendawy. *Orig. Art.*, 215.

- Normally located thyroid glands in Nigerian children, Lingual and—G. T. A. Ijaluola. *Clin. Rec.*, 177.
- Nose and paranasal sinuses, Bilateral transitional-type inverted papilloma of the—P. Chatterji, I. Friedmann, N. K. Soni, R. L. Solanki and I. N. Ramdeo. *Clin. Rec.*, 281.
- Nose/ear distress syndrome, Middle-ear analysis in the—W. D. McNicoll. *Orig. Art.*, 309.
- Nose, The deflected,—surgical correction—L. F. Grymer, J. Fogstrup and P. Stoksted. *Orig. Art.*, 719.
- Nose, Tumour of the, as a presenting feature of leukaemia—I. Brama, A. Goldfarb, O. Shalev and I. Arieli. *Clin. Rec.*, 83.
- Nuclei, loss of neurons in the human cochlear, Presbycusis—A. R. Arnesen. *Orig. Art.*, 503.
- Nystagmic responses to hot caloric stimulation of normal subjects, Variability and habituation of—P. G. Davey, E. S. Harpur, F. Jabeen, D. Shannon and P. M. Sheno. *Orig. Art.*, 599.
- Obliterative surgery in ears without cholesteatoma, Post-operative cholesteatomas and retraction pockets after—K. Ojala, M. Sorri, P. Sipilä and A. Palva. *Orig. Art.*, 411.
- Observations on surgical rehabilitation of the voice after laryngectomy with Staffieri's method—R. M. Tiwari, G. B. Snow, F. L. E. Lecluse, A. J. Greven and G. Bloothoof. *Orig. Art.*, 241.
- Obstructing laryngeal polypi, Gigantic—R. H. Gilman, C. S. Karmody, M. P. Fried and R. Speth. *Clin. Rec.*, 167.
- Occurrence of IgD myeloma in plasmacytoma of nasal cavity, cervical lymph node and larynx, Late—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
- Oesophageal lichen planus, Dysphagia due to pharyngeal and—B. M. S. Al-Shihabi and J. McG. Jackson. *Clin. Rec.*, 567.
- OHC afferents, Bimodal hearing, the controversial second filter, and the mystery of the missing—A. Tumarkin. *Orig. Art.*, 297.
- Oncocytomas of the salivary glands—N. Hastrup, P. Bretlau, A. Krogdahl and H. Melchior. *Orig. Art.*, 1027.
- Operation?, a worthwhile, Total rhinectomy—D. F. N. Harrison. *Orig. Art.*, 1113.
- Organ of Corti, Scanning electron microscopy of the nerve endings of the outer hair cells in the—D. Mangape and Y. Harada. *Orig. Art.*, 591.
- Orthopaedic theatres: A possible noise hazard?—S. A. Kamal. *Orig. Art.*, 985.
- Ossicular system of cats, The—I. H. Girgis and M. Maurice. *Orig. Art.*, 195.
- Ossifying fibroma—V. J. Lund. *Clin. Rec.*, 1141.
- Osteomyocutaneous flaps in mandibular reconstruction, The use of—G. J. Radcliffe, S. Mady and A. D. Cheesman. *Orig. Art.*, 1043.
- Otitis media, Wegener's granulomatosis presenting as—B. Nicklasson and N. Stangeland. *Clin. Rec.*, 277.
- Otolaryngology, Embolization in—D. Kingsley and A. F. O'Connor. *Orig. Art.*, 439.
- Otomycosis: An experimental evaluation of six antimycotic agents—A. Maher, A. Bassiouny, M. K. Moawad and D. S. Hendawy. *Orig. Art.*, 205.
- Otosclerosis, Management of the stapes footplate with special reference to—J. J. Shea. *Orig. Art.*, 383.
- Outer hair cells in the organ of Corti, Scanning electron microscopy of the nerve endings of the—D. Mangape and Y. Harada. *Orig. Art.*, 591.
- Overlay, dura or fascia?, What's best in Myringoplasty: underlay or—P. Packer, A. Mackendrick and M. Solar. *Orig. Art.*, 25.
- Oxygen inhalation, Sudden sensori-neural hearing loss treated by carbon dioxide and—M. S. Bahgat and P. M. Sheno. *Clin. Rec.*, 73.
- Palate, Heterotopic brain tissue in the—A. O. Ibekwe and S. E. Ikerionwu. *Clin. Rec.*, 1155.
- Papilloma of the nose and paranasal sinuses, Bilateral transitional-type inverted—P. Chatterji, I. Friedmann, N. K. Soni, R. L. Solanki and I. N. Ramdeo. *Clin. Rec.*, 281.
- Papilloma, The inverted nasal—S. L. Sellars and G. Rosen. *Orig. Art.*, 1109.
- Paralysis, facial, Structure of human muscle in—A. Belal, Jr. *Orig. Art.*, 325.
- Paranasal sinuses, Bilateral transitional-type inverted papilloma of the nose and—P. Chatterji, I. Friedmann, N. K. Soni, R. L. Solanki and I. N. Ramdeo. *Clin. Rec.*, 281.
- Paranasal sinuses, Malignant melanoma of the nasal cavity and—V. Lund. *Orig. Art.*, 347.
- Parotid gland, Lymphomatoid granulomatosis presenting primarily in a—J. K. Jensen, C. Lund and J. Schlichting. *Clin. Rec.*, 961.
- Parotitis, chronic, The surgical treatment of—L.-E. Afzelius and C.-G. Walter. *Orig. Art.*, 1131.

- Pathology as it relates to ear surgery—A. Belal, Jr. and M. Sanna. *Orig. Art.*, 1079.
- Patients submitting to tonsillectomy under local anaesthesia, Results of long-term ECG monitoring in—H. Pekkarinen and J. Kärjä. *Orig. Art.*, 725.
- Patients undergoing synchronous combined chemotherapy and radiotherapy, The management of—B. M. Laskiewicz. *Orig. Art.*, 265.
- Pedicle, long vascular, Reconstruction of cervical esophagus with a segment of colon based on a, An experimental study in ten monkeys—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
- Pericardium and vein, Tympanic membrane grafting with fascia,—G. J. Hordijk and S. J. Rietema. *Orig. Art.*, 43.
- Perilymph fistula, An audiometric test for—J. G. Fraser and L. M. Flood. *Orig. Art.*, 513.
- Peritonsillar abscess—A. Tucker. *Orig. Art.*, 639.
- Pharyngeal and oesophageal lichen planus, Dysphagia due to—B. M. S. Al-Shihabi and J. McG. Jackson. *Clin. Rec.*, 567.
- Pharyngeal defects, Repair of large,—new applications of split thickness skin graft—R. Sawyer and A. Papavasiliou. *Orig. Art.*, 125.
- Pharyngeal disorders in vertebral ankylosing hyperostosis, Laryngeal and—I. H. Girgis, N. N. Guirguis and M. Mourice. *Orig. Art.*, 659.
- Pharyngeal reconstruction, Use of the latissimus dorsi myocutaneous flap for total—S. Ali, J. S. Watson and J. Bihari. *Orig. Art.*, 837.
- Pharyngectomy, A new technique for repair after laryngectomy and subtotal—R. P. E. Barton. *Orig. Art.*, 119.
- Plaques, tympanosclerotic, The collagens of middle-ear structures and—J. P. Birchall, K. Pearman, J. D. K. Dawes and B. Sykes. *Orig. Art.*, 797.
- Plasmacytoma of nasal cavity, cervical lymph node and larynx, Late occurrence of IgD myeloma in—A. Ferlito, A. Carbone, R. Volpe and G. Recher. *Clin. Rec.*, 759.
- Pleomorphic adenoma of the auricle—A. Ito, T. Nakashima and M. Kitamura. *Clin. Rec.*, 1137.
- Pleomorphic adenoma of the submandibular gland, Carcinoma in a calcified—L. F. Grymer, K. Jørgensen and C. Lund. *Clin. Rec.*, 373.
- Pockets, retraction, after obliterative surgery in ears without cholesteatoma, Post-operative cholesteatomas and—K. Ojala, M. Sorri, P. Sipilä and A. Palva. *Orig. Art.*, 411.
- Pockets, retraction, and cholesteatoma, Treatment of—J. Sadé. *Orig. Art.*, 685.
- Polypi, Gigantic obstructing laryngeal—R. H. Gilman, C. S. Karmody, M. P. Fried and R. Speth. *Clin. Rec.*, 167.
- Polyposis, nasal, The incidence and bacteriology of maxillary sinusitis in—B. Majumdar and P. D. Bull. *Orig. Art.*, 937.
- Population of primary school entrants, The screening and epidemiology of middle-ear disease in—C. P. Hallett. *Orig. Art.*, 899.
- Porps, Torps and—A. Belal and S. Odnert. *Orig. Art.*, 49.
- Possible noise hazard?, A, Orthopaedic theatres:—S. A. Kamal. *Orig. Art.*, 985.
- Post-lingually deafened adults, A study of speech deterioration in—R. Cowie, E. Douglas-Cowie and A. G. Kerr. *Orig. Art.*, 101.
- Post-operative cholesteatomas and retraction pockets after obliterative surgery in ears without cholesteatoma—K. Ojala, M. Sorri, P. Sipilä and A. Palva. *Orig. Art.*, 411.
- Post-operative ear canal volume measurements—K. Ojala, M. Sorri and P. Sipilä. *Orig. Art.*, 877.
- Post-stapedectomy conductive deafness and results of revision surgery—K. Pearman and J. D. K. Dawes. *Orig. Art.*, 405.
- Post tonsillectomy haemorrhage—D. Carmody, T. Vamadevan and S. M. Cooper. *Orig. Art.*, 635.
- Posterior wall of the hypopharynx, Squamous cell carcinomas of the—C. H. Raine, P. M. Stell and J. Dalby. *Orig. Art.*, 997.
- Practical and economic value of flexible system laryngoscopy, The—A. R. Welch. *Orig. Art.*, 1125.
- Practice, E.N.T., Computed tomography in—D. W. Proops and P. D. Phelps. *Orig. Art.*, 417.
- Pregnancy, The human respiratory nasal mucosa in—H. Topozada, L. Michaels, M. Topozada, I. El-Ghazzawi, M. Talaat and S. Elwany. *Orig. Art.*, 613.
- Presbycusis—Loss of neurons in the human cochlear nuclei—A. R. Arnesen. *Orig. Art.*, 503.
- Presenting feature of leukaemia, Tumour of the nose as a—I. Brama, A. Goldfarb, O. Shalev and I. Ariel. *Clin. Rec.*, 83.
- Pressure, middle-ear, Tympanic membrane retraction and—H. R. Cable and S. Tadros. *Orig. Art.*, 113.
- Pressure, Middle-ear, variations during general anaesthesia—S. H. Richards, G. O'Neill and F. Wilson. *Orig. Art.*, 883.

- Primary basilar impression: an aetiological factor in Menière's disease—R. J. Kane, A. F. O'Connor and A. W. Morrison. *Orig. Art.*, 931.
- Primary school entrants, The screening and epidemiology of middle-ear disease in a population of—C. P. Hallett. *Orig. Art.*, 899.
- Profound hearing loss, Electrical auditory stimulation in the management of—J. C. Ballantyne, E. F. Evans and A. W. Morrison. *Orig. Art.*, 811.
- Rabbit cochlear, The effect of vinblastine sulphate on the neurological elements of the—A. Serafy, M. Hashash and F. State. *Orig. Art.*, 975.
- Rabbit, The effect of cigarette smoke on the tracheal mucosa of the—H. A. Gaafar and A. H. Al-Mansour. *Orig. Art.*, 943.
- Racial groups, Fluctuating hearing loss in West African and West Indian: yaws, syphilis or Menière's disease?—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.
- (Radical) mastoid, The marsupialized—J. Sadé, J. Weinberg, E. Berco, M. Brown and A. Halevy. *Orig. Art.*, 869.
- Radiotherapy, chemotherapy and, The management of patients undergoing synchronous combined—B. M. Laskiewicz. *Orig. Art.*, 265.
- Rapid onset hearing loss after Cisplatin therapy—P. Chapman. *Clin. Rec.*, 159.
- Rat tongue, Articulating bone formation in the—A. P. Jayaraj. *Orig. Art.*, 665.
- Reconstruction, mandibular, The use of osteomyocutaneous flaps in—G. J. Radcliffe, S. Mady and A. D. Cheesman. *Orig. Art.*, 1043.
- Reconstruction of cervical esophagus with a segment of colon based on a long vascular pedicle: An experimental study in ten monkeys—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
- Reconstruction of full-thickness defects of the cheek and lips after cancer surgery, A surgical technique for—D. S. Grewal, A. G. Pusalkar and N. L. Hiranandani. *Orig. Art.*, 1033.
- Reconstruction, total pharyngeal, Use of the latissimus dorsi myocutaneous flap for—S. Ali, J. S. Watson and J. Bihari. *Orig. Art.*, 837.
- Reference to otosclerosis, Management of the stapes footplate with special—J. J. Shea. *Orig. Art.*, 383.
- Rehabilitation of the voice after laryngectomy with Staffieri's method, Observations on surgical—R. M. Tiwari, G. B. Snow, F. L. E. Lecluse, A. J. Greven and G. Bloothoof. *Orig. Art.*, 241.
- Repair after laryngectomy and subtotal pharyngectomy, A new technique for—R. P. E. Barton. *Orig. Art.*, 119.
- Repair of a subglottic stenosis by submucosal resection—S. H. Steensen and J. W. Petersen. *Clin. Rec.*, 469.
- Repair of large pharyngeal defects—new applications of split thickness skin graft—R. Sawyer and A. Papavasiliou. *Orig. Art.*, 125.
- Repair with nasal septum, Tracheal stenosis:—H. E. Porte. *Clin. Rec.*, 365.
- Resection of the tongue with the carbon dioxide laser—J. A. S. Carruth. *Orig. Art.*, 529.
- Resection, Repair of a subglottic stenosis by submucosal—S. H. Steensen and J. W. Petersen. *Clin. Rec.*, 469.
- Respiratory nasal mucosa in pregnancy, The human—H. Topozada, L. Michaels, M. Topozada, I. El-Ghazzawi, M. Talaat and S. Elwany. *Orig. Art.*, 613.
- Respiratory tract, Sarcoidosis of the upper, (SURT)—D. G. James, S. Barter, D. Jash, D. M. MacKinnon and L. S. Carstairs. *Orig. Art.*, 711.
- Responses, nystagmic, to hot caloric stimulation of normal subjects, Variability and habituation of—P. G. Davey, E. S. Harpur, F. Jabeen, D. Shannon and P. M. Shenoi. *Orig. Art.*, 599.
- Restoration of voice after laryngectomy, A modification of the Blom-Singer valve for—A. Perry, A. D. Cheesman and R. Eden. *Orig. Art.*, 1005.
- Results of long-term ECG monitoring in patients submitting to tonsillectomy under local anaesthesia—H. Pekkarinen and J. Kärjä. *Orig. Art.*, 725.
- Results of revision surgery, Post-stapedectomy conductive deafness and—K. Pearman and J. D. K. Dawes. *Orig. Art.*, 405.
- Results of surgery for nasal dermoids in children—P. J. Bradley. *Orig. Art.*, 627.
- Retraction and middle-ear pressure, Tympanic membrane—H. R. Cable and S. Tadros. *Orig. Art.*, 113.
- Retraction pockets after obliterative surgery in ears without cholesteatoma, Post-operative cholesteatomas and—K. Ojala, M. Sorri, P. Sipilä and A. Palva. *Orig. Art.*, 411.
- Retraction pockets and cholesteatoma, Treatment of—J. Sadé. *Orig. Art.*, 685.

- Revision surgery, Post-stapedectomy, conductive deafness and results of—K. Pearman and J. D. K. Dawes. *Orig. Art.*, 405.
- Rhinectomy, Total, —a worthwhile operation?—D. F. N. Harrison. *Orig. Art.*, 1113.
- Rhinomanometry and septoplasty—B. Nicklasson and L. Sundén. *Orig. Art.*, 991.
- Rhinosporidiosis—N. P. von Haacke and T. A. H. Mugliston. *Clin. Rec.*, 743.
- Salivary glands, Oncocytomas of the—N. Hastrup, P. Bretlau, A. Krogdahl and H. Melchior. *Orig. Art.*, 1027.
- Sarcoidosis of the upper respiratory tract (SURT)—D. G. James, S. Barter, D. Jash, D. M. MacKinnon and L. S. Carstairs. *Orig. Art.*, 711.
- Scanning electron microscopy of the nerve endings of the outer hair cells in the organ of Corti—D. Mangape and Y. Harada. *Orig. Art.*, 591.
- School, primary, entrants, The screening and epidemiology of middle-ear disease in a population of—C. P. Hallett. *Orig. Art.*, 899.
- Science, Singing and—B. D. White. *Orig. Art.*, 141.
- Screening and epidemiology of middle-ear disease in a population of primary school entrants, The—C. P. Hallett. *Orig. Art.*, 899.
- Second filter, and the mystery of the missing OHC afferents, Bimodal hearing, the controversial—A. Tumarkin. *Orig. Art.*, 297.
- Second thoughts on the second filter—A. Tumarkin. *Orig. Art.*, 971.
- Segment of colon based on a long vascular pedicle, Reconstruction of cervical esophagus with a: An experimental study in ten monkeys—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
- Semon's law a century later—J. A. Kirchner. *Orig. Art.*, 645.
- Sensorineural hearing loss, Medical management of—J. B. Booth. Part I. *Orig. Art.*, 673. Part II. *Orig. Art.*, 773.
- Sensorineural hearing loss, Suction generated noise in the external meatus and—D. Katzke and G. Sesterhenn. *Clin. Rec.*, 857.
- Sensorineural hearing loss treated by carbon dioxide and oxygen inhalation, Sudden—M. S. Bahgat and P. M. Sheno. *Clin. Rec.*, 73.
- Septoplasty, Rhinomanometry and—B. Nicklasson and L. Sundén. *Orig. Art.*, 991.
- Septum, Chondrosarcoma of the nasal—G. M. Bailey. *Clin. Rec.*, 459.
- Septum, Repair with nasal, Tracheal stenosis:—H. E. Porte. *Clin. Rec.*, 365.
- Singing and science—B. D. White. *Orig. Art.*, 141.
- Sinus, Glass in the frontal—J. M. Lancer. *Clin. Rec.*, 357.
- Sinus histiocytosis with massive lymphadenopathy in a Nigerian child—E. O. Adekeye, M. B. Edwards and G. F. Goubran. *Clin. Rec.*, 89.
- Sinuses, paranasal, Bilateral transitional-type inverted papilloma of the nose and—P. Chatterji, I. Friedmann, N. K. Soni, R. L. Solanki and I. N. Ramdeo. *Clin. Rec.*, 281.
- Sinuses, paranasal, Malignant melanoma of the nasal cavity and—V. Lund. *Orig. Art.*, 347.
- Sinusitis in nasal polyposis, The incidence and bacteriology of maxillary—B. Majumdar and P. D. Bull. *Orig. Art.*, 937.
- Six antimycotic agents, An experimental evaluation of, Otomycosis:—A. Maher, A. Bassiouny, M. K. Moawad and D. S. Hendawy. *Orig. Art.*, 205.
- Skin graft, new applications of split thickness, Repair of large pharyngeal defects—R. Sawyer and A. Papavasiliou. *Orig. Art.*, 125.
- Smoke, cigarette, on the tracheal mucosa of the rabbit, The effect of—H. A. Gaafar and A. H. Al-Mansour. *Orig. Art.*, 943.
- Social handicap of deafness, The—F. E. McBrien. *Orig. Art.*, 577.
- Solitary xanthoma of the temporal bone, associated with hyperlipoproteinaemia, An extensive—P. J. Emery and M. Gore. *Clin. Rec.*, 451.
- Speech deterioration in post-lingually deafened adults, A study of—R. Cowie, E. Douglas-Cowie and A. G. Kerr. *Orig. Art.*, 101.
- Sphenoiditis, Acute, alone and in concert—S. Abramovich and G. J. C. Smelt. *Clin. Rec.*, 751.
- Split thickness skin graft, new applications of, Repair of large pharyngeal defects—R. Sawyer and A. Papavasiliou. *Orig. Art.*, 125.
- Spontaneous laryngeal emphysema—C. M. C. Fernandes and J. Samuel. *Clin. Rec.*, 959.
- Squamous cell carcinomas of the posterior wall of the hypopharynx—C. H. Raine, P. M. Stell and J. Dalby. *Orig. Art.*, 997.
- Staffieri's method, Observations on surgical rehabilitation of the voice after laryngectomy with—R. M. Tiwari, G. B. Snow, F. L. E. Lecluse, A. J. Greven and G. Bloothoof. *Orig. Art.*, 241.

- Stapes footplate with special reference to otosclerosis, Management of the—J. J. Shea. *Orig. Art.*, 383.
- Stenosis by submucosal resection, Repair of a subglottic—S. H. Steensen and J. W. Petersen. *Clin. Rec.*, 469.
- Stenosis, Tracheal: Repair with nasal septum—H. E. Porte. *Clin. Rec.*, 365.
- Stimulation, Electrical auditory, in the management of profound hearing loss—J. C. Ballantyne, E. F. Evans and A. W. Morrison. *Orig. Art.*, 811.
- Stimulation, hot caloric, or normal subjects, Variability and habituation of nystagmic responses to—P. G. Davey, E. S. Harpur, F. Jabeen, D. Shannon and P. M. Sheno. *Orig. Art.*, 599.
- Stridor, An unusual cause of—N. Salama and M. Fathy. *Clin. Rec.*, 361.
- Structure of human muscle in facial paralysis—A. Belal, Jr. *Orig. Art.*, 325.
- Structures, middle-ear, and tympanosclerotic plaques, The collagens of—J. P. Birchall, K. Pearman, J. D. K. Dawes and B. Sykes. *Orig. Art.*, 797.
- Study, A., Cialit:—A. L. Pahor, A. K. Gangopadhyay, A. J. Jones and M. J. Robertson. *Orig. Art.*, 1103.
- Study in ten monkeys, An experimental, Reconstruction of cervical esophagus with a segment of colon based on a long vascular pedicle—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
- Study of speech deterioration in post-lingually deafened adults, A—R. Cowie, E. Douglas-Cowie and A. G. Kerr. *Orig. Art.*, 101.
- Subglottic stenosis by submucosal resection, Repair of a—S. H. Steensen and J. W. Petersen. *Clin. Rec.*, 469.
- Subjects, normal, Variability and habituation of nystagmic responses to hot caloric stimulation of—P. G. Davey, E. S. Harpur, F. Jabeen, D. Shannon and P. M. Sheno. *Orig. Art.*, 599.
- Submandibular gland, Carcinoma in a calcified pleomorphic adenoma of the—L. F. Grymer, K. Jørgensen and C. Lund. *Clin. Rec.*, 373.
- Submucosal resection, Repair of a subglottic stenosis by—S. H. Steensen and J. W. Petersen. *Clin. Rec.*, 469.
- Subtotal pharyngectomy, A new technique for repair after laryngectomy and—R. P. E. Barton. *Orig. Art.*, 119.
- Suction-generated noise in the external meatus and sensorineural hearing loss—D. Katzke and G. Sesterhenn. *Clin. Rec.*, 857.
- Sudden hearing loss. Naproxen and—P. Chapman. *Clin. Rec.*, 163.
- Sudden sensori-neural hearing loss treated by carbon dioxide and oxygen inhalation—M. S. Bahgat and P. M. Sheno. *Clin. Rec.*, 73.
- Sulphate, vinblastine, on the neurological elements of the rabbit cochlea, The effect of—A. Serafy, M. Hashash and F. State. *Orig. Art.*, 975.
- Surgery, cancer, A surgical technique for reconstruction of full-thickness defects of the cheek and lips after—D. S. Grewal, A. G. Pusalkar and N. L. Hiranandani. *Orig. Art.*, 1033.
- Surgery, ear, Pathology as it relates to—A. Belal, Jr. and M. Sanna. *Orig. Art.*, 1079.
- Surgery for nasal dermoids in children, Results of—P. J. Bradley. *Orig. Art.*, 627.
- Surgery, obliterative, in ears without cholesteatoma, Post-operative cholesteatomas and retraction pockets after—K. Ojala, M. Sorri, P. Sipilä and A. Palva. *Orig. Art.*, 411.
- Surgery, Post-stapedectomy conductive deafness and results of revision—K. Pearman and J. D. K. Dawes. *Orig. Art.*, 405.
- Surgery, The facial nerve in acoustic neuroma—G. D. L. Smyth, D. S. Gordon, R. Campbell and A. G. Kerr. *Orig. Art.*, 335.
- Surgery, When not to do middle-ear—D. Plester. *Orig. Art.*, 585.
- Surgical correction, The deflected nose—L. F. Grymer, J. Fogstrup and P. Stoksted. *Orig. Art.*, 719.
- Surgical rehabilitation of the voice after laryngectomy with Staffieri's method, Observations on—R. M. Tiwari, G. B. Snow, F. L. E. Lecluse, A. J. Greven and G. Bloothoof. *Orig. Art.*, 241.
- Surgical technique for reconstruction of full-thickness defects of the cheek and lips after cancer surgery, A—D. S. Grewal, A. G. Pusalkar and N. L. Hiranandani. *Orig. Art.*, 1033.
- Surgical treatment of chronic parotitis, The—L. E. Afzelius and C. G. Walter. *Orig. Art.*, 1131.
- (SURT), Sarcoidosis of the upper respiratory tract—D. G. James, S. Barter, D. Jashi, D. M. MacKinnon and L. S. Carstairs. *Orig. Art.*, 711.
- Swellings of the infratemporal fossa—O. H. Shaheen. *Orig. Art.*, 817.
- Synchronous combined chemotherapy and radiotherapy, The management of patients undergoing—B. M. Laskiewicz. *Orig. Art.*, 265.
- Syndrome, McBride and the midfacial granuloma—I. Friedmann. *Orig. Art.*, 1.
- Syndrome, nose/ear distress, Middle-ear analysis in the—W. D. McNicoll. *Orig. Art.*, 309.

- Syphilis, yaws, or Menière's disease?, Fluctuating hearing loss in West African and West Indian racial groups:—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.
- Technique for repair after laryngectomy and subtotal pharyngectomy, A new—R. P. E. Barton. *Orig. Art.*, 119.
- Technique, surgical, for reconstruction of full-thickness defects of the cheek and lips after cancer surgery, A—D. S. Grewal, A. G. Pusalkar and N. L. Hiranandani. *Orig. Art.*, 1033.
- Temporal bone, associated with hyperlipoproteinaemia, An extensive solitary xanthoma of the—P. J. Emery and M. Gore. *Clin. Rec.*, 451.
- Temporalis fascia grafts, Autogenous—P. M. Shenoi. *Orig. Art.*, 801.
- Test for perilymph fistula, An audiometric—J. G. Fraser and L. M. Flood. *Orig. Art.*, 513.
- Theatres, Orthopaedic, A possible noise hazard?—S. A. Kamal. *Orig. Art.*, 985.
- Therapy, Cisplatinum, Rapid onset hearing loss after—P. Chapman. *Clin. Rec.*, 159.
- Thoughts on the second filter, Second—A. Tumarkin. *Orig. Art.*, 971.
- Thymic cyst, Cervical—B. M. Al-Shihabi and J. McG. Jackson. *Clin. Rec.*, 181.
- Thyroid glands in Nigerian children, Lingual and normally located—G. T. A. Ijaluola. *Clin. Rec.*, 177.
- Tinnitus, Assessment of the value of tocinide hydrochloride in the treatment of—J.-M. Cathcart. *Orig. Art.*, 981.
- Tissue, brain, in the palate, Heterotopic—A. O. Ibekwe and S. E. Ikerionwu. *Clin. Rec.*, 1155.
- Tocainide hydrochloride in the treatment of tinnitus, Assessment of the value of—J.-M. Cathcart. *Orig. Art.*, 981.
- Tomography in E.N.T. practice, Computed—D. W. Proops and P. D. Phelps. *Orig. Art.*, 417.
- Tongue, rat, Articulating bone formation in the—A. P. Jayaraj. *Orig. Art.*, 665.
- Tongue, Resection of the, with the carbon dioxide laser—J. A. S. Carruth. *Orig. Art.*, 529.
- Tonsil, Metastatic hypernephroma in the—J. W. A. Bom and E. A. Baarsma. *Clin. Rec.*, 1159.
- Tonsillectomy haemorrhage, Post—D. Carmody, T. Vamadevan and S. M. Cooper. *Orig. Art.*, 635.
- Tonsillectomy under local anaesthesia, Results of long-term ECG monitoring in patients submitting to—H. Pekkarinen and J. Kärjä. *Orig. Art.*, 725.
- Tonsillomycosis—A. Maher, A. Bassiouny, T. J. Bucci, M. K. Moawad and D. S. Hendawy. *Orig. Art.*, 229.
- Torps and Porps—A. Belal and S. Odnert. *Orig. Art.*, 49.
- Total pharyngeal reconstruction, Use of the latissimus dorsi myocutaneous flap for—S. Ali, J. S. Watson and J. Bihari. *Orig. Art.*, 837.
- Total rhinectomy—a worthwhile operation?—D. F. N. Harrison. *Orig. Art.*, 1113.
- Tracheal mucosa of the rabbit, The effect of cigarette smoke on the—H. A. Gaafar and A. H. Al-Mansour. *Orig. Art.*, 943.
- Tracheal stenosis: Repair with nasal septum—H. E. Porte. *Clin. Rec.*, 365.
- Tracheitis, Bacterial,—A true entity?—S. Davidson, Z. Barzilay, J. Yahav and E. Rubinstein. *Clin. Rec.*, 173.
- Tract, Sarcoidosis of the upper respiratory, (SURT)—D. G. James, S. Barter, D. Jash, D. M. MacKinnon and L. S. Carstairs. *Orig. Art.*, 711.
- Transitional-type inverted papilloma of the nose and paranasal sinuses, Bilateral—P. Chatterji, I. Friedmann, N. K. Soni, R. L. Solanki and I. N. Ramdeo. *Clin. Rec.*, 281.
- Treatment of chronic parotitis, The surgical—L.-E. Afzelius and C.-G. Walter. *Orig. Art.*, 1131.
- Treatment of head and neck carcinoma with Adriamycin and Bleomycin using adjuvant hyperthermia, The—H. D. Fairman. *Orig. Art.*, 251.
- Treatment of retraction pockets and cholesteatoma—J. Sadé. *Orig. Art.*, 685.
- Treatment of tinnitus, Assessment of the value of tocinide hydrochloride in the—J.-M. Cathcart. *Orig. Art.*, 981.
- Tumour of the nose as a presenting feature of leukaemia—I. Brama, A. Goldfarb, O. Shalev and I. Ariel. *Clin. Rec.*, 83.
- Tumours of the infra-temporal fossa, Extra-cranial—A. Johnson and A. G. D. Maran. *Orig. Art.*, 1017.
- Tympanic membrane grafting with fascia, pericardium and vein—G. J. Hordijk and S. J. Rietema. *Orig. Art.*, 43.
- Tympanic membrane retraction and middle-ear pressure—H. R. Cable and S. Tadros. *Orig. Art.*, 113.
- Tympanosclerotic plaques, The collagens of middle-ear structures and—J. P. Birchall, K. Pearman, J. D. K. Dawes and B. Sykes. *Orig. Art.*, 797.

- Underlay or overlay, dura or fascia?, What's best in myringoplasty:—P. Packer, A. Mackendrick and M. Solar. *Orig. Art.*, 25.
- Unusual cause of stridor, An—N. Salama and M. Fathy. *Clin. Rec.*, 361.
- Unusual cures of deafness, Some—A. Markides. *Orig. Art.*, 479.
- Upper respiratory tract, Sarcoidosis of the, (SURT)—D. G. James, S. Barter, D. Jash, D. M. MacKinnon and L. S. Carstairs. *Orig. Art.*, 711.
- Use of osteomyocutaneous flaps in mandibular reconstruction, The—G. J. Radcliffe, S. Mady and A. D. Cheesman. *Orig. Art.*, 1043.
- Use of the latissimus dorsi myocutaneous flap for total pharyngeal reconstruction—S. Ali, J. S. Watson and J. Bihari. *Orig. Art.*, 837.
- Value of flexible system laryngoscopy, The practical and economic—A. R. Welch. *Orig. Art.*, 1125.
- Value of tocinide hydrochloride in the treatment of tinnitus, Assessment of the—J.-M. Cathcart. *Orig. Art.*, 981.
- Valve, Blom-Singer, for restoration of voice after laryngectomy, A modification of the—A. Perry, A. D. Cheesman and R. Eden. *Orig. Art.*, 1005.
- Variability and habituation of nystagmic responses to hot caloric stimulation of normal subjects—P. G. Davey, E. S. Harpur, F. Jabeen, D. Shannon and P. M. Sheno. *Orig. Art.*, 599.
- Variations, Middle-ear pressure, during general anaesthesia—S. H. Richards, G. O'Neill and F. Wilson. *Orig. Art.*, 883.
- Vascular pedicle, Reconstruction of cervical esophagus with a segment of colon based on a long, : An experimental study in ten monkeys—D. N. Papachristou and J. G. Fortner. *Orig. Art.*, 135.
- Vein, Tympanic membrane grafting with fascia, Pericardium and—G. J. Hordijk and S. J. Rietema. *Orig. Art.*, 43.
- Vertebral ankylosing hyperostosis, Laryngeal and pharyngeal disorders in—I. H. Girgis, N. N. Guirguis and M. Mourice. *Orig. Art.*, 659.
- Vinblastine sulphate on the neurological elements of the rabbit cochlea, The effect of—A. Serafy, M. Hashash and F. State. *Orig. Art.*, 975.
- Vocal nodules in children—aetiology and management—N. J. Kay. *Orig. Art.*, 731.
- Voice after laryngectomy, A modification of the Blom-Singer valve for restoration of—A. Perry, A. D. Cheesman and R. Eden. *Orig. Art.*, 1005.
- Voice after laryngectomy with Staffieri's method, Observations on surgical rehabilitation of the—R. M. Tiwari, G. B. Snow, F. L. E. Lecluse, A. J. Greven and G. Bloothoof. *Orig. Art.*, 241.
- Volume measurements, Post-operative ear canal—K. Ojala, M. Sorri and P. Sipilä. *Orig. Art.*, 877.
- Wall, posterior, of the hypopharynx, Squamous cell carcinomas of the—C. H. Raine, P. M. Stell and J. Dalby. *Orig. Art.*, 997.
- Wegener's granulomatosis presenting as otitis media—B. Nicklasson and N. Stangeland. *Clin. Rec.*, 277.
- West African and West Indian racial groups, Fluctuating hearing loss in, : yaws, syphilis or Menière's disease?—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.
- West Indian racial groups, Fluctuating hearing loss in West African and, : yaws, syphilis or Menière's disease?—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.
- What's best in myringoplasty: underlay or overlay, dura or fascia?—P. Packer, A. Mackendrick and M. Solar. *Orig. Art.*, 25.
- When not to do middle-ear surgery—D. Plester. *Orig. Art.*, 585.
- Worthwhile operation?, A, Total rhinectomy—D. F. N. Harrison. *Orig. Art.*, 1113.
- Xanthoma of the temporal bone, associated with hyperlipoproteinaemia, An extensive solitary—P. J. Emery and M. Gore. *Clin. Rec.*, 451.
- Yaws, syphilis or Menière's disease?, Fluctuating hearing loss in West African and West Indian racial groups:—R. J. Black, W. P. R. Gibson and J. W. R. Capper. *Clin. Rec.*, 847.

