

January
1994

The Journal of Laryngology and Otology



Founded in 1887 by Morell Mackenzie & Norris Wolfenden

Edited by NEIL WEIR

Assistant Editors CAROL WENGRAF, RICHARD RAMSDEN, PETER RHŶS EVANS,
DAVID PROOPS, VALERIE LUND, HENRY GRANT, ANDREW JONES & GUY KENYON

Book Review and Abstracts Editor JOHN B. BOOTH

Emeritus Advisor in Pathology IMRICH FRIEDMANN

Advisors in Pathology BRIAN MANNERS, CHRISTOPHER MILROY, KENNETH MACCLELLAN
LESLEY SMALLMAN

Advisor in Audiology LINDA LUXON

Advisors in Radiology GLYN LLOYD & PETER PHELPS

Advisors in Statistics ANTHONY HUGHES & PETER KELLY

Production Editors GILLIAN GOLDFARB & INGA MCKENZIE

Vol 108
No 1

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

Edited by NEIL WEIR

Assistant Editors PATRICK BEASLEY, CAROL WENGRAF, RICHARD RAMSDEN,
IOLO GRIFFITH, PETER RHÏS EVANS, DAVID PROOPS, VALERIE LUND & HENRY GRANT
Book Reviews and Abstracts Editor JOHN B. BOOTH

Production Editor INGA MCKENZIE

INSTRUCTIONS FOR AUTHORS

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made. Normally an original main article should not exceed 7500 words.

Longer articles or theses will be considered for publication as *Supplements*, at the expense of the authors or their employing authorities.

2. Manuscripts should be **typewritten in duplicate** on one side of the paper only (A4 297×210 mm) and double spaced, with wide margins.

Begin each component on a new page in the following sequence: title page, abstract, text, acknowledgements, references, tables and legends.

(a) **Abstract**—This should contain not more than 150 words and include a statement of the problem, the method of study, results and conclusions; a 'summary' section should **not** be included in the main manuscript.

(b) **Key Words**—only those appearing as Medical Subject Headings (MeSH) in the supplement to the Index Medicus may be used; where no appropriate word(s) are listed those dictated by common sense/usage should be supplied.

(c) **Text**—Suggested outline—(1) introduction, (2) materials and methods, (3) results, (4) discussion, (5) conclusion.

(d) **Tables** are adjuncts to the text and should not repeat material already presented.

(e) **Illustrations**—Two sets of illustrations, one with each copy of the manuscript, must be submitted and all authors should remember that the single column width is 80mm. One set of illustrations should, therefore, not exceed this width and they should ensure that the essential features are illustrated within this dimension.

Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

Written permission from the publisher must be provided to the *Journal* in order to republish material with copyright elsewhere and also from the senior author where necessary.

(f) **Measurements** must be in metric units, with *Système Internationale* (SI) equivalents given in parentheses.

(g) **References**—For *Journal* articles, The Harvard system of recording references should be used, e.g. Green, C. and Brown, D. (1951) The tonsil problem. *Journal of Laryngology and Otology* 65: 33–38. A paper written by more than two authors should be abbreviated in the text, e.g. Green *et al.* (1951), but *all* the authors should be given in the list of references. The titles of all *Journals* should be given without abbreviation. **References should be listed in alphabetical order**; use of the Vancouver system will **not** be accepted.

For single-author books, the following style should be used: Green, C. (1951) *The tonsil problem*, 2nd Edition, vol. 1, Headley Brothers Ltd., Ashford, Kent, pp 33–38.

For papers in multi-author books with one or more editors, the reference should include the title of the chapter and the names of the editors, together with the number of the edition as eg: Brown, D. (1951) Examination of the ear. In *Diseases of the Ear, Nose and Throat*. 2nd Edition. (White, A., Black, B., eds.), Headley Brothers Ltd, Ashford, Kent, pp 33–38.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication. The names of authors cited in the References should be given in alphabetical order.

(h) **Drugs**—The proper names of drugs must be used. One reference can be made to the brand name if it is felt to be important to the study.

(i) **Meetings**—If the manuscript was presented at a meeting, the place where it was held, and the date on which it was read must be included and should appear at the foot of the title page.

(j) **Financial disclosures**—In the submission letter to the Editor, the authors must list all affiliations with or financial involvement in, organizations or entities with a direct financial interest in the subject matter or material of the research discussed in the manuscript.

(k) **Declaration**. Each manuscript must be accompanied by a letter of declaration to be signed by each author to confirm that they have seen, read and approve the contribution bearing their name.

(l) **Rejections**—All manuscripts which are rejected will no longer be returned to the authors. Those submitting papers should, therefore, ensure that they retain at least one copy and the reference numbers, if any, of the illustrations. The only exception to this will be those manuscripts with colour illustrations which will be returned *automatically* by Surface Mail.

(m) **Facsimile (FAX)**. All authors should send a Facsimile number whenever possible to speed communication; this particularly applies to those outside the United Kingdom. Manuscripts with no visual illustrations (X-rays/pathology) may be sent by facsimile.

3. **Page proofs** are sent to authors for corrections, which should be kept to a minimum; they must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Orders for reprints must be sent when returning page proofs, and for this purpose special forms are supplied.

5. Editorial communications may be addressed to **The Editor, Journal of Laryngology and Otology, c/o Headley Brothers Ltd., The Invicta Press, Ashford, Kent TN24 8HH or sent by FAX (0483 451874).**

6. **The annual subscription is £95.00 Institutions & Libraries US\$190.00; £85.00 Individuals US\$170.00; £45.00 Registrars, Residents and Interns.** (Those in training should submit a certificate from The Head of the Department giving details of their appointment; those who qualify must supply their *home* address for mailing direct). Claims to be made for missing issues within 6 months of each publication date.

7. Single copies of current or back numbers (when available) will be on sale at £12.00 each (including postage).

8. **SUPPLEMENTS** published at 'irregular' intervals with subscription, available separately on request.

9. All subscriptions, advertising and business communications should be sent to the publishers, or subscription agents.

HEADLEY BROTHERS LTD,

THE INVICTA PRESS, ASHFORD, KENT.

© *Journal of Laryngology and Otology Ltd., 1993*

ISSN 0022-2151

Second class postage paid Rahway, N.J.

Postmaster: Send address corrections to The Journal of Laryngology and Otology, c/o Mercury

Airfreight International Ltd. Inc., 2323 Randolph Avenue, Avenel, N.J. 07001. Frequency of Publication: Monthly.

ARE YOU A SUBSCRIBER TO THE J.L.O.?

TEN good reasons why you should:

Each issue contains 40 per cent more material.

Main Articles, Case Reports and Short Communications from all over the world.

Quarterly Book Review Service.

Selected Abstract Service each month.

Period between acceptance and publication cut to six months or less.

Subscribers receive all supplements produced in that year.

Every 10 years, complete index issue published—included in the subscription (next issue will appear at the end of 2002).

Reduced subscription rates for those in training (Registrars/Residents/Interns).

Subscription normally tax deductible. (Those in training should submit a certificate from the Head of the Department giving details of their appointment; those who qualify must supply their *home* address for mailing direct.)

The J.L.O. has now been published for more than a century and remains excellent value for money—so why not have your own individual copy and give yourself everyday access!

THE JOURNAL OF LARYNGOLOGY AND OTOLOGY

1994 SUBSCRIPTION RATES

£85.00 US\$170.00

*REGISTRARS, RESIDENTS AND INTERNS
£45.00

* With confirmation of status from head of department

NAME _____

ADDRESS _____

POSTCODE (ZIP CODE) _____

NEW

PAYMENT ENCLOSED†

RENEWAL

BILL ME

REGISTRAR

† Cheques must be in pounds sterling or US dollars drawn on a US bank payable to Headley Brothers Ltd.

Claims within 6 months of each publication date.

The Journal of Laryngology and Otology is published monthly by

HEADLEY BROTHERS LTD

The Invicta Press, Queens Road, Ashford,

Kent TN24 8HH, England

Tel: 0233 623131

Fax: 0233 612345

Month after Month,
Cover to Cover
The BEST in Otolaryngology

THE
Laryngoscope
FOUNDED IN 1896


J. Gershon Spector, M.D.
Editor

10 So. Broadway • Suite 1401
St. Louis, MO 63102



U.S. \$110.00 per year Outside U.S. \$135.00 per year
Institutional Rate: U.S. \$150.00 per year • Outside U.S. \$175.00 per year

INVEST IN YOURSELF



OFFICIAL JOURNAL OF THE
AMERICAN LARYNGOLOGICAL ASSOCIATION

1994 ANNUAL SUBSCRIPTION RATES

	RESIDENT*	INDIVIDUAL*	INSTITUTIONAL
US	<input type="checkbox"/> \$52.00	<input type="checkbox"/> \$ 99.00	<input type="checkbox"/> \$148.50
FOREIGN	<input type="checkbox"/> \$64.00	<input type="checkbox"/> \$119.00	<input type="checkbox"/> \$168.50

*Individual, resident, and student subscriptions must be in the individual's name and must be billed to and paid for by the individual.

NEW SUBSCRIBERS RECEIVE 2 ISSUES
FREE WITH PAID SUBSCRIPTION



Mail to or call:
ANNALS PUBLISHING CO
4507 LACLEDE AVENUE
ST LOUIS, MISSOURI 63108
(314) 367-4987
FAX (314) 367-4988



- MONTHLY ISSUES • SUPPLEMENTS
- PEER REVIEWED • CLINICAL AND RESEARCH
- IMAGING CASE STUDIES • PATHOLOGY CONSULTATIONS
- LETTERS TO THE EDITOR • BOOK REVIEWS

The Journal of Laryngology and Otology

An international journal founded in 1887.

A leading international journal, published monthly, and containing original scientific articles and clinical records in all fields of Otology, Rhinology and Laryngology.

Distributed by subscription to Surgeons, Consultants and Students throughout the United Kingdom and to many overseas countries.

Note to Advertisers:

Trimmed size: 297 × 210 mm

Type area: 250 × 170 mm

Half-tone screen: 133

For further details please contact:

The Advertisement Manager
The Journal of Laryngology and Otology
Headley Brothers Limited
The Invicta Press
Ashford Kent TN24 8HH
Telephone: 0233 623131
Fax: 0233 612345, 641471 and 622704

THE NINTH BRITISH ACADEMIC CONFERENCE IN OTOLARYNGOLOGY

Manchester 9 – 14th July 1995

Master : Mr Andrew W Morrison, FRCS



The next conference will be held in the University of Manchester Institute of Science and Technology. Distinguished invited international contributors will present and discuss recent developments in otolaryngology, head and neck surgery. Main topic sessions will include :

- Sensorineural deafness
- Skull base surgery
- Chronic rhinosinusitis
- Phoniatics and voice surgery
- Controversies in Head and Neck Surgery
- Controversies in Otology
- Facial plastic surgery
- Carcinoma of the larynx
- Otitis media with effusion
- ORS main topic session
- Controversies in Rhinology
- Facial palsy

Instructional Sessions will be held in small seminar groups, and there will be six Mini-Symposia :

- Allergy
- Education and training in ENT
- Cochlear and osseointegrated implants
- Swallowing, aspiration and dysphagia
- Molecular biology and ENT
- Electrophysiology in ENT


There will be temporal bone dissection demonstrations, a continuous programme of video films, and both Scientific and Trade Exhibitions, together with a full social programme for delegates and spouses. Further details and a copy of the Preliminary Notes may be obtained from the Conference Secretary :

Ms Barbara Komoniewska

British Association of Otolaryngologists

The Royal College of Surgeons of England, 35 – 43 Lincoln's Inn Fields, London WC2A 3PN, England

Telephone : 071 404 8373 Facsimile : 071 405 0318



NON-SEDATIVE

Serc-16

betahistine 16mg

Recurrent vertigo under control means that patients can continue with their normal daily activities.

With non-sedative Serc-16, driving can be a part of that way of life — because new evidence has shown that even high doses of Serc (72mg tds) did not impair driver performance.¹

Prochlorperazine (5mg tds), however, caused a significant deterioration in driving skills, of which the drivers themselves were unaware.¹

The way ahead is now clear for your patients with recurrent vertigo —
 Rx Serc-16 1 tds.

THE WAY AHEAD IN RECURRENT VERTIGO
 due to Ménière's syndrome

Reference 1 Balts TA et al. Br J Clin Pharmacol 1991; 32: 455-458.

Prescribing information

Presentation A white, flat round tablet imprinted '267' on one face, 'DUPHAR' on the reverse, each tablet containing 16mg betahistine dihydrochloride. Available in packs of 84 tablets. Basic NHS price £18.03. **Indications** Vertigo, tinnitus and hearing loss associated with Ménière's syndrome. **Dosage and Administration** Adults: Initially one tablet three times daily taken preferably

with meals. Maintenance dose: 24-48mg daily. Children: No dosage recommendations are made for children. **Contra-indications, Warnings, etc.** Contra-indications: Phaeochromocytoma. Precautions: Caution is advised in the treatment of patients with a history of peptic ulcer. Clinical intolerance to Serc in bronchial asthma patients has been shown in a relatively few patients and therefore caution should be exercised when administering betahistine to patients with bronchial asthma. The usual precautions should be observed when administering Serc to patients in pregnancy. Side-effects: Relatively

few side-effects have been reported. They include gastrointestinal upset (including dyspepsia), headache, skin rash and pruritus. **Product Licence Number** 0512/0088. **Legal Category** POM. **Date of Preparation** February 1993. Further information is available from: Duphar Laboratories Limited, Gaters Hill, West End, Southampton SO3 3JD. Tel: 0703 472281. Duphar is a member of the Solvay Group.

duphar

Rx 16

The Journal of
Laryngology and Otology

The Journal of Laryngology and Otology

Edited by NEIL WEIR

Assistant Editors CAROL WENGRAF, RICHARD RAMSDEN, PETER RHŶS EVANS,
DAVID PROOPS, VALERIE LUND, HENRY GRANT, ANDREW JONES
& GUY KENYON

Book Review and Abstracts Editor JOHN B. BOOTH

Emeritus Advisor in Pathology IMRICH FRIEDMANN

Advisors in Pathology BRIAN MANNERS, CHRISTOPHER MILROY,
KENNETH MACCLELLAND & LESLEY SMALLMAN

Advisor in Audiology LINDA LUXON

Advisors in Radiology GLYN LLOYD & PETER PHELPS

Advisors in Statistics ANTHONY HUGHES & PETER KELLY

Production Editors GILLIAN GOLDFARB & INGA MCKENZIE

*FOUNDED IN 1887 BY MORELL MACKENZIE
& NORRIS WOLFENDEN*

VOLUME 108

Published for the Proprietors by

HEADLEY BROTHERS LTD
Ashford, Kent TN24 8HH

1994

The Journal of Laryngology and Otology

