

catalogue. The authority, date and reference are given for each genus, and under each species are given the date, author and place of publication of the original description, followed by any other published references, the synonymy, habitat, and where the type can be found. Anyone who has attempted to keep a record of the published references to our Lepidoptera—and we have all been compelled to do so in some form or other—will appreciate the immense amount of labour that Prof. Smith has performed in the preparation of this work, and must feel heartily grateful that he has now relieved us of a task that few are competent to accomplish satisfactorily. The saving of time, and the satisfaction of knowing that one is not now likely to overlook anything that has been published regarding a species, are no small boons to the student. For a full explanation of the origin and purpose of the work, we must refer the reader to Prof. Smith's somewhat lengthy preface, which will be found well deserving of careful perusal. The general index at the end of the volume makes the work complete, and we have no hesitation in saying that it is the most useful publication on the North American Noctuidæ that has yet been issued from the press. We trust that the author will before long be able to lay us under still greater obligations to him by the publication of his contemplated monograph of the whole of this family of moths.

CORRESPONDENCE.

CORRECTION.

Sir,—In my last paper, "Washington Tenthredinidæ, etc." I find that I have made the following mistakes:—Page 238, line 13 from top, 23 from top, and page 239, line 6 from bottom, the word *labium* should in each case be *labrum*.

A. D. MACGILLIVRAY.

CALLIDRYAS EUBULE.

Sir,—On the 5th of October last I observed a bright yellow butterfly, much larger than any of our species of *Colias*, flying in the street here, but it soon passed out of sight over some houses. On the 9th inst. I observed some others, and at last succeeded in capturing what proved, to my great delight, to be a specimen of *Callidryas Eubule*, the first taken in the State of Iowa. Hitherto it has not been seen north of Missouri; though I have collected in this State for ten years, I have never met with this butterfly before, but now I have taken no less than four specimens, all females, and so fresh that they look as if they had just emerged from the chrysalis. Keota is built upon "the divide," and is ten miles either north or south from any heavy belt of timber, or any large stream of water. These specimens must therefore be "wind-visitors," as Mr. Grote terms them, and have been wafted here by the air-currents from the south.

A. S. VAN WINKLE, Keota, Iowa.

Mailed November 4th.