Index of Subjects

Adenoviruses, restriction enzyme analysis of faecal, in Newcastle upon Tyne, 445

- Adenovirus, persistent enteral infections with, types 1 and 2 in infants: no evidence of reinfection, 503
- Aeromonas, isolation and characterization of motile, from human, food and environmental specimens, 213
- African swine fever virus, the distribution of, isolated from Ornithodoros moubata in Zambia, 547
- African swine fever virus, isolation of, from ticks of the Ornithodoros moubata complex (Ixodoidea: Argasidae) collected within the African swine fever enzootic area of Malawi, 173
- AIDS, characterization of cytomegalovirus isolates from patients with, by DNA restriction analysis, 483
- Badgers, the haematological values of European, (Meles meles) in health and in the course of tuberculosis infection, 231
- Bovine tubercle bacilli, incidence and nature of human tuberulosis due to, in South-East England: 1977-1987, 225
- Campylobacter, the characterization and pathological significance of gastric, -like organisms in the ferret: a model for chronic gastritis, 269
- Campylobacter, the significance of wild birds (Larus sp.) in the epidemiology, of, infections in humans, 259

Campylobacters in man and the environment in Hull and East Yorkshire, 287

Campylobacters, occurrence of 'thermophilic', in sewage and their removal by treatment processes, 279

Campylobacters, the pathogenicity of environmental, – a human volunteer experiment, 295 Chagas' disease, cardiac morbidity due to, in a rural community in Bolivia, 655

Chlamydial antibodies in farmers in north-west England, 397

- Chlamydia, the development and evaluation of a $\mu\text{-capture ELISA}$ detecting, -specific IgM, 387
- Clostridium botulinum, thermal sensitivity of, type C toxin, 321
- CMV, specific and non-specific serological markers in the screening for congenital, infection, 495

Cryptosporidiosis, an outbreak of, in a hospital day-care centre, 355

- Cryptosporidium infections in humans with gastroenteritis in Zaria, Nigeria, 93
- Cytomegalovirus, characterization of, isolates from patients with AIDS by DNA restriction analysis, 483
- Diarrhoeal disease, prospective study of, in a cohort of rural Mexican children: incidence and isolated pathogens during the first two years of life, 123
- Diphtheria, antibody level of New Zealand children immunized with the triple vaccine DTP (,-tetanus-pertussis), 405
- Disinfectant cloths, laboratory evaluation of disposable and reusable, for cleaning food contact surfaces, 367

Escherichia coli, a two-year survey of the incidence of heat-labile enterotoxin-producing, and other enteric pathogens in travellers returning to the Sheffield area, 239

Escherichia coli, first recognized community outbreak of haemorrhagic colitis due to verotoxinproducing, O 157.H7 in the UK, 83

Escherichia coli, the use of sorbitol-MacConkey agar in conjunction with a specific antiserum for the detection of Vero cytotoxin-producing strains of, O 157, 327

Food poisoning in hospitals in Scotland, 1978-87, 661

Foot-and-mouth disease, potential allergens in oil emulsion, vaccines for pigs, 477

Foot-and-mouth disease virus, serological and biochemical analysis of some recent type A, isolates from the Middle East, 577

Gastritis, the characterization and pathological significance of gastric campylobacter-like organisms in the ferret: a model for chronic, 269

Gastroenteritis, cryptosporidium infections in humans with, in Zaria, Nigeria, 93

Haemophilus ducreyi, antigenic analysis of, by Western blotting, 151

Haemorrhagic colitis, first recognized community outbreak of, due to verotoxin-producing Escherichia coli O 157.H7 in the UK, 83

Hantaviral, association of intraspecific wounding with, infection in wild rats (*Rattus norvegicus*), 459

Herpes zoster, detection of specific IgM in varicella and, by antibody-capture radioimmunoassay, 187

HPV, a study of, 1, 2 and 4 antibody prevalance in patients presenting for treatment with cutaneous warts to general practitioners in N. Ireland, 537

Immunization, the use of mathematical models in the epidemiological study of infectious diseases and in the design of mass, programmes, 1

Interferon A^{*}, a study of intranasally administered, (rIFN- α 2A) for the seasonal prophylaxis of natural viral infections of the upper respiratory tract in healthy volunteers, 611

Legionella, nosocomial, pneumonia: demonstration of potable water as the source of infection, 647

Leprosy, serological tests in. The sensitivity, specificity and predictive value of ELISA tests based on phenolic glycolipid antigens, and the implications for their use in epidemiological studies, 159

Mathematical models, the use of, in the epidemiological study of infectious diseases and in the design of mass immunization programmes, 1

Measles, evaluation of live attenuated, vaccines prepared in human diploid cells for reimmunization, 437

Measles, maternally derived, immunity in children of naturally infected and vaccinated mothers, 473

Milk. a. -borne outbreak of serious infection due to Streptococcus zooepidemicus (Lancefield Group C), 43

Mycoplasma pneumoniae, changes in the epidemiological pattern of, infections in Denmark, 377

Mycoplasma pneumoniae, laboratory diagnosis of, infection. 1. Direct detection of antigen in respiratory exudates by enzyme immunoassay, 669

Mycoplasma pneumoniae, laboratory diagnosis of, infection. 2. Comparison of methods for the direct detection of specific antigen or nucleic acid sequences in respiratory exudates, 685

Neisseria meningitidis, carriage of: investigations in a military establishment, 21

Ornithodoros moubata, isolation of African swine fever virus from ticks of the, complex (Ixoidea: Argasidae) collected within the African swine fever enzootic area of Malawi, 173

Pertussis, antibody level of New Zealand children immunized with the triple vaccine DTP (diphtheria-tetanus-,), 405

Pig bite injuries and infection: report of seven human cases, 641

Pneumococcal carriage amongst children in Adelaide, South Australia, 411

Poliovirus, persistence of, -neutralizing antibodies 2-16 years after immunization with live attenuated vaccine. A seroepidemiologic survey in the mainland of Venice, 605

Rattus nor vegicus, association of intraspecific wounding with hant aviral infection in wild rats, 459

Respiratory syncytial (RS) virus, ontogenesis of the formation of secretory antibodies to, 565

Rotavirus, faecal excretion of, and other enteropathogens in newborns of the high and low socioeconomic stratum in Santiago, Chile, 425

Rubella, rubella-specific IgG subclass avidity ELISA and its role in the differentiation between primary, and rubella reinfection, 591

Rubella, rubella-specific IgG subclass concentrations in sera using an enzyme-linked immunosorbent assay (ELISA): the effect of different sources of, antigen, 599

Saliva, the use of, for viral diagnosis and screening, 197

Salmon as a food-poisoning vehicle - two successive salmonella outbreaks, 249

Salmonella, occurrence of H-antigen zee of R phase in cultures of, serovar typhi originated from Indonesia, 311

Salmonella, salmon as a food-poisoning vehicle - two successive, outbreaks, 249

- Salmonella, the growth of, in rumen fluid from cattle at slaughter, 337
- Salmonella typhimurium phage type 141 infections in Sheffield during 1984 and 1985: association with hens' eggs, 75
- Salmonellosis, poultry-borne, in Scotland, 115

Serratia marcescens infection associated with early abortion in cows and buffaloes, 143

Serratia marcescens, use of colistin and sorbitol for better isolation of, in clinical samples, 315 Sewage, occurrence of 'thermophilic' campylobacters in, and their removal by treatment processes, 279

Soap, washing with contaminated bar, is unlikely to transfer bacteria, 135

- Staphylococci, a comparison of DNA and immunoblot finger-printing of the SII biotype of coagulase negative, 203
- Staphylococci, hospital-acquired infection with methicillin-resistant and methicillin-sensitive. 623
- Staphylococci, species identification, antibiotic sensitivity and slime production of coagulasenegative, isolated from clinical specimens, 99
- Staphylococcus aureus, methicillin-resistant: associated morbidity and effectiveness of contol measures, 301

Streptococcus, seroepidemiology of group B, type II antibody specificity, 347

- Streptococcus zooepidemicus, a milk-borne outbreak of serious infection due to, (Lancefield Group C), 43
- Tetanus, antibody level of New Zealand children immunized with the triple vaccine DTP (diphtheria-, -pertussis), 405
- Tuberculosis, incidence and nature of human, due to bovine tubercle bacilli in South-East England: 1977–1987, 225
- Tuberculosis, the haematological values of European badgers (Meles meles) in health and in the course of, infection, 231
- Varicella, detection of specific IgM in, and herpes zoster by antibody-capture radioimmunoassay, 187

Water, nosocomial legionella pneumonia: demonstration of potable, as the source of infection. 647

Water quality control trials: statistical tables for direct comparison between membrane filtration bacterial counts and the multiple tube method with a description of the bacteriological method, 361

Water, virucidal effect of chlorinated, containing eyanuric acid, 631

Western equine encephalitis, impact of climate on, in Manitoba, Minnesota and North Dakota. 1980–1983, 511

Whelks, food poisoning due to the consumption of red, (Neptunea antiqua), 419

- Yersinia pestis, identification of encapsulated and non-encapsulated, by immunofluorescence tests using polyclonal and monoclonal antibodies, 59
- Yersinia, the use of alkalinity and incubation at 9 $^{\circ}\mathrm{C}$ for improved recovery of, spp. from faeces. 53

704